

LISTA DE APLICACIONES - BUYERS GUIDE

140365




8 424073 011046

Qty: 639

Weight: 1.348

O.E.M.	MAKE
77 01 201 454	RENAULT
77 01 201 709	RENAULT
77 01 202 709	RENAULT
77 01 204 593	RENAULT
77 01 348 478	RENAULT
77 01 348 682	RENAULT



140365



90R-02A0109/3334

Bendix



108.9x57.5x18.5

WVA

20488

20489

20570

20571

MAKE

RENAULT



Trac.

CC

Kw

CV



Front / Rear

RENAULT

R 20 (127_) 10.75-12.83

						Hatchback (Executive car-E Segment)			
2.0 (1277) (829 702)	-07/81, Fist-type Caliper	Gasolina	FWD	1995	76	103	10.80-12.83	■	
2.0 (1277) (829 703)	-07/81, Fist-type Caliper	Gasolina	FWD	1995	76	103	10.80-12.83	■	
2.0 (1272) (829 700)	01/78-, Fist-type Caliper	Gasolina	FWD	1995	80	109	10.77-10.80	■	
2.0 (1272) (829 701)	01/78-, Fist-type Caliper	Gasolina	FWD	1995	80	109	10.77-10.80	■	
2.0 (1272) (829.01)	01/78-, Fist-type Caliper	Gasolina	FWD	1995	80	109	10.77-10.80	■	
2.2 (1279) (851 700)	-07/81, Fist-type Caliper	Gasolina	FWD	2165	85	116	10.80-12.83	■	

TRAFIC (T_, P_, V_) 03.80-04.89

						Bus (Minibus-M2-Segment)			
1.4 (847 700)	Fist-type Caliper	Gasolina	FWD	1397	35	48	03.80-04.89	■	
1.4 (847 701)	Fist-type Caliper	Gasolina	FWD	1397	35	48	03.80-04.89	■	
1.4 (C1J 700)	Fist-type Caliper	Gasolina	FWD	1397	35	48	03.80-04.89	■	
1.6 (841 705)	Fist-type Caliper	Gasolina	FWD	1647	48	65	01.84-06.86	■	
1.6 (A1M 707)	Fist-type Caliper	Gasolina	FWD	1647	48	65	01.84-06.86	■	
1.6 (A1M 708)	Fist-type Caliper	Gasolina	FWD	1647	48	65	01.84-06.86	■	
1.6 4x4 (A1M 707)	Fist-type Caliper	Gasolina	4WD	1647	48	65	03.80-08.86	■	
1.7 (F1N 724)	Fist-type Caliper	Gasolina	FWD	1721	50	68	06.86-04.89	■	
1.7 (F1N 724)	Fist-type Caliper	Gasolina	FWD	1721	50	68	08.92-08.94	■	
2.0 (829 720)	Fist-type Caliper	Gasolina	FWD	1995	58	79	07.80-04.85	■	
2.0 (J5R 716)	Fist-type Caliper	Gasolina	FWD	1995	59	80	06.86-04.89	■	
2.0 (J5R 722)	Fist-type Caliper	Gasolina	FWD	1995	59	80	06.86-04.89	■	
2.0 (J5R 726)	Fist-type Caliper	Gasolina	FWD	1995	59	80	06.86-04.89	■	
2.0 (J5R 726)	Fist-type Caliper	Gasolina	FWD	1995	59	80	05.89-08.90	■	
2.0 4x4 (J5R 716)	Fist-type Caliper	Gasolina	4WD	1995	59	80	06.86-04.89	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 4x4 (J5R 722)	Fist-type Caliper	Gasolina	4WD	1995	59	80	06.86-04.89	■
2.0 4x4 (J5R 726)	Fist-type Caliper	Gasolina	4WD	1995	59	80	06.86-04.89	■
2.2 (J7T 780)	Fist-type Caliper	Gasolina	FWD	2165	70	95	05.89-06.94	■
2.2 (J7T 600)	Fist-type Caliper	Gasolina	FWD	2165	74	101	06.94-10.97	■
1.9 D (F8Q 606)	Fist-type Caliper	Diesel	FWD	1870	44	60	06.97-03.01	■
2.1 D (852 750)	Fist-type Caliper	Diesel	FWD	2068	43	58	03.80-04.89	■
2.1 D (852 720)	Fist-type Caliper	Diesel	FWD	2068	43	58	05.89-06.94	■
2.1 D (852 750)	Fist-type Caliper	Diesel	FWD	2068	43	58	05.89-06.94	■
2.1 D 4x4 (852 750)	Fist-type Caliper	Diesel	4WD	2068	43	58	05.85-02.89	■
2.1 D (J8S 620)	Fist-type Caliper	Diesel	FWD	2068	47	64	06.94-10.97	■
2.1 D (J8S 758)	Fist-type Caliper	Diesel	FWD	2068	47	64	06.94-10.97	■
2.5 D (8140.67.2500)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2550)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2580)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 750)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 752)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 758)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D 4x4 (8140.67.2500)	Fist-type Caliper	Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (8140.67.2550)	Fist-type Caliper	Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (8140.67.2580)	Fist-type Caliper	Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (S8U 750)	Fist-type Caliper	Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (S8U 752)	Fist-type Caliper	Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (S8U 758)	Fist-type Caliper	Diesel	4WD	2499	55	75	08.89-03.01	■
TRAFIC (T_, P_, V_) 03.80-04.89					Platform/Chassis (LCVs-N1 Segment)			
1.4 (847 700)	Fist-type Caliper	Gasolina	RWD	1397	35	48	03.80-04.89	■
1.4 (C1J 700)	Fist-type Caliper	Gasolina	RWD	1397	35	48	03.80-04.89	■
1.6 (841 705)	Fist-type Caliper	Gasolina	RWD	1647	48	65	03.80-06.86	■
1.6 (A1M 705)	Fist-type Caliper	Gasolina	RWD	1647	48	65	03.80-06.86	■
1.7 (F1N 722)	Fist-type Caliper	Gasolina	RWD	1721	50	68	06.86-04.89	■
1.7 (F1N 722)	Fist-type Caliper	Gasolina	FWD	1721	50	68	05.89-08.94	■
2.0 (J5R 726)	Fist-type Caliper	Gasolina	RWD	1995	59	80	03.80-04.89	■
2.0 RWD (J5R 726)	Fist-type Caliper	Gasolina	RWD	1995	59	80	05.89-10.97	■
2.0 (829 720)	Fist-type Caliper	Gasolina	RWD	1995	63	86	03.80-12.86	■
2.0 (829 721)	Fist-type Caliper	Gasolina	RWD	1995	63	86	03.80-12.86	■
2.2 (J7T 780)	Fist-type Caliper	Gasolina	FWD	2165	70	95	05.89-06.94	■
2.1 D (852 720)	Fist-type Caliper	Diesel	RWD	2068	43	58	03.80-04.89	■
2.1 D (852 750)	Fist-type Caliper	Diesel	FWD	2068	43	58	07.80-04.85	■
2.1 D 4x4 (852 750)	Fist-type Caliper	Diesel	4WD	2068	43	58	05.85-02.89	■
2.1 D RWD (852 720)	Fist-type Caliper	Diesel	RWD	2068	43	58	05.89-06.94	■
2.1 D (J8S 750)	Fist-type Caliper	Diesel	FWD	2068	44	60	05.85-02.89	■
2.1 D	Fist-type Caliper	Diesel	RWD	2068	44	60	05.89-10.99	■
2.1 D RWD (J8S 620)	Fist-type Caliper	Diesel	RWD	2068	47	64	06.94-10.97	■
2.1 D RWD (J8S 758)	Fist-type Caliper	Diesel	RWD	2068	47	64	06.94-10.97	■
2.5 D (8140.61.240)	Fist-type Caliper	Diesel	RWD	2445	51	69	03.80-04.89	■
2.5 D (S8U 720)	Fist-type Caliper	Diesel	RWD	2445	51	69	03.80-04.89	■
2.5 D (S8U 722)	Fist-type Caliper	Diesel	RWD	2445	51	69	03.80-04.89	■
2.5 D (8140.61.240)	Fist-type Caliper	Diesel	FWD	2445	51	69	05.89-03.01	■
2.5 D (S8U 720)	Fist-type Caliper	Diesel	FWD	2445	51	69	05.89-03.01	■
2.5 D (S8U 722)	Fist-type Caliper	Diesel	FWD	2445	51	69	05.89-03.01	■
2.5 D (S8U 758)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.98-03.01	■
2.5 D (S8U 780)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.98-03.01	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D (S8U 750)	Fist-type Caliper	Diesel	FWD	2499	56	76	03.89-08.94	■
2.5 D 4x4 (S8U 750)	Fist-type Caliper	Diesel	4WD	2499	56	76	03.89-08.94	■
2.5 D (S8U 758)	Fist-type Caliper	Diesel	FWD	2499	58	79	09.94-04.98	■
2.5 D 4x4 (S8U 758)	Fist-type Caliper	Diesel	4WD	2499	58	79	09.94-01.99	■
TRAFIC (T_, P_, V_) 03.80-04.89					Van (LCVs-N1 Segment)			
1.4 (847 700)	Fist-type Caliper	Gasolina	FWD	1397	35	48	03.80-04.89	■
1.4 (847 701)	Fist-type Caliper	Gasolina	FWD	1397	35	48	03.80-04.89	■
1.4 (C1J 700)	Fist-type Caliper	Gasolina	FWD	1397	35	48	03.80-04.89	■
1.4 (C1J 700)	Fist-type Caliper	Gasolina	FWD	1397	35	48	05.89-06.91	■
1.4	Fist-type Caliper	Gasolina	FWD	1397	39	53	07.89-08.92	■
1.6 (A1M 707)	Fist-type Caliper	Gasolina	FWD	1647	48	65	01.83-06.86	■
1.6 (A1M 708)	Fist-type Caliper	Gasolina	FWD	1647	48	65	01.83-06.86	■
1.6 4x4 (A1M 707)	Fist-type Caliper	Gasolina	4WD	1647	48	65	08.85-06.86	■
1.7 (F1N 724)	Fist-type Caliper	Gasolina	FWD	1721	50	68	06.86-04.89	■
1.7 (F1N 720)	Fist-type Caliper	Gasolina	FWD	1721	50	68	08.92-08.94	■
2.0 (829 720)	Fist-type Caliper	Gasolina	RWD	1995	58	79	07.80-04.85	■
2.0 (829 720)	Fist-type Caliper	Gasolina	FWD	1995	58	79	07.80-04.85	■
2.0 (J5R 716)	Fist-type Caliper	Gasolina	FWD	1995	59	80	06.86-04.89	■
2.0 (J5R 722)	Fist-type Caliper	Gasolina	FWD	1995	59	80	06.86-04.89	■
2.0 (J5R 726)	Fist-type Caliper	Gasolina	FWD	1995	59	80	06.86-04.89	■
2.0 (J5R 716)	Fist-type Caliper	Gasolina	FWD	1995	59	80	05.89-08.90	■
2.0 4x4 (J5R 716)	Fist-type Caliper	Gasolina	4WD	1995	59	80	06.86-04.89	■
2.0 4x4 (J5R 722)	Fist-type Caliper	Gasolina	4WD	1995	59	80	06.86-04.89	■
2.0 4x4 (J5R 726)	Fist-type Caliper	Gasolina	4WD	1995	59	80	06.86-04.89	■
2.0 (J5R 716)	Fist-type Caliper	Gasolina	RWD	1995	60	82	05.85-02.89	■
2.2 (J7T 780)	Fist-type Caliper	Gasolina	FWD	2165	70	95	05.89-06.94	■
2.2 4x4 (J7T 780)	Fist-type Caliper	Gasolina	4WD	2165	70	95	05.89-06.94	■
2.2 (J7T 600)	Fist-type Caliper	Gasolina	FWD	2165	74	101	06.94-10.97	■
2.2 4x4 (J7T 600)	Fist-type Caliper	Gasolina	4WD	2165	74	101	06.94-10.97	■
1.9 D (F8Q 606)	Fist-type Caliper	Diesel	FWD	1870	44	60	06.97-03.01	■
2.1 D (852 750)	Fist-type Caliper	Diesel	FWD	2068	43	58	09.80-04.89	■
2.1 D (852 750)	Fist-type Caliper	Diesel	FWD	2068	43	58	05.89-06.94	■
2.1 D 4x4 (852 750)	Fist-type Caliper	Diesel	4WD	2068	43	58	11.86-04.89	■
2.1 D (J8S 620)	Fist-type Caliper	Diesel	FWD	2068	47	64	06.94-10.97	■
2.1 D (J8S 758)	Fist-type Caliper	Diesel	FWD	2068	47	64	06.94-10.97	■
2.5 D (8140.67.2500)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2550)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2580)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 750)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 752)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 758)	Fist-type Caliper	Diesel	FWD	2499	55	75	05.89-03.01	■