

# LISTA DE APLICACIONES - BUYERS GUIDE

## 140403-700




8 424073 052483


Qty: 639

Weight: 1.515

O.E.M.	MAKE
4248.33	PEUGEOT
4250.28	PEUGEOT
4250.54	PEUGEOT
4251.06	PEUGEOT
7 177 095 0	FIAT
9 938 205	FIAT
9 939 028	FIAT
9 940 092	FIAT
9 940 566	FIAT
9 940 999	FIAT
9 941 207	FIAT
9 941 208	FIAT
9 944 861	FIAT
9 945 070	FIAT
9 949 99	FIAT
95 624 970	PEUGEOT
95 667 764	PEUGEOT
95 966 855	PEUGEOT
ZF 0 993 7786	PEUGEOT
ZF 0 993 8205	PEUGEOT



## 140403-700



1-690022

## 140403-700



90R-02A0109/3599



Lucas - Girling

129.9x71.5x19.2

**WVA**

20732

20741

20787

20925

**MAKE**

ALFA ROMEO

AUVERLAND

CITROËN

FIAT

MULTICAR

PEGASO

PEUGEOT

TALBOT

VW



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### ALFA ROMEO

#### AR 6 (280\_) 04.85-12.89

1.9 D (280) (160 D100)	-12/86	Diesel	FWD	1929	51	69	04.85-12.89	■
------------------------	--------	--------	-----	------	----	----	-------------	---

#### Bus (Minibus-M2-Segment)

#### AR 6 (280\_) 04.85-12.89

1.9 D (280) (160 D100)	-12/86	Diesel	FWD	1929	51	69	04.85-12.89	■
2.4 D (280) (8144.61.200)		Diesel	FWD	2445	53	72	04.85-02.86	■
2.4 TD (280) (8144.21.220)		Diesel	FWD	2445	68	92	09.86-12.89	■
2.5 D (280) (8144.67.220)		Diesel	FWD	2499	55	75	03.86-12.89	■

#### Van (LCVs-N1 Segment)

### AUVERLAND

#### A3 07.87-12.11

1.9 D		Diesel	RWD	1905	47	64	07.87-07.96	■
1.9 D 4WD		Diesel	4WD	1905	47	64	07.87-07.96	■

#### Closed Off-Road Vehicle (Off-Road SUV-J Segment)

#### A3 01.87-

1.9 D Cabrio	01/87-	Diesel	RWD	1895	46	63	01.87-	■
--------------	--------	--------	-----	------	----	----	--------	---

#### Hatchback (Off-Road SUV-J Segment)

#### A3 07.87-12.11

1.9 D		Diesel	RWD	1905	47	64	07.87-07.96	■
1.9 D 4WD		Diesel	4WD	1905	47	64	07.87-07.96	■

#### Open Off-Road Vehicle (Off-Road SUV-J Segment)

### CITROËN

#### C25 (280\_, 290\_) 07.81-02.94

1.8 (169 (XM7T))	-12/91	Gasolina	FWD	1796	50	68	11.81-01.94	■
1.8 E (169 (XM7T))	-12/91	Gasolina	FWD	1796	51	69	07.87-02.94	■
2.0 E (170A (XN1T))	-12/91	Gasolina	FWD	1971	58	79	09.81-02.94	■

#### Bus (Minibus-M2-Segment)

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 E (170B (XN1T))	-12/91	Gasolina	FWD	1971	58	79	09.81-02.94	■
2.0 (170C (XN1T))	-12/92	Gasolina	FWD	1971	62	84	02.91-02.94	■
1.9 D (D9B (XUD9A/U))	-12/91	Diesel	FWD	1905	51	69	07.87-02.94	■
1.9 TD (M705)		Diesel	FWD	1930	60	82	04.92-02.94	■
2.5 D (CRD93L (U25/661))	-Kg. 1800, -12/90	Diesel	FWD	2498	54	73	10.85-02.94	■
2.5 D 4x4 (CRD93L (U25/661))	-Kg. 1800, -12/90	Diesel	4WD	2498	54	73	01.87-02.94	■
2.5 D (CRD93L (U25/661))	-12/90	Diesel	FWD	2498	55	75	11.81-01.94	■
2.5 D Turbo (CRD93LS (U25/673))	-12/90	Diesel	FWD	2500	70	95	08.87-02.94	■
2.5 D Turbo 4x4 (CRD93LS (U25/673))	-12/90	Diesel	4WD	2500	70	95	08.87-02.94	■
<b>C25 (280_, 290_) 07.81-03.94</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
1.8	-12/91	Gasolina	FWD	1796	50	68	07.83-01.94	■
2.0 (170A (XN1T))		Gasolina	FWD	1971	57	78	11.81-12.86	■
2.0 (170C (XN1T))		Gasolina	FWD	1971	62	84	01.87-03.94	■
1.9	-12/91	Diesel	RWD	1905	51	69	01.88-01.94	■
1.9 DT (M705)		Diesel	FWD	1929	60	82	10.91-01.94	■
2.5 D (CRD93L (U25/661))	-12/90	Diesel	FWD	2498	55	75	11.83-01.94	■
2.5 DT (CRD93LS (U25/673))	-12/90	Diesel	FWD	2498	70	95	01.87-01.94	■
<b>C25 (280_, 290_) 07.81-07.94</b>					<b>Van (LCVs-N1 Segment)</b>			
1.8 (169 (XM7T))	-12/91	Gasolina	FWD	1796	50	68	11.81-01.94	■
2.0 (170A (XN1T))		Gasolina	FWD	1971	57	78	11.81-12.86	■
2.0 (170B (XN1T))		Gasolina	FWD	1971	57	78	11.81-12.86	■
2.0 E (170A (XN1T))	-12/87	Gasolina	FWD	1971	58	79	09.81-03.94	■
2.0 E (170B (XN1T))	-12/87	Gasolina	FWD	1971	58	79	09.81-03.94	■
2.0 (170C (XN1T))	-12/92	Gasolina	FWD	1971	62	84	02.91-03.94	■
2.0 4x4 (170C (XN1T))	-12/92	Gasolina	4WD	1971	62	84	01.90-01.94	■
1.9 D	-12/91	Diesel	RWD	1905	51	69	01.88-01.94	■
1.9 D 1400 (DJY (XUD9A))	-12/91	Diesel	FWD	1905	51	69	01.88-01.94	■
2.5 D (CRD93L (U25/661))	-12/90	Diesel	FWD	2498	55	75	11.81-01.94	■
2.5 D 4x4 (CRD93L (U25/661))		Diesel	4WD	2498	55	75	11.83-12.86	■
<b>FIAT</b>								
<b>DUCATO (280_) 07.82-08.90</b>					<b>Bus (Minibus-M2-Segment)</b>			
1.8 (XM7T)		Gasolina	FWD	1796	51	69	07.82-12.88	■
2.0 (170 B)		Gasolina	FWD	1971	55	75	01.86-08.90	■
2.0 (XN 1T)		Gasolina	FWD	1971	58	79	07.82-05.85	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	09.88-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	07.90-03.94	■
2.0 4x4 (170 D)		Gasolina	4WD	1971	63	86	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	02.87-08.90	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	07.90-03.94	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	07.90-03.94	■
2.4 D (8144.61)		Diesel	FWD	2445	53	72	07.82-12.85	■
2.5 TD (8144.21)		Diesel	FWD	2445	68	92	01.87-08.90	■
2.5 TD (8144.21.220)		Diesel	FWD	2445	68	92	01.87-08.90	■
2.5 TD 4x4 (8144.21)		Diesel	4WD	2445	68	92	01.86-08.90	■
2.5 TD (8140.27)		Diesel	FWD	2499	70	95	06.90-05.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2499	70	95	06.90-05.94	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	01.86-08.90	■
2.5 D (CRD93L (U25-661))		Diesel	FWD	2500	55	75	01.86-08.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	07.90-03.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	01.87-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	07.90-03.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2500	70	95	01.91-03.94	■
<b>DUCATO (280_) 07.82-08.90</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 (170 B)		Gasolina	FWD	1971	55	75	07.85-08.90	■
2.0 (XN 1T)		Gasolina	FWD	1971	55	75	07.85-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	08.88-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	07.90-03.94	■
2.0 4x4 (170 D)		Gasolina	4WD	1971	63	86	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	51	69	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	01.88-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-03.94	■
2.5 TD (8144.21)		Diesel	FWD	2445	68	92	01.86-08.90	■
2.5 TD		Diesel	RWD	2499	68	92	09.86-05.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	07.82-08.90	■
2.5 D (CRD93L (U25-661))		Diesel	FWD	2500	55	75	07.82-08.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	03.89-03.94	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	03.89-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	07.90-03.94	■
2.5 TD (8140.27)		Diesel	FWD	2500	70	95	07.90-03.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2500	70	95	07.90-03.94	■
<b>DUCATO (280_) 01.82-02.91</b>					<b>Van (LCVs-N1 Segment)</b>			
1.8 (169 B)		Gasolina	FWD	1796	49	67	01.82-10.88	■
2.0 (170 B)		Gasolina	FWD	1971	55	75	07.85-08.90	■
2.0 (XN 1T)		Gasolina	FWD	1971	58	79	01.82-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	03.89-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	63	86	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	01.88-08.90	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	07.90-03.94	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-03.94	■
2.4 D (8144.61)		Diesel	FWD	2445	53	72	01.82-08.90	■
2.5 D 4x4 (8140.61)		Diesel	4WD	2445	53	72	09.86-10.87	■
2.5 D 4x4 (8140.61)		Diesel	4WD	2445	55	75	09.86-05.90	■
2.5 D 4x4 (8144.61)		Diesel	4WD	2445	55	75	09.86-05.90	■
2.5 TD 4x4 (8144.21)		Diesel	4WD	2445	68	92	09.86-09.90	■
2.5 D (8144.67)		Diesel	FWD	2499	55	75	06.90-05.94	■
2.5 TD		Diesel	FWD	2499	68	92	09.86-05.90	■
2.5 TD		Diesel	RWD	2499	70	95	09.86-05.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	01.82-08.90	■
2.5 D (CRD93L (U25-661))		Diesel	FWD	2500	55	75	01.82-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	03.89-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	07.90-03.94	■
2.5 TD (8140.27)		Diesel	FWD	2500	70	95	07.90-03.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2500	70	95	07.90-03.94	■
<b>TALENTO (290_) 03.89-03.94</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 (290UEH4) (170 B)		Gasolina	FWD	1971	55	75	03.89-03.94	■
1.9 D (290UEHK) (149 B1.000)		Diesel	FWD	1929	52	71	03.89-03.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

TALENTO (290_) 03.89-03.94					Platform/Chassis (LCVs-N1 Segment)			
2.0 (290UA4) (170 B)		Gasolina	FWD	1971	55	75	03.89-03.94	■
1.9 D (290UAK, 290UTK) (149 B1.000)		Diesel	FWD	1929	52	71	03.89-03.94	■
TALENTO (290_) 03.89-03.94					Van (LCVs-N1 Segment)			
2.0 (290U4) (170 B)		Gasolina	FWD	1971	55	75	03.89-03.94	■
1.9 D (290UK) (149 B1.000)		Diesel	FWD	1929	52	71	03.89-03.94	■
MULTICAR								
M25 01.78-12.92					Platform/Chassis			
1,9 (028.B M 344/M 841)		Diesel		1896	40	54	01.91-12.92	■
1,9 (028.B M 344/M 841)		Diesel		1896	40	54	01.91-12.92	■
PEGASO								
PEGASO 54 01.87-								
All models	01/87-	Gasolina			55	75	01.87-	■
PEUGEOT								
J5 (280P) 09.81-09.90					Bus (Minibus-M2-Segment)			
2.0 (170B (XN1T))	-12/84	Gasolina	FWD	1971	55	75	09.81-09.90	■
2.0 (170 (XN1T))	-12/84	Gasolina	FWD	1971	58	79	01.83-09.90	■
2.0 Super 4x4 (XN1P)	-12/84	Gasolina	4WD	1971	58	79	09.81-08.90	■
2.0 (170D (XN1TACP))		Gasolina	FWD	1971	62	84	10.90-02.94	■
1.9 D (D9B (XUD9A))		Diesel	FWD	1905	51	70	10.90-02.94	■
2.5 D (CRD93 (PSA))	-Kg. 1800, -12/84	Diesel	FWD	2498	54	73	09.81-09.90	■
2.5 D (CRD93 (PSA))	-Kg. 1800	Diesel	FWD	2500	54	73	10.90-02.94	■
2.5 D 4x4 (CRD93 (PSA))	-Kg. 1800	Diesel	4WD	2500	54	73	10.90-02.94	■
J5 (280L) 09.81-09.90					Platform/Chassis (LCVs-N1 Segment)			
1.8 (169B (XM7T))	-12/84	Gasolina	FWD	1796	51	69	09.81-08.90	■
2.0 (170B (XN1T))		Gasolina	FWD	1971	55	75	01.86-11.88	■
2.0 (170 (XN1T))	-12/84	Gasolina	FWD	1971	58	79	01.83-11.88	■
2.0 (170D (XN1TACP))		Gasolina	FWD	1971	62	84	10.90-02.94	■
1.9 D (D9B (XUD9A))		Diesel	FWD	1905	51	70	10.90-02.94	■
2.5 D 4x4 (CRD93)	-12/84	Diesel	4WD	2498	54	73	09.81-08.90	■
2.5 DT (CRD93L)	-12/84	Diesel	FWD	2498	70	95	09.81-08.90	■
2.5 DT	-12/84	Diesel	RWD	2498	70	95	09.81-08.90	■
2.5 D (CRD93 (PSA))	-Kg. 1800, -12/84	Diesel	FWD	2500	54	73	09.81-09.90	■
2.5 D (CRD93 (PSA))	-Kg. 1800	Diesel	FWD	2500	54	73	10.90-02.94	■
2.5 D 4x4 (CRD93 (PSA))	-Kg. 1800	Diesel	4WD	2500	54	73	10.90-02.94	■
J5 (280L) 09.81-09.90					Van (LCVs-N1 Segment)			
1.8 (169B (XM7T))	-12/84	Gasolina	FWD	1796	51	69	01.83-11.88	■
2.0 (XN1P)	-12/84	Gasolina	FWD	1971	58	79	09.81-08.90	■
1.9 D (D9B (XUD9A))		Diesel	FWD	1905	51	70	10.90-03.94	■
2.5 D (CRD93)	-12/84	Diesel	FWD	2498	54	73	09.81-08.90	■
2.5 DT (CRD93L)	-12/84	Diesel	FWD	2498	70	95	09.81-08.90	■
2.5 DT (CRD93LS (U25/673))	-12/84	Diesel	FWD	2498	70	95	09.81-08.90	■
2.5 D 4x4 (CRD93 (PSA))	-Kg. 1800	Diesel	4WD	2500	54	73	10.90-03.94	■
TALBOT								
EXPRESS 1000 -1500 07.82-10.94					Bus (Minibus-M2-Segment)			
1.8 (XM7T)		Gasolina	FWD	1796	51	69	07.83-10.90	■
2.0 (XN1TA)		Gasolina	FWD	1971	57	78	07.82-10.90	■
1.9 D (XUD9A)		Diesel	FWD	1905	51	69	07.87-10.90	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D (CRD93)	Diesel	FWD	2498	54	73	07.82-10.94	■
<b>EXPRESS 1000 -1500 07.82-10.94</b>				<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 (XN1TA)	Gasolina	FWD	1971	57	78	07.82-10.94	■
2.5 D (CRD93)	Diesel	FWD	2498	54	73	07.82-10.94	■
2.5 D A las 4 ruedas (CRD93)	Diesel	4WD	2498	54	73	11.88-10.94	■
<b>EXPRESS 1000 -1800 07.81-10.94</b>				<b>Van (LCVs-N1 Segment)</b>			
1.8 (XM7T)	Gasolina	FWD	1796	51	69	07.81-10.90	■
2.0 (XN1TA)	Gasolina	FWD	1971	57	78	07.82-10.90	■
1.9 D (XUD9A)	Diesel	FWD	1905	51	69	07.87-10.90	■
2.5 D (CRD93)	Diesel	FWD	2498	54	73	07.82-10.94	■
2.5 D A las 4 ruedas (CRD93)	Diesel	4WD	2498	54	73	11.88-10.94	■
<b>VW</b>							
<b>L 80 07.95-12.00</b>				<b>Dump Truck</b>			
4,3 (AGF)	Diesel		4299	103	140	07.95-12.00	■
<b>L 80 07.95-12.00</b>				<b>Platform/Chassis</b>			
4,3 (AGF)	Diesel		4299	103	140	07.95-12.00	■