

# LISTA DE APLICACIONES - BUYERS GUIDE

## 140405




8 424073 011107

Qty: 975

Weight: 2.140

O.E.M.	MAKE
000 586 89 42	MERCEDES-BENZ
001 420 14 20	PORTARO
001 586 70 42	MERCEDES-BENZ
001 586 89 42	MERCEDES-BENZ
003 420 07 20	MERCEDES-BENZ
004 420 14 20	MERCEDES-BENZ
005 420 98 20	MERCEDES-BENZ
008 420 40 20	MERCEDES-BENZ
008 420 61 20	MERCEDES-BENZ
291 698 151	VW
291 698 151 A	VW
291 698 151 B	VW
460 420 00 20	MERCEDES-BENZ
601 420 87 20	MERCEDES-BENZ
601 421 02 08	MERCEDES-BENZ
601 421 04 08	MERCEDES-BENZ
601 421 06 08	MERCEDES-BENZ
601 586 00 42	MERCEDES-BENZ
669 421 00 08	MERCEDES-BENZ



## 140405



90R-02A0154/3607



Perrot

149.1x75.2x18

WVA	FMSI
20784	D927-7828
21056	D1580-8792
MAKE	
MERCEDES-BENZ	
PORTARO	
PUCH	
VW	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### MERCEDES-BENZ

AL	Tractor Axle						
AL0/11CS-1,45T	01/73-					01.53-	■
AL0/1C-1,3	01/73-					01.53-	■
AL0/1CS-1,3	01/73-					01.53-	■
AL0/20CS-2,2	01/73-					01.53-	■
AL0/3C-1,3	01/73-					01.53-	■
AL0/3CS-1,3	01/73-					01.53-	■
AL0/3CS-1,45	01/73-					01.53-	■
AL0/3CS-1,85	01/73-					01.53-	■
AL0/5C-1,65	01/73-					01.53-	■
AL0/7C-1,3	01/73-					01.53-	■
AL0/9CS-1,85	01/73-					01.53-	■

G-Class (W463) 09.89-	Closed Off-Road Vehicle (Luxury Crossover SUV-J Segment)						
200 GE (463.220) (M 102.965)	Gasolina	4WD	1996	85	116	01.90-07.93	■
230 GE (463.224, 463.225) (M 102.989)	Gasolina	4WD	2298	93	126	06.90-06.93	■
300 GE (463.227, 463.228) (M 103.987)	Gasolina	4WD	2960	125	170	09.89-08.93	■
G 300 (463.228, 463.227) (M 103.987)	Gasolina	4WD	2960	125	170	06.93-08.97	■
300 GE (463.227, 463.228) (M 103.987)	Gasolina	4WD	2960	128	174	06.90-08.97	■
G 320 (463.230, 463.231) (M 104.996)	Gasolina	4WD	3199	155	211	09.94-12.97	■
G 320 (463.232, 463.233, 463.244, 463.245) (M 112.945)	Gasolina	4WD	3199	158	215	07.97-08.04	■
G 36 AMG (463.230) (M 104.996 (AMG 3.6))	Gasolina	4WD	3606	200	272	01.95-07.98	■
G 500 (463.234, 463.239) (M 176.980)	Gasolina	4WD	3982	310	422	06.15-04.18	■
G 500 (463.249) (M 113.962)	Gasolina	4WD	4966	215	292	09.04-12.05	■

# LISTA DE APLICACIONES - BUYERS GUIDE

G 500 (463.247, 463.248, 463.249, 463.240, 463.241,... (M 113.962)	Gasolina	4WD	4966	218	296	04.98-12.15	■
500 GE (463.228) (M 117.965)	Gasolina	4WD	4973	177	241	09.93-12.94	■
G 55 AMG (463.243, 463.246) (M 113.982)	Gasolina	4WD	5439	260	354	04.99-07.08	■
G 55 AMG (463.270, 463.271) (M 113.993)	Gasolina	4WD	5439	350	476	06.04-07.06	■
G 55 AMG (463.270, 463.271)	Gasolina	4WD	5439	350	476	09.04-12.11	■
G 55 AMG (463.270, 463.271) (M 113.993)	Gasolina	4WD	5439	368	500	08.06-12.12	■
G 55 AMG (463.270, 463.271) (M 113.993)	Gasolina	4WD	5439	373	507	08.08-06.12	■
G 500 (463.222, 463.236, 463.237, 463.242) (M 273.963)	Gasolina	4WD	5461	285	388	05.08-08.15	■
G 500 (463.222, 463.236, 463.237, 463.242) (M 273.969)	Gasolina	4WD	5461	285	388	05.08-08.15	■
G 63 AMG (463.273) (M 157.984)	Gasolina	4WD	5461	400	544	05.12-03.18	■
G 63 AMG 6x6 (M 157.984)	Gasolina	4WD	5461	400	544	12.14-03.18	■
AMG G 63 (463.272) (M 157.984)	Gasolina	4WD	5461	420	571	06.15-03.18	■
G 65 AMG (M 279.982)	Gasolina	4WD	5980	450	612	05.12-04.18	■
AMG G 65 (463.274, 463.275) (M 279.982)	Gasolina	4WD	5980	463	630	06.15-04.18	■
250 GD (463.324, 463.325) (OM 602.931)	Diesel	4WD	2497	69	94	06.90-10.92	■
G 270 CDI (463.322, 463.323) (OM 612.965)	Diesel	4WD	2685	115	156	10.01-07.03	■
G 350 CDI (463.346) (OM 642.886)	Diesel	4WD	2987	155	211	07.11-08.15	■
G 320 CDI (463.343) (OM 642.970)	Diesel	4WD	2987	165	224	09.06-12.12	■
G 350 CDI (463.306, 463.340, 463.341, 463.346) (OM 642.970)	Diesel	4WD	2987	165	224	06.09-12.11	■
G 350 d (463.348) (OM 642.887)	Diesel	4WD	2987	180	245	06.15-04.18	■
300 GD (463.327, 463.328) (OM 603.931)	Diesel	4WD	2996	83	113	09.89-08.93	■
G 300 Diesel (463.327, 463.328)	Diesel	4WD	2996	83	113	09.93-08.94	■
G 300 TD (463.330, 463.331) (OM 606.964)	Diesel	4WD	2996	130	177	08.96-07.00	■
350 Turbo GD (463.320, 463.321) (OM 603.972)	Diesel	4WD	3449	100	136	09.91-08.96	■
G 400 CDI (463.332, 463.333) (OM 628.962)	Diesel	4WD	3996	184	250	12.00-07.06	■
<b>G-Class (W460) 03.79-08.93</b>				<b>Closed Off-Road Vehicle (Off-Road SUV-J Segment)</b>			
230 GE (460,2) (M 102.979)	Gasolina	4WD	2298	90	122	05.87-08.92	■
230 GE (460,2) (M 102.987)	Gasolina	4WD	2298	90	122	05.87-08.92	■
230 GE (461.238, 461.239) (M 102.979)	Gasolina	4WD	2298	90	122	09.89-07.96	■
230 GE (461) (M 102.996)	Gasolina	4WD	2298	92	125	06.93-07.00	■
230 GE (461) (M 102.997)	Gasolina	4WD	2298	92	125	06.93-07.00	■
230 GE (460,2) (M 102.981)	Gasolina	4WD	2299	92	125	04.82-08.92	■
230 GE (460,2) (M 102.987)	Gasolina	4WD	2299	92	125	04.82-08.92	■
230 GE (460,2) (M 102.989)	Gasolina	4WD	2299	92	125	04.82-08.92	■
230 G (460,2) (M 115.973)	Gasolina	4WD	2307	66	90	03.79-07.93	■
230 G (460,2) (M 115.973)	Gasolina	4WD	2307	75	102	02.80-07.87	■
280 GE (460,2) (M 110.994)	Gasolina	4WD	2746	110	150	08.84-08.89	■
280 GE (460,2) (M 110.994)	Gasolina	4WD	2746	115	156	11.79-08.89	■
240 GD (460,3) (OM 616.936)	Diesel	4WD	2399	53	72	03.79-08.87	■
250 GD (460,3) (OM 602.930)	Diesel	4WD	2497	62	84	10.87-12.92	■
250 GD (460,3) (OM 602.930)	Diesel	4WD	2497	68	92	12.88-08.92	■
250 GD (461) (OM 602.939)	Diesel	4WD	2497	68	92	02.90-05.93	■
G 270 CDI (OM 612.966)	Diesel	4WD	2685	115	156	01.03-12.06	■
290 GD/G 290 D (461.337, 461.338) (OM 602.942)	Diesel	4WD	2874	70	95	06.93-07.00	■
G 290 TD (461.335, 461.336) (OM 602.983)	Diesel	4WD	2874	88	120	07.97-07.01	■
G 280 CDI (461.304, 461.334, 461.339, 461.344, 461.390) (OM 642.884)	Diesel	4WD	2987	135	184	04.09-	■
G 280 CDI (461.304, 461.334, 461.339, 461.344, 461.390) (OM 642.975)	Diesel	4WD	2987	135	184	04.09-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

G 300 CDI (461.333) (OM 642.884)		Diesel	4WD	2987	135	184	04.10-07.23	■
300 GD (460.3)		Diesel	4WD	2996	83	113	03.79-07.93	■
300 GD (460,3) (OM 617.931)		Diesel	4WD	2998	65	88	12.79-12.91	■
<b>G-Class (W463) 09.89-</b>					<b>Open Off-Road Vehicle (Luxury Crossover SUV-J Segment)</b>			
200 GE (463.200) (M 102.965)		Gasolina	4WD	1996	80	109	01.90-07.93	■
230 GE (463.204) (M 102.989)		Gasolina	4WD	2298	93	126	06.90-02.93	■
300 GE (463.207) (M 103.987)		Gasolina	4WD	2960	125	170	09.89-09.97	■
320 GE (463.208) (M 104.996)		Gasolina	4WD	3199	155	211	09.94-11.97	■
G 320 (463.209, 463.250) (M 112.945)		Gasolina	4WD	3199	158	215	11.97-08.04	■
G 320 (463.250)		Gasolina	4WD	3199	158	215	11.97-08.04	■
G 500 (463) (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■
G 500 (463.202) (M 273.963)		Gasolina	4WD	5461	285	388	12.09-08.14	■
G 500 (463.202) (M 273.969)		Gasolina	4WD	5461	285	388	12.09-08.14	■
G 350 CDI (OM 642.886)		Diesel	4WD	2987	155	211	07.11-12.15	■
G 320 CDI (463.303) (OM 642.970)		Diesel	4WD	2987	165	224	09.06-12.12	■
G 350 CDI (463.306) (OM 642.970)		Diesel	4WD	2987	165	224	06.09-12.11	■
300 GD (463.307) (OM 603.931)		Diesel	4WD	2996	83	113	09.89-08.93	■
G 300 Diesel (463.307)		Diesel	4WD	2996	83	113	09.93-08.94	■
G 300 TD (463.308) (OM 606.964)		Diesel	4WD	2996	130	177	09.96-07.00	■
350 G Turbo-D (463.300) (OM 603.972)		Diesel	4WD	3449	100	136	09.91-09.97	■
G 400 CDI (463.309) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■
<b>HENSCHER 2-Ton. 02.73-12.77</b>					<b>Bus (Minibus-M2-Segment)</b>			
207 1.8 (A 70NV)		Gasolina	FWD	1767	51	69	02.73-12.77	■
206 D 2.2 (OM 615.917)		Diesel	FWD	2200	44	60	02.73-12.77	■
206 D 2.2 (OM 615.937)		Diesel	FWD	2200	44	60	02.73-12.77	■
206 D 2.2 (OM 615.939)		Diesel	FWD	2200	44	60	02.73-12.77	■
<b>MB (W631) 02.88-04.96</b>					<b>Bus (Minibus-M2-Segment)</b>			
D (OM 616)		Diesel	FWD	2399	41	56	12.90-12.94	■
D (631.333, 631.343, 631.334, 631.344) (OM 616.963)		Diesel	FWD	2399	53	72	02.88-05.92	■
<b>MB (W631) 02.88-02.96</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
D (631.340) (OM 616.963)		Diesel	FWD	2399	53	72	02.88-05.92	■
<b>MB (W631) 02.88-09.96</b>					<b>Van (LCVs-N1 Segment)</b>			
D (631.332, 631.342) (OM 616.963)		Diesel	FWD	2399	53	72	02.88-05.92	■
<b>O 408 09.89-12.98</b>					<b>Bus</b>			
O 408 (OM 447.908)		Diesel		11967	177	241	01.91-12.98	■
O 408 (OM 447.912)		Diesel		11967	177	241	01.91-12.98	■
O 408 (OM 447.958)		Diesel		11967	177	241	01.91-12.98	■
O 408 (OM 447.992)		Diesel		11967	177	241	01.91-12.98	■
O 408 (OM 447.987)		Diesel		11967	220	299	08.92-12.98	■
O 408 (OM 447.993)		Diesel		11967	220	299	08.92-12.98	■
<b>T1 (602) 04.77-02.96</b>					<b>Bus (Minibus-M2-Segment)</b>			
208 2.3 (M 115.955)	01/80-	Gasolina	RWD	2307	63	86	05.77-12.82	■
208 2.3 (M 115.972)	01/80-	Gasolina	RWD	2307	63	86	05.77-12.82	■
308 D 2.3 (OM 601.940)		Diesel	RWD	2299	58	79	05.90-02.96	■
308 D 2.3 (OM 601.940)		Diesel	RWD	2299	60	82	06.89-02.96	■
207 D 2.4 (601.371, 601.376, 601.377) (OM 616.937)	-12/86	Diesel	RWD	2399	53	72	07.82-01.90	■
207 D 2.4 (601.371, 601.376, 601.377) (OM 616.939)	-12/86	Diesel	RWD	2399	53	72	07.82-01.90	■

# LISTA DE APLICACIONES - BUYERS GUIDE

207 D 2.4 (601.371, 601.376, 601.377) (OM 616.917)	01/80-	Diesel	RWD	2404	48	65	05.77-12.82	■
207 D 2.4 (601.371, 601.376, 601.377) (OM 616.934)	01/80-	Diesel	RWD	2404	48	65	05.77-12.82	■
310 D 2.9 (OM 602.940)		Diesel	RWD	2874	70	95	06.89-02.96	■
310 D 2.9 (OM 602.940)		Diesel	RWD	2874	72	98	06.90-02.96	■
209 D 2.9 (OM 617.913)		Diesel	RWD	2998	65	88	12.82-01.90	■
<b>T1 (601) 01.77-02.96</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
310 2.3 (M 102.942)		Gasolina	RWD	2299	70	95	01.82-12.94	■
308 D 2.3 (OM 601.940)		Diesel	RWD	2299	58	79	06.89-02.96	■
308 D 2.3 (OM 601.940)		Diesel	RWD	2299	60	82	06.89-02.96	■
307 D 2.4 (OM 616.937)		Diesel	RWD	2399	48	65	04.77-01.83	■
307 D 2.4		Diesel	RWD	2399	48	65	01.77-12.82	■
207 D 2.4 (OM 616.937)	01/80-	Diesel	RWD	2399	53	72	12.77-10.89	■
307 D 2.4 (OM 616.937)		Diesel	RWD	2399	53	72	06.82-01.90	■
307 D 2.4 (OM 616.939)		Diesel	RWD	2399	53	72	06.82-01.90	■
207 D 2.4 (OM 616.917)	01/80-	Diesel	RWD	2404	48	65	04.77-12.82	■
310 D 2.9 (OM 602.940)		Diesel	RWD	2874	70	95	06.89-02.96	■
310 D 2.9 (OM 602.940)		Diesel	RWD	2874	72	98	06.89-02.96	■
209 D 2.9 (OM 617.913)		Diesel	RWD	2998	65	88	12.82-01.90	■
309 D 3.0 (OM 617.913)		Diesel	RWD	2998	65	88	10.82-01.90	■
<b>T1 (601, 611) 05.77-02.96</b>					<b>Van (LCVs-N1 Segment)</b>			
308 D 2.3 (OM 601.940)		Diesel	RWD	2299	58	79	11.88-02.96	■
308 D 2.3 (OM 601.940)		Diesel	RWD	2299	60	82	06.89-02.96	■
207 D 2.4 (OM 616.937)	-12/86	Diesel	RWD	2399	53	72	06.82-01.90	■
207 D 2.4 (OM 616.939)	-12/86	Diesel	RWD	2399	53	72	06.82-01.90	■
307 D 2.4 (OM 616.937)		Diesel	RWD	2399	53	72	10.82-01.90	■
307 D 2.4 (OM 616.939)		Diesel	RWD	2399	53	72	10.82-01.90	■
310 D 2.9 (OM 602.940)		Diesel	RWD	2874	70	95	06.89-02.96	■
310 D 2.9 (OM 602.940)		Diesel	RWD	2874	72	98	06.89-02.96	■
209 D 2.9 (OM 617.913)		Diesel	RWD	2998	65	88	12.82-01.90	■
309 D 3.0 (OM 617.913)		Diesel	RWD	2998	65	88	10.82-01.90	■
<b>T1/TN 07.81-06.95</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
410 (611.017, 611.018) (M 102.942)	-12/88	Gasolina	RWD	2298	70	95	08.82-06.95	■
410 (611.017, 611.018) (M 102.945)	-12/88	Gasolina	RWD	2298	77	105	08.82-06.95	■
407 D (611.317, 611.318) (OM 616.913)	-12/88	Diesel	RWD	2398	53	72	07.81-01.89	■
407 D (611.317, 611.318) (OM 616.939)	-12/88	Diesel	RWD	2398	53	72	07.81-01.89	■
409 D (611.417, 611.418) (OM 617.913)	-12/88	Diesel	RWD	2998	65	88	04.82-01.89	■
<b>T1/TN 07.81-06.95</b>					<b>Van (LCVs-N1 Segment)</b>			
410 (611.067, 611.068) (M 102.942)	-12/88	Gasolina	RWD	2298	70	95	08.82-06.95	■
410 (611.067, 611.068) (M 102.945)	-12/88	Gasolina	RWD	2298	77	105	08.82-06.95	■
407 D (611.367, 611.368) (OM 616.913)	-12/88	Diesel	RWD	2398	53	72	07.81-01.89	■
407 D (611.367, 611.368) (OM 616.939)	-12/88	Diesel	RWD	2398	53	72	07.81-01.89	■
409 D (611.467, 611.468) (OM 617.913)	-12/88	Diesel	RWD	2998	65	88	04.82-01.89	■
<b>T2/L 01.68-12.88</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
L 408 G (309.000, 309.001, 309.002, 309.003, 309.011,... (M 115.928)		Gasolina	RWD	2197	55	75	08.72-12.74	■
L 408 G (309.000, 309.001, 309.002, 309.003, 309.011,... (M 115.921)		Gasolina	RWD	2197	63	85	08.72-12.74	■
L 410 (309.000, 309.002) (M 102.943)		Gasolina	RWD	2299	70	95	08.82-12.88	■
L 409 (309.000, 309.001, 309.002, 309.003) (M 115.952)		Gasolina	RWD	2307	66	90	01.75-08.82	■

# LISTA DE APLICACIONES - BUYERS GUIDE

L 405 D (OM 615)		Diesel	RWD	2197	44	60	01.72-12.80	■
L 406 DG (309.100, 309.101, 309.102, 309.103) (OM 615.910)		Diesel	RWD	2197	44	60	01.68-12.74	■
L 407 D (309.100, 309.101, 309.102, 309.103) (OM 616.910)		Diesel	RWD	2404	48	65	01.75-12.88	■
L 407 D (309.100, 309.101, 309.102, 309.103) (OM 616.917)		Diesel	RWD	2404	48	65	01.75-12.88	■
L 407 D (309.100, 309.101, 309.102, 309.103) (OM 616.910)		Diesel	RWD	2404	53	72	01.75-12.88	■
L 508 DG (309.400, 309.401, 309.402, 309.403, 309.404,...)		Diesel	RWD	3782	60	82	01.70-12.88	■
L 508 DG (309.400, 309.401, 309.402, 309.403, 309.404,... (OM 314.946)		Diesel	RWD	3782	63	85	01.70-12.88	■
L 508 DG (309.400, 309.401, 309.402, 309.403, 309.404,... (OM 314.948)		Diesel	RWD	3782	63	85	01.70-12.88	■
L 608 D (310.300, 310.301, 310.302, 310.303, 310.304,... (OM 314.948)		Diesel	RWD	3782	63	85	01.70-12.88	■
L 608 D (310.300, 310.301, 310.302, 310.303, 310.304,... (OM 314.967)		Diesel	RWD	3782	63	85	01.70-12.88	■
L 911 (328.001, 328.002, 328.003, 328.005, 328.020,...)		Diesel	RWD	5675	81	110	01.72-07.83	■
L 613 D (313.402, 313.404) (OM 353.963)		Diesel	RWD	5675	96	130	04.77-12.88	■
L 613 D (313.402, 313.404) (OM 353.966)		Diesel	RWD	5675	96	130	04.77-12.88	■
<b>T2/L 01.68-12.88</b>					<b>Van (LCVs-N1 Segment)</b>			
L 408 G (309.012, 309.013, 309.014, 309.015, 309.016,... (M 115.928)		Gasolina	RWD	2197	55	75	08.72-12.74	■
L 408 G (309.012, 309.013, 309.014, 309.015, 309.016,... (M 115.921)		Gasolina	RWD	2197	63	85	08.72-12.74	■
L 410 (309.011, 309.012, 309.013, 309.014, 309.015,... (M 102.943)		Gasolina	RWD	2299	70	95	08.82-12.88	■
L 409 (309.011, 309.012, 309.013, 309.014, 309.015,... (M 115.952)		Gasolina	RWD	2307	66	90	01.75-08.82	■
L 405 D (OM 615)		Diesel	RWD	2197	44	60	01.72-12.80	■
L 406 DG (309.111, 309.112, 309.113, 309.114, 309.115,... (OM 615.910)		Diesel	RWD	2197	44	60	01.68-12.74	■
L 407 D (309.111, 309.112, 309.113, 309.114, 309.115,... (OM 616.910)		Diesel	RWD	2404	48	65	01.75-12.88	■
L 407 D (309.111, 309.112, 309.113, 309.114, 309.115,... (OM 616.910)		Diesel	RWD	2404	53	72	01.75-12.88	■
L 508 DG (309.411, 309.412, 309.413, 309.414, 309.415,...)		Diesel	RWD	3782	60	82	01.70-12.88	■
L 508 DG (309.411, 309.412, 309.413, 309.414, 309.415,... (OM 314.946)		Diesel	RWD	3782	63	85	01.70-12.88	■
L 508 DG (309.411, 309.412, 309.413, 309.414, 309.415,... (OM 314.948)		Diesel	RWD	3782	63	85	01.70-12.88	■
L 608 D (310.311, 310.312, 310.313, 310.314, 310.315,... (OM 314.948)		Diesel	RWD	3784	63	85	01.70-12.88	■
L 608 D (310.311, 310.312, 310.313, 310.314, 310.315,... (OM 314.967)		Diesel	RWD	3784	63	85	01.70-12.88	■
L 613 D (310.510, 313.424, 313.427, 313.429) (OM 353.963)		Diesel	RWD	5675	96	130	04.77-12.88	■
L 613 D (310.510, 313.424, 313.427, 313.429) (OM 353.966)		Diesel	RWD	5675	96	130	04.77-12.88	■
<b>T2/LN1 04.86-12.94</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
510 (667.001, 667.002) (M 102.946)	-12/87	Gasolina	RWD	2299	70	95	04.86-12.94	■
510 (667.001, 667.002) (M 102.946)	-12/87	Gasolina	RWD	2299	77	105	04.86-12.94	■
507 D (667.301, 667.302, 667.341, 667.342) (OM 616.914)	-12/87	Diesel	RWD	2399	53	72	04.86-04.89	■
507 DK (667.341, 667.342) (OM 616.914)	-12/87	Diesel	RWD	2399	53	72	04.86-04.89	■
<b>T2/LN1 04.86-12.94</b>					<b>Van (LCVs-N1 Segment)</b>			
510 (667.061, 667.062) (M 102.946)	-12/87	Gasolina	RWD	2299	70	95	04.86-12.94	■
510 (667.061, 667.062) (M 102.946)	-12/87	Gasolina	RWD	2299	77	105	04.86-12.94	■
507 D (667.361, 667.362) (OM 616.914)	-12/87	Diesel	RWD	2399	53	72	04.86-04.89	■

# LISTA DE APLICACIONES - BUYERS GUIDE

VL					Tractor Axle			
VL0/1C-1,3	01/73-						01.53-	■
VL0/2C-1,5	01/73-						01.53-	■
VL0/3C-1,7	01/73-						01.53-	■
VL0/6CE-1,6	01/73-						01.53-	■
PORTARO								
Series 200/300 01.79-					Hatchback (Compact SUV-J Segment)			
2.7 280 E	01/79-	Gasolina	FWD	2695	110	150	01.79-	■
2.4 240 D	01/79-	Diesel	RWD	2395	53	72	01.79-	■
2.5 250 D	01/82-	Diesel	RWD	2495	68	92	01.79-	■
3.0 300 D	01/79-	Diesel	RWD	2995			01.79-	■
3.2 320 D	01/93-	Diesel	RWD	3195			01.79-	■
3.4 350 D	01/93-	Diesel	RWD	3395			01.79-	■
PUCH								
G-MODELL (W460) 03.79-12.91					Closed Off-Road Vehicle (Off-Road SUV-J Segment)			
230 GE (461.239, 461.238) (M 102.979)		Gasolina	4WD	2299	90	122	11.91-08.96	■
230 GE (461.239, 461.238) (M 102.996)		Gasolina	4WD	2299	90	122	11.91-08.96	■
230 GE	-12/99	Gasolina	4WD	2299	92	125	06.93-07.00	■
230 GE (460.238, 460.239) (M 102.981)		Gasolina	4WD	2299	92	125	03.79-12.91	■
230 GE (460.238, 460.239) (M 102.987)		Gasolina	4WD	2299	92	125	03.79-12.91	■
230 GE (463.224, 463.225) (M 102.989)		Gasolina	4WD	2299	93	126	07.89-08.93	■
230 G (460.230, 460.231) (M 115.973)		Gasolina	4WD	2307	75	102	03.79-08.85	■
280 GE (460.232, 460.233) (M 110.994)		Gasolina	4WD	2746	110	150	01.86-12.91	■
300 GE (463.227, 463.228) (M 103.987)		Gasolina	4WD	2960	125	170	06.89-08.93	■
G 320 (463.230, 463.231) (M 104.996)		Gasolina	4WD	3199	155	211	02.94-12.97	■
G 36 AMG (463.231, 463.230) (M 104.952 (AMG 3,6))		Gasolina	4WD	3606	190	258	01.95-04.98	■
G 36 AMG (463.230, 463.231) (M 104.952 (AMG 3,6))		Gasolina	4WD	3606	200	272	01.95-04.98	■
G 500 (463.240, 463.241) (M 113.962)		Gasolina	4WD	4966	218	296	12.97-11.00	■
G 55 AMG (463.240, 463.241) (M 113.982)		Gasolina	4WD	5439	260	354	04.99-03.01	■
240 GD (460.330, 460.331) (OM 616.936)		Diesel	4WD	2399	53	72	03.79-09.87	■
240 GD (460.330, 460.331) (OM 616.938)		Diesel	4WD	2399	53	72	03.79-09.87	■
250 GD (460.337, 460.338) (OM 602.930)		Diesel	4WD	2497	62	84	10.87-12.91	■
290 GD (461.338, 461.337) (OM 602.942)		Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD (461.338, 461.337) (OM 602.947)		Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD Turbodiesel (461.335, 461.336) (OM 602.983)		Diesel	4WD	2874	88	120	04.97-12.01	■
300 GD (463.327, 463.328) (OM 603.931)		Diesel	4WD	2996	83	113	06.89-08.93	■
G 300 Turbodiesel (463.330, 463.331) (OM 606.964)		Diesel	4WD	2996	130	177	01.96-11.00	■
300 GD (460.332, 460.333) (OM 617.931)		Diesel	4WD	2998	65	88	09.79-12.91	■
300 GD (460.332, 460.333) (OM 617.932)		Diesel	4WD	2998	65	88	09.79-12.91	■
350 GD Turbo (463.320, 463.321) (OM 603.972)		Diesel	4WD	3449	100	136	08.91-08.93	■
G 350 Turbo (463.320, 463.321) (OM 603.972)		Diesel	4WD	3449	100	136	09.93-07.96	■
G-MODELL (W461) 10.91-12.97					Open Off-Road Vehicle (Off-Road SUV-J Segment)			
290 GD (461.341) (OM 602.942)		Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD (461.341) (OM 602.947)		Diesel	4WD	2874	70	95	10.91-12.97	■
VW								

# LISTA DE APLICACIONES - BUYERS GUIDE

LT 28-35 / LT 28-50 (281-363) 04.75-06.96					Platform/Chassis (LCVs-N1 Segment)			
2.4 i (1E)	-12/94	Gasolina	RWD	2383	69	94	03.94-06.96	■
2.4 Syncro (1E)		Gasolina	4WD	2383	70	95	08.92-07.94	■
2.4 Syncro (DL)		Gasolina	4WD	2384	66	90	08.91-07.92	■
2.4 D (1S)	01/91-	Diesel	RWD	2383	51	69	08.90-06.96	■
2.4 D (ACT)	01/91-	Diesel	RWD	2383	51	69	08.90-06.96	■
2.4 D Syncro (1S)		Diesel	4WD	2383	51	69	08.91-07.92	■
2.4 D Syncro (DW)		Diesel	4WD	2383	55	75	08.91-07.92	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	08.92-06.96	■
2.4 TD Syncro (ACL)		Diesel	4WD	2384	70	95	08.92-04.96	■
LT 28-35 / LT 28-50 (281-363) 04.75-06.96					Van (LCVs-N1 Segment)			
2.4 i (1E)	-12/94	Gasolina	RWD	2383	69	94	08.89-06.96	■
2.4 D (1S)	01/91-	Diesel	RWD	2383	51	69	07.90-05.96	■
2.4 D (ACT)	01/91-	Diesel	RWD	2383	51	69	07.90-05.96	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	06.92-05.96	■
2.4 TD Syncro (ACL)		Diesel	4WD	2384	70	95	08.92-04.96	■
LT 40-55 (293-909) 04.75-06.96					Platform/Chassis (LCVs-N1 Segment)			
2.4 (1E)		Gasolina	RWD	2383	70	95	08.88-07.89	■
2.4 D (CP)	01/82-	Diesel	RWD	2383	55	75	12.78-02.91	■
2.4 D (DW)	01/82-	Diesel	RWD	2383	55	75	12.78-02.91	■
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-07.91	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	08.92-06.96	■
2.4 TD Syncro (ACL)		Diesel	4WD	2384	70	95	08.92-04.96	■
LT 40-55 (291-512) 04.75-06.96					Van (LCVs-N1 Segment)			
2.4 4WD (DL)		Gasolina	4WD	2384	66	90	12.82-07.92	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	06.92-05.96	■
2.4 TD Syncro (ACL)		Diesel	4WD	2384	70	95	08.92-04.96	■
2.4 TD (DV)		Diesel	RWD	2384	75	102	02.86-08.92	■