

# LISTA DE APLICACIONES - BUYERS GUIDE

## 141816




8 424073 096098

Qty: 300

Weight: 1.520

O.E.M.	MAKE
7H8 698 451	VW
86 60 000 736	RENAULT
86 60 004 423	RENAULT



## 141816



90R-01111/2299



Ate - Teves

140.7x53.96x19.1

141.5x50.94x19.1

**WVA**

23209

23315

24367

24368

24645

**MAKE**

VW



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

**VW**

### CALIFORNIA T5 (7EC, 7EF, 7EG, 7HF, 7HC) 04.03-04.16

### Bus (LCVs-N1 Segment)

1.9 TDI	Diesel	FWD	1896	63	85	05.07-11.09	■
1.9 TDI	Diesel	FWD	1896	75	102	05.07-11.09	■
1.9 TDI	Diesel	FWD	1896	77	105	05.07-11.09	■
2.5 TDI	Diesel	FWD	2461	96	130	05.07-11.09	■
2.5 TDI 4motion	Diesel	4WD	2461	96	130	05.07-11.09	■
2.5 TDI	Diesel	FWD	2461	120	163	05.07-11.09	■
2.5 TDI	Diesel	FWD	2461	128	174	05.07-11.09	■
2.5 TDI 4motion	Diesel	4WD	2461	128	174	05.07-11.09	■

### MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) 04.03-03.16

### Bus (Minibus-M2-Segment)

2.0 (AXA)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	1984	85	115	11.03-08.15	■
2.0 TSI (CJKA)		Gasolina	FWD	1984	150	204	05.11-08.15	■
2.0 TSI 4motion (CJKA)		Gasolina	4WD	1984	150	204	07.11-08.15	■
3.2		Gasolina	FWD	3189	170	231	11.03-06.06	■
VR6 3.2 (BDL)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	170	231	02.04-06.04	■
VR6 3.2 (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	02.04-12.09	■
VR6 3.2 (CFLA)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	02.04-12.09	■
VR6 3.2 4motion (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	4WD	3189	173	235	07.04-12.09	■
VR6 3.2 4motion (CFLA)	Rim 16, discØ 314, PR 0WR	Gasolina	4WD	3189	173	235	07.04-12.09	■
1.9 TDI (BRR)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	62	84	01.06-11.09	■
1.9 TDI (AXC)	discØ 314, PR 0WR	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)		Diesel	FWD	1968	62	84	09.09-08.15	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TDI (CAAB)		Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAD)		Diesel	FWD	1968	84	114	05.11-08.15	■
2.0 TDI (CAAE)		Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI (CCHB)		Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BiTDI (CFCA)		Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BiTDI 4motion (CFCA)		Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI (BNZ)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI 4motion (AXD)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI 4motion (BNZ)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI (BLJ)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	120	163	11.03-11.09	■
2.5 TDI (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI (BPC)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI 4motion (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	128	174	07.04-11.09	■
2.5 TDI 4motion (BPC)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	128	174	07.04-11.09	■
<b>TRANSPORTER T5 (7JD, 7JE, 7JL, 7JY, 7JZ, 7FD, 7FE, 7FL, 7FY, 7FZ) 04.03-03.16</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 (AXA)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR, -ch 7J8000788	Gasolina	FWD	1984	85	115	11.03-05.13	■
2.0 TSI (CJKB)		Gasolina	FWD	1984	110	150	07.12-08.15	■
VR6 3.2 (BDL)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Gasolina	FWD	3189	170	231	02.04-11.09	■
VR6 3.2 4motion (BDL)	-12/06, discØ 314, PR 0WR	Gasolina	4WD	3189	170	231	11.03-11.09	■
VR6 3.2 (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	08.03-11.09	■
VR6 3.2 4motion		Gasolina	4WD	3189	173	235	11.03-11.09	■
2.0 CNG (AXA)	discØ 314, PR 0E0, PR 0E9, PR 0WR	Gasol./Gas (CNG)	FWD	1984	85	115	11.03-05.11	■
1.9 TDI (BRR)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	62	84	01.06-11.09	■
1.9 TDI (AXC)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)		Diesel	FWD	1968	62	84	09.09-08.15	■
2.0 TDI (CAAB)		Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAD)		Diesel	FWD	1968	84	114	05.11-08.15	■
2.0 TDI (CAAE)		Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BiTDI (CFCA)		Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BiTDI 4motion (CFCA)		Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TDI (BNZ)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI 4motion (AXD)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI 4motion (BNZ)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI (AXE)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI (BPC)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI 4motion (AXE)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	4WD	2461	128	174	04.04-11.09	■
2.5 TDI 4motion (BPC)	Rim 16, discØ 314, PR 0E0, PR 0E9, PR 0WR	Diesel	4WD	2461	128	174	04.04-11.09	■
<b>TRANSPORTER T5 / EUROVAN / KOMBI-CARAVALLE (7HB, 7HJ, 7EB, 7EJ) 04.03-03.16</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 (AXA)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	1984	85	115	11.03-08.15	■
2.0 TSI (CJKB)		Gasolina	FWD	1984	110	150	07.12-08.15	■
2.0 TSI (CJKA)		Gasolina	FWD	1984	150	204	05.11-08.15	■
2.0 TSI 4motion (CJKA)		Gasolina	4WD	1984	150	204	07.11-08.15	■
3.2		Gasolina	FWD	3189	170	231	11.03-06.06	■
VR6 3.2 (BDL)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	170	231	02.04-06.04	■
VR6 3.2 4motion (BDL)	discØ 314, PR 0WR	Gasolina	4WD	3189	170	231	11.03-11.09	■
3.2 V6 4motion (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	4WD	3189	173	235	11.03-12.09	■
3.2 V6 4motion (CFLA)	Rim 16, discØ 314, PR 0WR	Gasolina	4WD	3189	173	235	11.03-12.09	■
VR6 3.2 (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	02.04-11.09	■
VR6 3.2 (CFLA)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	02.04-11.09	■
2.0 CNG (AXA)	discØ 314, PR 0WR	Gasol./Gas (CNG)	FWD	1984	85	115	01.06-08.15	■
1.9 TDI (BRR)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	62	84	01.06-11.09	■
1.9 TDI (AXC)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)		Diesel	FWD	1968	62	84	09.09-08.15	■
2.0 TDI (CAAB)		Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAE)		Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI (CCHB)		Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BiTDI (CFCA)		Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BiTDI 4motion (CFCA)		Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI (BNZ)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI 4motion (AXD)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI 4motion (BNZ)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI (BLJ)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	120	163	11.03-11.09	■
2.5 TDI (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI (BPC)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI 4motion (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	128	174	07.04-11.09	■
2.5 TDI 4motion (BPC)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	128	174	07.04-11.09	■

# LISTA DE APLICACIONES - BUYERS GUIDE

TRANSPORTER T5 / KOMBI (7HA, 7HH, 7EA, 7EH) 04.03-08.15					Van (LCVs-N1 Segment)			
2.0 (AXA)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	1984	85	115	11.03-08.15	■
2.0 TSI (CJKB)		Gasolina	FWD	1984	110	150	07.12-08.15	■
2.0 TSI (CJKA)		Gasolina	FWD	1984	150	204	05.11-08.15	■
2.0 TSI 4motion (CJKA)		Gasolina	4WD	1984	150	204	07.11-08.15	■
3.2		Gasolina	FWD	3189	170	231	11.03-06.06	■
VR6 3.2 (BDL)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	170	231	04.03-06.05	■
VR6 3.2 4motion	discØ 314, PR 0E0, PR 0E9, PR 0WR	Gasolina	4WD	3189	170	231	04.03-06.05	■
VR6 3.2 (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	02.04-11.09	■
VR6 3.2 (CFLA)	Rim 16, discØ 314, PR 0WR	Gasolina	FWD	3189	173	235	02.04-11.09	■
VR6 3.2 4motion (BKK)	Rim 16, discØ 314, PR 0WR	Gasolina	4WD	3189	173	235	11.03-11.09	■
VR6 3.2 4motion (CFLA)	Rim 16, discØ 314, PR 0WR	Gasolina	4WD	3189	173	235	11.03-11.09	■
2.0 BiFuel (AXA)	discØ 314, PR 0WR	Gasol./Gas (CNG)	FWD	1984	85	115	06.07-08.15	■
1.9 TDI (BRR)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	62	84	01.06-11.09	■
1.9 TDI (AXC)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)		Diesel	FWD	1968	62	84	09.09-08.15	■
2.0 TDI (CAAB)		Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAD)		Diesel	FWD	1968	84	114	05.11-08.15	■
2.0 TDI (CAAE)	01/11-	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI (CCHB)	01/11-	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)		Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)		Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)		Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BiTDI (CFCA)		Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BiTDI 4motion (CFCA)		Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI (BNZ)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI 4motion (AXD)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI 4motion (BNZ)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI (BPC)	Rim 16, discØ 314, PR 0WR	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI 4motion (AXE)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	128	174	07.04-11.09	■
2.5 TDI 4motion (BPC)	Rim 16, discØ 314, PR 0WR	Diesel	4WD	2461	128	174	07.04-11.09	■