

# LISTA DE APLICACIONES - BUYERS GUIDE

## 142191




8 424073 109446

Qty: 300

Weight: 3.085

O.E.M.	MAKE
447 420 00 20	MERCEDES-BENZ
447 420 02 20	MERCEDES-BENZ
447 420 66 00	MERCEDES-BENZ
447 421 08 00	MERCEDES-BENZ
906 421 21 00	-



## 142191



90R-02A0111/4200



Brembo

184.2x74.9x21

WVA	FMSI
22062	D1993-9223
MAKE	
LORINSER	
MERCEDES-BENZ	
MERCEDES-BENZ (FJDA)	



Trac.	CC	Kw	CV		
					Front / Rear

### LORINSER

#### LS (W448) 08.20-

MPV ( )

2.0 LS560MX (448.815) (M 274.920)	Gasolina	RWD	1991	155	211	08.20-	■
-----------------------------------	----------	-----	------	-----	-----	--------	---

### MERCEDES-BENZ

#### EQV (W447) 06.20-

Bus (Minibus-M2-Segment)

EQV 300 (447.813, 447.815) (EM 780.701)	Eléctrico	FWD		150	204	06.20-	■
---	-----------	-----	--	-----	-----	--------	---

#### MARCO POLO Camper (W447) 03.15-

Bus (Minibus-M2-Segment)

160 CDI (447.703) (OM 622.951)	Diesel	FWD	1598	65	88	03.15-	■
180 CDI (447.703) (OM 622.951)	Diesel	FWD	1598	84	114	03.15-	■
200 CDI (447.703, 447.813) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	100	136 03.19-	■
200 CDI 4-matic (447.703, 447.813) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	100	136 03.19-	■
220 CDI (447.703, 447.813) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	120	163 03.19-	■
220 CDI 4-matic (447.703, 447.813) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	120	163 03.19-	■
250 CDI (447.703, 447.813) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	140	190 03.19-	■
250 CDI 4-matic (447.703, 447.813) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	140	190 03.19-	■
300 CDI (447.813, 447.703) (15E4E)	for light alloy rims	Diesel	RWD	1950	174	237 01.21-	■
300 CDI 4-matic (447.813, 447.703)	for light alloy rims	Diesel	4WD	1950	174	237 01.21-	■
300 CDI (447.813, 447.703) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	176	239 03.19-12.20	■
300 CDI 4-matic (447.813, 447.703) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	176	239 03.19-12.20	■
200 CDI (447.703, 447.813) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	100	136 03.15-	■
200 CDI 4-matic (447.703, 447.813) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	100	136 03.15-	■
220 CDI (447.703, 447.813) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	120	163 03.15-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

220 CDI 4-matic (447.703, 447.813) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	120	163	03.15-	■
250 CDI (447.703, 447.813) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	140	190	03.15-	■
250 CDI 4-matic (447.703, 447.813) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	140	190	03.15-	■
<b>V-Class III (W447) 03.14-</b>					<b>Bus (Minibus-M2-Segment)</b>			
V 250 (447.813, 447.815) (M 274.920)	for light alloy rims	Gasolina	RWD	1991	155	211	03.14-	■
V 220 CDI / d (447.811, 447.813, 447.815) (OM 654.920)	SA BS1, for light alloy rims	Diesel	RWD	1950	120	163	03.19-	■
V 220 CDI / d 4-matic (447.811, 447.813, 447.815) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	120	163	03.19-	■
V 250 CDI / d (447.811, 447.813, 447.815) (OM 654.920)	SA BS1, for light alloy rims	Diesel	RWD	1950	140	190	03.19-	■
V 250 CDI / d 4-matic (447.811, 447.813) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	140	190	03.19-	■
V 300 CDI / d (447.811, 447.813, 447.815)	for light alloy rims	Diesel	RWD	1950	174	237	01.21-	■
V 300 CDI / d 4-matic (447.811, 447.813)	for light alloy rims	Diesel	4WD	1950	174	237	01.21-	■
V 300 CDI / d (447.811, 447.813, 447.815) (OM 654.920)	SA BS1, for light alloy rims	Diesel	RWD	1950	176	239	03.19-12.20	■
V 300 CDI / d 4-matic (447.811, 447.813) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	176	239	03.19-12.20	■
V 200 CDI / d (447.811, 447.813, 447.815) (OM 651.950)	SA BS1, for light alloy rims	Diesel	RWD	2143	100	136	03.14-	■
V 200 CDI / d 4-matic (447.811, 447.813, 447.815) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	100	136	04.15-	■
V 220 CDI / d (447.811, 447.813, 447.815) (OM 651.950)	SA BS1, for light alloy rims	Diesel	RWD	2143	120	163	03.14-	■
V 220 CDI / d 4-matic (447.811, 447.813, 447.815) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	120	163	03.15-	■
V 250 BlueTEC / d (447.811, 447.813, 447.815) (OM 651.950)	SA BS1, for light alloy rims	Diesel	RWD	2143	140	190	03.14-	■
V 250 BlueTEC / d 4-matic (447.811, 447.813, 447.815) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	140	190	12.14-	■
<b>VITO III (W447) 10.14-</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 (447.703, 447.705) (M 274.920)	for light alloy rims	Gasolina	RWD	1991	155	211	01.16-	■
119 Flex (447.703) (M 274.920)	for light alloy rims	Gasol./Etanol	RWD	1991	135	184	11.15-	■
109 CDI / 109 BlueTEC (447.701, 447.703, 447.705) (OM 622.951)		Diesel	FWD	1598	65	88	10.14-	■
111 CDI / 111 BlueTEC (447.701, 447.703, 447.705) (OM 622.951)		Diesel	FWD	1598	84	114	10.14-	■
110 CDI (447.701, 447.703, 447.705) (OM 622.851)	SA XA5	Diesel	FWD	1749	75	102	09.19-	■
114 CDI (447.701, 447.703, 447.705) (OM 622.851)	SA XA5	Diesel	FWD	1749	100	136	09.19-	■
114 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	100	136	03.19-	■
114 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	100	136	03.19-	■
116 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	120	163	03.19-	■
116 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	120	163	03.19-	■
119 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	140	190	03.19-	■
119 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	140	190	03.19-	■
124 CDI (447.701, 447.703, 447.705)	for light alloy rims	Diesel	RWD	1950	174	237	01.21-	■
124 CDI 4-matic (447.701, 447.703, 447.705)	for light alloy rims	Diesel	4WD	1950	174	237	01.21-	■
124 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	176	239	04.20-12.20	■
124 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	176	239	04.20-	■
114 CDI / 114 BlueTEC (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	100	136	10.14-	■
114 CDI / 114 BlueTEC 4-matic (447.701, 447.703,...) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	100	136	07.15-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

116 CDI / 116 BlueTEC (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	120	163	10.14-	■
116 CDI / 116 BlueTEC 4-matic (447.701, 447.703,...) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	120	163	07.15-	■
119 CDI / 119 BlueTEC (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	140	190	10.14-	■
119 CDI / 119 BlueTEC 4-matic (447.701, 447.703,...) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	140	190	12.14-	■
<b>VITO III (W447) 10.14-</b>					<b>Van (LCVs-N1 Segment)</b>			
2.0 (447.603, 447.605) (M 274.920)	for light alloy rims	Gasolina	RWD	1991	155	211	09.15-	■
109 CDI (447.601, 447.603, 447.605) (OM 622.951)		Diesel	FWD	1598	65	88	10.14-	■
111 CDI (447.601, 447.603, 447.605) (OM 622.951)		Diesel	FWD	1598	84	114	10.14-	■
110 CDI (447.601, 447.603, 447.605) (OM 622.851)	SA XA5	Diesel	FWD	1749	75	102	09.19-	■
114 CDI (447.601, 447.603, 447.605) (OM 622.851)	SA XA5	Diesel	FWD	1749	100	136	09.19-	■
110 CDI (447.601, 447.603, 447.605)		Diesel	RWD	1950	75	102	10.21-	■
114 CDI (447.601, 447.603, 447.605) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	100	136	04.20-	■
114 CDI 4x4 (447.601, 447.603, 447.605) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	100	136	04.20-	■
116 CDI (447.601, 447.603, 447.605) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	120	163	04.20-	■
116 CDI 4x4 (447.601, 447.603, 447.605) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	120	163	04.20-	■
119 CDI (447.601, 447.603, 447.605) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	140	190	04.20-	■
119 CDI 4x4 (447.601, 447.603, 447.605) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	140	190	04.20-	■
114 CDI (447.601, 447.603, 447.605) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	100	136	10.14-	■
114 CDI 4x4 (447.601, 447.603, 447.605) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	100	136	07.15-	■
116 CDI (447.601, 447.603, 447.605) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	120	163	10.14-	■
116 CDI 4x4 (447.601, 447.603, 447.605) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	120	163	07.15-	■
119 CDI / BlueTEC (447.601, 447.603, 447.605) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	140	190	10.14-	■
119 CDI / BlueTEC 4x4 (447.601, 447.603, 447.605) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	140	190	07.15-	■
<b>VITO III Mixto (Double Cabin) (W447) 10.14-</b>					<b>Van (LCVs-N1 Segment)</b>			
109 CDI (447.701, 447.703, 447.705) (OM 622.951)		Diesel	FWD	1598	65	88	10.14-	■
111 CDI (447.701, 447.703, 447.705) (OM 622.951)		Diesel	FWD	1598	84	114	10.14-	■
110 CDI (447.701, 447.703, 447.705) (OM 622.851)	SA XA5	Diesel	FWD	1749	75	102	09.19-	■
114 CDI (447.701, 447.703, 447.705) (OM 622.851)	SA XA5	Diesel	FWD	1749	100	136	09.19-	■
110 CDI (447.701, 447.703, 447.705)		Diesel	RWD	1950	75	102	10.21-	■
114 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	100	136	03.19-	■
114 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	100	136	03.19-	■
116 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	120	163	03.19-	■
116 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	120	163	03.19-	■
119 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	140	190	03.19-	■
119 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	140	190	03.19-	■
124 CDI (447.701, 447.703, 447.705)	for light alloy rims	Diesel	RWD	1950	174	237	01.21-	■
124 CDI 4-matic (447.701, 447.703, 447.705)	for light alloy rims	Diesel	4WD	1950	174	237	01.21-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

124 CDI (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	RWD	1950	176	239	04.20-12.20	■
124 CDI 4-matic (447.701, 447.703, 447.705) (OM 654.920)	for light alloy rims	Diesel	4WD	1950	176	239	04.20-12.20	■
114 CDI (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	100	136	10.14-	■
114 CDI 4-matic (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	100	136	07.15-	■
116 CDI (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	120	163	10.14-	■
116 CDI 4-matic (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	120	163	07.15-	■
119 BlueTEC (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	RWD	2143	140	190	10.14-	■
119 BlueTEC 4-matic (447.701, 447.703, 447.705) (OM 651.950)	for light alloy rims	Diesel	4WD	2143	140	190	07.15-	■
MERCEDES-BENZ (FJDA)								
V-Class (W448) 03.16-					Bus (Minibus-M2-Segment)			
V260/V260L (448.813,448.815) (M 274.920)		Gasolina	RWD	1991	155	211	03.16-	■
VITO (W448) 09.16-					Bus (Minibus-M2-Segment)			
2.0 (448.705)		Gasolina	RWD	1991	155	211	09.16-	■