


LISTA DE APLICACIONES - BUYERS GUIDE

150722-204



Qty: 660 Weight: 4.500

O.E.M.	MAKE
001 420 15 20	MERCEDES-BENZ
002 420 57 20	MERCEDES-BENZ
002 420 62 20	MERCEDES-BENZ
003 420 15 20	MERCEDES-BENZ
003 420 44 20	MERCEDES-BENZ
004 420 48 20	MERCEDES-BENZ
669 420 00 20	MERCEDES-BENZ
669 420 01 20	MERCEDES-BENZ
669 420 15 20	MERCEDES-BENZ
669 421 01 08	MERCEDES-BENZ
670 420 28 20	MERCEDES-BENZ
905 420 00 20	MERCEDES-BENZ



150722-204



174.8x85.6x22

WVA	FMSI
29835	D1062-7968
MAKE	
HINO	
MERCEDES-BENZ	
OPTARE	



Trac.	CC	Kw	CV		
					Front / Rear

HINO									
HINO 185 01.05-					Platform/Chassis				
185	01/05-	Diesel					01.05-		■
MERCEDES-BENZ									
O 409 01.86-					Platform/Chassis				
-	01/86-	Diesel			66	90	01.86-		■
-	01/86-	Diesel			85	115	01.86-		■
-	01/86-	Diesel			100	136	01.86-		■
O 609 01.86-					Platform/Chassis				
D	01/86-	Diesel					01.86-		■
O 611 01.86-					Platform/Chassis				
D	01/86-	Diesel					01.86-		■
O 614 01.86-					Platform/Chassis				
D	01/86-	Diesel					01.86-		■
SPRINTER (B905) 04.01-					Dump Truck (Volquete-N2 Segment)				
616 CDI (905.612, 905.622, 905.623) (OM 612.981)		Diesel	RWD	2685	115	156	04.01-		■
SPRINTER 5-Ton. (B905) 04.01-05.06					Platform/Chassis (LCVs-N1 Segment)				
616 CDI (905.612, 905.622, 905.623) (OM 612.981)		Diesel	RWD	2685	115	156	04.01-05.06		■
T2/LN1 07.87-12.92					Bus (Minibus-M2-Segment)				
O 609 D (672.072, 672.073) (OM 364.913)		Diesel	RWD	3972	66	90	07.87-12.92		■
O 611 D (672.372, 672.373) (OM 364.952)		Diesel	RWD	3972	85	116	07.87-12.92		■

LISTA DE APLICACIONES - BUYERS GUIDE

O 611 D (672.372, 672.373) (OM 364.954)		Diesel	RWD	3972	85	116	07.87-12.92	■	
O 614 D (672.375, 672.376) (OM 364.980)		Diesel	RWD	3972	100	136	07.87-12.92	■	
O 614 D (672.375, 672.376) (OM 364.981)		Diesel	RWD	3972	100	136	07.87-12.92	■	
4.0 O 409 D	01/86-	Diesel	RWD	3995	66	90	07.87-	■	
4.0 O 409 D	01/86-	Diesel	RWD	3995	85	115	07.87-	■	
4.0 O 409 D	01/86-	Diesel	RWD	3995	100	136	07.87-	■	
T2/LN1 04.86-12.94					Cab with engine (LCVs-N1 Segment)				
809 DT (670.199) (OM 364.911)		Diesel	FWD	3972	63	86	04.86-12.94	■	
809 DT (670.199) (OM 364.911)		Diesel	FWD	3972	66	90	04.86-12.94	■	
T2/LN1 04.86-12.94					Dump Truck (Volquete-N2 Segment)				
811 DK (670.341, 670.342)		Diesel	RWD	3972	77	105	04.86-12.94	■	
T2/LN1 04.86-12.11					Platform/Chassis (LCVs-N1 Segment)				
510 (667.001, 667.002) (M 102.946)		Gasolina	RWD	2299	70	95	04.86-12.94	■	
508 D (667.301, 667.302, 667.341, 667.342) (OM 601.941)		Diesel	RWD	2299	58	79	03.89-12.94	■	
507 D (667.301, 667.302, 667.341, 667.342) (OM 616.914)		Diesel	RWD	2399	53	72	04.86-04.89	■	
507 DK (667.341, 667.342) (OM 616.914)		Diesel	RWD	2399	53	72	04.86-04.89	■	
609 D (668.001, 668.002, 668.003) (OM 364.919)		Diesel	RWD	3972	63	86	04.86-12.94	■	
609 DK (668.041, 668.042) (OM 364.919)		Diesel	RWD	3972	63	86	04.86-12.94	■	
709 D (669.000, 669.001, 669.002, 669.003, 669.041)		Diesel	RWD	3972	63	86	04.86-12.94	■	
709 D (669.001, 669.002, 669.003, 669.041, 669.000) (OM 364.921)		Diesel	RWD	3972	63	86	04.86-12.94	■	
709 DK (669.041, 669.042) (OM 364.921)		Diesel	RWD	3972	63	86	04.86-12.94	■	
809 D (670.001, 670.002, 670.003) (OM 364.920)		Diesel	RWD	3972	63	86	04.86-12.94	■	
809 D (670.001, 670.002, 670.003) (OM 364.921)		Diesel	RWD	3972	63	86	04.86-12.94	■	
809 DK (670.041, 670.042) (OM 364.920)		Diesel	RWD	3972	63	86	04.86-12.94	■	
809 DK (670.041, 670.042) (OM 364.921)		Diesel	RWD	3972	63	86	04.86-12.94	■	
609 D (668.001, 668.002, 668.003) (OM 364.906)		Diesel	RWD	3972	66	90	04.86-12.94	■	
609 DK (668.041, 668.042) (OM 364.906)		Diesel	RWD	3972	66	90	04.86-12.94	■	
709 D		Diesel	RWD	3972	66	90	04.86-12.94	■	
709 D (669.000, 669.001, 669.002, 669.003, 669.041) (OM 364.906)		Diesel	RWD	3972	66	90	04.86-12.94	■	
709 D (669.000, 669.001, 669.002, 669.003, 669.041) (OM 364.912)		Diesel	RWD	3972	66	90	04.86-12.94	■	
709 DK (669.041, 669.042) (OM 364.906)		Diesel	RWD	3972	66	90	04.86-12.94	■	
809 D (670.001, 670.002, 670.003) (OM 364.906)		Diesel	RWD	3972	66	90	04.86-12.94	■	
809 D (670.001, 670.002, 670.003) (OM 364.911)		Diesel	RWD	3972	66	90	04.86-12.94	■	
809 DK (670.041, 670.042) (OM 364.906)		Diesel	RWD	3972	66	90	04.86-12.94	■	
809 DK (670.041, 670.042) (OM 364.911)		Diesel	RWD	3972	66	90	04.86-12.94	■	
609 D (668.001, 668.002, 668.003) (OM 354.902)		Diesel	RWD	3972	77	105	06.94-12.94	■	
611 D (668.001, 668.002, 668.003) (OM 354.902)		Diesel	RWD	3972	77	105	06.94-12.94	■	
611 DK (668.041, 668.042) (OM 354.901)		Diesel	RWD	3972	77	105	06.94-12.94	■	
711 D (669.301, 669.302, 669.303) (OM 354.902)		Diesel	RWD	3972	77	105	04.86-12.94	■	
711 D (669.301, 669.302, 669.303) (OM 354.903)		Diesel	RWD	3972	77	105	04.86-12.94	■	
711 D (669.301, 669.302, 669.303) (OM 364.957)		Diesel	RWD	3972	77	105	04.86-12.94	■	
811 D (670.303) (OM 364.958)		Diesel	RWD	3972	77	105	04.86-12.94	■	

LISTA DE APLICACIONES - BUYERS GUIDE

711 D (669.301, 669.302, 669.303) (OM 364.950)	Diesel	RWD	3972	85	115	04.86-12.94	■
711 D (669.301, 669.302, 669.303) (OM 364.952)	Diesel	RWD	3972	85	115	04.86-12.94	■
811 D (670.302, 670.303) (OM 364.950)	Diesel	RWD	3972	85	116	04.86-12.94	■
811 D (670.302, 670.303) (OM 364.952)	Diesel	RWD	3972	85	116	04.86-12.94	■
811 DK (670.341, 670.342) (OM 364.950)	Diesel	RWD	3972	85	115	04.86-12.94	■
811 DK (670.341, 670.342) (OM 364.952)	Diesel	RWD	3972	85	115	04.86-12.94	■
814 D (670.312, 670.313) (OM 364.981)	Diesel	RWD	3972	100	136	11.87-12.94	■
814 D (670.312, 670.313) (OM 364.986)	Diesel	RWD	3972	100	136	11.87-12.94	■
814 DA 4x4 (670.411, 670.412) (OM 364.984)	Diesel	4WD	3972	100	136	11.87-12.94	■
814 DA 4x4 (670.411, 670.412) (OM 364.987)	Diesel	4WD	3972	100	136	11.87-12.94	■
814 DA 4x4 (670.411, 670.412) (OM 364.984)	Diesel	4WD	3972	100	136	11.87-12.94	■
814 DA 4x4 (670.411, 670.412) (OM 364.987)	Diesel	4WD	3972	100	136	11.87-12.94	■
714 D (669.301, 669.302, 669.303) (OM 354.923)	Diesel	RWD	3972	103	140	06.94-12.94	■
814 D (670.312, 670.313) (OM 354.924)	Diesel	RWD	3972	103	140	11.87-12.94	■
T2/LN1 04.86-12.94				Van (LCVs-N1 Segment)			
510 (667.061, 667.062) (M 102.946)	Gasolina	RWD	2299	70	95	04.86-12.94	■
508 D (667.361, 667.362) (OM 601.941)	Diesel	RWD	2299	58	79	03.89-12.94	■
507 D (667.361, 667.362) (OM 616.914)	Diesel	RWD	2399	53	72	04.86-04.89	■
609 D (668.061, 668.062, 668.063) (OM 364.919)	Diesel	RWD	3972	63	86	04.86-12.94	■
709 D	Diesel	RWD	3972	63	86	04.86-12.94	■
709 D (669.061, 669.062, 669.063) (OM 364.921)	Diesel	RWD	3972	63	86	04.86-12.94	■
809 D (670.061, 670.062, 670.063) (OM 364.920)	Diesel	RWD	3972	63	86	04.86-12.94	■
809 D (670.061, 670.062, 670.063) (OM 364.921)	Diesel	RWD	3972	63	86	04.86-12.94	■
609 D (668.061, 668.062, 668.063) (OM 364.906)	Diesel	RWD	3972	66	90	04.86-12.94	■
709 D (669.061, 669.062, 669.063) (OM 364.906)	Diesel	RWD	3972	66	90	04.86-12.94	■
709 D (669.061, 669.062, 669.063) (OM 364.912)	Diesel	RWD	3972	66	90	04.86-12.94	■
709 D (669.061, 669.062, 669.063)	Diesel	RWD	3972	66	90	04.86-12.94	■
809 D (670.061, 670.062, 670.063) (OM 364.906)	Diesel	RWD	3972	66	90	04.86-12.94	■
809 D (670.061, 670.062, 670.063) (OM 364.911)	Diesel	RWD	3972	66	90	04.86-12.94	■
609 D (668.061, 668.062, 668.063) (OM 354.902)	Diesel	RWD	3972	77	105	06.94-12.94	■
611 D (668.061, 668.062, 668.063) (OM 354.901)	Diesel	RWD	3972	77	105	06.94-12.94	■
711 D (669.361, 669.362, 669.363) (OM 354.902)	Diesel	RWD	3972	77	105	04.86-12.94	■
711 D (669.361, 669.362, 669.363) (OM 354.903)	Diesel	RWD	3972	77	105	04.86-12.94	■
711 D (669.361, 669.362, 669.363) (OM 364.957)	Diesel	RWD	3972	77	105	04.86-12.94	■
811 D (670.362, 670.363) (OM 354.901)	Diesel	RWD	3972	77	105	04.86-12.94	■
811 D (670.362, 670.363) (OM 354.903)	Diesel	RWD	3972	77	105	04.86-12.94	■
811 D (670.362, 670.363) (OM 364.958)	Diesel	RWD	3972	77	105	04.86-12.94	■
711 D (669.361, 669.362, 669.363) (OM 364.950)	Diesel	RWD	3972	85	115	04.86-12.94	■
711 D (669.361, 669.362, 669.363) (OM 364.952)	Diesel	RWD	3972	85	115	04.86-12.94	■
811 D (670.362, 670.363) (OM 364.950)	Diesel	RWD	3972	85	115	04.86-12.94	■
811 D (670.362, 670.363) (OM 364.952)	Diesel	RWD	3972	85	115	04.86-12.94	■
814 D (670.364, 670.365, 670.366) (OM 364.981)	Diesel	RWD	3972	100	136	11.87-12.94	■

LISTA DE APLICACIONES - BUYERS GUIDE

814 D (670.364, 670.365, 670.366) (OM 364.986)	Diesel	RWD	3972	100	136	11.87-12.94	■	
814 DA 4x4 (670.464, 670.465) (OM 364.984)	Diesel	4WD	3972	100	136	11.87-12.94	■	
814 DA 4x4 (670.464, 670.465) (OM 364.987)	Diesel	4WD	3972	100	136	11.87-12.94	■	
714 D (669.361, 669.362, 669.363) (OM 354.923)	Diesel	RWD	3972	103	140	06.94-12.94	■	
814 D (670.364, 670.365, 670.366) (OM 354.924)	Diesel	RWD	3972	103	140	11.87-12.94	■	
814 DA 4x4 (670.464, 670.465)	Diesel	4WD	3972	103	140	11.87-12.94	■	
VARIO (B670) 08.96-				Bus (Minibus-M2-Segment)				
O 812 (670.373, 670.674) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
O 812 (670.373, 670.674) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
O 810 (670.373, 670.374) (OM 904.904)	Diesel	RWD	4249	75	102	09.96-12.10	■	■
O 813 (670.373, 670.374) (OM 900.917)	Diesel	RWD	4249	95	129	01.06-12.13	■	■
O 814 (670.373, 670.374) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.10	■	■
O 815 (670.373, 670.374) (OM 904.936)	Diesel	RWD	4249	110	150	08.96-12.10	■	■
O 815 (670.373, 670.374) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■	■
O 816 D (670.373, 670.374) (OM 900.918)	Diesel	RWD	4249	115	156	01.06-12.13	■	■
O 818 D (670.373, 670.374) (OM 900.919)	Diesel	RWD	4249	130	177	09.06-	■	■
VARIO 09.96-				Cab with engine (LCVs-N1 Segment)				
810 DT (670.398) (OM 904.904)	Diesel	RWD	4249	75	102	09.96-06.06	■	■
812 DT (670.398) (OM 904.961)	Diesel	RWD	4249	90	122	09.96-06.06	■	■
814 DT (670.398) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-06.06	■	■
816 DT (670.398) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-06.06	■	■
VARIO 09.96-				Dump Truck (Volquete-N2 Segment)				
818 DA 4x4 (OM 904.964)	Diesel	4WD	4249	130	177	09.06-	■	■
VARIO (B670, B668, B667) 09.96-				Platform/Chassis (LCVs-N1 Segment)				
512 D (667.321, 667.322, 667.323) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	
612 D (668.321, 668.322, 668.323) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
612 D (668.321, 668.322, 668.323) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
612 D (668.331, 668.332) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
612 D (668.331, 668.332) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
812 D (670.321, 670.322, 670.323, 670.324) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
812 D (670.321, 670.322, 670.323, 670.324) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
812 D (670.331, 670.332) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
812 D (670.331, 670.332) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-	■	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.917)	Diesel	RWD	4249	95	129	09.96-	■	■
613 D, 614 D (668.331, 668.332) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■	■
613 D, 614 D (668.331, 668.332) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 D, 814 D (670.331, 670.332) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 D, 814 D (670.331, 670.332) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	95	129	09.96-12.13	■	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	95	129	09.96-12.13	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

613 D, 614 D (668.321, 668.322, 668.323) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.11	■	■	
613 D, 614 D (668.331, 668.332) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-11.12	■	■	
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■	■	
813 D, 814 D (670.331, 670.332) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■	■	
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■	■	
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■	■	
815 D (670.324, 670.323, 670.322, 670.321) (OM 904.936)	Diesel	RWD	4249	110	150	09.96-12.13	■	■	
615 D, 616 D (668.321, 668.322, 668.323) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-	■	■	
615 D, 616 D (668.331, 668.332) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-	■	■	
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■	■	
815 D, 816 D (670.331, 670.332) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-	■	■	
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■	■	
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■	■	
615 D, 616 D (668.321, 668.322, 668.323) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-	■	■	
615 D, 616 D (668.321, 668.322, 668.323) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-	■	■	
615 D, 616 D (668.331, 668.332) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-	■	■	
615 D, 616 D (668.331, 668.332) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-	■	■	
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■	■	
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 904.923)	Diesel	RWD	4249	115	156	09.96-12.13	■	■	
815 D, 816 D (670.331, 670.332) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■	■	
815 D, 816 D (670.331, 670.332) (OM 904.923)	Diesel	RWD	4249	115	156	09.96-12.13	■	■	
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	115	156	09.96-12.13	■	■	
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	115	156	09.96-12.13	■	■	
618 D (OM 900.919)	Diesel	RWD	4249	130	177	09.06-	■	■	
618 D (OM 904.964)	Diesel	RWD	4249	130	177	09.06-	■	■	
618 D (668.321, 668.322, 668.323) (OM 900.919)	Diesel	RWD	4249	130	177	09.06-	■	■	
618 D (668.321, 668.322, 668.323) (OM 904.964)	Diesel	RWD	4249	130	177	09.06-	■	■	
818 D (670.321, 670.322, 670.323, 670.324) (OM 900.919)	Diesel	RWD	4249	130	177	09.06-	■	■	
818 D (670.321, 670.322, 670.323, 670.324) (OM 904.964)	Diesel	RWD	4249	130	177	09.06-	■	■	
818 D (670.321, 670.322, 670.323, 670.324) (OM 900.919)	Diesel	RWD	4249	130	177	09.06-	■	■	
818 D (670.321, 670.322, 670.323, 670.324) (OM 904.964)	Diesel	RWD	4249	130	177	09.06-	■	■	
818 DA 4x4 (OM 904.964)	Diesel	4WD	4249	130	177	09.06-	■	■	
VARIO (B667, B670, B668) 09.96-							Van (LCVs-N1 Segment)		
512 D (667.351, 667.352, 667.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■		
612 D (668.351, 668.352, 668.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■	
612 D (668.351, 668.352, 668.353) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■	
812 D (670.351, 670.352, 670.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■	■	
812 D (670.351, 670.352, 670.353) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■	■	
613 D, 614 D (668.351, 668.352, 668.353) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

613 D, 614 D (668.351, 668.352, 668.353) (OM 904.908)		Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 900.917)		Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 904.908)		Diesel	RWD	4249	95	129	09.96-12.13	■	■
813 DA, 814 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.908)		Diesel	4WD	4249	95	129	09.96-12.13	■	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 904.908)		Diesel	RWD	4249	100	136	09.96-12.11	■	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 904.908)		Diesel	RWD	4249	100	136	09.96-12.13	■	■
813 DA, 814 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.908)		Diesel	4WD	4249	100	136	09.96-12.13	■	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 904.923)		Diesel	RWD	4249	112	152	09.98-12.10	■	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 904.923)		Diesel	RWD	4249	112	152	09.96-12.10	■	■
815 DA, 816 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.923)		Diesel	4WD	4249	112	152	09.96-12.10	■	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 900.918)		Diesel	RWD	4249	115	156	09.98-12.13	■	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 904.923)		Diesel	RWD	4249	115	156	09.98-12.13	■	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 900.918)		Diesel	RWD	4249	115	156	09.96-12.13	■	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 904.923)		Diesel	RWD	4249	115	156	09.96-12.13	■	■
815 DA, 816 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.923)		Diesel	4WD	4249	115	156	09.96-12.13	■	■
618 D (OM 900.919)		Diesel	RWD	4249	130	177	09.06-12.13	■	■
618 D (OM 904.964)		Diesel	RWD	4249	130	177	09.06-12.13	■	■
818 D (670.351, 670.352, 670.353) (OM 900.919)		Diesel	RWD	4249	130	177	09.06-12.13	■	■
818 D (670.351, 670.352, 670.353) (OM 904.964)		Diesel	RWD	4249	130	177	09.06-12.13	■	■
OPTARE									
NOUVELLE 01.96-							Bus		
SR	01/96-	Diesel					01.96-	■	■
STARRIDER 01.87-							Bus		
-	01/87-	Diesel					01.87-	■	
TORO 10.05-							Bus		
TORO		Diesel		4249	115	156	01.08-	■	■