


# LISTA DE APLICACIONES - BUYERS GUIDE


## 151078



8 424073 081193

Qty: 660      Weight: 4.400

O.E.M.	MAKE
190 6043	IVECO
190 6197	IVECO
190 6402	IVECO
41060-9X425	NISSAN



## 151078

E 9

### 90R-01178/690

Lucas - Girling

175.45x78.1x22

WVA	FMSI
29067	D1027-7931
<b>MAKE</b>	
FORD	
IVECO	
MERCEDES-BENZ	
NISSAN	
RENAULT TRUCKS	
VOLVO	



Trac.	CC	Kw	CV	
				 
				Front / Rear

## FORD

### Cargo 04.81-

						Platform/Chassis			
1115 (150/6 CA-DOVER)		Diesel		5944	110	150	01.82-01.96	■	■
1215 (150/6 CA-DOVER)		Diesel		5944	110	150	01.82-01.96	■	■
915 (150/6 CA-DOVER)		Diesel		5944	110	150	01.82-01.96	■	■
1013 (130/7 AA-DOVER)		Diesel		6224	94	128	01.82-06.94	■	■
1113 (130/7 AA-DOVER)		Diesel		6224	94	128	01.82-01.96	■	■
913 (130/7 AA-DOVER)		Diesel		6224	94	128	01.82-01.96	■	■

### CARGO II 08.03-

						Concrete Mixer			
3532 M (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■

### CARGO II 08.03-

						Dump Truck			
1826 D (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	■	■
2526 D (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	■	■
2532 D (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■
3232 CD, 3232 SD (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■
3532 D (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■
3536 D (9.0 ECOTORQ CARGO)		Diesel		8974	265	360	09.04-	■	■
4136 D (9.0 ECOTORQ CARGO)		Diesel		8974	265	360	09.04-	■	■

### CARGO II 08.03-

						Platform/Chassis			
1826 (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	■	■
2526 (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	■	■
1832 (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■
2532 (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■
3232 C, 3232 S (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2538, 2538 F (9.0 ECOTORQ CARGO)	Diesel		8974	279	380	09.04-	■	■
3238 C, 3238 S (9.0 ECOTORQ CARGO)	Diesel		8974	279	380	09.04-	■	■
<b>CARGO II 08.03-</b>				<b>Truck Tractor</b>				
1838 T (9.0 ECOTORQ CARGO)	Diesel		8974	279	380	09.04-	■	■
<b>IVECO</b>								
<b>10.00-07.07</b>				<b>Municipal Vehicle</b>				
100 E 21 tector (F4AE0681D)	Diesel		5883	154	209	09.00-07.07	■	■
100 E 25 W tector (F4AE3681D)	Diesel		5883	185	251	05.06-07.07	■	■
<b>EuroCargo I-III 01.91-09.15</b>				<b>Dump Truck</b>				
100 E 17 K tector, 100 E 17 DK tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	■	■
80 E 17 K, 80 E 17 DK tector, 80 E 18 K tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	■	■
80 E 17 K, 80 E 17 DK tector, 80 E 18 K tector (F4AE3481B)	Diesel		3922	125	170	09.00-09.15	■	■
90 E 17 K tector, 90 E 17 DK tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	■	■
100 E 18 K tector (F4AE3481B)	Diesel		3922	130	177	09.06-09.15	■	■
100 E 15 K (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	■	■
80 E 15 K (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	■	■
80 E 15 K (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	■	■
100 E 18 K (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	■	■
80 E 18 K (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	■	■
80 E 18 K (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	■	■
100 E 18 K tector, 100 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
80 E 18 K tector, 80 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
90 E 18 K tector, 90 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
100 E 21 K tector, 100 E 21 DK tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
180 E 21 K tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
80 E 21 K, 80 E 21 DK tector, 80 E 22 K tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
80 E 21 K, 80 E 21 DK tector, 80 E 22 K tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	■	■
90 E 21 K tector, 90 E 21 DK tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
<b>EuroCargo I-III 01.91-09.15</b>				<b>Platform/Chassis</b>				
80 EL 15 tector (F4AE0481C)	Diesel		3922	110	149	09.00-09.15	■	■
80 EL 16 tector, 80 EL 16 P tector (F4AE3481D)	Diesel		3922	118	160	09.06-09.15	■	■
100 E 17, 100 E 17 DP tector, 100 E 18 tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	■	■
100 E 17, 100 E 17 DP tector, 100 E 18 tector (F4AE3481B)	Diesel		3922	125	170	09.00-09.15	■	■
80 E 17, 80 E 17 D tector, 80 E 17 DP tector, 80 E 18 tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	■	■
80 E 17, 80 E 17 D tector, 80 E 17 DP tector, 80 E 18 tector (F4AE3481B)	Diesel		3922	125	170	09.00-09.15	■	■
90 E 17, 90 E 17D tector, 90 E 17 DP tector, 90 E 18 tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	■	■
90 E 17, 90 E 17D tector, 90 E 17 DP tector, 90 E 18 tector (F4AE3481B)	Diesel		3922	125	170	09.00-09.15	■	■
100 E 18 tector, 100 E 18 P tector, 100 E 18 FP tector (F4AE3481B)	Diesel		3922	130	177	09.06-09.15	■	■
80 E 18 tector, 80 E 18 P tector, 80 E 18 FP tector (F4AE3481B)	Diesel		3922	130	177	09.06-09.15	■	■
100 E 15, 100 E 15 P (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	■	■
100 E 15, 100 E 15 P (8060.45R.5000)	Diesel		5861	105	143	01.91-09.15	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

100 E 15, 100 E 15 P (8060.45R.5001)	Diesel		5861	105	143	01.91-09.15	■	■
100 E 15, 100 E 15 P (8060.45R.5003)	Diesel		5861	105	143	01.91-09.15	■	■
100 E 15, 100 E 15 P (8060.45R.5005)	Diesel		5861	105	143	01.91-09.15	■	■
80 E 15, 80 E 15 P (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	■	■
100 E 18, 100 E 18 P (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	■	■
80 E 18, 80 E 18 P, 18 E 80 FP (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	■	■
80 E 18, 80 E 18 P, 18 E 80 FP (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	■	■
100 E 21, 100 E 21 P (8060.45.4100 TCA)	Diesel		5861	152	207	01.91-09.15	■	■
100 E 21, 100 E 21 P (8060.45.4180)	Diesel		5861	152	207	01.91-09.15	■	■
80 E 21, 80 E 21 P, 21 E 80 FP (8060.45.4100 TCA)	Diesel		5861	152	207	01.91-09.15	■	■
80 E 21, 80 E 21 P, 21 E 80 FP (8060.45.4180)	Diesel		5861	152	207	01.91-09.15	■	■
80E21, 80E21P, 80E21FP, 80EL21, 80EL21P (8060.45.4100 TCA)	Diesel		5861	152	207	01.91-09.15	■	■
80E21, 80E21P, 80E21FP, 80EL21, 80EL21P (8060.45.4180)	Diesel		5861	152	207	01.91-09.15	■	■
90 E 18 tector, 90 E 18 D tector, 90 E 18 DP tector (F4AE0681E)	Diesel		5883	130	177	09.00-09.15	■	■
100 E 18 tector, 100 E 18 P tector, 100 E 18 FP tector (F4AE0681D)	Diesel		5883	134	181	09.00-09.15	■	■
100 E 18 tector, 100 E 18 P tector, 100 E 18 FP tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
100 E 18 W tector, 100 E 18 WS tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
100 E 18 W tector, 100 E 18 WS tector (F4AE3681C)	Diesel		5883	134	181	09.00-09.15	■	■
80 E 18 tector, 80 E 18 D tector, 80 E 18 DP tector (F4AE0681D)	Diesel		5883	134	181	09.00-09.15	■	■
80 E 18 tector, 80 E 18 D tector, 80 E 18 DP tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
100 E 21, 100 E 21 DP tector, 100 E 22 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
100 E 21, 100 E 21 DP tector, 100 E 22 tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	■	■
100 E 21 W tector, 100 E 21 WS tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
80 E 21, 80 E 21 D tector, 80 E 21 DP tector, 80 E 22 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
80 E 21, 80 E 21 D tector, 80 E 21 DP tector, 80 E 22 tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	■	■
90 E 21, 90 E 21 D tector, 90 E 21 DP tector, 90 E 22 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
90 E 21, 90 E 21 D tector, 90 E 21 DP tector, 90 E 22 tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	■	■
<b>EuroCargo I-III 01.91-09.15</b>				<b>Truck Tractor</b>				
180 E 21 T (8060.45.4100 TCA)	Diesel		5861	152	207	01.91-09.15	■	■
<b>EuroFire 01.91-</b>				<b>Municipal Vehicle</b>				
75 E 14 (8040.45)	Diesel		3908	100	136	01.91-09.00	■	■
95 E 18 W (8060.45B)	Diesel		5861	130	177	01.93-09.00	■	■
<b>Zeta 01.79-12.92</b>				<b>Bus</b>				
A 60-10 (8340.04.040)	Diesel		4570	73	99	11.79-06.88	■	■
<b>Zeta 01.79-12.92</b>				<b>Dump Truck</b>				
50-8 H (8040.04.200)	Diesel		3666	63	86	01.83-12.86	■	■
50-9 H (8040.05.230)	Diesel		3908	65	88	01.87-03.91	■	■
65-12 H (8040.25.200)	Diesel		3908	85	116	01.87-03.91	■	■
79-12 H (8040.25.200)	Diesel		3908	85	116	01.87-03.91	■	■
79-12 H (8040.25.220)	Diesel		3908	85	116	01.87-03.91	■	■
79-12 H (8040.25.200)	Diesel		3908	85	116	01.87-03.91	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

79-12 H (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■	
50-10H (8340.04.200)		Diesel		4570	74	101	01.79-12.86	■	■
50-10H (8340.04.250)		Diesel		4570	74	101	01.79-12.86	■	■
50-10H (8340.04.300)		Diesel		4570	74	101	01.79-12.86	■	■
50-10H (8340.04.362)		Diesel		4570	74	101	01.79-12.86	■	■
60-10H (8340.04.200)		Diesel		4570	74	101	11.79-12.86	■	■
60-10H (8340.04.250)		Diesel		4570	74	101	11.79-12.86	■	■
65-10H (8340.04.200)		Diesel		4570	74	101	11.79-01.87	■	■
65-10H (8340.04.250)		Diesel		4570	74	101	11.79-01.87	■	■
65-10H (8340.04.300)		Diesel		4570	74	101	11.79-01.87	■	■
65-10H (8340.04.350)		Diesel		4570	74	101	11.79-01.87	■	■
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	■	■
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	■	■
109-14 H (8060.04.689)		Diesel		5500	99	135	06.83-12.85	■	■
95-14 H (8060.04.669)		Diesel		5500	99	135	07.83-10.85	■	■
109-14 H (8060.05.289)		Diesel		5861	101	137	11.85-03.91	■	
79-14 H (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■	
79-14 H (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■	
95-14 H (8060.04.669)		Diesel		5861	101	137	11.85-03.91	■	
<b>Zeta 01.79-12.92</b>					<b>Estate Van</b>				
50-8 V (8040.04.200)		Diesel		3666	63	86	01.83-12.86	■	■
60-8 (8040.04.200)		Diesel		3666	63	86	11.79-12.82	■	■
50-9 V (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■	■
60-11 V (8040.25.230 R)		Diesel		3908	74	101	01.87-03.91	■	
65-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■	
79-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■	
79-12 V (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■	
79-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■	
79-12 V (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■	
50-10V (8340.04.200)		Diesel		4570	74	101	01.79-12.86	■	■
50-10V (8340.04.250)		Diesel		4570	74	101	01.79-12.86	■	■
50-10V (8340.04.300)		Diesel		4570	74	101	01.79-12.86	■	■
50-10V (8340.04.362)		Diesel		4570	74	101	01.79-12.86	■	■
60-10V (8340.04.200)		Diesel		4570	74	101	11.79-12.86	■	■
60-10V (8340.04.250)		Diesel		4570	74	101	11.79-12.86	■	■
65-10V (8340.04.200)		Diesel		4570	74	101	11.79-01.87	■	■
65-10V (8340.04.250)		Diesel		4570	74	101	11.79-01.87	■	■
65-10V (8340.04.300)		Diesel		4570	74	101	11.79-01.87	■	■
65-10V (8340.04.350)		Diesel		4570	74	101	11.79-01.87	■	■
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	■	■
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	■	■
79-14 V (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■	
79-14 V (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■	
<b>Zeta 01.79-12.92</b>					<b>Platform/Chassis</b>				
50-8 (8040.04.200)		Diesel		3666	63	86	01.83-12.86	■	■
60-8 (8040.04.200)		Diesel		3666	63	86	11.79-12.83	■	■
50-9 (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■	■
65-9 (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■	
60-11 (8040.25.230 R)		Diesel		3908	74	101	01.87-03.91	■	
65-12 (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■	
79-12 (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

79-12 (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■	
79-12 (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■	
79-12 (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■	
50-10 (8340.04.200)		Diesel		4570	74	101	01.79-12.86	■	■
50-10 (8340.04.250)		Diesel		4570	74	101	01.79-12.86	■	■
50-10 (8340.04.300)		Diesel		4570	74	101	01.79-12.86	■	■
50-10 (8340.04.362)		Diesel		4570	74	101	01.79-12.86	■	■
60-10 (8340.04.200)		Diesel		4570	74	101	11.79-12.86	■	■
60-10 (8340.04.250)		Diesel		4570	74	101	11.79-12.86	■	■
65-10 (8340.04.200)		Diesel		4570	74	101	11.79-01.87	■	■
65-10 (8340.04.250)		Diesel		4570	74	101	11.79-01.87	■	■
65-10 (8340.04.300)		Diesel		4570	74	101	11.79-01.87	■	■
65-10 (8340.04.350)		Diesel		4570	74	101	11.79-01.87	■	■
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	■	■
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	■	■
109-14 (8060.04.689)		Diesel		5500	99	135	06.83-12.85	■	■
95-14 (8060.04.669)		Diesel		5500	99	135	07.83-10.85	■	■
109-14 (8060.05.289)		Diesel		5861	101	137	11.85-03.91	■	
79-14 (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■	
79-14 (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■	
95-14 (8060.04.669)		Diesel		5861	101	137	11.85-03.91	■	
<b>MERCEDES-BENZ</b>									
<b>AXOR 2 10.04-</b>						<b>Dump Truck</b>			
3535K (OM 457.937)		Diesel		11967	260	354	06.09-	■	■
<b>NISSAN</b>									
<b>ATLEON 09.00-</b>						<b>Platform/Chassis</b>			
120.45 (BD-30TI)		Diesel		2953	87	118	09.03-	■	■
120.56 (BD-30TI)		Diesel		2953	87	118	09.03-	■	■
140.70 (B4-40TI)		Diesel		3990	100	136	09.03-	■	■
140.80 (B4-40TI)		Diesel		3990	100	136	09.03-	■	■
60.14 (B4-40TI)		Diesel		3990	100	136	10.06-	■	■
65.14 (B4-40TI)		Diesel		3990	100	136	10.06-	■	■
70.14 (B4-40TI)		Diesel		3990	100	136	10.06-	■	■
75.14 (B4-40TI)		Diesel		3990	100	136	10.06-	■	■
80.14 (B4-40TI)		Diesel		3990	100	136	10.06-	■	■
80.19		Diesel		4460	136	185	10.06-	■	■
120.16, 165.120 (B6-60TI-L)		Diesel		5985	117	159	01.04-08.06	■	■
165.130 (B6-60TI-L)		Diesel		5985	117	159	09.03-	■	■
95.16, 165.95 (B6-60TI-L)		Diesel		5985	117	159	09.99-08.06	■	■
120.21, 210.120 (B6-60TI-H)		Diesel		5985	151	205	09.99-08.06	■	■
150.21, 210.150 (B6-60TI-H)		Diesel		5985	151	205	09.99-08.06	■	■
210.130 (B6-60TI-H)		Diesel		5985	151	205	09.03-	■	■
<b>L Series 01.95-12.00</b>						<b>Platform/Chassis</b>			
L 80.9		Diesel			70	95	01.95-	■	■
L 80.9		Diesel			70	95	01.95-	■	■
<b>M Series</b>									
M 110.14		Diesel			103	140	01.53-12.00	■	■
<b>M Series</b>						<b>Platform/Chassis</b>			
M 110.14		Diesel			103	140	01.53-12.00	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

RENAULT TRUCKS								
Midliner 10.82-01.00					Dump Truck			
S 120.08/A (T 4.40)		Diesel		3990	82	112	09.90-11.92	■
S 135.08/A (T 4.40 B/3)		Diesel		3990	102	139	02.94-05.96	■
S 140.08/A,S 140.08/B (MIDS 06.02.12 C)		Diesel		5490	103	140	01.90-09.93	■
S 140.09/B (MIDS 06.02.12 C)		Diesel		5490	103	140	01.90-09.93	■
S 150.08/B (MIDS 06.02.12 D/3)		Diesel		5490	110	150	01.94-05.96	■
S 150.09/B (MIDS 06.02.12 D/3)		Diesel		5490	110	150	01.94-05.96	■
S 180.08/A,S 180.08/B (MIDR 06.02.26 V)		Diesel		6174	129	175	11.92-10.96	■
S 180.09/B (MIDR 06.02.26 V)		Diesel		6174	129	175	11.92-10.96	■
Midliner 10.82-01.00					Platform/Chassis			
S 120.08/A (T 4.40 A/3)		Diesel		3990	88	120	11.92-10.94	■
S 120.08/A (T 4.40 CC)		Diesel		3990	88	120	11.92-10.94	■
S 120.08/A (T 4.40 A/3)		Diesel		3990	88	120	11.92-10.94	■ ■
S 120.08/A (T 4.40 CC)		Diesel		3990	88	120	11.92-10.94	■ ■
S 135.08/A (T 4.40 B/3)		Diesel		3990	102	139	02.94-05.96	■
S 135.08/A,S 150.08/A (MIDR 04.02.26 A/41)		Diesel		4118	100	136	05.96-01.00	■
S 135.08/A,S 150.08/A (MIDR 04.02.26 B/41)		Diesel		4118	100	136	05.96-01.00	■
S 150.09/B,S 135.09/B (MIDR 04.02.26 A/41)		Diesel		4118	100	136	05.96-01.00	■
S 150.09/B,S 135.09/B (MIDR 04.02.26 B/41)		Diesel		4118	100	136	05.96-01.00	■
S 140.08/A,S 140.08/B (MIDS 06.02.12 C)		Diesel		5490	103	140	01.90-09.93	■
S 140.09/B (MIDS 06.02.12 C)		Diesel		5490	103	140	01.90-09.93	■
S 150.08/A,S 150.08/B (MIDS 06.02.12 D/3)		Diesel		5490	110	150	01.94-05.96	■
S 150.09/B (MIDS 06.02.12 D/3)		Diesel		5490	110	150	01.94-05.96	■
S 160.08/A,S 160.08/B (MIDS 06.02.12 B)		Diesel		5490	117	159	01.90-09.93	■
S 160.09/B (MIDS 06.02.12 B)		Diesel		5490	117	159	01.90-09.93	■
S 130.06 (797)		Diesel		5491	96	130	09.83-01.90	■ ■
S 150.08/A,S 150.08/B (MIDR 06.02.26 U)		Diesel		6174	110	150	11.92-01.94	■
S 150.08/B (MIDR 06.02.26 U)		Diesel		6174	110	150	11.92-01.94	■
S 150.09/B (MIDR 06.02.26 U)		Diesel		6174	110	150	11.92-01.94	■
S 180.08/A,S 180.08/B (MIDR 06.02.26 V)		Diesel		6174	129	175	11.92-10.96	■
S 180.09/B (MIDR 06.02.26 V)		Diesel		6174	129	175	11.92-10.96	■
S 180.08/A (MIDR 06.02.26 V/41)		Diesel		6180	132	180	05.96-01.00	■
S 180.09/B (MIDR 06.02.26 V/41)		Diesel		6180	132	180	05.96-01.00	■
S 210.08/A (MIDR 06.02.26 W)		Diesel		6180	151	205	04.95-01.00	■
S 210.08/A (MIDR 06.02.26 W/41)		Diesel		6180	151	205	04.95-01.00	■
S 210.09/B (MIDR 06.02.26 W)		Diesel		6180	151	205	04.95-01.00	■
S 210.09/B (MIDR 06.02.26 W/41)		Diesel		6180	151	205	04.95-01.00	■
VOLVO								
FL6 09.85-08.00					Platform/Chassis			
FL 619 (TD 61 F)		Diesel		5480	150	204	09.85-11.94	■ ■