

LISTA DE APLICACIONES - BUYERS GUIDE

151149




8 424073 018489

Qty: 300

Weight: 1.480

O.E.M.	MAKE
001 420 24 20	MERCEDES-BENZ
002 420 17 20	MERCEDES-BENZ
002 420 24 20	MERCEDES-BENZ
003 420 37 20	MERCEDES-BENZ
003 420 38 20	MERCEDES-BENZ
003 420 75 20	MERCEDES-BENZ
003 420 76 20	MERCEDES-BENZ
281 698 151 A	VW



151149



E 9 90R-01111/2163

Ate - Teves

89.65x73.9x19

WVA

20392

29581

MAKE

MERCEDES-BENZ

VW



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

MERCEDES-BENZ

MB-TRAC 07.73-12.91

Tractor

1100 (OM 353.949)	Diesel	5675	81	110	03.79-08.87
1300 (OM 353.957)	Diesel	5675	92	125	03.76-08.87
1500 (OM 353.976)	Diesel	5675	110	150	07.80-12.87
1000, 1100 (OM 366.908)	Diesel	5958	74	100	02.87-12.91
1000, 1100 (OM 366.912)	Diesel	5958	74	100	02.87-12.91
1300 Turbo, 1400 Turbo (OM 366.958)	Diesel	5958	92	125	02.82-12.91
1300 Turbo, 1400 Turbo (OM 366.977)	Diesel	5958	92	125	02.82-12.91
1600 Turbo (OM 366.954)	Diesel	5958	115	156	06.90-12.91
1800 (OM 366.954)	Diesel	5958	132	180	06.90-12.91

O 580 TRAVEGO (O 580) 10.99-

Bus

O 580-17 RHD (OM 457.944)	Diesel	11967	260	354	10.99-
O 580-17 RHD (OM 457.953)	Diesel	11967	260	354	10.99-
O 580-17 RHD (OM 457.961)	Diesel	11967	260	354	10.99-
O 580-17 SHD (OM 542.948)	Diesel	15928	320	435	10.99-
O 580-17 SHD (OM 542.966)	Diesel	15928	350	476	10.99-

UNIMOG 01.55-

Cab with engine

U 140T (OM 364.982)	Diesel	3972	98	133	07.92-
U 1200T (OM 356.954)	01/92- Diesel	5958	92	125	01.88-
U 1200T (OM 356.954)	01/92-, Axle- I 017651 Diesel	5958	92	125	01.88-
U 1200T (OM 366.949)	01/92- Diesel	5958	92	125	01.88-
U 1200T (OM 366.949)	01/92-, Axle- I 017651 Diesel	5958	92	125	01.88-

LISTA DE APLICACIONES - BUYERS GUIDE

UNIMOG 01.55-					Platform/Chassis				
U 1000	01/73-	Diesel					01.55-	■	■
U 1150	01/73-	Diesel					01.55-	■	■
U 1200	01/73-	Diesel					01.55-	■	■
U 1250	01/73-	Diesel					01.55-	■	■
U 1350	01/73-	Diesel					01.55-	■	■
U 1400	01/73-	Diesel					01.55-	■	■
U 1450	01/73-	Diesel					01.55-	■	■
U 1550	01/73-	Diesel					01.55-	■	■
U 1600	01/73-	Diesel					01.55-	■	■
U 1650	01/92-	Diesel					01.55-	■	■
U 1650	01/73-	Diesel					01.55-	■	■
U 900	01/73-	Diesel					01.55-	■	■
U 90 (OM 602.941)		Diesel		2874	65	88	11.92-	■	■
U 100L (OM 602.948)		Diesel		2874	71	97	11.92-	■	
U 100L (OM 602.981)		Diesel		2874	85	116	07.96-	■	
U 100L (OM 602.989)		Diesel		2874	85	116	07.96-	■	
U 90 (OM 602.981)		Diesel		2874	85	116	07.96-	■	■
U 90 (OM 602.989)		Diesel		2874	85	116	07.96-	■	■
U 130,U 140 (OM 364.982)		Diesel		3972	98	133	07.92-	■	■
U 130,U 140 (OM 364.985)		Diesel		3972	98	133	07.92-	■	■
U 140L (OM 364.985)		Diesel		3972	100	136	07.92-	■	■
U 110,U 110L (OM 364.955)		Diesel		3973	75	102	02.92-	■	■
U 110,U 110L (OM 364.958)		Diesel		3973	75	102	02.92-	■	■
U 20 (OM 900.915)		Diesel		4249	110	150	09.06-	■	■
U 20 (OM 900.915)		Diesel		4249	110	150	09.06-	■	■
U 20 (OM 900.915)		Diesel		4249	110	150	09.06-	■	■
U 300 (OM 904.927)		Diesel		4249	110	150	03.00-	■	■
U 3000 (OM 900.920)		Diesel		4249	110	150	09.02-	■	■
U 3000 (OM 904.953)		Diesel		4249	110	150	09.02-	■	■
U 4000 (OM 900.920)		Diesel		4249	110	150	09.02-	■	■
U 4000 (OM 904.953)		Diesel		4249	110	150	09.02-	■	■
U 300 (OM 904.928)		Diesel		4249	130	177	03.00-	■	■
U 3000 (OM 904.952)		Diesel		4249	130	177	09.02-	■	■
U 4000 (OM 904.952)		Diesel		4249	130	177	09.02-	■	■
U 4000 (OM 924.916)		Diesel		4801	160	218	09.02-	■	■
U 4000 (OM 924.923)		Diesel		4801	160	218	09.02-	■	■
U 5000 (OM 924.923)		Diesel		4801	160	218	01.12-	■	■
U 216		Diesel		5132	115	156	05.13-	■	■
U 218		Diesel		5132	130	177	05.13-	■	■
U 318		Diesel		5132	130	177	05.13-	■	■
U 900 (OM 353.902)	01/92-	Diesel		5675	62	84	01.77-	■	■
U 1150,U 1150L (OM 353.940)	01/92-	Diesel		5675	81	110	05.88-	■	■
U 1150,U 1150L (OM 353.940)	01/92-	Diesel		5675	81	110	05.88-	■	■
U 1150L (OM 353.907)	01/92-	Diesel		5675	92	125	05.88-	■	■
U 1300,U 1300L (OM 353.961)	AxCon 747370	Diesel		5675	92	125	01.77-05.88		■
U 1300,U 1300L (OM 353.973)	AxCon 747370	Diesel		5675	92	125	01.77-05.88		■
U 1000 (OM 356.914)	01/92-	Diesel		5958	75	102	01.88-	■	■
U 1000 (OM 366.915)	01/92-	Diesel		5958	75	102	01.88-	■	■
U 900 (OM 356.912)	01/92-	Diesel		5958	81	110	11.88-	■	■
U 900 (OM 366.939)	01/92-	Diesel		5958	81	110	11.88-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

U 1250,U 1250L (OM 356.950)		Diesel		5958	92	125	01.88-	■	■
U 1250,U 1250L (OM 356.954)		Diesel		5958	92	125	01.88-	■	■
U 1250,U 1250L (OM 366.949)		Diesel		5958	92	125	01.88-	■	■
U 1350L (OM 366.955)	01/92-, AxCon 737360	Diesel		5958	100	136	05.88-	■	■
U 1400 (OM 357.912)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.947)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.948)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.955)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.956)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 357.912)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.947)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.948)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.955)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.956)	01/92-, AxCon 737360	Diesel		5958	100	136	01.88-	■	■
U 1550L (OM 366.955)	AxCon 737361	Diesel		5958	100	136	05.88-	■	■
U 1550L (OM 366.956)	AxCon 737361	Diesel		5958	100	136	05.88-	■	■
U 1300 L (OM 382.917)		Diesel		5958	110	150	01.77-05.88	■	■
U 1550L (OM 356.955)	AxCon 737361	Diesel		5958	114	155	01.92-	■	■
U 1550L (OM 356.956)	AxCon 737361	Diesel		5958	114	155	01.92-	■	■
U 1550L (OM 356.956)	AxCon 737361	Diesel		5958	115	156	05.88-	■	■
U 1550L (OM 366.963)	AxCon 737361	Diesel		5958	125	170	01.92-	■	■
U 1550L (OM 356.997)	AxCon 737361	Diesel		5958	150	204	05.88-	■	■
U 1550L (OM 357.924)	AxCon 737361	Diesel		5958	150	204	05.88-	■	■
U 1550L (OM 366.984)	AxCon 737361	Diesel		5958	150	204	05.88-	■	■
U 1550L (OM 356.980)	AxCon 737361	Diesel		5958	177	241	05.88-	■	■
U 1550L (OM 357.945)	AxCon 737361	Diesel		5958	177	241	05.88-	■	■
U 1600 (OM 356.980)	01/92-	Diesel		5958	177	241	05.91-	■	■
U 1600 (OM 357.945)	01/92-	Diesel		5958	177	241	05.91-	■	■
U 1650,U 1650L (OM 356.980)	01/92-	Diesel		5958	177	241	05.91-	■	■
U 1650,U 1650L (OM 357.945)	01/92-	Diesel		5958	177	241	05.91-	■	■

VW

LT 28-35 / LT 28-50 (281-363) 04.75-06.96					Bus (Minibus-M2-Segment)				
2.0 (CH)	01/81-	Gasolina	RWD	1984	55	75	04.75-09.83	■	
2.4 i (1E)		Gasolina	RWD	2383	69	94	08.89-06.96	■	
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	■	
2.4 D (1S)		Diesel	RWD	2383	51	70	08.89-06.96	■	
2.4 D (ACT)		Diesel	RWD	2383	51	70	08.89-06.96	■	
2.4 D (CP)	01/81-	Diesel	RWD	2383	55	75	01.79-07.92	■	
2.4 D (DW)	01/81-	Diesel	RWD	2383	55	75	01.79-07.92	■	
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.89-08.92	■	
2.4 TD (ACL)		Diesel	RWD	2384	70	95	09.92-06.96	■	
2.4 TD (DV)		Diesel	RWD	2384	75	102	12.82-07.89	■	
LT 28-35 / LT 28-50 (281-363) 04.75-06.96					Platform/Chassis (LCVs-N1 Segment)				
2.0 (CH)	01/81-	Gasolina	RWD	1984	55	75	04.75-09.83	■	
2.4 i (1E)		Gasolina	RWD	2383	69	94	03.94-06.96	■	
2.4 Syncro (1E)		Gasolina	4WD	2383	70	95	08.92-07.94	■	
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	■	
2.4 Syncro (DL)		Gasolina	4WD	2384	66	90	08.91-07.92	■	
2.4 D (1S)		Diesel	RWD	2383	51	69	08.90-06.96	■	
2.4 D (ACT)		Diesel	RWD	2383	51	69	08.90-06.96	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.4 D Syncro (1S)		Diesel	4WD	2383	51	69	08.91-07.92	■
2.4 D (CP)	01/81-	Diesel	RWD	2383	55	75	12.78-02.91	■
2.4 D (DW)	01/81-	Diesel	RWD	2383	55	75	12.78-02.91	■
2.4 D Syncro (DW)		Diesel	4WD	2383	55	75	08.91-07.92	■
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.90-08.92	■
2.4 TD Syncro (1G)		Diesel	4WD	2384	68	92	08.91-07.92	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	08.92-06.96	■
2.4 TD (DV)	01/86-	Diesel	RWD	2384	75	102	12.82-09.93	■
2.4 TD Syncro (DV)		Diesel	4WD	2384	75	102	08.91-07.92	■
2.7 D (CG)		Diesel	RWD	2702	48	65	11.75-01.80	■
LT 28-35 / LT 28-50 (281-363) 04.75-06.96					Van (LCVs-N1 Segment)			
2.0 (CH)	01/81-	Gasolina	RWD	1984	55	75	04.75-09.83	■
2.4 i (1E)		Gasolina	RWD	2383	69	94	08.89-06.96	■
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	■
2.4 D (1S)		Diesel	RWD	2383	51	69	07.90-05.96	■
2.4 D (ACT)		Diesel	RWD	2383	51	69	07.90-05.96	■
2.4 D (CP)	01/81-	Diesel	RWD	2383	55	75	01.79-07.92	■
2.4 D (DW)	01/81-	Diesel	RWD	2383	55	75	01.79-07.92	■
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-08.92	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	06.92-05.96	■
2.4 TD (DV)		Diesel	RWD	2384	75	102	02.86-08.92	■
2.7 D (CG)		Diesel	RWD	2702	48	65	11.75-01.80	■
LT 40-55 (293-909) 04.75-06.96					Platform/Chassis (LCVs-N1 Segment)			
2.0 (CH)	01/81-	Gasolina	RWD	1984	55	75	04.75-09.83	■
2.4 i (1E)		Gasolina	RWD	2383	69	94	03.94-06.96	■
2.4 (DL)		Gasolina	RWD	2384	66	90	08.85-07.89	■
2.4 Syncro (DL)		Gasolina	4WD	2384	66	90	12.82-07.89	■
2.4 D (1S)		Diesel	RWD	2383	51	69	08.90-06.96	■
2.4 D (ACT)		Diesel	RWD	2383	51	69	08.90-06.96	■
2.4 D (CP)		Diesel	RWD	2383	55	75	12.78-02.91	■
2.4 D (DW)		Diesel	RWD	2383	55	75	12.78-02.91	■
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-07.91	■
2.4 TD Syncro (1G)		Diesel	4WD	2384	68	92	08.91-07.92	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	08.92-06.96	■
2.4 TD (DV)	01/86-	Diesel	RWD	2384	75	102	12.82-09.93	■
2.4 TD Syncro (DV)		Diesel	4WD	2384	75	102	12.82-07.92	■
LT 40-55 (291-512) 04.75-06.96					Van (LCVs-N1 Segment)			
2.0 (CH)	01/81-	Gasolina	RWD	1984	55	75	04.75-09.83	■
2.4 i (1E)		Gasolina	RWD	2383	69	94	01.93-06.96	■
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	■
2.4 4WD (DL)		Gasolina	4WD	2384	66	90	12.82-07.92	■
2.4 D (1S)		Diesel	RWD	2383	51	69	07.90-05.96	■
2.4 D (ACT)		Diesel	RWD	2383	51	69	07.90-05.96	■
2.4 D (CP)		Diesel	RWD	2383	55	75	01.79-07.92	■
2.4 D (DW)		Diesel	RWD	2383	55	75	01.79-07.92	■
2.4 D 4WD (DW)		Diesel	4WD	2383	55	75	12.82-07.91	■
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-08.92	■
2.4 TD (ACL)		Diesel	RWD	2384	70	95	06.92-05.96	■
2.4 TD (DV)		Diesel	RWD	2384	75	102	02.86-08.92	■
2.4 TD 4WD (DV)	-12/86	Diesel	4WD	2384	75	102	12.82-07.91	■

LISTA DE APLICACIONES - BUYERS GUIDE

POLO (86) 03.75-09.81				Hatchback (Supermini car-B Segment)				
1.1 (HC)	Gasolina	FWD	1093	44	60	03.75-09.81	■	