

LISTA DE APLICACIONES - BUYERS GUIDE



151253




Qty: 660

Weight: 5.270

O.E.M.	MAKE
12182145	MAN
12999577	MAN
12999667	MAN
12999743	MAN
143 6901	DAF
190 6467	IVECO
24070005	MAN
2611-12999703VT	MACK
5001 866 951	RENAULT TRUCKS
5010 848 607	RENAULT TRUCKS
81 50820 5011	MAN
81 50820 5022	MAN
81 50820 5023	MAN
81 50820 5024	MAN
81 50820 5025	MAN
81 50820 5029	MAN
81 50820 5030	MAN
81 50820 6006	MAN
81 50820 6007	MAN
81 50820 6020	MAN
81 50820 6021	MAN
81 50820 6042	MAN



151253-067



1 - Ref. 690061 E

151253

E 9 90R-01178/860



Perrot-Wabco PAN 17

175.4x86.2x26

WVA	FMSI
29088	D1518-8727
29091	

MAKE
DAF
IVECO
MAN
OPTARE
RENAULT TRUCKS



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

DAF

CF 05.13-

Truck Tractor

Model	Fuel	CC	Kw	CV	Year	Front	Rear
FTP 410	Diesel	10837	300	408	10.17-	■	■
FTR 410	Diesel	10837	300	408	10.17-	■	■
FTS 410	Diesel	10837	300	408	10.17-	■	■
FTP 450	Diesel	10837	330	449	05.17-	■	■
FTR 450	Diesel	10837	330	449	05.17-	■	■
FTS 450	Diesel	10837	330	449	05.17-	■	■
FTP 430	Diesel	12903	315	428	05.17-	■	■
FTR 430	Diesel	12903	315	428	05.17-	■	■
FTS 430	Diesel	12903	315	428	10.17-	■	■
FTP 480	Diesel	12903	355	483	05.17-	■	■
FTR 480	Diesel	12903	355	483	05.17-	■	■
FTS 480	Diesel	12903	355	483	05.17-	■	■
FTP 530	Diesel	12903	390	530	05.17-	■	■
FTR 530	Diesel	12903	390	530	05.17-	■	■
FTS 530	Diesel	12903	390	530	05.17-	■	■

LF 45 01.01-

Dump Truck

Model	Fuel	CC	Kw	CV	Year	Front	Rear
FA 45.130	Diesel	3920	99	135	03.01-06.06	■	■
FA 45.130	Diesel	3920	99	135	03.01-06.06	■	■
FA 45.130	Diesel	3920	99	135	03.01-06.06	■	■
FA 45.130	Diesel	3920	99	135	03.01-06.06	■	■
FA 45.150	Diesel	3920	110	150	03.01-06.06	■	■
FA 45.150	Diesel	3920	110	150	03.01-06.06	■	■
FA 45.150	Diesel	3920	110	150	03.01-06.06	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FA 45.150		Diesel		3920	110	150	03.01-06.06	■	■
FA 45.170		Diesel		3920	123	167	03.01-06.06	■	■
FA 45.170		Diesel		3920	123	167	03.01-06.06	■	■
FA 45.170		Diesel		3920	123	167	03.01-06.06	■	■
FA 45.170		Diesel		3920	123	167	03.01-06.06	■	■
FA 45.140		Diesel		4461	103	140	01.06-	■	■
FA 45.140		Diesel		4461	103	140	01.06-	■	■
FA 45.140		Diesel		4461	103	140	01.06-	■	■
FA 45.160		Diesel		4461	118	160	05.06-	■	■
FA 45.180		Diesel		4461	136	185	05.06-	■	■
FA 45.210 (FR 152)		Diesel		4461	152	207	01.09-	■	■
FA 45.180		Diesel		5880	136	185	03.01-06.06	■	■
FA 45.180		Diesel		5880	136	185	03.01-06.06	■	■
FA 45.180		Diesel		5880	136	185	03.01-06.06	■	■
FA 45.180		Diesel		5880	136	185	03.01-06.06	■	■
FA 45.220		Diesel		5880	162	220	03.01-06.06	■	■
FA 45.220		Diesel		5880	162	220	03.01-06.06	■	■
FA 45.220		Diesel		5880	162	220	03.01-06.06	■	■
FA 45.220		Diesel		5880	162	220	03.01-06.06	■	■
FA 45.220		Diesel		6691	165	224	01.06-	■	■
FA 45.220		Diesel		6691	165	224	01.06-	■	■
FA 45.220		Diesel		6691	165	224	01.06-	■	■
FA 45.250		Diesel		6691	184	250	01.06-	■	■
FA 45.250		Diesel		6691	184	250	01.06-	■	■
FA 45.250		Diesel		6691	184	250	01.06-	■	■
LF 45 01.01-							Platform/Chassis		
FA 45.160 HYBRID (FR 118 S1)		Bicombu stible		4461	118	160	05.06-	■	■
LF 45 01.01-							Platform/Chassis		
FA 45.130 (BE 99 C)		Diesel		3920	99	135	03.01-06.06	■	■
FA 45.130 (BE 99 C)		Diesel		3920	99	135	03.01-06.06	■	■
FA 45.130 (BE 99 C)		Diesel		3920	99	135	03.01-06.06	■	■
FA 45.150 (BE 110 C)		Diesel		3920	110	150	01.01-	■	■
FA 45.150 (BE 110 C)		Diesel		3920	110	150	01.01-	■	■
FA 45.150 (BE 110 C)		Diesel		3920	110	150	01.01-	■	■
FA 45.170 (BE 123 C)		Diesel		3920	123	167	01.01-	■	■
FA 45.170 (BE 123 C)		Diesel		3920	123	167	01.01-	■	■
FA 45.170 (BE 123 C)		Diesel		3920	123	167	01.01-	■	■
FA 45.140 (FR 103 S1)		Diesel		4461	103	140	05.06-	■	■
FA 45.140 (FR 103 S1)		Diesel		4461	103	140	05.06-	■	■
FA 45.140 (FR 103 S1)		Diesel		4461	103	140	05.06-	■	■
FA 45.160 (FR 118 S1)		Diesel		4461	118	160	05.06-	■	■
FA 45.160 (FR 118 S1)		Diesel		4461	118	160	05.06-	■	■
FA 45.160 (FR 118 S1)		Diesel		4461	118	160	05.06-	■	■
FA 45.180 (FR 136 S1)		Diesel		4461	136	185	05.06-	■	■
FA 45.180 (FR 136 S1)		Diesel		4461	136	185	05.06-	■	■
FA 45.180 (FR 136 S1)		Diesel		4461	136	184	05.06-	■	■
FA 45.180 (FR 136 S1)		Diesel		4461	136	185	05.06-	■	■
FA 45.210 (FR 152)		Diesel		4461	152	207	01.09-	■	■
FA 45.210 (FR 152)		Diesel		4461	152	207	01.09-	■	■
FA 45.210 (FR 152)		Diesel		4461	152	207	01.09-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FA 45.180 (CE 136 C)		Diesel		5880	136	185	01.01-	■	■
FA 45.180 (CE 136 C)		Diesel		5880	136	185	01.01-	■	■
FA 45.180 (CE 136 C)		Diesel		5880	136	185	01.01-	■	■
FA 45.220 (CE 162 C)		Diesel		5880	162	220	01.01-	■	■
FA 45.220 (CE 162 C)		Diesel		5880	162	220	01.01-	■	■
FA 45.220 (CE 162 C)		Diesel		5880	162	220	01.01-	■	■
FA 45.220 (GR 165 S1)		Diesel		6691	165	224	05.06-	■	■
FA 45.220 (GR 165 S1)		Diesel		6691	165	224	05.06-	■	■
FA 45.220 (GR 165 S1)		Diesel		6691	165	224	05.06-	■	■
FA 45.250 (GR 184 S1)		Diesel		6691	184	250	03.06-	■	■
FA 45.250 (GR 184 S1)		Diesel		6691	184	250	03.06-	■	■
XF 10.12-							Truck Tractor		
FTP 450		Diesel		10837	330	449	05.17-	■	■
FTR 450		Diesel		10837	330	449	05.17-	■	■
FTS 450		Diesel		10837	330	449	05.17-	■	■
FTP 430		Diesel		12903	315	428	05.17-	■	■
FTR 430		Diesel		12903	315	428	05.17-	■	■
FTS 430		Diesel		12903	315	428	05.17-	■	■
FTP 480		Diesel		12903	355	483	05.17-	■	■
FTR 480		Diesel		12903	355	483	05.17-	■	■
FTS 480		Diesel		12903	355	483	05.17-	■	■
FTP 530		Diesel		12903	390	530	05.17-	■	■
FTR 530		Diesel		12903	390	530	05.17-	■	■
FTS 530		Diesel		12903	390	530	05.17-	■	■
XF 105 10.05-							Truck Tractor		
FTP 105.510		Diesel		12903	375	510	09.13-	■	■
XF II 06.21-							Truck Tractor		
FTP 370		Diesel		10837	270	367	06.21-	■	■
FTP 370		Diesel		10837	270	367	06.21-	■	■
FTR 370		Diesel		10837	270	367	06.21-	■	■
FTR 370		Diesel		10837	270	367	06.21-	■	■
FTS 370		Diesel		10837	270	367	06.21-	■	■
FTS 370		Diesel		10837	270	367	06.21-	■	■
FTP 410		Diesel		10837	300	408	06.21-	■	■
FTP 410		Diesel		10837	300	408	06.21-	■	■
FTR 410		Diesel		10837	300	408	06.21-	■	■
FTR 410		Diesel		10837	300	408	06.21-	■	■
FTS 410		Diesel		10837	300	408	06.21-	■	■
FTS 410		Diesel		10837	300	408	06.21-	■	■
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTP 430		Diesel		12903	315	428	06.21-	■	■
FTP 430		Diesel		12903	315	428	06.21-	■	■
FTR 430		Diesel		12903	315	428	06.21-	■	■
FTR 430		Diesel		12903	315	428	06.21-	■	■
FTS 430		Diesel		12903	315	428	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTS 430		Diesel		12903	315	428	06.21-	■	■
FTP 480		Diesel		12903	355	483	06.21-	■	■
FTP 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
XG 06.21-								Truck Tractor	
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTP 430		Diesel		12903	315	428	06.21-	■	■
FTP 430		Diesel		12903	315	428	06.21-	■	■
FTR 430		Diesel		12903	315	428	06.21-	■	■
FTR 430		Diesel		12903	315	428	06.21-	■	■
FTS 430		Diesel		12903	315	428	06.21-	■	■
FTS 430		Diesel		12903	315	428	06.21-	■	■
FTP 480		Diesel		12903	355	483	06.21-	■	■
FTP 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
XG+ 06.21-								Truck Tractor	
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTP 430		Diesel		12903	315	428	06.21-	■	■
FTP 430		Diesel		12903	315	428	06.21-	■	■
FTR 430		Diesel		12903	315	428	06.21-	■	■
FTR 430		Diesel		12903	315	428	06.21-	■	■
FTS 430		Diesel		12903	315	428	06.21-	■	■
FTS 430		Diesel		12903	315	428	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTP 480		Diesel		12903	355	483	06.21-	■	■
FTP 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■

IVECO

10.00-07.07

Municipal Vehicle

120 E 22 tector (F4AE3681B)		Diesel		5883	160	218	09.06-07.07	■	■
-----------------------------	--	--------	--	------	-----	-----	-------------	---	---

EuroCargo I-III 01.91-09.15

Platform/Chassis

120 EL 17, 120 EL 17 P tector, 120 E 18, 120 EL 18 tector (F4AE0481A)		Diesel		3922	125	170	09.00-09.15	■	■
120 EL 17, 120 EL 17 P tector, 120 E 18, 120 EL 18 tector (F4AE3481A)		Diesel		3922	125	170	09.00-09.15	■	■
120 EL 21, 120 EL 21 P tector, 120 E 22, 120 EL 22 tector (F4AE0681C)		Diesel		5883	154	209	09.00-09.15	■	■
120 EL 21, 120 EL 21 P tector, 120 E 22, 120 EL 22 tector (F4AE0681D)		Diesel		5883	154	209	09.00-09.15	■	■
120 EL 21, 120 EL 21 P tector, 120 E 22, 120 EL 22 tector (F4AE3681B)		Diesel		5883	154	209	09.00-09.15	■	■

EuroCargo IV 05.13-

Platform/Chassis

120E.19		Diesel		4485	137	186	11.13-	■	■
120E.19FP		Diesel		4485	137	186	11.13-	■	■
120E.19P		Diesel		4485	137	186	11.13-	■	■
140E.19		Diesel		4485	137	186	11.13-	■	■
140E.19FP		Diesel		4485	137	186	11.13-	■	■
120E.21		Diesel		4485	152	207	11.13-	■	■
120E.21P		Diesel		4485	152	207	11.13-	■	■
140E.21		Diesel		4485	152	207	11.13-	■	■
140E.21P		Diesel		4485	152	207	11.13-	■	■
120E.22		Diesel		6728	162	220	11.13-	■	■

EuroCargo V 09.15-

Platform/Chassis

110EL.19		Diesel		4485	137	186	09.15-	■	■
110EL.19P		Diesel		4485	137	186	09.15-	■	■
110EL.21P		Diesel		4485	152	207	09.15-	■	■

MAN

FOCL

8.110		Diesel		4580	81	110	05.95-03.01	■	■
8.110		Diesel		4580	83	113	05.95-03.01	■	■
8.140		Diesel		4580	103	140	07.99-03.01	■	■
8.140		Diesel		4580	104	141	05.95-03.01	■	■
8.150		Diesel		4580	110	150	07.99-03.01	■	■
8.160		Diesel		4580	118	160	05.95-03.01	■	■
8.170		Diesel		4580	125	170	07.99-03.01	■	■
8.180		Diesel		4580	132	179	07.99-03.01	■	■
10.245		Diesel		6871	180	245	05.99-02.07	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

8.245		Diesel		6871	180	245	05.99-02.07	■	■
10.255		Diesel		6871	188	256	03.95-08.06	■	■
8.255		Diesel		6871	188	256	03.95-10.97	■	■
10.260		Diesel		6871	191	260	03.95-08.06	■	■
8.260		Diesel		6871	191	260	03.95-03.01	■	■
10.265		Diesel		6871	196	266	04.98-10.01	■	■
8.265		Diesel		6871	196	266	04.98-10.01	■	■
10.280		Diesel		6871	206	280	04.98-02.07	■	■
8.280		Diesel		6871	206	280	04.98-02.07	■	■
L2000 06.93-								Bus	
10.150 FOC (D 0824 LFO)		Diesel		4580	114	155	02.95-01.96	■	■
8.150 FOC,8.150 FOCL (D 0824 LFO)		Diesel		4580	114	155	02.95-	■	■
10.220 FOC,10.220 FOCL (D 0826 LFL03)		Diesel		6871	162	220	02.95-	■	■
8.220 FOC,8.220 FOCL (D 0826 LFL03)		Diesel		6871	162	220	04.95-	■	■
L2000 06.93-								Dump Truck	
8.103 LK (D 0824 FL 01)		Diesel		4580	75	102	10.93-06.96	■	■
7.113		Diesel		4580	81	110	06.00-10.01	■	■
8.113 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 04)		Diesel		4580	81	110	08.95-	■	■
8.113 LK, L-KI, LRK, LR-KI, LRK-L, LK-L		Diesel		4580	81	110	08.95-	■	■
9.113		Diesel		4580	81	110	06.00-10.01	■	■
7.113		Diesel		4580	83	113	06.00-10.01	■	■
8.113		Diesel		4580	83	113	01.97-04.06	■	■
9.113		Diesel		4580	83	113	06.00-10.01	■	■
10.145 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE140C) (D 0834 LFL 02)		Diesel		4580	103	140	09.00-	■	■
6.145		Diesel		4580	103	140	06.00-01.04	■	■
7.145		Diesel		4580	103	140	06.00-01.04	■	■
8.145 LK, LRK, L-KI, LRK-L, LK-L, LR-KILK (LE140C) (D 0834 LFL 02)		Diesel		4580	103	140	09.00-	■	■
9.145 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE140C) (D 0834 LFL 02)		Diesel		4580	103	140	09.00-	■	■
6.145		Diesel		4580	104	141	06.00-10.01	■	■
7.145		Diesel		4580	104	141	06.00-10.01	■	■
8.145		Diesel		4580	104	141	06.93-04.06	■	■
8.163 LAK, LARK, LAEK, LAERK		Diesel		4580	104	141	04.00-	■	■
9.163 LK (D 0824 LFL 07)		Diesel		4580	104	141	08.95-03.97	■	■
7.153		Diesel		4580	110	150	06.00-01.04	■	■
8.153		Diesel		4580	110	150	07.99-04.06	■	■
8.155		Diesel		4580	110	150	07.99-04.06	■	■
10.153 LK (D 0824 LFL 01)		Diesel		4580	114	155	10.93-06.96	■	■
10.153 LK (D 0824 LFL 05)		Diesel		4580	114	155	10.93-06.96	■	■
10.155 LK, L-KI, LRK, LR-KI, LK-L		Diesel		4580	114	155	02.04-	■	■
10.163 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK (D 0824 LFL 02)		Diesel		4580	114	155	01.95-	■	■
10.163 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK (D 0824 LFL 06)		Diesel		4580	114	155	01.95-	■	■
10.163 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK (D 0824 LFL 09)		Diesel		4580	114	155	01.95-	■	■
10.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 02)		Diesel		4580	114	155	05.94-	■	■
10.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 06)		Diesel		4580	114	155	05.94-	■	■
10.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 09)		Diesel		4580	114	155	05.94-	■	■
7.153		Diesel		4580	114	155	06.00-10.01	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

8.153 LAEK (D 0824 LFL 01)	Diesel	4580	114	155	01.95-09.96	■
8.153 LAEK (D 0824 LFL 05)	Diesel	4580	114	155	01.95-09.96	■
8.153 LK (D 0824 LFL 01)	Diesel	4580	114	155	10.93-07.97	■
8.153 LK (D 0824 LFL 05)	Diesel	4580	114	155	10.93-07.97	■
8.155 LK, L-KI, LR-KI, LRK-L, LK-L	Diesel	4580	114	155	02.04-	■ ■
8.155 LK, LRK	Diesel	4580	114	155	02.04-	■ ■
8.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 02)	Diesel	4580	114	155	05.94-	■
8.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 06)	Diesel	4580	114	155	05.94-	■
8.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 09)	Diesel	4580	114	155	05.94-	■
8.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L	Diesel	4580	114	155	05.94-	■ ■
9.153 LK (D 0824 LFL 01)	Diesel	4580	114	155	10.93-06.96	■
9.153 LK (D 0824 LFL 05)	Diesel	4580	114	155	10.93-06.96	■
9.155 LK, L-KI, LRK, LR-KI, LRK-L, LK-L	Diesel	4580	114	155	02.04-	■ ■
9.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 02)	Diesel	4580	114	155	05.94-	■
9.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 06)	Diesel	4580	114	155	05.94-	■
9.163 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0824 LFL 09)	Diesel	4580	114	155	05.94-	■
7.163	Diesel	4580	118	160	06.00-10.01	■ ■
10.174	Diesel	4580	125	170	06.00-01.04	■ ■
7.174	Diesel	4580	125	170	06.00-01.04	■ ■
8.174	Diesel	4580	125	170	06.00-01.04	■ ■
9.174	Diesel	4580	125	170	06.00-01.04	■ ■
10.185 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■
10.185 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■
6.185	Diesel	4580	132	179	06.00-01.04	■ ■
7.185	Diesel	4580	132	179	06.00-01.04	■ ■
8.185 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK, LARK-L (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■
8.185 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■
9.185 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■
10.223 LK (D 0826 LFL02)	Diesel	6871	162	220	10.93-06.96	■
10.223 LK (D 0826 LFL06)	Diesel	6871	162	220	10.93-06.96	■
10.224 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK (D 0826 LFL03)	Diesel	6871	162	220	01.95-	■
10.224 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0826 LFL03)	Diesel	6871	162	220	05.94-	■
10.225 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■
10.225 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE220C) (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■
8.223 LK (D 0826 LFL02)	Diesel	6871	162	220	10.93-06.96	■
8.223 LK (D 0826 LFL06)	Diesel	6871	162	220	10.93-06.96	■
8.224 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK, LARK-L	Diesel	6871	162	220	01.95-	■ ■
8.224 LAK, LAEK, LARK, LAERK (D 0826 LFL03)	Diesel	6871	162	220	01.95-	■
8.224 LK, LRK, L-KI, LR-KI (D 0826 LFL03)	Diesel	6871	162	220	05.94-	■
8.224 LK, LRK, L-KI, LR-KI	Diesel	6871	162	220	05.94-	■ ■
8.225 LAEK, LAEK-L, LAERK, LAERK-L, LAK, LAK-L, LARK, LARK-L (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■
8.225 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (LE220C) (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■
9.223 LK (D 0826 LFL02)	Diesel	6871	162	220	10.93-06.96	■

LISTA DE APLICACIONES - BUYERS GUIDE

9.223 LK (D 0826 LFL06)	Diesel	6871	162	220	10.93-06.96	■	
9.224 LK, L-KI, LRK, LR-KI, LRK-L, LK-L (D 0826 LFL03)	Diesel	6871	162	220	05.94-	■	
9.225 LK, L-KI, LRK, LR-KI, LRK-KI, LK-L (LE220C) (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■	
L2000 06.93-						Municipal Vehicle	
8.145 L-LF	Diesel	4580	103	140	09.00-	■	■
10.153 F (D 0824 LFL 01)	Diesel	4580	114	155	06.93-04.06	■	■
10.153 F (D 0824 LFL 05)	Diesel	4580	114	155	06.93-04.06	■	■
10.163 F (D 0824 LFL 06)	Diesel	4580	114	155	06.93-04.06	■	■
8.155 L-LF	Diesel	4580	114	155	02.04-	■	■
8.163 L-LF	Diesel	4580	114	155	05.94-	■	■
8.185 L-LF	Diesel	4580	132	180	09.00-	■	■
10.223 F, 10.223 FL (D 0826 LFL06)	Diesel	6871	162	220	06.93-04.02	■	■
10.224 F, 10.224 FL (D 0826 LFL03)	Diesel	6871	162	220	06.93-04.02	■	■
L2000 06.93-						Platform/Chassis	
8.103 LC, 8.103 LLC (D 0824 FL 01)	Diesel	4580	75	102	10.93-06.96	■	■
7.113	Diesel	4580	81	110	06.00-10.01	■	■
8.113 LC, 8.113 LLC (D 0824 LFL 04)	Diesel	4580	81	110	08.95-	■	■
9.113	Diesel	4580	81	110	06.00-10.01	■	■
7.113	Diesel	4580	83	113	06.00-10.01	■	■
8.113 LC,8.113 LLC, LRC, LLRC(LE110C) (D 0824 LFL 08)	Diesel	4580	83	113	09.00-	■	■
9.113	Diesel	4580	83	113	06.00-10.01	■	■
10.145 LC,10.145 LLC, LRC, LLRC (LE140C) (D 0834 LFL 02)	Diesel	4580	103	140	09.00-	■	■
6.145	Diesel	4580	103	140	06.00-01.04	■	■
7.145	Diesel	4580	103	140	06.00-01.04	■	■
8.145, LA-LF LAE-LF	Diesel	4580	103	140	07.00-	■	■
8.145 LC, LLC, LLRC, LRC (LE140C) (D 0834 LFL 02)	Diesel	4580	103	140	09.00-	■	■
9.145 LC,9.145 LLC, LRC, LLRC (LE140C) (D 0834 LFL 02)	Diesel	4580	103	140	09.00-	■	■
6.145	Diesel	4580	104	141	06.00-10.01	■	■
7.145	Diesel	4580	104	141	06.00-10.01	■	■
8.145	Diesel	4580	104	141	06.93-06.06	■	■
8.163 LAEC (D 0824 LFL 07)	Diesel	4580	104	141	08.95-03.97	■	■
8.163 LC,8.163 LLC, LRC, LLRC, L-LF (D 0824 LFL 07)	Diesel	4580	104	141	08.95-	■	■
9.163 LC (D 0824 LFL 07)	Diesel	4580	104	141	08.95-03.97	■	■
7.153	Diesel	4580	110	150	06.00-01.04	■	■
8.153	Diesel	4580	110	150	07.99-04.06	■	■
8.155	Diesel	4580	110	150	07.99-04.06	■	■
10.153 LAEK (D 0824 LFL 01)	Diesel	4580	114	155	10.93-06.96	■	■
10.153 LAEK (D 0824 LFL 05)	Diesel	4580	114	155	10.93-06.96	■	■
10.153 LC,10.153 LLC (D 0824 LFL 01)	Diesel	4580	114	155	10.93-06.96	■	■
10.153 LC,10.153 LLC (D 0824 LFL 05)	Diesel	4580	114	155	10.93-06.96	■	■
10.155 LC, LLC, LLRC, LRC, LLRC	Diesel	4580	114	155	09.00-	■	■
10.163 LAC, LAEC, LARC, LAERC (D 0824 LFL 02)	Diesel	4580	114	155	05.94-	■	■
10.163 LAC, LAEC, LARC, LAERC (D 0824 LFL 06)	Diesel	4580	114	155	05.94-	■	■
10.163 LAC, LAEC, LARC, LAERC (D 0824 LFL 09)	Diesel	4580	114	155	05.94-	■	■
10.163 LC,10.163 LLC (D 0824 LFL 02)	Diesel	4580	114	155	05.94-	■	■
10.163 LC,10.163 LLC (D 0824 LFL 06)	Diesel	4580	114	155	05.94-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

10.163 LC,10.163 LLC (D 0824 LFL 09)	Diesel	4580	114	155	05.94-	■	■
10.163 LC,10.163 LLC, LRC, LLRC (LE160C) (D 0824 LFL 09)	Diesel	4580	114	155	09.00-	■	■
7.153	Diesel	4580	114	155	06.00-10.01	■	■
8.153 LAEC (D 0824 LFL 01)	Diesel	4580	114	155	01.95-06.96	■	■
8.153 LAEC (D 0824 LFL 05)	Diesel	4580	114	155	01.95-06.96	■	■
8.153 LC,8.153 LLC (D 0824 LFL 01)	Diesel	4580	114	155	10.93-07.97	■	■
8.153 LC,8.153 LLC (D 0824 LFL 05)	Diesel	4580	114	155	10.93-07.97	■	■
8.155 L, LR, LC, LLC, LRC, LLRC, L-LF	Diesel	4580	114	155	02.04-	■	■
8.155 LC, LLC, LRC, LLRC	Diesel	4580	114	155	02.04-	■	■
8.163 LAC, LAEC, LARC, LAERC, LA-LF, LAE-LF (D 0824 LFL 02)	Diesel	4580	114	155	01.95-	■	■
8.163 LAC, LAEC, LARC, LAERC, LA-LF, LAE-LF (D 0824 LFL 06)	Diesel	4580	114	155	01.95-	■	■
8.163 LAC, LAEC, LARC, LAERC, LA-LF, LAE-LF (D 0824 LFL 09)	Diesel	4580	114	155	01.95-	■	■
8.163 LAC, LAEC, LARC, LAERC, LA-LF, LAE-LF	Diesel	4580	114	155	01.95-	■	■
8.163 LC,8.163 LLC (D 0824 LFL 02)	Diesel	4580	114	155	05.94-	■	■
8.163 LC,8.163 LLC (D 0824 LFL 06)	Diesel	4580	114	155	05.94-	■	■
8.163 LC,8.163 LLC (D 0824 LFL 09)	Diesel	4580	114	155	05.94-	■	■
8.163 LC, LLC, LLRC, LRC (LE160C) (D 0824 LFL 09)	Diesel	4580	114	155	09.00-	■	■
9.153 LC,9.153 LLC (D 0824 LFL 01)	Diesel	4580	114	155	10.93-06.96	■	■
9.153 LC,9.153 LLC (D 0824 LFL 05)	Diesel	4580	114	155	10.93-06.96	■	■
9.155 L, LC, LLC, LRC, LLRC	Diesel	4580	114	155	02.04-	■	■
9.163 LC,9.163 LLC, LRC, LLRC (D 0824 LFL 02)	Diesel	4580	114	155	05.94-	■	■
9.163 LC,9.163 LLC, LRC, LLRC (D 0824 LFL 06)	Diesel	4580	114	155	05.94-	■	■
9.163 LC,9.163 LLC, LRC, LLRC (D 0824 LFL 09)	Diesel	4580	114	155	05.94-	■	■
7.163	Diesel	4580	118	160	06.00-10.01	■	■
10.174	Diesel	4580	125	170	06.00-01.04	■	■
7.174	Diesel	4580	125	170	06.00-01.04	■	■
8.174	Diesel	4580	125	170	06.00-01.04	■	■
9.174	Diesel	4580	125	170	06.00-01.04	■	■
10.185 LAC, LAEC, LARC, LAERC, LA-LA (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■	■
10.185 LC,10.185 LLC, LRC, LLRC (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■	■
12.185 LC, LLC (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.99-	■	■
6.185	Diesel	4580	132	179	06.00-01.04	■	■
7.185	Diesel	4580	132	179	06.00-01.04	■	■
8.185 LAC, LAEC, LARC, LAERC, LA-LF, LAE-LF (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■	■
8.185 LC, LLC, LRC, LLRC (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■	■
9.185 LC,9.185 LLC, LRC, LLRC (LE180C) (D 0834 LFL 03)	Diesel	4580	132	180	09.00-	■	■
10.223 LAEC (D 0826 LFL06)	Diesel	6871	162	220	01.95-06.96	■	■
10.223 LC,10.223 LLC (D 0826 LFL02)	Diesel	6871	162	220	10.93-06.96	■	■
10.223 LC,10.223 LLC (D 0826 LFL06)	Diesel	6871	162	220	10.93-06.96	■	■
10.224 LAC, LAEC, LARC, LAERC (D 0826 LFL03)	Diesel	6871	162	220	01.95-	■	■
10.224 LAC, LAEC, LARC, LAERC (D 0826 LFL10)	Diesel	6871	162	220	01.95-	■	■
10.224 LC,10.224 LLC, LRC, LLRC (D 0826 LFL03)	Diesel	6871	162	220	05.94-	■	■
10.224 LC,10.224 LLC, LRC, LLRC (D 0826 LFL10)	Diesel	6871	162	220	05.94-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

10.225 LAC, LAEC, LARC, LAERC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■		
10.225 LC, 10.225 LLC, LRC, LLRC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■	■	
10.225 LC, 10.225 LLC, LRC, LLRC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■	■	
12.225 LC, LLC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.99-	■	■	
8.223 LAEC (D 0826 LFL06)	Diesel		6871	162	220	01.95-06.96	■		
8.223 LC,8.223 LLC (D 0826 LFL02)	Diesel		6871	162	220	10.93-06.96	■	■	
8.223 LC,8.223 LLC (D 0826 LFL06)	Diesel		6871	162	220	10.93-06.96	■	■	
8.224 LAC, LAEC, LARC, LAERC (D 0826 LFL03)	Diesel		6871	162	220	01.95-	■		
8.224 LAC, LAEC, LARC, LAERC	Diesel		6871	162	220	01.95-	■	■	
8.224 LC,8.224 LLC, LRC, LLRC (D 0826 LFL03)	Diesel		6871	162	220	05.94-	■	■	
8.224 LC, LLC, LRC, LLRC	Diesel		6871	162	220	05.94-	■	■	
8.225 LAC, LAEC, LARC, LAERC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■		
8.225 LC,8.225 LLC, LRC, LLRC (LE220C) (D 0826 LFL10)	Diesel		6871	162	220	09.00-	■	■	
8.225 LC,8.225 LLC, LRC, LLRC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■	■	
9.223 LC,9.223 LLC (D 0826 LFL02)	Diesel		6871	162	220	10.93-06.96	■	■	
9.223 LC,9.223 LLC (D 0826 LFL06)	Diesel		6871	162	220	10.93-06.96	■	■	
9.224 LC,9.224 LLC, LRC, LLRC (D 0826 LFL03)	Diesel		6871	162	220	05.94-	■	■	
9.225 LC,9.225 LLC, LRC, LLRC (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■	■	
L2000 06.93-							Truck Tractor		
10.145 LLS, LLRS (LE140C) (D 0834 LFL 02)	Diesel		4580	103	140	09.00-	■	■	
8.145 LLS, LLRS (LE140C) (D 0834 LFL 02)	Diesel		4580	103	140	09.00-	■	■	
9.145 LLS, LLRS (LE140C) (D 0834 LFL 02)	Diesel		4580	103	140	09.00-	■	■	
10.153 LLS (D 0824 LFL 01)	Diesel		4580	114	155	10.93-06.96	■	■	
10.153 LLS (D 0824 LFL 05)	Diesel		4580	114	155	10.93-06.96	■	■	
10.163 LLS, LLRS (D 0824 LFL 02)	Diesel		4580	114	155	05.94-	■	■	
10.163 LLS, LLRS (D 0824 LFL 06)	Diesel		4580	114	155	05.94-	■	■	
10.163 LLS, LLRS (D 0824 LFL 09)	Diesel		4580	114	155	05.94-	■	■	
8.153 LLS (D 0824 LFL 01)	Diesel		4580	114	155	10.93-06.96	■	■	
8.153 LLS (D 0824 LFL 05)	Diesel		4580	114	155	10.93-06.96	■	■	
8.155 LLS, LLRS	Diesel		4580	114	155	02.04-	■	■	
8.155 LLS, LLRS	Diesel		4580	114	155	02.04-	■	■	
8.163 LLS, LLRS (D 0824 LFL 02)	Diesel		4580	114	155	05.94-	■	■	
8.163 LLS, LLRS (D 0824 LFL 06)	Diesel		4580	114	155	05.94-	■	■	
8.163 LLS, LLRS (D 0824 LFL 09)	Diesel		4580	114	155	05.94-	■	■	
8.163 LLS, LLRS	Diesel		4580	114	155	05.94-	■	■	
9.155 LLS, LLRS	Diesel		4580	114	155	02.04-	■	■	
9.163 LLS, LLRS (D 0824 LFL 02)	Diesel		4580	114	155	05.94-	■	■	
9.163 LLS, LLRS (D 0824 LFL 06)	Diesel		4580	114	155	05.94-	■	■	
9.163 LLS, LLRS (D 0824 LFL 09)	Diesel		4580	114	155	05.94-	■	■	
10.185 LLS, LLRS (LE180C) (D 0834 LFL 03)	Diesel		4580	132	180	09.00-	■	■	
8.185 LLS, LLRS (LE180C) (D 0834 LFL 03)	Diesel		4580	132	180	09.00-	■	■	
9.185 LLS, LLRS (LE 180C) (D 0834 LFL 03)	Diesel		4580	132	180	09.00-	■	■	
10.223 LLS (D 0826 LFL02)	Diesel		6871	162	220	10.93-06.96	■	■	
10.223 LLS (D 0826 LFL06)	Diesel		6871	162	220	10.93-06.96	■	■	
10.224 LLS, LLRS (D 0826 LFL03)	Diesel		6871	162	220	05.94-	■	■	
10.225 LLS, LLRS (LE220C) (D 0836 LFL 02)	Diesel		6871	162	220	09.00-	■	■	
8.223 LLS (D 0826 LFL02)	Diesel		6871	162	220	10.93-06.96	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

8.223 LLS (D 0826 LFL06)	Diesel	6871	162	220	10.93-06.96	■	■
8.224 LLS, LLRS (D 0826 LFL03)	Diesel	6871	162	220	05.94-	■	■
8.224 LLS, LLRS	Diesel	6871	162	220	05.94-	■	■
8.225 LLS, LLRS (LE220C) (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■	■
9.223 LLS (D 0826 LFL02)	Diesel	6871	162	220	10.93-06.96	■	■
9.223 LLS (D 0826 LFL06)	Diesel	6871	162	220	10.93-06.96	■	■
9.224 LLS, LLRS (D 0826 LFL03)	Diesel	6871	162	220	05.94-	■	■
9.225 LLS, LLRS (LE220C) (D 0836 LFL 02)	Diesel	6871	162	220	09.00-	■	■
M 2000 L 04.95-						Dump Truck	
11.145	Diesel	4580	104	141	05.95-08.06	■	■
12.145 LK, LRK	Diesel	4580	107	145	05.01-	■	■
12.163 LK, LRK (D 0824 LFL 06)	Diesel	4580	114	155	08.95-	■	■
12.163 LK, LRK (D 0824 LFL 09)	Diesel	4580	114	155	08.95-	■	■
11.163	Diesel	4580	118	160	05.95-08.06	■	■
12.185 LK, LRK	Diesel	4580	132	180	05.01-	■	■
14.185 LK, LRK	Diesel	4580	132	180	05.01-	■	■
11.223	Diesel	6871	162	220	04.95-08.06	■	■
11.224	Diesel	6871	162	220	04.95-08.06	■	■
11.225	Diesel	6871	162	220	04.95-08.06	■	■
12.224, 12.225, LK, LRK (D 0826 LFL03)	Diesel	6871	162	220	08.95-	■	■
12.224, 12.225, LK, LRK (D 0826 LFL10)	Diesel	6871	162	220	08.95-	■	■
12.255 LK, LRK	Diesel	6871	180	245	10.03-	■	■
14.255 LAK, LARK, LAK-L	Diesel	6871	180	245	11.02-	■	■
14.255 LK, LRK	Diesel	6871	180	245	11.02-	■	■
12.285 LK, LRK	Diesel	6871	206	280	10.03-	■	■
M 2000 L 04.95-						Municipal Vehicle	
14.224, 14.225, LA-LF	Diesel	6871	162	220	07.03-	■	■
14.255 LA-LF	Diesel	6871	180	245	07.03-	■	■
14.264 LA-LF	Diesel	6871	191	260	07.03-	■	■
M 2000 L 04.95-						Platform/Chassis	
11.145	Diesel	4580	104	141	05.95-08.06	■	■
12.145 LC, LLC, LRC, LLRC	Diesel	4580	107	145	05.01-	■	■
12.163 LC, LLC, LRC, LLRC (D 0824 LFL 06)	Diesel	4580	114	155	08.95-	■	■
12.163 LC, LLC, LRC, LLRC (D 0824 LFL 09)	Diesel	4580	114	155	08.95-	■	■
14.163 LC, LLC, LRC, LLRC (D 0824 LFL 06)	Diesel	4580	114	155	08.95-	■	■
14.163 LC, LLC, LRC, LLRC (D 0824 LFL 09)	Diesel	4580	114	155	08.95-	■	■
11.163	Diesel	4580	118	160	05.95-08.06	■	■
12.185 LC, LLC, LRC, LLRC (D 0834 LFL 03)	Diesel	4580	132	180	05.01-	■	■
14.185 LC, LLC, LRC, LLRC	Diesel	4580	132	180	05.01-	■	■
11.223	Diesel	6871	162	220	04.95-08.06	■	■
11.224	Diesel	6871	162	220	04.95-08.06	■	■
11.225	Diesel	6871	162	220	04.95-08.06	■	■
12.224 LC, LLC, LRC, LLRC (D 0826 LFL03)	Diesel	6871	162	220	08.95-	■	■
12.224 LC, LLC, LRC, LLRC (D 0826 LFL10)	Diesel	6871	162	220	08.95-	■	■
12.225 LC, LLC, LLLC, LRC, LLRC (D 0836 LFL 02)	Diesel	6871	162	220	05.01-	■	■
12.255 LC, LLC, LLLC, LLRC, LRC	Diesel	6871	180	245	08.02-	■	■
14.255 LAC, LARC	Diesel	6871	180	245	11.02-	■	■
12.285 LC, LLC, LLLC, LLRC, LRC	Diesel	6871	206	280	08.02-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

M 2000 M 08.95-12.05						Platform/Chassis				
12.224 MC, MLC, MLLC, MLRC, MRC, MLLRC	Diesel		6871	162	220	02.03-12.05	■	■		
12.225 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 04)	Diesel		6871	162	220	02.03-12.05	■	■		
14.225 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 02)	Diesel		6871	162	220	10.00-12.05	■	■		
14.225 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 04)	Diesel		6871	162	220	10.00-12.05	■	■		
18.225 MAC, MARC (D 0836 LF 04)	Diesel		6871	162	220	02.03-12.05	■	■		
18.225 MC, MLC, MLLC, MRC, MLRC, MLLRC (D 0836 LF 04)	Diesel		6871	162	220	10.00-12.05	■	■		
25.224 MNLC, MNLLC, MNLRC, MNLLRC, MVLC	Diesel		6871	162	220	08.95-12.05	■	■		
25.225 MNLC, MNLLC, MNLRC, MNLLRC, MVLC (D 0836 LF 04)	Diesel		6871	162	220	02.03-12.05	■	■		
25.225 MNLC, MNLLC, MNLRC, MNLLRC, MVLC (D 0836 LFL 02)	Diesel		6871	162	220	02.03-12.05	■	■		
25.225 MNLC, MNLLC, MNLRC, MNLLRC, MVLC	Diesel		6871	162	220	02.03-12.05	■	■		
12.255 MC, MLC, MLLC, MLRC, MRC, MLLRC	Diesel		6871	180	245	02.03-12.05	■	■		
14.255 MAK, MAK-L, MARK	Diesel		6871	180	245	11.02-12.05	■	■		
25.255 MNLC, MNLLC, MNLRC, MNLLRC, MVLC	Diesel		6871	180	245	10.00-12.05	■	■		
12.264 MC, MLC, MLLC, MLRC, MRC, MLLRC	Diesel		6871	191	260	02.03-12.05	■	■		
14.264 MAK, MAK-L, MARK	Diesel		6871	191	260	11.02-12.05	■	■		
25.264 MNLC, MNLLC, MNLRC, MNLLRC, MVLC	Diesel		6871	191	260	08.95-12.05	■	■		
12.284 MC, MLC, MLLC, MLRC, MRC, MLLRC	Diesel		6871	206	280	02.00-12.05	■	■		
12.285 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 03)	Diesel		6871	206	280	02.03-12.05	■	■		
18.285 MAC, MARC (D 0836 LF 03)	Diesel		6871	206	280	02.03-12.05	■	■		
25.284 MNLC, MNLLC, MNLRC, MNLLRC, MVLC	Diesel		6871	206	280	02.00-12.05	■	■		
25.285 MNLC, MNLLC, MNLRC, MNLLRC, MVLC (D 0836 LF 03)	Diesel		6871	206	280	02.03-12.05	■	■		
25.285 MNLC, MNLLC, MNLRC, MNLLRC, MVLC (D 0836 LFL 03)	Diesel		6871	206	280	02.03-12.05	■	■		
25.285 MNLC, MNLLC, MNLRC, MNLLRC, MVLC	Diesel		6871	206	280	02.03-12.05	■	■		
M 2000 M 08.95-12.05						Truck Tractor				
12.224 MLS, MLRS	Diesel		6871	162	220	02.03-12.05	■	■		
12.225 MLS, MLRS (D 0836 LF 04)	Diesel		6871	162	220	02.03-12.05	■	■		
14.225 MLS, MLRS (D 0836 LF 04)	Diesel		6871	162	220	02.03-12.05	■	■		
12.255 MLS	Diesel		6871	180	245	02.03-12.05	■	■		
14.255 MLS, MLRS (D 0836 LF 05)	Diesel		6871	180	245	10.00-12.05	■	■		
12.264 MLS, MLRS	Diesel		6871	191	260	02.03-12.05	■	■		
12.284 MLS, MLRS	Diesel		6871	206	280	02.00-12.05	■	■		
12.285 MLS, MLRS	Diesel		6871	206	280	02.00-12.05	■	■		
14.285 MLS, MLRS (D 0836 LF 03)	Diesel		6871	206	280	02.03-12.05	■	■		
18.285 MLS, MLRS (D 0836 LF 03)	Diesel		6871	206	280	02.03-12.05	■	■		
SG 09.72-						Bus				
SG 192	Diesel					09.72-	■	■		
SL III 01.96-						Truck Tractor				
SL 160	Diesel					01.96-	■	■		
SL 750	Diesel					01.96-	■	■		
SÜ 10.75-						Bus				
SÜ 210	Diesel					10.75-	■	■		
SÜ 230	Diesel					10.75-	■	■		

LISTA DE APLICACIONES - BUYERS GUIDE

OPTARE

SOLO 10.97-								Bus	
-	Diesel					10.97-	■	■	
M 710 SE, M 780 SE	Diesel	4249	95	127	05.08-		■	■	
M 710 SE, M 780 SE	Diesel	4249	115	156	05.08-		■	■	
M 810, M 880, M 950, M 1020	Diesel	4249	115	156	05.08-		■	■	
M 710 SE, M 780 SE	Diesel	4580	132	180	05.08-		■	■	
M 810, M 880, M 950, M 1020	Diesel	4580	132	180	05.08-		■	■	
M 710 SE, M 780 SE	Diesel	5883	150	204	05.08-		■	■	
M 810, M 880, M 950, M 1020	Diesel	5883	150	204	05.08-		■	■	

SOLO SR 10.07-								Bus	
M 890, M 960	Diesel	4249	115	156	10.07-		■	■	
M 890, M 960 (D 0834 LOH 50)	Diesel	4580	132	180	10.07-		■	■	
M 890, M 960	Diesel	5880	150	204	10.07-		■	■	

VERSA 11.06-								Bus	
V 1040, V 1110	Diesel	4249	115	156	11.06-		■	■	
V 1040, V 1110 (D 0834 LOH 50)	Diesel	4580	132	180	11.06-		■	■	
V 1040, V 1110	Diesel	5883	150	204	11.06-		■	■	

RENAULT TRUCKS

05.06-								Platform/Chassis	
160.08 (DXI 5)	Diesel	4764	118	160	05.06-		■	■	
190.08 (DXI 5)	Diesel	4764	140	190	05.06-		■	■	
220.08 (DXI 5)	Diesel	4764	158	220	05.06-		■	■	

D II 01.13-								Municipal Vehicle	
16 P 250	Diesel	7698	184	250	01.13-		■	■	
18 P 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
26 P 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
18 P 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-		■	■	
26 P 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-		■	■	
18 P 320 (DTI8-122HS)	Diesel	7698	235	320	01.13-		■	■	
26 P 320 (DTI8-122HS)	Diesel	7698	235	320	01.13-		■	■	

D II 01.13-								Platform/Chassis	
10 P 210 (DTI5-122HN)	Diesel	5132	154	209	01.13-		■	■	
13 P 210, 13 KP 210 (DTI5-122HN)	Diesel	5132	154	209	01.13-		■	■	
14 P 210, 14 KP 210 (DTI5-122HN)	Diesel	5132	154	209	01.13-		■	■	
16 P 210, 16 KP 210 (DTI5-122HN)	Diesel	5132	154	209	01.13-		■	■	
10 P 240 (DTI5-122HP)	Diesel	5132	176	239	01.13-		■	■	
13 P 240, 13 KP 240 (DTI5-122HP)	Diesel	5132	176	239	01.13-		■	■	
14 P 240, 14 KP 240 (DTI5-122HP)	Diesel	5132	176	239	01.13-		■	■	
16 P 240, 16 KP 240 (DTI5-122HP)	Diesel	5132	176	239	01.13-		■	■	
13 P 250, 13 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
14 P 250, 14 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
16 P 250, 16 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
18 P 250, 18 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
25 P 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
26 P 250, 26 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-		■	■	
13 P 280, 13 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-		■	■	
14 P 280, 14 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-		■	■	
16 P 280, 16 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-		■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

18 P 280, 18 KP 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■	■
25 P 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■	■
26 P 280, 26 KP 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■	■
18 P 320, 18 KP 320 (DTI8-122HS)		Diesel		7698	235	320	01.13-	■	■
25 P 320 (DTI8-122HS)		Diesel		7698	235	320	01.13-	■	■
26 P 320, 26 KP 320 (DTI8-122HS)		Diesel		7698	235	320	01.13-	■	■
D II 01.13-								Truck Tractor	
18 T 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■	■
18 T 320 (DTI8-122HS)		Diesel		7698	235	320	01.13-	■	■
Midlum 01.00-								Dump Truck	
135.08/B,150.08/B (MIDR 04.02.26 A/4)		Diesel		4120	100	136	01.00-	■	■
135.08/B,150.08/B (MIDR 04.02.26 B/4)		Diesel		4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 A/4)		Diesel		4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 B/4)		Diesel		4120	100	136	01.00-	■	■
180.08/B (MIDR 06.02.26 V/4)		Diesel		6177	132	180	01.00-	■	■
180.10/B (MIDR 06.02.26 V/4)		Diesel		6177	132	180	01.00-	■	■
210.08/B (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
210.10/B (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
210.12/C (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
250.12/C (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	01.00-	■	■
Midlum 01.00-								Municipal Vehicle	
180.12 (DCI 4C)		Diesel		4120	128	174	10.01-	■	■
220.15 (DCI 6W)		Diesel		6177	158	215	10.01-	■	■
Midlum 01.00-								Platform/Chassis	
135.08/B,150.08/B (MIDR 04.02.26 A/4)		Diesel		4120	100	136	01.00-	■	■
135.08/B,150.08/B (MIDR 04.02.26 B/4)		Diesel		4120	100	136	01.00-	■	■
135.09/B,150.09/B (MIDR 04.02.26 A/4)		Diesel		4120	100	136	01.00-	■	■
135.09/B,150.09/B (MIDR 04.02.26 B/4)		Diesel		4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 A/4)		Diesel		4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 B/4)		Diesel		4120	100	136	01.00-	■	■
150.12/B (DCI 4B)		Diesel		4120	110	150	01.00-	■	■
150.12/B (MIDR 04.02.26 B/4)		Diesel		4120	110	150	01.00-	■	■
150.08/B (DCI 4B)		Diesel		4120	112	152	10.01-	■	■
150.10/B (DCI 4B)		Diesel		4120	112	152	10.01-	■	■
180.08/B (DCI 4C)		Diesel		4120	128	174	10.01-	■	■
180.10/B (DCI 4C)		Diesel		4120	128	174	10.01-	■	■
180.12/B, 180.12/C (DCI 4C)		Diesel		4120	128	174	10.01-	■	■
180.08/B (MIDR 06.02.26 V/4)		Diesel		6177	132	180	01.00-	■	■
180.09/B (MIDR 06.02.26 V/4)		Diesel		6177	132	180	01.00-	■	■
180.10/B (MIDR 06.02.26 V/4)		Diesel		6177	132	180	01.00-	■	■
180.12/B (MIDR 06.02.26 V/4)		Diesel		6177	132	180	01.00-	■	■
210.08/B, 220.08/B (DCI 6W)		Diesel		6177	154	209	01.00-	■	■
210.08/B, 220.08/B (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
210.09/B (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
210.10/B, 220.10/B (DCI 6W)		Diesel		6177	154	209	01.00-	■	■
210.10/B, 220.10/B (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
210.12/C, 220.12/C (DCI 6W)		Diesel		6177	154	209	01.00-	■	■
210.12/C, 220.12/C (MIDR 06.02.26 W/4)		Diesel		6177	154	209	01.00-	■	■
220.12 (DCI 6W)		Diesel		6177	158	215	10.01-	■	■
220.18/D (DCI 6W)		Diesel		6177	158	215	10.01-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

220.15		Diesel		6177	160	218	07.01-04.06	■	■
250.12/C (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	01.00-	■	■
270.12/C (DCI 6A)		Diesel		6177	195	265	10.01-	■	■