

# LISTA DE APLICACIONES - BUYERS GUIDE



## 151253-122



Qty: 660

Weight: 5.270

O.E.M.	MAKE
2611-12999703VT	MACK
5010 848 607	RENAULT TRUCKS



## 151253-122



90R-01178/860



Perrot-Wabco PAN 17

175.4x86.2x26

WVA	FMSI
29088	D1518-8727
MAKE	
RENAULT TRUCKS	



Trac.	CC	Kw	CV		
				Front / Rear	

### RENAULT TRUCKS

05.06-						Platform/Chassis			
160.08 (DXI 5)		Diesel		4764	118	160	05.06-	■	■
190.08 (DXI 5)		Diesel		4764	140	190	05.06-	■	■
220.08 (DXI 5)		Diesel		4764	158	220	05.06-	■	■
D II 01.13-						Municipal Vehicle			
16 P 250		Diesel		7698	184	250	01.13-	■	■
18 P 250 (DTI8-122HQ)		Diesel		7698	184	250	01.13-	■	■
26 P 250 (DTI8-122HQ)		Diesel		7698	184	250	01.13-	■	■
18 P 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■	■
26 P 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■	■
18 P 320 (DTI8-122HS)		Diesel		7698	235	320	01.13-	■	■
26 P 320 (DTI8-122HS)		Diesel		7698	235	320	01.13-	■	■
D II 01.13-						Platform/Chassis			
10 P 210 (DTI5-122HN)		Diesel		5132	154	209	01.13-	■	■
13 P 210, 13 KP 210 (DTI5-122HN)		Diesel		5132	154	209	01.13-	■	■
14 P 210, 14 KP 210 (DTI5-122HN)		Diesel		5132	154	209	01.13-	■	■
16 P 210, 16 KP 210 (DTI5-122HN)		Diesel		5132	154	209	01.13-	■	■
10 P 240 (DTI5-122HP)		Diesel		5132	176	239	01.13-	■	■
13 P 240, 13 KP 240 (DTI5-122HP)		Diesel		5132	176	239	01.13-	■	■
14 P 240, 14 KP 240 (DTI5-122HP)		Diesel		5132	176	239	01.13-	■	■
16 P 240, 16 KP 240 (DTI5-122HP)		Diesel		5132	176	239	01.13-	■	■
13 P 250, 13 KP 250 (DTI8-122HQ)		Diesel		7698	184	250	01.13-	■	■
14 P 250, 14 KP 250 (DTI8-122HQ)		Diesel		7698	184	250	01.13-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

16 P 250, 16 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-	■	■
18 P 250, 18 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-	■	■
25 P 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-	■	■
26 P 250, 26 KP 250 (DTI8-122HQ)	Diesel	7698	184	250	01.13-	■	■
13 P 280, 13 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
14 P 280, 14 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
16 P 280, 16 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
18 P 280, 18 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
25 P 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
26 P 280, 26 KP 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
18 P 320, 18 KP 320 (DTI8-122HS)	Diesel	7698	235	320	01.13-	■	■
25 P 320 (DTI8-122HS)	Diesel	7698	235	320	01.13-	■	■
26 P 320, 26 KP 320 (DTI8-122HS)	Diesel	7698	235	320	01.13-	■	■
<b>D II 01.13-</b>				<b>Truck Tractor</b>			
18 T 280 (DTI8-122HR)	Diesel	7698	206	280	01.13-	■	■
18 T 320 (DTI8-122HS)	Diesel	7698	235	320	01.13-	■	■
<b>Midlum 01.00-</b>				<b>Dump Truck</b>			
135.08/B,150.08/B (MIDR 04.02.26 A/4)	Diesel	4120	100	136	01.00-	■	■
135.08/B,150.08/B (MIDR 04.02.26 B/4)	Diesel	4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 A/4)	Diesel	4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 B/4)	Diesel	4120	100	136	01.00-	■	■
180.08/B (MIDR 06.02.26 V/4)	Diesel	6177	132	180	01.00-	■	■
180.10/B (MIDR 06.02.26 V/4)	Diesel	6177	132	180	01.00-	■	■
210.08/B (MIDR 06.02.26 W/4)	Diesel	6177	154	209	01.00-	■	■
210.10/B (MIDR 06.02.26 W/4)	Diesel	6177	154	209	01.00-	■	■
210.12/C (MIDR 06.02.26 W/4)	Diesel	6177	154	209	01.00-	■	■
250.12/C (MIDR 06.02.26 Y/41)	Diesel	6177	184	250	01.00-	■	■
<b>Midlum 01.00-</b>				<b>Municipal Vehicle</b>			
180.12 (DCI 4C)	Diesel	4120	128	174	10.01-	■	■
220.15 (DCI 6W)	Diesel	6177	158	215	10.01-	■	■
<b>Midlum 01.00-</b>				<b>Platform/Chassis</b>			
135.08/B,150.08/B (MIDR 04.02.26 A/4)	Diesel	4120	100	136	01.00-	■	■
135.08/B,150.08/B (MIDR 04.02.26 B/4)	Diesel	4120	100	136	01.00-	■	■
135.09/B,150.09/B (MIDR 04.02.26 A/4)	Diesel	4120	100	136	01.00-	■	■
135.09/B,150.09/B (MIDR 04.02.26 B/4)	Diesel	4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 A/4)	Diesel	4120	100	136	01.00-	■	■
135.10/B,150.10/B (MIDR 04.02.26 B/4)	Diesel	4120	100	136	01.00-	■	■
150.12/B (DCI 4B)	Diesel	4120	110	150	01.00-	■	■
150.12/B (MIDR 04.02.26 B/4)	Diesel	4120	110	150	01.00-	■	■
150.08/B (DCI 4B)	Diesel	4120	112	152	10.01-	■	■
150.10/B (DCI 4B)	Diesel	4120	112	152	10.01-	■	■
180.08/B (DCI 4C)	Diesel	4120	128	174	10.01-	■	■
180.10/B (DCI 4C)	Diesel	4120	128	174	10.01-	■	■
180.12/B, 180.12/C (DCI 4C)	Diesel	4120	128	174	10.01-	■	■
180.08/B (MIDR 06.02.26 V/4)	Diesel	6177	132	180	01.00-	■	■
180.09/B (MIDR 06.02.26 V/4)	Diesel	6177	132	180	01.00-	■	■
180.10/B (MIDR 06.02.26 V/4)	Diesel	6177	132	180	01.00-	■	■
180.12/B (MIDR 06.02.26 V/4)	Diesel	6177	132	180	01.00-	■	■
210.08/B, 220.08/B (DCI 6W)	Diesel	6177	154	209	01.00-	■	■
210.08/B, 220.08/B (MIDR 06.02.26 W/4)	Diesel	6177	154	209	01.00-	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

210.09/B (MIDR 06.02.26 W/4)	Diesel		6177	154	209	01.00-	■	■
210.10/B, 220.10/B (DCI 6W)	Diesel		6177	154	209	01.00-	■	■
210.10/B, 220.10/B (MIDR 06.02.26 W/4)	Diesel		6177	154	209	01.00-	■	■
210.12/C, 220.12/C (DCI 6W)	Diesel		6177	154	209	01.00-	■	■
210.12/C, 220.12/C (MIDR 06.02.26 W/4)	Diesel		6177	154	209	01.00-	■	■
220.12 (DCI 6W)	Diesel		6177	158	215	10.01-	■	■
220.18/D (DCI 6W)	Diesel		6177	158	215	10.01-	■	■
250.12/C (MIDR 06.02.26 Y/41)	Diesel		6177	184	250	01.00-	■	■
270.12/C (DCI 6A)	Diesel		6177	195	265	10.01-	■	■