

# LISTA DE APLICACIONES - BUYERS GUIDE



## 151254-066



Qty: 660

Weight: 8.654

O.E.M.	MAKE
000 421 07 10	MERCEDES-BENZ
001 421 07 10	MERCEDES-BENZ
001 421 17 10	MERCEDES-BENZ
002 420 78 20	MERCEDES-BENZ
002 420 79 20	MERCEDES-BENZ
008 420 58 20	MERCEDES-BENZ
02.031.21.50.0	BPW
09.801.02.75.0	BPW
09.801.02.93.0	BPW
09.801.06.21.0	BPW
299 2336	IVECO
299 6468	IVECO
3 057 0078 00	SAF
3 777 9813 840	SAF
500 05501 9	IVECO
500 08600 4	IVECO
81 50820 5017	MAN
81 50820 5082	MAN
81 50820 6008	MAN
81 50820 6022	MAN
81 50820 6057	MAN
81 50820 6058	MAN
81 50820 6059	MAN
81 50820 6060	MAN
9291024	SAETA



## 151254-066



90R-01178/679

Knorr SB6000



210.3x92.45x30

WVA
29093
29094
29095
29096
29145

MAKE
BPW
DAF
FRUEHAUF
IVECO
LECIÑENA
LECITRAILER
MAN
MERCEDES-BENZ
OPTARE
PLAXTON
SAF
SOLARIS
TRENKAMP&GEHLE GMBH (GIGANT)



Trac.	CC	Kw	CV



Front / Rear

### BPW

#### SKH 01.97-

#### Trailer Axle

Model	Year	Trac.	CC	Kw	CV	Front / Rear
SHZF 9010 ECO Plus	-12/03					01.97- ■
SKH 9008	-12/03					01.98- ■
SKH 9010	-12/03					01.98- ■
SKHB 9010	-12/03					01.98- ■
SKHBF 9010-15 ECO-MAXX	-12/03					01.98- ■
SKHBF 9010-15 ECO Plus	-12/03					01.00- ■
SKHBF 9010 ECO-MAXX	-12/03					01.00- ■
SKHBF 9010 ECO Plus	-12/03					01.00- ■
SKHBFHLL 9010 ECO-MAXX	-12/03					01.98- ■
SKHBFHLL 9010 ECO Plus	-12/03					01.98- ■
SKHBM 9010-15 ECO-MAXX	-12/03					01.98- ■
SKHBM 9010-15 ECO Plus	-12/03					01.00- ■
SKHBM 9010 ECO Plus	-12/03					01.00- ■
SKHBMHLL 9010 ECO-MAXX	-12/03					01.98- ■
SKHBMHLL 9010 ECO Plus	-12/03					01.98- ■
SKHSF 10008-15 ECO-MAXX	-12/03					01.98- ■
SKHSF 10008-15 ECO Plus	-12/03					01.98- ■
SKHSF 10010-15 ECO-MAXX	-12/03					01.98- ■
SKHSF 10010-15 ECO Plus	-12/03					01.98- ■
SKHSF 8008 ECO Plus	-12/03					01.00- ■
SKHSF 8010 ECO-MAXX	-12/03					01.98- ■
SKHSF 8010 ECO Plus	-12/03					01.00- ■
SKHSF 9008-15 ECO-MAXX	-12/03					01.98- ■

## LISTA DE APLICACIONES - BUYERS GUIDE

SKHSF 9008-15 ECO Plus	-12/03					01.00-
SKHSF 9008 ECO	-12/03					01.98-
SKHSF 9008 ECO-MAXX	-12/03					01.98-
SKHSF 9008 ECO Plus	-12/03					01.00-
SKHSF 9010-15 ECO-MAXX	-12/03					01.98-
SKHSF 9010-15 ECO Plus	-12/03					01.00-
SKHSF 9010-15 ECO Plus	-12/03					01.98-
SKHSF 9010 ECO-MAXX	-12/03					01.98-
SKHSF 9010 ECO Plus	-12/03					01.00-
SKHSFA 9010-15 ECO-MAXX	-12/03					01.98-
SKHSFA 9010 ECO-MAXX	-12/03					01.98-
SKHSFHLL 9008 ECO-MAXX	-12/03					01.98-
SKHSFHLL 9008 ECO Plus	-12/03					01.00-
SKHSFHLL 9010 ECO-MAXX	-12/03					01.98-
SKHSFHLL 9010 ECO Plus	-12/03					01.98-
SKHSM 10010-15 ECO-MAXX	-12/03					01.98-
SKHSM 10010-15 ECO Plus	-12/03					01.98-
SKHSM 9008-15 ECO-MAXX	-12/03					01.98-
SKHSM 9008-15 ECO Plus	-12/03					01.00-
SKHSM 9008 ECO-MAXX	-12/03					01.98-
SKHSM 9008 ECO Plus	-12/03					01.00-
SKHSM 9010-15 ECO-MAXX	-12/03					01.98-
SKHSM 9010-15 ECO Plus	-12/03					01.00-
SKHSM 9010 ECO-MAXX	-12/03					01.98-
SKHSM 9010 ECO Plus	-12/03					01.00-
SKHSMA 9008-15 ECO-MAXX	-12/03					01.98-
SKHSMA 9010-15 ECO-MAXX	-12/03					01.98-
SKHSMA 9010 ECO-MAXX	-12/03					01.98-
SKHSMAHLL 9010 ECO-MAXX	-12/03					01.98-
SKHSMHLL 9010 ECO-MAXX	-12/03					01.98-
SKHSMHLL 9010 ECO Plus	-12/03					01.98-
SKHZF 10008-15 ECO-MAXX	-12/03					01.98-
SKHZF 10008-15 ECO Plus	-12/03					01.98-
SKHZF 10010-15 ECO-MAXX	-12/03					01.98-
SKHZF 10010-15 ECO Plus	-12/03					01.98-
SKHZF 9008-15 ECO-MAXX	-12/03					01.98-
SKHZF 9008-15 ECO Plus	-12/03					01.00-
SKHZF 9008 ECO-MAXX	-12/03					01.98-
SKHZF 9008 ECO Plus	-12/03					01.00-
SKHZF 9010-15 ECO-MAXX	-12/03					01.98-
SKHZF 9010-15 ECO Plus	-12/03					01.00-
SKHZF 9010 ECO-MAXX	-12/03					01.98-
SKHZF 9010 ECO Plus	-12/03					01.00-
SKHZM 10008-15 ECO-MAXX	-12/03					01.98-
SKHZM 10010-15 ECO-MAXX	-12/03					01.98-
SKHZM 9008 ECO Plus	-12/03					01.00-
SKHZM 9010-15 ECO-MAXX	-12/03					01.98-
SKHZM 9010 ECO-MAXX	-12/03					01.98-
SKHZMA 9008-15 ECO-MAXX	-12/03					01.98-
SKHZMA 9010-15 ECO-MAXX	-12/03					01.98-

DAF

# LISTA DE APLICACIONES - BUYERS GUIDE

SB 01.74-							Bus		
200	01/02-	Diesel			147	200	01.74-	■	■
SB 120 (ISBE 135)		Diesel		3922	99	135	01.99-	■	■
SB 120 (ISBE 150)		Diesel		3922	110	150	01.99-	■	■
SB 120 (ISBE 170)		Diesel		3922	125	170	01.99-	■	■
SB 120 (6 BT5.9)		Diesel		5883	108	147	01.99-	■	■
SB 120 (6 BTA-5.9)		Diesel		5883	118	160	01.99-	■	■
SB 200 (ISBE 220)		Diesel		5883	162	220	01.01-	■	■
SB 200 (ISBE 225)		Diesel		6690	165	224	01.01-	■	■
FRUEHAUF									
Eje/Axle							Trailer Axle		
Llanta 19.5" (SB/SN6000 SB/SN6500)	01/99-						01.53-		■
IVECO									
10.00-07.07							Municipal Vehicle		
130 E 24 tector (F4AE0681B)		Diesel		5883	176	240	09.00-07.07	■	■
150 E 24 tector (F4AE0681B)		Diesel		5883	176	240	09.00-07.07	■	■
140 E 25 tector (F4AE3681D)		Diesel		5883	185	251	09.06-07.07	■	■
150 E 28 tector (F4AE0681A)		Diesel		5883	202	275	09.06-07.07	■	■
150 E 28 tector (F4AE3681E)		Diesel		5883	202	275	09.06-07.07	■	■
160 E 30 tector (F4AE0681A)		Diesel		5883	220	299	09.06-07.07	■	■
160 E 30 tector (F4AE3681A)		Diesel		5883	220	299	09.06-07.07	■	■
EuroCargo I-III 01.91-09.15							Dump Truck		
140 E 18 K tector, 140 E 18 DK tector (F4AE3481A)		Diesel		3922	134	182	09.06-09.15	■	■
150 E 18 K tector (F4AE3481A)		Diesel		3922	134	182	09.06-09.15	■	■
160 E 18 K tector (F4AE3481A)		Diesel		3922	134	182	09.06-09.15	■	■
130 E 18 K tector, 130 E 18 DK tector (F4AE0681E)		Diesel		5883	134	181	09.00-09.15	■	■
140 E 18 K (F4AE0681E)		Diesel		5883	134	181	05.05-09.15	■	■
150 E 18 K tector (F4AE0681E)		Diesel		5883	134	181	09.00-09.15	■	■
130 E 21 K tector (F4AE0681D)		Diesel		5883	154	209	09.00-09.15	■	■
140 E 21 K (F4AE0681D)		Diesel		5883	154	209	05.05-09.15	■	■
150 E 21 K tector (F4AE0681D)		Diesel		5883	154	209	09.00-09.15	■	■
140 E 22 K tector (F4AE3681B)		Diesel		5883	160	218	09.06-09.15	■	■
150 E 22 K tector (F4AE3681B)		Diesel		5883	160	217	09.06-09.15	■	■
160 E 22 K tector (F4AE3681B)		Diesel		5883	160	218	09.06-09.15	■	■
130 E 24 K tector, 130 E 24 DK tector (F4AE0681B)		Diesel		5883	176	240	09.00-09.15	■	■
140 E 24 K tector (F4AE0681B)		Diesel		5883	176	240	09.00-09.15	■	■
150 E 24 K tector (F4AE0681B)		Diesel		5883	176	240	09.00-09.15	■	■
130 E 25 DK tector (F4AE3681D)		Diesel		5883	185	252	09.06-09.15	■	■
140 E 25 K tector, 140 E 25 DK tector (F4AE3681D)		Diesel		5883	185	251	09.06-09.15	■	■
150 E 25 K tector (F4AE3681D)		Diesel		5883	185	252	09.06-09.15	■	■
160 E 25 K tector (F4AE3681D)		Diesel		5883	185	252	09.06-09.15	■	■
130 E 28 K tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
140 E 28 K tector (F4AE0681A)		Diesel		5883	202	275	09.06-09.15	■	■
140 E 28 K tector (F4AE3681E)		Diesel		5883	202	275	09.06-09.15	■	■
150 E 28 K tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 K tector (F4AE3681E)		Diesel		5883	202	275	09.00-09.15	■	■
160 E 28 K tector (F4AE3681E)		Diesel		5883	205	279	09.06-09.15	■	■
150 E 30 K tector (F4AE0681A)		Diesel		5883	220	299	09.06-09.15	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

150 E 30 K tector (F4AE3681A)	Diesel		5883	220	299	09.06-09.15	■	■	
160 E 30 K tector (F4AE0681A)	Diesel		5883	220	299	09.06-09.15	■	■	
160 E 30 K tector (F4AE3681A)	Diesel		5883	220	299	09.06-09.15	■	■	
<b>EuroCargo I-III 01.91-09.15</b>							<b>Platform/Chassis</b>		
130 E 18 D tector, 130 E 18 DP tector (F4AE3481A)	Diesel		3922	134	182	09.06-09.15	■	■	
140 E 18 tector, 140 E 18 P tector, 140 E 18 D FP tector (F4AE3481A)	Diesel		3922	134	182	09.06-09.15	■	■	
150 E 18 tector, 150 E 18 P tector, 150 E 18 FP tector (F4AE3481A)	Diesel		3922	134	182	09.06-09.15	■	■	
160 E 18 tector, 160 E 18 P tector (F4AE3481A)	Diesel		3922	134	182	09.06-09.15	■	■	
130 E 18 tector, 130 E 18 D tector, 130 E 18 DP tector (F4AE0681D)	Diesel		5883	134	181	09.00-09.15	■	■	
130 E 18 tector, 130 E 18 D tector, 130 E 18 DP tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■	
140 E 18, 140 E 18 P, 140 E 18 FP (F4AE0681E)	Diesel		5883	134	181	05.05-09.15	■	■	
140 E 18 W tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■	
150 E 18 tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■	
130 E 21 tector, 130 E21 P tector, 130 E 21 FP tector (F4AE0681C)	Diesel		5883	154	209	09.00-09.15	■	■	
130 E 21 tector, 130 E21 P tector, 130 E 21 FP tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■	
140 E 21 tector, 140 E 21 P, 140 E 21 FP (F4AE0681C)	Diesel		5883	154	209	03.05-09.15	■	■	
140 E 21 tector, 140 E 21 P, 140 E 21 FP (F4AE0681D)	Diesel		5883	154	209	03.05-09.15	■	■	
150 E 21 tector, 150 E 21 P tector, 150 E 21 FP tector (F4AE0681C)	Diesel		5883	154	209	09.00-09.15	■	■	
150 E 21 tector, 150 E 21 P tector, 150 E 21 FP tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■	
160 E 21 tector, 160 E 21 P tector (F4AE0681C)	Diesel		5883	154	209	09.00-09.15	■	■	
160 E 21 tector, 160 E 21 P tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■	
140 E 22 tector, 140 E 22 P tector, 140 E 22 D FP tector (F4AE3681B)	Diesel		5883	160	218	09.06-09.15	■	■	
150 E 22 tector, 150 E 22 P tector, 150 E 22 FP tector (F4AE3681B)	Diesel		5883	160	217	09.06-09.15	■	■	
160 E 22 tector, 160 E 22 P tector (F4AE3681B)	Diesel		5883	160	218	09.06-09.15	■	■	
130 E 24 tector, 130 E 24 D tector, 130 E 24 DP tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■	
140 E 24 tector, 14 E 24 P tector, 140 E 24 FP tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■	
140 E 24 W tector, 140 E 24 WS tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■	
150 E 24 tector, 150 E 25 tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■	
150 E 24 tector, 150 E 25 tector (F4AE3681D)	Diesel		5883	176	240	09.00-09.15	■	■	
160 E 24 tector, 160 E 24 P tector (F4AE0681B)	Diesel		5883	176	239	09.00-09.15	■	■	
130 E 25 D tector, 130 E 25 DP tector (F4AE3681D)	Diesel		5883	185	252	09.06-09.15	■	■	
140 E 25 W tector, 140 E 25 WS tector (F4AE3681D)	Diesel		5883	185	251	09.06-09.15	■	■	
140 E D 25 tector, 140 E 25 P tector, 140 E 25 FP tector (F4AE3681D)	Diesel		5883	185	251	09.06-09.15	■	■	
150 E 25 WS tector (F4AE3681D)	Diesel		5883	185	252	09.06-09.15	■	■	
150 E 25 W tector (F4AE3681D)	Diesel		5883	185	252	09.06-09.15	■	■	
160 E 25 tector, 160 E 25 P tector (F4AE3681D)	Diesel		5883	185	252	09.06-09.15	■	■	
130 E 28 tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■	
140 E 28 tector, 140 E 28 P tector, 140 E 28 FP tector (F4AE0681A)	Diesel		5883	202	275	09.06-09.15	■	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

140 E 28 tector, 140 E 28 P tector, 140 E 28 FP tector (F4AE3681E)	Diesel		5883	202	275	09.06-09.15	■	■
150 E 28 tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 tector (F4AE3681E)	Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 W tector (F4AE3681E)	Diesel		5883	202	275	09.06-09.15	■	■
160 E 28 tector, 160 E 28 P tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
160 E 28 tector, 160 E 28 P tector (F4AE3681E)	Diesel		5883	202	275	09.00-09.15	■	■
320 E 28 tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
320 E 28 T tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
140 E 28 W tector, 140 E 28 WS tector (F4AE3681E)	Diesel		5883	205	279	09.06-09.15	■	■
150 E 28 WS tector (F4AE3681E)	Diesel		5883	205	279	09.06-09.15	■	■
150 E 30 tector, 150 E 30 P tector, 150 E 30 FP tector (F4AE0681A)	Diesel		5883	220	299	09.06-09.15	■	■
150 E 30 tector, 150 E 30 P tector, 150 E 30 FP tector (F4AE3681A)	Diesel		5883	220	299	09.06-09.15	■	■
160 E 30 tector, 160 E 30 P tector (F4AE0681A)	Diesel		5883	220	299	09.06-09.15	■	■
160 E 30 tector, 160 E 30 P tector (F4AE3681A)	Diesel		5883	220	299	09.06-09.15	■	■
<b>EuroCargo I-III 01.91-09.15</b>							<b>Truck Tractor</b>	
320 E 28 tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
320 E 28 T tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
<b>EuroCargo IV 05.13-</b>							<b>Platform/Chassis</b>	
140E.22	Diesel		6728	162	220	11.13-	■	■
<b>EuroCargo V 09.15-</b>							<b>Platform/Chassis</b>	
110EL.19 MY19	Diesel		4485	137	186	02.19-	■	■
120E.19 MY19	Diesel		4485	137	186	02.19-	■	■
140E.19 MY19	Diesel		4485	137	186	02.19-	■	■
140E19, 140E19P (F4AFE411B)	Diesel		4485	137	186	09.15-	■	■
140E19, 140E19P (F4AFE411F)	Diesel		4485	137	186	09.15-	■	■
140E21, 140E21P (F4AFE411C)	Diesel		4485	152	207	09.15-	■	■
160E21, 160E21P (F4AFE411C)	Diesel		4485	152	207	09.15-	■	■
140E22, 140E22FP, 140E22P (F4AFE611A)	Diesel		6728	162	220	09.15-	■	■
160E22, 160E22P (F4AFE611A)	Diesel		6728	162	220	09.15-	■	■
140E25, 140E25FP, 140E25P (F4AFE611E)	Diesel		6728	185	252	09.15-	■	■
160E25, 160E25FP, 160E25P (F4AFE611E)	Diesel		6728	185	252	09.15-	■	■
140E28, 140E28FP, 140E28P (F4AFE611C)	Diesel		6728	206	280	09.15-	■	■
150E28, 150E28FP, 150E28P (F4AFE611C)	Diesel		6728	206	280	09.15-	■	■
150E32, 150E32FP, 150E32P (F4AFE611D)	Diesel		6728	235	320	09.15-	■	■
<b>EuroCargo V 09.15-</b>							<b>Platform/Chassis</b>	
150E.21 CNG	Gasolina		5883	150	204	09.15-	■	■
150E.21P CNG	Gasolina		5883	150	204	09.15-	■	■
160E.21 CNG	Gasolina		5883	150	204	09.15-	■	■
160E.21P CNG	Gasolina		5883	150	204	09.15-	■	■
<b>P/PA 12.79-12.93</b>							<b>Truck Tractor</b>	
330-30HT (8210.22X.235)	Diesel		13798	224	305	01.88-12.90	■	■
330-30HT (8210.22X.523)	Diesel		13798	224	305	01.88-12.90	■	■
330-30HT (8210.22X.235)	Diesel		13798	224	305	01.88-12.92	■	■
330-30HT (8210.22X.523)	Diesel		13798	224	305	01.88-12.92	■	■

**LECIÑENA**

# LISTA DE APLICACIONES - BUYERS GUIDE

Eje/Axle								Trailer Axle	
Llanta 19.5" (SB/SN6000 SB/SN6500)	01/99-						01.53-	■	
<b>LECITRAILER</b>									
Eje/Axle								Trailer Axle	
Llanta 19.5" (SB/SN6000 SB/SN6500)	01/99-						01.53-	■	
<b>MAN</b>									
<b>HOCL</b>									
24.250		Diesel		6871	184	250	05.12-	■ ■	
24.260		Diesel		6871	191	260	05.12-12.14	■ ■	
24.290		Diesel		6871	213	290	05.12-	■ ■	
<b>M 2000 L 04.95-</b>									
<b>Dump Truck</b>									
12.163		Diesel		4580	118	160	04.95-08.06	■	
13.163		Diesel		4580	118	160	04.95-08.01	■	
13.185		Diesel		4580	132	179	07.99-08.01	■	
15.185 LK, LRK, LK-L		Diesel		4580	132	180	11.02-	■ ■	
13.225		Diesel		6871	162	220	05.95-04.02	■	
14.225 LAK, LARK, LAK-L, (LE220B) (D 0836 LFL 02)		Diesel		6871	162	220	09.00-	■ ■	
14.225 LK, LRK (LE220B) (D 0836 LFL 02)		Diesel		6871	162	220	09.00-	■ ■	
15.225 LK, LRK, LK-L, (LE220B) (D 0836 LFL 02)		Diesel		6871	162	220	09.99-	■ ■	
13.255		Diesel		6871	180	245	05.95-04.02	■	
15.255 LK, LRK, LK-L, (LE250B) (D 0836 LFL 05)		Diesel		6871	180	245	09.99-	■ ■	
12.255		Diesel		6871	188	256	05.95-08.06	■	
13.255		Diesel		6871	188	256	05.95-04.02	■	
14.255		Diesel		6871	188	256	04.95-08.06	■	
15.255		Diesel		6871	188	256	04.95-08.06	■	
14.263		Diesel		6871	196	266	04.95-08.06	■	
14.264		Diesel		6871	196	266	04.95-08.06	■	
15.263		Diesel		6871	196	266	04.95-08.06	■	
15.264		Diesel		6871	196	266	04.95-08.06	■	
13.285		Diesel		6871	206	280	05.95-04.02	■	
15.285 LK, LRK, LK-L, (LE280B) (D 0836 LFL 03)		Diesel		6871	206	280	09.99-	■ ■	
<b>M 2000 L 04.95-</b>									
<b>Platform/Chassis</b>									
14.163 LC, LLC, LRC, LLRC (D 0824 LFL 06)		Diesel		4580	114	155	08.95-	■	
14.163 LC, LLC, LRC, LLRC (D 0824 LFL 09)		Diesel		4580	114	155	08.95-	■	
12.163		Diesel		4580	118	160	04.95-08.06	■	
13.163		Diesel		4580	118	160	04.95-08.01	■	
13.185		Diesel		4580	132	179	07.99-08.01	■	
13.225		Diesel		6871	162	220	05.95-04.02	■	
14.224 LC, LLC, LLLC, LRC, LLRC, LLLRC (D 0826 LFL03)		Diesel		6871	162	220	08.95-	■	
14.224 LC, LLC, LLLC, LRC, LLRC, LLLRC (D 0826 LFL10)		Diesel		6871	162	220	08.95-	■	
14.225 LAC, LARC, (LE220B) (D 0836 LFL 02)		Diesel		6871	162	220	09.00-	■ ■	
14.225 LC, LLC, LLLC, LRC, LLRC, LLLRC (LE220B) (D 0836 LFL 02)		Diesel		6871	162	220	09.00-	■	
13.255		Diesel		6871	180	245	05.95-04.02	■	
14.255 LC, LLC, LLLC, LRC, LLRC, LLLRC (LE250B) (D 0836 LFL 05)		Diesel		6871	180	245	09.00-	■	
12.255		Diesel		6871	188	256	05.95-02.07	■	
13.255		Diesel		6871	188	256	05.95-04.02	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

14.255		Diesel		6871	188	256	04.95-08.06	■	
14.255		Diesel		6871	188	256	05.95-02.07	■	
14.263, 14.264 LC, LLC, LLLC, LRC, LLRC, LLLRC (D 0826 LFL09)		Diesel		6871	191	260	08.95-	■	
14.263		Diesel		6871	196	266	04.95-08.06	■	
14.263		Diesel		6871	196	266	05.95-02.07	■	
14.264		Diesel		6871	196	266	04.95-08.06	■	
14.264		Diesel		6871	196	266	05.95-02.07	■	
13.285		Diesel		6871	206	280	05.95-04.02	■	
14.284 LC, LLC, LLLC, LRC, LLRC, LLLRC (D 0836 LF 01)		Diesel		6871	206	280	10.98-	■	
14.285 LC, LLC, LLLC, LRC, LLRC, LLLRC, (LE280B) (D 0836 LFL 03)		Diesel		6871	206	280	09.00-	■	
<b>M 2000 L 04.95-</b>				<b>Truck Tractor</b>					
12.225		Diesel		6871	162	220	05.95-02.07	■	
13.225		Diesel		6871	162	220	05.95-04.02	■	
14.224		Diesel		6871	162	220	05.95-02.07	■	
14.225		Diesel		6871	162	220	05.95-02.07	■	
12.255		Diesel		6871	180	245	05.95-02.07	■	
13.255		Diesel		6871	180	245	05.95-04.02	■	
14.255		Diesel		6871	180	245	05.95-02.07	■	
12.255		Diesel		6871	188	256	05.95-02.07	■	
13.255		Diesel		6871	188	256	05.95-04.02	■	
14.255		Diesel		6871	188	256	05.95-02.07	■	
14.263		Diesel		6871	191	260	05.95-02.07	■	
14.264		Diesel		6871	191	260	05.95-02.07	■	
14.263		Diesel		6871	196	266	05.95-02.07	■	
14.264		Diesel		6871	196	266	05.95-02.07	■	
12.285		Diesel		6871	206	280	05.95-02.07	■	
13.285		Diesel		6871	206	280	05.95-04.02	■	
14.284		Diesel		6871	206	280	05.95-02.07	■	
14.285		Diesel		6871	206	280	05.95-02.07	■	
<b>M 2000 M 08.95-12.05</b>				<b>Platform/Chassis</b>					
13.224		Diesel		6871	162	220	06.95-07.05	■	
13.225		Diesel		6871	162	220	06.95-07.05	■	
14.224 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0826 LF10)		Diesel		6871	162	220	08.95-12.05	■	
14.224 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0826 LF15)		Diesel		6871	162	220	08.95-12.05	■	
14.224 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0826 LF18)		Diesel		6871	162	220	08.95-12.05	■	
13.255		Diesel		6871	180	245	06.95-07.05	■	
14.255 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 05)		Diesel		6871	180	245	10.00-12.05	■	
13.264		Diesel		6871	191	260	06.95-07.05	■	
14.264 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0826 LF17)		Diesel		6871	191	260	08.95-12.05	■	
12.264		Diesel		6871	196	266	06.95-07.05	■	
13.264		Diesel		6871	196	266	06.95-07.05	■	
14.264		Diesel		6871	196	266	06.95-07.05	■	
13.284		Diesel		6871	206	280	06.95-04.02	■	
13.285		Diesel		6871	206	280	06.95-07.05	■	
14.284 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 01)		Diesel		6871	206	280	06.98-12.05	■	
14.285 MC, MLC, MLLC, MLRC, MRC, MLLRC (ME280C) (D 0836 LFL 03)		Diesel		6871	206	280	09.99-12.05	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

18.285 MC, MLC, MLLC, MLRC, MRC, MLLRC (D 0836 LF 03)	Diesel		6871	206	280	06.98-12.05	■
<b>M 2000 M 08.95-12.05</b>							<b>Truck Tractor</b>
13.224	Diesel		6871	162	220	07.95-07.05	■
13.225	Diesel		6871	162	220	07.95-07.05	■
14.224 MLS, MLRS (D 0826 LF15)	Diesel		6871	162	220	08.95-12.05	■
14.224 MLS, MLRS (D 0826 LF18)	Diesel		6871	162	220	08.95-12.05	■
13.255	Diesel		6871	180	245	07.95-07.05	■
13.264	Diesel		6871	191	260	07.95-07.05	■
14.264 MLS, MLRS (D 0826 LF17)	Diesel		6871	191	260	08.95-12.05	■
12.264	Diesel		6871	196	266	07.95-07.05	■
13.264	Diesel		6871	196	266	07.95-07.05	■
14.264	Diesel		6871	196	266	07.95-07.05	■
13.284	Diesel		6871	206	280	07.95-04.02	■
13.285	Diesel		6871	206	280	07.95-07.05	■
14.284 MLS, MLRS (D 0836 LF 01)	Diesel		6871	206	280	06.98-12.05	■
<b>TGM 05.05-</b>							<b>Dump Truck</b>
13.240 (D 0836 LFL 40)	Diesel		6871	176	240	04.06-03.22	■ ■
13.240 (D 0836 LFL 50)	Diesel		6871	176	240	04.06-03.22	■ ■
13.240 (D 0836 LFL 53)	Diesel		6871	176	240	04.06-03.22	■ ■
13.280 (D 0836 LFL 41)	Diesel		6871	206	280	04.06-03.22	■ ■
13.280 (D 0836 LFL 51)	Diesel		6871	206	280	04.06-03.22	■ ■
13.280 (D 0836 LFL 54)	Diesel		6871	206	280	04.06-03.22	■ ■
<b>TGM 05.05-</b>							<b>Municipal Vehicle</b>
13.240	Diesel		6871	176	240	10.05-03.22	■ ■
12.250	Diesel		6871	184	250	04.08-03.22	■ ■
13.250 (D 0836 LFL 66)	Diesel		6871	184	250	10.05-03.22	■ ■
15.250	Diesel		6871	184	250	04.08-03.22	■ ■
16.250	Diesel		6871	184	250	04.08-03.22	■ ■
22.250	Diesel		6871	184	250	04.08-03.22	■ ■
13.280	Diesel		6871	206	280	10.05-03.22	■ ■
12.290	Diesel		6871	213	290	04.08-03.22	■ ■
13.290 (D 0836 LFL 67)	Diesel		6871	213	290	10.05-03.22	■ ■
15.290	Diesel		6871	213	290	04.08-03.22	■ ■
16.290	Diesel		6871	213	290	04.08-03.22	■ ■
22.290	Diesel		6871	213	290	04.08-03.22	■ ■
26.290	Diesel		6871	213	290	04.09-03.22	■ ■
26.340	Diesel		6871	250	340	04.09-03.22	■ ■
26.340	Diesel		6871	251	341	08.12-03.22	■ ■
<b>TGM 05.05-</b>							<b>Platform/Chassis</b>
12.240 (D 0836 LFL 50)	Diesel		6871	176	240	10.05-03.22	■ ■
12.240 (D 0836 LFL 53)	Diesel		6871	176	240	10.05-03.22	■ ■
13.240 (D 0836 LFL 40)	Diesel		6871	176	240	04.06-03.22	■ ■
13.240 (D 0836 LFL 50)	Diesel		6871	176	240	04.06-03.22	■ ■
13.240 (D 0836 LFL 53)	Diesel		6871	176	240	04.06-03.22	■ ■
15.240 (D 0836 LFL 40)	Diesel		6871	176	240	10.05-03.22	■ ■
15.240 (D 0836 LFL 50)	Diesel		6871	176	240	10.05-03.22	■ ■
15.240 (D 0836 LFL 53)	Diesel		6871	176	240	10.05-03.22	■ ■
16.240	Diesel		6871	176	239	05.05-03.22	■ ■
16.250	Diesel		6871	184	250	04.08-03.22	■ ■

# LISTA DE APLICACIONES - BUYERS GUIDE

12.280 (D 0836 LFL 51)		Diesel		6871	206	280	10.05-03.22	■	■	
12.280 (D 0836 LFL 54)		Diesel		6871	206	280	10.05-03.22	■	■	
13.280 (D 0836 LFL 41)		Diesel		6871	206	280	04.06-03.22	■	■	
13.280 (D 0836 LFL 51)		Diesel		6871	206	280	04.06-03.22	■	■	
13.280 (D 0836 LFL 54)		Diesel		6871	206	280	04.06-03.22	■	■	
15.280 (D 0836 LFL 41)		Diesel		6871	206	280	10.05-03.22	■	■	
15.280 (D 0836 LFL 51)		Diesel		6871	206	280	10.05-03.22	■	■	
15.280 (D 0836 LFL 54)		Diesel		6871	206	280	10.05-03.22	■	■	
16.280		Diesel		6871	206	280	05.05-03.22	■	■	
16.290		Diesel		6871	213	290	01.08-12.23	■	■	
26.320		Diesel		6871	235	320	12.17-03.22	■		
<b>TGM 05.05-</b>							<b>Platform/Chassis</b>			
26.360 E		Mixto		0	264	359	11.19-03.22	■		
<b>TGM II 02.20-</b>							<b>Dump Truck</b>			
13.250		Diesel		6871	184	250	02.20-	■		
19.250		Diesel		6871	184	250	02.20-	■	■	
13.290		Diesel		6871	213	290	02.20-	■		
19.290		Diesel		6871	213	290	02.20-	■	■	
13.340		Diesel		6871	251	341	02.20-	■		
19.340		Diesel		6871	251	341	02.20-	■	■	
<b>TGM II 02.20-</b>							<b>Platform/Chassis</b>			
12.250		Diesel		6871	184	250	02.20-	■	■	
15.250		Diesel		6871	184	250	02.20-	■	■	
19.250		Diesel		6871	184	250	02.20-	■	■	
12.290		Diesel		6871	213	290	02.20-	■	■	
15.290		Diesel		6871	213	290	02.20-	■	■	
19.290		Diesel		6871	213	290	02.20-	■	■	
12.340		Diesel		6871	251	341	02.20-	■	■	
15.340		Diesel		6871	251	341	02.20-	■	■	
19.340		Diesel		6871	251	341	02.20-	■	■	
<b>TGS 01.05-</b>							<b>Municipal Vehicle</b>			
24.330		Diesel		9037	243	330	01.19-09.21	■	■	
26.330		Diesel		9037	243	330	01.19-09.21	■	■	
24.360		Diesel		9037	265	360	01.19-09.21	■		
26.360		Diesel		9037	265	360	01.19-09.21	■	■	
24.400		Diesel		9037	294	400	01.19-09.21	■	■	
26.400		Diesel		9037	294	400	01.19-09.21	■	■	
24.320		Diesel		10518	235	320	06.06-09.21	■	■	
26.320		Diesel		10518	235	320	06.06-09.21	■		
24.360		Diesel		10518	265	360	06.06-09.21	■		
26.360		Diesel		10518	265	360	06.06-09.21	■		
24.400		Diesel		10518	294	400	06.06-09.21	■		
26.400		Diesel		10518	294	400	06.06-09.21	■		
24.440		Diesel		10518	324	441	06.06-09.21	■	■	
26.440		Diesel		10518	324	441	06.06-09.21	■		
24.400		Diesel		12419	294	400	08.12-09.21	■	■	
26.400		Diesel		12419	294	400	08.12-09.21	■		
24.440		Diesel		12419	324	441	06.06-09.21	■	■	
26.440		Diesel		12419	324	441	06.06-09.21	■	■	
24.480		Diesel		12419	353	480	06.06-09.21	■	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

26.480		Diesel		12419	353	480	06.06-09.21	■	■	
24.540		Diesel		12419	397	540	06.06-09.21	■	■	
26.540		Diesel		12419	397	540	06.06-09.21	■	■	
<b>TGS 01.05-</b>							<b>Platform/Chassis</b>			
24.330		Diesel		9037	243	330	01.19-09.21	■	■	
26.330		Diesel		9037	243	330	01.19-09.21	■	■	
24.360		Diesel		9037	265	360	01.19-09.21	■	■	
26.360		Diesel		9037	265	360	01.19-09.21	■	■	
24.400		Diesel		9037	294	400	01.19-09.21	■	■	
26.400		Diesel		9037	294	400	01.19-09.21	■	■	
24.400		Diesel		12419	294	400	08.12-09.21	■	■	
26.400		Diesel		12419	294	400	08.12-09.21	■	■	
26.430		Diesel		12419	316	430	01.19-09.21	■	■	
26.470		Diesel		12419	346	470	01.19-09.21	■	■	
26.510		Diesel		12419	375	510	01.19-09.21	■	■	
24.540		Diesel		12419	397	540	06.06-09.21	■	■	
<b>TGS 01.05-</b>							<b>Truck Tractor</b>			
24.330		Diesel		9037	243	330	01.19-09.21	■	■	
26.330		Diesel		9037	243	330	01.19-09.21	■	■	
24.360		Diesel		9037	265	360	01.19-09.21	■	■	
26.360		Diesel		9037	265	360	01.19-09.21	■	■	
24.400		Diesel		9037	294	400	01.19-09.21	■	■	
26.400		Diesel		9037	294	400	01.19-09.21	■	■	
24.400		Diesel		12419	294	400	08.12-09.21	■	■	
26.400		Diesel		12419	294	400	08.12-09.21	■	■	
24.430		Diesel		12419	316	430	01.19-09.21	■	■	
26.430		Diesel		12419	316	430	01.19-09.21	■	■	
24.470		Diesel		12419	346	470	01.19-09.21	■	■	
26.470		Diesel		12419	346	470	01.19-09.21	■	■	
24.510		Diesel		12419	375	510	01.19-09.21	■	■	
26.510		Diesel		12419	375	510	01.19-09.21	■	■	
<b>TGS II 02.20-</b>							<b>Concrete Mixer</b>			
32.330		Diesel		9037	243	330	02.20-	■	■	
35.330		Diesel		9037	243	330	02.20-	■	■	
41.330		Diesel		9037	243	330	02.20-	■	■	
32.360		Diesel		9037	265	360	02.20-	■	■	
35.360		Diesel		9037	265	360	02.20-	■	■	
41.360		Diesel		9037	265	360	02.20-	■	■	
32.400		Diesel		9037	294	400	02.20-	■	■	
35.400		Diesel		9037	294	400	02.20-	■	■	
41.400		Diesel		9037	294	400	02.20-	■	■	
32.430		Diesel		12419	316	430	02.20-	■	■	
35.430		Diesel		12419	316	430	02.20-	■	■	
41.430		Diesel		12419	316	430	02.20-	■	■	
32.470		Diesel		12419	346	470	02.20-	■	■	
35.470		Diesel		12419	346	470	02.20-	■	■	
41.470		Diesel		12419	346	470	02.20-	■	■	
32.510		Diesel		12419	375	510	02.20-	■	■	
35.510		Diesel		12419	375	510	02.20-	■	■	
41.510		Diesel		12419	375	510	02.20-	■	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

TGS II 02.20-									Dump Truck
18.330		Diesel		9037	243	330	02.20-	■	
26.330		Diesel		9037	243	330	02.20-	■	
33.330		Diesel		9037	243	330	02.20-	■	
35.330		Diesel		9037	243	330	02.20-	■	
41.330		Diesel		9037	243	330	02.20-	■	
18.360		Diesel		9037	265	360	02.20-	■	
22.360		Diesel		9037	265	360	02.20-	■	
26.360		Diesel		9037	265	360	02.20-	■	
33.360		Diesel		9037	265	360	02.20-	■	
35.360		Diesel		9037	265	360	02.20-	■	
41.360		Diesel		9037	265	360	02.20-	■	
18.400		Diesel		9037	294	400	02.20-	■	
22.400		Diesel		9037	294	400	02.20-	■	
26.400		Diesel		9037	294	400	02.20-	■	
33.400		Diesel		9037	294	400	02.20-	■	
35.400		Diesel		9037	294	400	02.20-	■	
41.400		Diesel		9037	294	400	02.20-	■	
18.430		Diesel		12419	316	430	02.20-	■	
22.430		Diesel		12419	316	430	02.20-	■	
26.430		Diesel		12419	316	430	02.20-	■	
33.430		Diesel		12419	316	430	02.20-	■	
35.430		Diesel		12419	316	430	02.20-	■	
41.430		Diesel		12419	316	430	02.20-	■	
18.470		Diesel		12419	346	470	02.20-	■	
22.470		Diesel		12419	346	470	02.20-	■	
26.470		Diesel		12419	346	470	02.20-	■	
33.470		Diesel		12419	346	470	02.20-	■	
35.470		Diesel		12419	346	470	02.20-	■	
41.470		Diesel		12419	346	470	02.20-	■	
18.510		Diesel		12419	375	510	02.20-	■	
22.510		Diesel		12419	375	510	02.20-	■	
26.510		Diesel		12419	375	510	02.20-	■	
33.510		Diesel		12419	375	510	02.20-	■	
35.510		Diesel		12419	375	510	02.20-	■	
41.510		Diesel		12419	375	510	02.20-	■	
18.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
33.540		Diesel		15256	397	540	02.20-	■	
18.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
33.580		Diesel		15256	427	581	02.20-	■	
18.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
33.640		Diesel		15256	471	640	02.20-	■	
TGS II 02.20-									Platform/Chassis
18.330		Diesel		9037	243	330	02.20-	■	
22.330		Diesel		9037	243	330	02.20-	■	
24.330		Diesel		9037	243	330	02.20-	■	
26.330		Diesel		9037	243	330	02.20-	■	
26.330		Diesel		9037	243	330	02.20-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

32.330		Diesel		9037	243	330	02.20-	■
33.330		Diesel		9037	243	330	02.20-	■
35.330		Diesel		9037	243	330	02.20-	■
35.330		Diesel		9037	243	330	02.20-	■
41.330		Diesel		9037	243	330	02.20-	■
18.360		Diesel		9037	265	360	02.20-	■
22.360		Diesel		9037	265	360	02.20-	■
24.360		Diesel		9037	265	360	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
32.360		Diesel		9037	265	360	02.20-	■
33.360		Diesel		9037	265	360	02.20-	■
35.360		Diesel		9037	265	360	02.20-	■
35.360		Diesel		9037	265	360	02.20-	■
41.360		Diesel		9037	265	360	02.20-	■
18.400		Diesel		9037	294	400	02.20-	■
22.400		Diesel		9037	294	400	02.20-	■
24.400		Diesel		9037	294	400	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
32.400		Diesel		9037	294	400	02.20-	■
33.400		Diesel		9037	294	400	02.20-	■
35.400		Diesel		9037	294	400	02.20-	■
35.400		Diesel		9037	294	400	02.20-	■
41.400		Diesel		9037	294	400	02.20-	■
18.430		Diesel		12419	316	430	02.20-	■
22.430		Diesel		12419	316	430	02.20-	■
24.430		Diesel		12419	316	430	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
32.430		Diesel		12419	316	430	02.20-	■
33.430		Diesel		12419	316	430	02.20-	■
35.430		Diesel		12419	316	430	02.20-	■
35.430		Diesel		12419	316	430	02.20-	■
35.430		Diesel		12419	316	430	02.20-	■
41.430		Diesel		12419	316	430	02.20-	■
18.470		Diesel		12419	346	470	02.20-	■
22.470		Diesel		12419	346	470	02.20-	■
24.470		Diesel		12419	346	470	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
32.470		Diesel		12419	346	470	02.20-	■
33.470		Diesel		12419	346	470	02.20-	■
35.470		Diesel		12419	346	470	02.20-	■
35.470		Diesel		12419	346	470	02.20-	■
35.470		Diesel		12419	346	470	02.20-	■
41.470		Diesel		12419	346	470	02.20-	■
18.510		Diesel		12419	375	510	02.20-	■
22.510		Diesel		12419	375	510	02.20-	■
24.510		Diesel		12419	375	510	02.20-	■
26.510		Diesel		12419	375	510	02.20-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

26.510		Diesel		12419	375	510	02.20-	■	
32.510		Diesel		12419	375	510	02.20-	■	
33.510		Diesel		12419	375	510	02.20-	■	
35.510		Diesel		12419	375	510	02.20-	■	
35.510		Diesel		12419	375	510	02.20-	■	
35.510		Diesel		12419	375	510	02.20-	■	
41.510		Diesel		12419	375	510	02.20-	■	
18.540		Diesel		15256	397	540	02.20-	■	
24.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
33.540		Diesel		15256	397	540	02.20-	■	
18.580		Diesel		15256	427	581	02.20-	■	
24.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
33.580		Diesel		15256	427	581	02.20-	■	
18.640		Diesel		15256	471	640	02.20-	■	
24.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
33.640		Diesel		15256	471	640	02.20-	■	
<b>TGS II 02.20-</b>									<b>Truck Tractor</b>
18.330		Diesel		9037	243	330	02.20-	■	
24.330		Diesel		9037	243	330	02.20-	■	
24.330		Diesel		9037	243	330	02.20-	■	
26.330		Diesel		9037	243	330	02.20-	■	
26.330		Diesel		9037	243	330	02.20-	■	
26.330		Diesel		9037	243	330	02.20-	■	
33.330		Diesel		9037	243	330	02.20-	■	
18.360		Diesel		9037	265	360	02.20-	■	
24.360		Diesel		9037	265	360	02.20-	■	
24.360		Diesel		9037	265	360	02.20-	■	
26.360		Diesel		9037	265	360	02.20-	■	
26.360		Diesel		9037	265	360	02.20-	■	
26.360		Diesel		9037	265	360	02.20-	■	
33.360		Diesel		9037	265	360	02.20-	■	
18.400		Diesel		9037	294	400	02.20-	■	
24.400		Diesel		9037	294	400	02.20-	■	
24.400		Diesel		9037	294	400	02.20-	■	
26.400		Diesel		9037	294	400	02.20-	■	
26.400		Diesel		9037	294	400	02.20-	■	
26.400		Diesel		9037	294	400	02.20-	■	
33.400		Diesel		9037	294	400	02.20-	■	
18.430		Diesel		12419	316	430	02.20-	■	
24.430		Diesel		12419	316	430	02.20-	■	
24.430		Diesel		12419	316	430	02.20-	■	
26.430		Diesel		12419	316	430	02.20-	■	
26.430		Diesel		12419	316	430	02.20-	■	
26.430		Diesel		12419	316	430	02.20-	■	
33.430		Diesel		12419	316	430	02.20-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

18.470		Diesel		12419	346	470	02.20-	■	
24.470		Diesel		12419	346	470	02.20-	■	
24.470		Diesel		12419	346	470	02.20-	■	
26.470		Diesel		12419	346	470	02.20-	■	
26.470		Diesel		12419	346	470	02.20-	■	
26.470		Diesel		12419	346	470	02.20-	■	
33.470		Diesel		12419	346	470	02.20-	■	
18.510		Diesel		12419	375	510	02.20-	■	
24.510		Diesel		12419	375	510	02.20-	■	
24.510		Diesel		12419	375	510	02.20-	■	
26.510		Diesel		12419	375	510	02.20-	■	
26.510		Diesel		12419	375	510	02.20-	■	
26.510		Diesel		12419	375	510	02.20-	■	
33.510		Diesel		12419	375	510	02.20-	■	
18.540		Diesel		15256	397	540	02.20-	■	■
24.540		Diesel		15256	397	540	02.20-	■	
24.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
33.540		Diesel		15256	397	540	02.20-	■	
18.580		Diesel		15256	427	581	02.20-	■	
24.580		Diesel		15256	427	581	02.20-	■	
24.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
33.580		Diesel		15256	427	581	02.20-	■	
18.640		Diesel		15256	471	640	02.20-	■	■
24.640		Diesel		15256	471	640	02.20-	■	
24.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
33.640		Diesel		15256	471	640	02.20-	■	
<b>TGX 06.06-</b>					<b>Truck Tractor</b>				
24.330		Diesel		9037	243	330	01.19-09.21	■	
26.330		Diesel		9037	243	330	01.19-09.21	■	
26.330		Diesel		9037	243	330	01.19-09.21	■	
24.360		Diesel		9037	265	360	01.19-09.21	■	■
26.360		Diesel		9037	265	360	01.19-09.21	■	
26.360		Diesel		9037	265	360	01.19-09.21	■	
24.400		Diesel		9037	294	400	01.19-09.21	■	
26.400		Diesel		9037	294	400	01.19-09.21	■	
26.400		Diesel		9037	294	400	01.19-09.21	■	
24.400		Diesel		12419	294	400	08.12-09.21	■	■
26.400		Diesel		12419	294	400	08.12-09.21	■	
26.400		Diesel		12419	294	400	08.12-09.21	■	
24.430		Diesel		12419	316	430	01.19-09.21	■	
26.430		Diesel		12419	316	430	01.19-09.21	■	
26.430		Diesel		12419	316	430	01.19-09.21	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

24.470		Diesel		12419	346	470	01.19-09.21	■
26.470		Diesel		12419	346	470	01.19-09.21	■
26.470		Diesel		12419	346	470	01.19-09.21	■
24.510		Diesel		12419	375	510	01.19-09.21	■
26.510		Diesel		12419	375	510	01.19-09.21	■
26.510		Diesel		12419	375	510	01.19-09.21	■
24.520		Diesel		15256	383	521	01.14-09.21	■ ■
26.520		Diesel		15256	383	521	01.14-09.21	■
26.520		Diesel		15256	383	521	01.14-09.21	■
24.560		Diesel		15256	412	560	01.14-09.21	■
26.560		Diesel		15256	412	560	01.14-09.21	■
26.560		Diesel		15256	412	560	01.14-09.21	■
<b>TGX II 02.20-</b>							<b>Dump Truck</b>	
26.330		Diesel		9037	243	330	02.20-	■
33.330		Diesel		9037	243	330	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
33.360		Diesel		9037	265	360	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
33.400		Diesel		9037	294	400	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
33.430		Diesel		12419	316	430	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
33.470		Diesel		12419	346	470	02.20-	■
26.510		Diesel		12419	375	510	02.20-	■
33.510		Diesel		12419	375	510	02.20-	■
26.540		Diesel		15256	397	540	02.20-	■
33.540		Diesel		15256	397	540	02.20-	■
26.580		Diesel		15256	427	581	02.20-	■
33.580		Diesel		15256	427	581	02.20-	■
26.640		Diesel		15256	471	640	02.20-	■
33.640		Diesel		15256	471	640	02.20-	■
<b>TGX II 02.20-</b>							<b>Platform/Chassis</b>	
18.330		Diesel		9037	243	330	02.20-	■
26.330		Diesel		9037	243	330	02.20-	■
33.330		Diesel		9037	243	330	02.20-	■
18.360		Diesel		9037	265	360	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
33.360		Diesel		9037	265	360	02.20-	■
18.400		Diesel		9037	294	400	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
33.400		Diesel		9037	294	400	02.20-	■
18.430		Diesel		12419	316	430	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
33.430		Diesel		12419	316	430	02.20-	■
18.470		Diesel		12419	346	470	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
33.470		Diesel		12419	346	470	02.20-	■
18.510		Diesel		12419	375	510	02.20-	■
26.510		Diesel		12419	375	510	02.20-	■
33.510		Diesel		12419	375	510	02.20-	■
18.540		Diesel		15256	397	540	02.20-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

26.540		Diesel		15256	397	540	02.20-	■
33.540		Diesel		15256	397	540	02.20-	■
18.580		Diesel		15256	427	581	02.20-	■
26.580		Diesel		15256	427	581	02.20-	■
33.580		Diesel		15256	427	581	02.20-	■
18.640		Diesel		15256	471	640	02.20-	■
26.640		Diesel		15256	471	640	02.20-	■
33.640		Diesel		15256	471	640	02.20-	■
<b>TGX II 02.20-</b>								<b>Truck Tractor</b>
18.330	18.330	Diesel		9037	243	330	02.20-	■
24.330		Diesel		9037	243	330	02.20-	■
24.330		Diesel		9037	243	330	02.20-	■
26.330		Diesel		9037	243	330	02.20-	■
26.330		Diesel		9037	243	330	02.20-	■
26.330		Diesel		9037	243	330	02.20-	■
33.330		Diesel		9037	243	330	02.20-	■
18.360		Diesel		9037	265	360	02.20-	■
24.360		Diesel		9037	265	360	02.20-	■
24.360		Diesel		9037	265	360	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
26.360		Diesel		9037	265	360	02.20-	■
33.360		Diesel		9037	265	360	02.20-	■
18.400		Diesel		9037	294	400	02.20-	■
24.400		Diesel		9037	294	400	02.20-	■
24.400		Diesel		9037	294	400	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
26.400		Diesel		9037	294	400	02.20-	■
33.400		Diesel		9037	294	400	02.20-	■
18.430		Diesel		12419	316	430	02.20-	■
24.430		Diesel		12419	316	430	02.20-	■
24.430		Diesel		12419	316	430	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
26.430		Diesel		12419	316	430	02.20-	■
33.430		Diesel		12419	316	430	02.20-	■
18.470		Diesel		12419	346	470	02.20-	■
24.470		Diesel		12419	346	470	02.20-	■
24.470		Diesel		12419	346	470	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
26.470		Diesel		12419	346	470	02.20-	■
33.470		Diesel		12419	346	470	02.20-	■
18.510		Diesel		12419	375	510	02.20-	■
24.510		Diesel		12419	375	510	02.20-	■
24.510		Diesel		12419	375	510	02.20-	■
26.510		Diesel		12419	375	510	02.20-	■
26.510		Diesel		12419	375	510	02.20-	■
26.510		Diesel		12419	375	510	02.20-	■
33.510		Diesel		12419	375	510	02.20-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

18.540		Diesel		15256	397	540	02.20-	■	■
24.540		Diesel		15256	397	540	02.20-	■	
24.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
26.540		Diesel		15256	397	540	02.20-	■	
33.540		Diesel		15256	397	540	02.20-	■	
41.540		Diesel		15256	397	540	02.20-	■	
42.540		Diesel		15256	397	540	02.20-	■	
18.580		Diesel		15256	427	581	02.20-	■	■
24.580		Diesel		15256	427	581	02.20-	■	
24.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
26.580		Diesel		15256	427	581	02.20-	■	
33.580		Diesel		15256	427	581	02.20-	■	
41.580		Diesel		15256	427	581	02.20-	■	
42.580		Diesel		15256	427	581	02.20-	■	
18.640		Diesel		15256	471	640	02.20-	■	■
24.640		Diesel		15256	471	640	02.20-	■	
24.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
26.640		Diesel		15256	471	640	02.20-	■	
33.640		Diesel		15256	471	640	02.20-	■	
41.640		Diesel		15256	471	640	02.20-	■	
42.640		Diesel		15256	471	640	02.20-	■	

## MERCEDES-BENZ

ATEGO 01.98-10.04								Dump Truck	
1214 K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■	
1214 K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	
914K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	
1215 K (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■	
1017K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
1017K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	
1217K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
1217K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	
1317AK (OM 900.913)		Diesel		4249	125	170	01.98-10.04	■	■
1317AK (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1317AK (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
1317K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
1317K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	
1517 AK (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1517 AK (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
1517 K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
917K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
917K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	
1218 K		Diesel		4249	130	177	04.98-09.04	■	
1318 K		Diesel		4249	130	177	04.98-09.04	■	
1518 K		Diesel		4249	130	177	04.98-09.04	■	
1023 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

1023 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■		
1223 K (OM 906.910)	Diesel	6374	170	231	01.98-09.04	■		
1223 K (OM 906.915)	Diesel	6374	170	231	01.98-09.04	■		
1323 AK (OM 906.910)	Diesel	6374	170	231	01.98-09.04	■	■	
1323 AK (OM 906.915)	Diesel	6374	170	231	01.98-09.04	■	■	
1323 K (OM 906.910)	Diesel	6374	170	231	01.98-09.04	■		
1323 K (OM 906.915)	Diesel	6374	170	231	01.98-09.04	■		
1523 AK (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■	
1523 AK (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■	
1523 K (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■		
1523 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■		
923 K (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■		
923 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■		
1528 AK (OM 906.911)	Diesel	6374	205	279	01.98-09.04	■	■	
1528 AK (OM 906.916)	Diesel	6374	205	279	01.98-09.04	■	■	
1528 K (OM 906.911)	Diesel	6374	205	279	01.98-09.04	■		
1528 K (OM 906.916)	Diesel	6374	205	279	01.98-09.04	■		
<b>ATEGO 01.98-10.04</b>							<b>Municipal Vehicle</b>	
1017 KO, 1018 KO (OM 900.913)	Diesel	4249	125	170	01.98-10.04	■		
1017 KO, 1018 KO (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■		
1017 KO, 1018 KO (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■		
1217KO (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■	
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 900.913)	Diesel	4249	125	170	01.98-10.04	■	■	
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■	
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■	
917KO (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■		
1323 KO, 1323 LKO (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■	
1323 KO, 1323 LKO (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■	
1523 KO (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■	
1225 AF (OM 906.919)	Diesel	6374	180	245	01.98-10.04	■	■	
1225 AF (OM 906.939)	Diesel	6374	180	245	01.98-10.04	■	■	
1225 F (OM 906.919)	Diesel	6374	180	245	01.98-10.04	■	■	
1225 F (OM 906.939)	Diesel	6374	180	245	01.98-10.04	■	■	
1325 F (OM 906.919)	Diesel	6374	180	245	01.98-10.04	■	■	
1325 F (OM 906.939)	Diesel	6374	180	245	01.98-10.04	■	■	
1525 AF (OM 906.919)	Diesel	6374	180	245	01.98-10.04	■	■	
1525 AF (OM 906.939)	Diesel	6374	180	245	01.98-10.04	■	■	
1328 AF (OM 906.911)	Diesel	6374	205	279	01.98-10.04	■	■	
1328 AF (OM 906.916)	Diesel	6374	205	279	01.98-10.04	■	■	
1328 F (OM 906.911)	Diesel	6374	205	279	01.98-10.04	■	■	
1328 F (OM 906.916)	Diesel	6374	205	279	01.98-10.04	■	■	
1528 AF (OM 906.911)	Diesel	6374	205	279	01.98-10.04	■	■	
1528 AF (OM 906.916)	Diesel	6374	205	279	01.98-10.04	■	■	
1528 F (OM 906.911)	Diesel	6374	205	279	01.98-10.04	■	■	
1528 F (OM 906.916)	Diesel	6374	205	279	01.98-10.04	■	■	
<b>ATEGO 01.98-10.04</b>							<b>Platform/Chassis</b>	
1014, 1014 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■		
1214, 1214 L (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■	
1214, 1214 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

914, 914 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	
1215, 1215 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■	■
1017, 1017 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
1017, 1017 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	
1217, 1217 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1217, 1217 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
1317, 1317 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1317, 1317 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
1317 A (OM 904.911)		Diesel		4249	125	170	01.98-10.04		■
1317 A (OM 904.917)		Diesel		4249	125	170	01.98-10.04		■
1517, 1517 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1517, 1517 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
1517 A (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1517 A (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
917, 917 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	
917, 917 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	
1317 A		Diesel		4249	128	174	04.98-09.04		■
1318 A		Diesel		4249	130	177	04.98-09.04		■
1318 L		Diesel		4249	130	177	04.98-09.04	■	■
1518		Diesel		4249	130	177	04.98-09.04	■	■
1518 L		Diesel		4249	130	177	04.98-09.04	■	■
1023, 1023 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	
1223, 1223 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1223, 1223 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1323, 1323 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1323, 1323 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1323 A		Diesel		6374	170	231	04.98-09.04		■
1523, 1523 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1523, 1523 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1523 A (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1523 A (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1923 L (OM 906.910)		Diesel		6374	170	231	04.98-10.04	■	■
1923 L (OM 906.915)		Diesel		6374	170	231	04.98-10.04	■	■
2223 L (OM 906.910)		Diesel		6374	170	231	04.98-10.04	■	■
2223 L (OM 906.915)		Diesel		6374	170	231	04.98-10.04	■	■
923, 923 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	
1523		Diesel		6374	172	234	04.98-09.04	■	■
1228, 1228 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
1228, 1228 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■	■
1328, 1328 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
1328, 1328 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■	■
1528, 1528 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
1528, 1528 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■	■
1928 L (OM 906.911)		Diesel		6374	205	279	04.98-10.04	■	■
1928 L (OM 906.916)		Diesel		6374	205	279	04.98-10.04	■	■
2228 L (OM 906.911)		Diesel		6374	205	279	04.98-10.04	■	■
2228 L (OM 906.916)		Diesel		6374	205	279	04.98-10.04	■	■
<b>ATEGO 01.98-10.04</b>							<b>Truck Tractor</b>		
1323 LS (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1328 LS (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

ATEGO 2 01.04-								Dump Truck
1015 K (OM 904.916)	Diesel		4249	100	136	10.04-	■	
1214 K	Diesel		4249	100	136	10.04-	■	
1015 K, 1016 K (OM 900.912)	Diesel		4249	112	152	10.04-	■	
1015 K, 1016 K (OM 900.918)	Diesel		4249	112	152	10.04-	■	
1015 K, 1016 K (OM 904.922)	Diesel		4249	112	152	10.04-	■	
1215 K	Diesel		4249	112	152	10.04-	■	
915 K (OM 904.922)	Diesel		4249	112	152	10.04-	■	
1216 K (OM 900.912)	Diesel		4249	115	156	10.04-	■	
916 K (OM 900.912)	Diesel		4249	115	156	10.04-	■	
916 K (OM 900.918)	Diesel		4249	115	156	10.04-	■	
1017 K, 1018 K (OM 900.913)	Diesel		4249	125	170	10.04-	■	
1017 K, 1018 K (OM 900.919)	Diesel		4249	125	170	10.04-	■	
1017 K, 1018 K (OM 904.911)	Diesel		4249	125	170	10.04-	■	
1217K	Diesel		4249	125	170	10.04-	■	
1317K	Diesel		4249	125	170	10.04-	■	
1517 K	Diesel		4249	125	170	10.04-	■	
1218 K (OM 900.913)	Diesel		4249	130	177	10.04-	■ ■	
1318 AK (OM 900.913)	Diesel		4249	130	177	10.04-	■ ■	
1318 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
1418 K (OM 904.962)	Diesel		4249	130	177	01.11-	■ ■	
1418 K (OM 904.967)	Diesel		4249	130	177	01.11-	■ ■	
1418 K (OM 904.968)	Diesel		4249	130	177	01.11-	■ ■	
1418 K (OM 904.972)	Diesel		4249	130	177	01.11-	■ ■	
1418 K (OM 904.973)	Diesel		4249	130	177	01.11-	■ ■	
1418 K (OM 904.976)	Diesel		4249	130	177	01.11-	■ ■	
1518 AK (OM 900.913)	Diesel		4249	130	177	10.04-	■ ■	
1518 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
1618 K (OM 900.913)	Diesel		4249	130	177	10.04-	■ ■	
1718 K (OM 904.962)	Diesel		4249	130	177	01.11-	■ ■	
1718 K (OM 904.967)	Diesel		4249	130	177	01.11-	■ ■	
1718 K (OM 904.968)	Diesel		4249	130	177	01.11-	■ ■	
1718 K (OM 904.972)	Diesel		4249	130	177	01.11-	■ ■	
1718 K (OM 904.973)	Diesel		4249	130	177	01.11-	■ ■	
1718 K (OM 904.976)	Diesel		4249	130	177	01.11-	■ ■	
918 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
918 K (OM 900.919)	Diesel		4249	130	177	10.04-	■	
1216 K	Diesel		4801	115	156	10.04-	■	
1022 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1022 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1222 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1222 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1322 AK (OM 924.922)	Diesel		4801	160	218	10.04-	■ ■	
1322 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1322 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1522 AK (OM 924.922)	Diesel		4801	160	218	10.04-	■ ■	
1522 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1522 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1622K	Diesel		4801	160	218	10.04-	■ ■	
922 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
922 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

1223 K		Diesel		6374	170	231	10.04-	■	
1323 K		Diesel		6374	170	231	10.04-	■	
1324 K (OM 902.916)		Diesel		6374	170	231	10.04-	■	
1523 K		Diesel		6374	170	231	10.04-	■	
1024 K (OM 902.916)		Diesel		6374	175	238	10.04-	■	
1224 K (OM 902.916)		Diesel		6374	175	238	10.04-	■	
1324 AK (OM 902.916)		Diesel		6374	175	238	10.04-	■	■
1523 K, 1524 K (OM 902.916)		Diesel		6374	175	238	10.04-	■	
1524 AK (OM 902.916)		Diesel		6374	175	238	10.04-	■	■
1624 K		Diesel		6374	175	238	10.04-	■	■
924 K (OM 902.916)		Diesel		6374	175	238	10.04-	■	
1526 AK (OM 902.917)		Diesel		6374	188	256	10.04-	■	■
1526 K (OM 902.917)		Diesel		6374	188	256	10.04-	■	
1528 K		Diesel		6374	205	279	10.04-	■	
1529 AK (OM 902.918)		Diesel		6374	210	286	10.04-	■	■
1529 K (OM 902.918)		Diesel		6374	210	286	10.04-	■	
<b>ATEGO 2 01.04-</b>				<b>Municipal Vehicle</b>					
1317 LKO		Diesel		4249	125	170	10.04-	■	■
1318 LKO		Diesel		4249	130	177	10.04-	■	■
1022 KO (OM 924.922)		Diesel		4801	160	218	10.04-	■	
1222 F (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1322 F (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1322 LKO (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1522 F (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1323 LKO		Diesel		6374	170	231	10.04-	■	■
1324 LKO (OM 902.916)		Diesel		6374	175	238	10.04-	■	■
1225 F		Diesel		6374	180	245	10.04-	■	■
1325 F		Diesel		6374	180	245	10.04-	■	■
1225 F		Diesel		6374	182	247	10.04-	■	■
1325 F		Diesel		6374	182	247	10.04-	■	■
1226 F (OM 902.917)		Diesel		6374	188	256	10.04-	■	■
1326 F (OM 902.917)		Diesel		6374	188	256	10.04-	■	■
1328 F		Diesel		6374	205	279	10.04-	■	■
1528 F		Diesel		6374	205	279	10.04-	■	■
1329 F (OM 902.918)		Diesel		6374	210	286	10.04-	■	■
1529 F (OM 902.918)		Diesel		6374	210	286	10.04-	■	■
1224 F		Diesel		7201	175	238	10.04-	■	■
1324 F		Diesel		7201	175	238	10.04-	■	■
1324 LKO		Diesel		7201	175	238	10.04-	■	■
1524 F		Diesel		7201	175	238	10.04-	■	■
1226 F		Diesel		7201	188	256	10.04-	■	■
1326 F		Diesel		7201	188	256	10.04-	■	■
1326 LKO		Diesel		7201	188	256	10.04-	■	■
1526 F		Diesel		7201	188	256	10.04-	■	■
1229 F		Diesel		7201	210	286	10.04-	■	■
1329 F		Diesel		7201	210	286	10.04-	■	■
1329 LKO		Diesel		7201	210	286	10.04-	■	■
1529 F		Diesel		7201	210	286	10.04-	■	■
<b>ATEGO 2 01.04-</b>				<b>Platform/Chassis</b>					
1315 (OM 904.957)		Diesel		4249	110	150	10.04-	■	■
1315 (OM 904.965)		Diesel		4249	110	150	10.04-	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

1315 (OM 904.966)	Diesel	4249	110	150	10.04-	■	■
1315 (OM 904.970)	Diesel	4249	110	150	10.04-	■	■
1015, 1015 L (OM 904.922)	Diesel	4249	112	152	10.04-	■	
1215, 1215 L, 1216, 1216 L (OM 900.912)	Diesel	4249	112	152	10.04-	■	■
1215, 1215 L, 1216, 1216 L (OM 904.922)	Diesel	4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 900.912)	Diesel	4249	112	152	10.04-	■	
915, 915 L, 916, 916 L (OM 900.918)	Diesel	4249	112	152	10.04-	■	
915, 915 L, 916, 916 L (OM 904.922)	Diesel	4249	112	152	10.04-	■	
1016, 1016 L (OM 900.912)	Diesel	4249	115	156	10.04-	■	
1016, 1016 L (OM 900.918)	Diesel	4249	115	156	10.04-	■	
1317 A	Diesel	4249	125	170	10.04-		■
1317 L	Diesel	4249	125	170	10.04-	■	■
1517	Diesel	4249	125	170	10.04-	■	■
1517 A	Diesel	4249	125	170	10.04-	■	■
1517 L	Diesel	4249	125	170	10.04-	■	■
1317 A	Diesel	4249	128	174	10.04-		■
1318 AE	Diesel	4249	128	174	10.04-		■
1018, 1018 L (OM 900.913)	Diesel	4249	130	177	10.04-	■	
1018, 1018 L (OM 900.919)	Diesel	4249	130	177	10.04-	■	
1218, 1218 L (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1318, 1318 L (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1318 A (OM 900.913)	Diesel	4249	130	177	10.04-		■
1318 A (OM 904.949)	Diesel	4249	130	177	10.04-		■
1318 AE	Diesel	4249	130	177	10.04-		■
1418 (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1418 (OM 904.967)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.962)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.967)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.968)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.972)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.976)	Diesel	4249	130	177	10.04-	■	■
1518 A (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1618 (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 904.962)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 904.967)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 904.968)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 904.972)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 904.973)	Diesel	4249	130	177	10.04-	■	■
1718 (OM 904.976)	Diesel	4249	130	177	10.04-	■	■
918, 918 L (OM 900.913)	Diesel	4249	130	177	10.04-	■	
918, 918 L (OM 900.919)	Diesel	4249	130	177	10.04-	■	
1016, 1016 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	
1216, 1216 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	■
916, 916 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	
1419 (OM 924.989)	Diesel	4801	136	185	10.04-	■	■
1719 (OM 924.989)	Diesel	4801	136	185	10.04-	■	■
1022, 1022 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	
1022, 1022 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	
1022, 1022 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

1222, 1222 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1322, 1322 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1322, 1322 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1322, 1322 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1322 A (OM 924.922)	Diesel	4801	160	218	10.04-		■
1322 AE	Diesel	4801	160	218	10.04-		■
1522, 1522 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1522, 1522 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1522, 1522 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1522 A (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1622	Diesel	4801	160	218	10.04-	■	■
1722 (OM 924.924)	Diesel	4801	160	218	10.04-	■	■
922, 922 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	
922, 922 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	
922, 922 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	
1023, 1023 L, 1024, 1024 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	
1023, 1023 L, 1024, 1024 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
1023, 1023 L, 1024, 1024 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
1223, 1223 L, 1224, 1224 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1323, 1323 L, 1324, 1324 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1323, 1323 L, 1324, 1324 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1323, 1323 L, 1324, 1324 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1323 A, 1324 A (OM 902.916)	Diesel	6374	170	231	10.04-		■
1323 A, 1324 A (OM 906.910)	Diesel	6374	170	231	10.04-		■
1323 A, 1324 A (OM 906.915)	Diesel	6374	170	231	10.04-		■
1323 AE	Diesel	6374	170	231	10.04-		■
1523, 1523 L, 1524, 1524 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1523, 1523 L, 1524, 1524 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1523, 1523 L, 1524, 1524 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1523 A, 1524 A (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1523 A, 1524 A (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1523 A, 1524 A (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
923, 923 L, 924, 924 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	
923, 923 L, 924, 924 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
923, 923 L, 924, 924 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
1624	Diesel	6374	175	238	10.04-	■	■
1924 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
1924 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
2224 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
2224 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
1725 (OM 906.919)	Diesel	6374	180	245	10.04-	■	■
1725 (OM 906.983)	Diesel	6374	180	245	10.04-	■	■
1725 (OM 906.985)	Diesel	6374	180	245	10.04-	■	■
1725 (OM 906.988)	Diesel	6374	180	245	10.04-	■	■
1725 (OM 906.990)	Diesel	6374	180	245	10.04-	■	■
1725 A (OM 906.919)	Diesel	6374	180	245	10.06-	■	■
1725 A (OM 906.983)	Diesel	6374	180	245	10.06-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1725 A (OM 906.985)	Diesel	6374	180	245	10.06-	■	■
1725 A (OM 906.988)	Diesel	6374	180	245	10.06-	■	■
1725 A (OM 906.990)	Diesel	6374	180	245	10.06-	■	■
1226, 1226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1326, 1326 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1526, 1526 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1926 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1926 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
2226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1228, 1228 L, 1229, 1229 L (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1228, 1228 L, 1229, 1229 L (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1228, 1228 L, 1229, 1229 L (OM 906.916)	Diesel	6374	205	279	10.04-	■	■
1328, 1328 L, 1329, 1329 L (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1328, 1328 L, 1329, 1329 L (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1328, 1328 L, 1329, 1329 L (OM 906.916)	Diesel	6374	205	279	10.04-	■	■
1528, 1528 L, 1529, 1529 L (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1528, 1528 L, 1529, 1529 L (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1528, 1528 L, 1529, 1529 L (OM 906.916)	Diesel	6374	205	279	10.04-	■	■
1629	Diesel	6374	210	286	10.04-	■	■
1929 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
1929 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
1024, 1024 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1224, 1224 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1324, 1324 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1324L	Diesel	7201	175	238	10.04-	■	■
1524, 1524 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
924, 924 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1026, 1026 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1226, 1226 L (OM 925.920)	Diesel	7201	188	256	10.04-12.14	■	■
1326, 1326 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1326 L	Diesel	7201	188	256	10.04-	■	■
1526, 1526 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
926, 926 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1029, 1029 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1229, 1229 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1329, 1329 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1329 L	Diesel	7201	210	286	10.04-	■	■
1529, 1529 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
929, 929 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
<b>ATEGO 2 01.04-</b>						<b>Truck Tractor</b>	
1322 LS (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1322 LS (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1323 LS, 1324 LS (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1323 LS, 1324 LS (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1323 LS, 1324 LS (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1725 S (OM 906.985)	Diesel	6374	180	245	01.07-	■	■
1326 LS (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1328 LS, 1329 LS (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1328 LS, 1329 LS (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1328 LS, 1329 LS (OM 906.916)	Diesel	6374	205	279	10.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1728 S (OM 906.921)		Diesel		6374	205	279	01.07-	■	■
1728 S (OM 906.986)		Diesel		6374	205	279	01.07-	■	■
1728 S (OM 926.941)		Diesel		7201	205	279	01.07-	■	■
<b>ATEGO 3 04.13-</b>				<b>Dump Truck</b>					
1216 K (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1316 K		Diesel		5132	115	156	05.13-	■	■
1516 K		Diesel		5132	115	156	05.13-	■	■
1218 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1318 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1518 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1221 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1321 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1521 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1223 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1323 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1523 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1224 K		Diesel		7698	175	238	04.13-	■	■
1324 K		Diesel		7698	175	238	04.13-	■	■
1524 K		Diesel		7698	175	238	04.13-	■	■
1227 K		Diesel		7698	200	272	04.13-	■	■
1327 K		Diesel		7698	200	272	04.13-	■	■
1527 K		Diesel		7698	200	272	04.13-	■	■
1230 K		Diesel		7698	220	299	04.13-	■	■
1330 K		Diesel		7698	220	299	04.13-	■	■
<b>ATEGO 3 04.13-</b>				<b>Municipal Vehicle</b>					
1316 LKO		Diesel		5132	115	156	05.13-	■	■
1318 LKO (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1221 F		Diesel		5132	155	211	05.13-	■	■
1321 F		Diesel		5132	155	211	05.13-	■	■
1321 LKO (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1521 F		Diesel		5132	155	211	05.13-	■	■
1223 F (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1323 F (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1323 LKO (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1523 F		Diesel		5132	170	231	05.13-	■	■
1224 F		Diesel		7698	175	238	05.13-	■	■
1324 F		Diesel		7698	175	238	05.13-	■	■
1324 LKO		Diesel		7698	175	238	04.13-	■	■
1524 F		Diesel		7698	175	238	05.13-	■	■
1227 F		Diesel		7698	200	272	04.13-	■	■
1327 F		Diesel		7698	200	272	04.13-	■	■
1327 LKO		Diesel		7698	200	272	05.13-	■	■
1527 F		Diesel		7698	200	272	04.13-	■	■
1230 F		Diesel		7698	220	299	04.13-	■	■
1330 F		Diesel		7698	220	299	04.13-	■	■
1330 LKO		Diesel		7698	220	299	05.13-	■	■
<b>ATEGO 3 04.13-</b>				<b>Platform/Chassis</b>					
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1316		Diesel		5132	115	156	05.13-	■	■
1316 L		Diesel		5132	115	156	05.13-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1515 L		Diesel		5132	115	156	05.13-	■	■	
1516		Diesel		5132	115	156	05.13-	■	■	
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■	
1318, 1318 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■	
1518, 1518 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■	
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■	
1321, 1321 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■	
1521, 1521 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■	
1023, 1023 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■	
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■	
1323, 1323 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■	
1523, 1523 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■	
1024, 1024 L		Diesel		7698	175	238	04.13-	■	■	
1224, 1224 L		Diesel		7698	175	238	04.13-	■	■	
1324, 1324 L		Diesel		7698	175	238	04.13-	■	■	
1524, 1524 L		Diesel		7698	175	238	04.13-	■	■	
1227, 1227 L		Diesel		7698	200	272	04.13-	■	■	
1327, 1327 L		Diesel		7698	200	272	04.13-	■	■	
1527, 1527 L		Diesel		7698	200	272	04.13-	■	■	
1230, 1230 L		Diesel		7698	220	299	04.13-	■	■	
1230, 1230 L		Diesel		7698	220	299	04.13-	■	■	
1330, 1330 L		Diesel		7698	220	299	04.13-	■	■	
<b>ATEGO 3 04.13-</b>							<b>Truck Tractor</b>			
1321 LS (OM 934.913)		Diesel		5132	155	211	04.13-	■	■	
1323 LS (OM 934.913)		Diesel		5132	170	231	04.13-	■	■	
1324 LS		Diesel		7698	175	238	04.13-	■	■	
1327 LS		Diesel		7698	200	272	04.13-	■	■	
1330 LS		Diesel		7698	220	299	04.13-	■	■	
<b>DCA</b>							<b>Air Suspension Unit</b>			
DCA	01/73-						01.53-		■	
<b>DLS</b>							<b>Air Suspension Unit</b>			
DLS 10Loch	01/73-						01.53-		■	
DLS 8 Loch	01/73-						01.53-		■	
<b>O 510 TOURINO (O 510) 10.03-</b>							<b>Bus</b>			
TOURINO (OM 906.962)		Diesel		6374	180	245	10.03-	■	■	
TOURINO (OM 906.961)		Diesel		6374	205	279	10.03-	■	■	
TOURINO (OM 926.939)		Diesel		7201	210	286	10.03-	■	■	
<b>T2/L 01.59-12.95</b>							<b>Platform/Chassis</b>			
LA 911 (OM 352.908)		Diesel		5675	96	131	01.72-12.95	■	■	
<b>TE</b>							<b>Trailer Axle</b>			
TE3/1C6-9	01/73-						01.53-		■	
TE4/2C6-9	01/73-						01.53-		■	
TE4/3C6-9	01/73-						01.53-		■	
TE4/5C6-9	01/73-						01.53-		■	
TE4/6C6-9	01/73-						01.53-		■	
TE4/8C6-9	01/73-						01.53-		■	
<b>TL</b>							<b>Trailer Axle</b>			
TL4/1C6-9	01/73-						01.53-		■	

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>TZ</b>							<b>Trailer Axle</b>		
TZ3/1C 6-10,0	01/73-					01.53-		■	
TZ3/2C6-10,5	01/73-					01.53-		■	
TZ4/8C6-9	01/73-					01.53-		■	
<b>OPTARE</b>									
<b>SOLERA 01.02-</b>							<b>Bus</b>		
SR, Corta	01/02-	Diesel				01.02-		■ ■	
<b>PLAXTON</b>									
<b>CENTRO 01.98-</b>							<b>Bus</b>		
B 7		Diesel		7146	213	290	05.07-	■ ■	
<b>SAF</b>									
<b>SK 02.98-</b>							<b>Trailer Axle</b>		
SKRZ 11019 K	01/73-					02.98-		■	
SKRZ 9019 K	01/73-					02.98-		■	
<b>SKRB</b>							<b>Trailer Axle</b>		
SKRB 9019 K	01/98-					01.53-		■	
SKRB 9019 KI (SN6) Integral	01/73-					01.53-		■	
SKRB 9019 W	01/03-					01.53-		■	
SKRB 9019 WI Integral	01/73-					01.53-		■	
SKRB 9022 H	01/73-					01.53-		■	
<b>SOLARIS</b>									
<b>08.14-</b>							<b>Bus</b>		
9 LE Electric		Mixto		0	220	299	09.21-	■ ■	
<b>TRENKAMP&amp;GEHLE GMBH (GIGANT)</b>									
<b>Protec</b>							<b>Trailer Axle</b>		
DH6 10008 3745						01.01-		■	
DKH1 09010 3745						07.00-		■	
DNH6 10008 3745						01.00-		■	
DNKH1 09010 3745						06.01-		■	
DOKH1 09010 3745	01/73-					01.53-		■	
DZ6 10008 3745	01/73-					01.53-		■	