

LISTA DE APLICACIONES - BUYERS GUIDE



151404-202



Qty: 660

Weight: 6.990

O.E.M.	MAKE
000 421 10 10	MERCEDES-BENZ
000 421 12 10	MERCEDES-BENZ
001 421 05 10	MERCEDES-BENZ
001 421 06 10	MERCEDES-BENZ
001 421 25 10	MERCEDES-BENZ
001 421 26 10	MERCEDES-BENZ
003 420 11 20	MERCEDES-BENZ
003 420 12 20	MERCEDES-BENZ
003 420 66 20	MERCEDES-BENZ
003 420 72 20	MERCEDES-BENZ
003 420 73 20	MERCEDES-BENZ
004 420 61 20	MERCEDES-BENZ
008 420 65 20	MERCEDES-BENZ
81 50820 5085	MAN
81 50820 6043	MAN
81 50820 6054	MAN
81 50820 8085	MAN
9291045	SAETA
9291048	SAETA
9291049	SAETA
D1060-LC55A	NISSAN



151404-202

E 9 90R-01178/696 Knorr SB5000/SN5000

173.5x83x34
185x84x34

VWA	FMSI
29115	D1995-9225
29148	
29183	

MAKE
DENNIS
KAMAZ
MAN
MERCEDES-BENZ
NISSAN
TRENKAMP&GEHLE GMBH (GIGANT)



Trac.	CC	Kw	CV		
					Front / Rear

DENNIS

DAGGER 01.02-12.07							Municipal Vehicle		
Dagger (ISBE 250)		Diesel		5883	184	250	01.02-12.07	■	■

KAMAZ

4308 01.03-							Platform/Chassis		
4308 (ISBE 170)		Diesel		3922	125	167	01.03-	■	■
4308		Diesel		4460	136	185	05.04-	■	■
4308 (B 5.9)		Diesel		5883	134	180	01.03-	■	■
4308		Diesel		6690	131	178	05.04-	■	■

MAN

L2000 06.93-							Dump Truck		
6.103		Diesel		4580	75	102	06.93-08.06	■	
7.103		Diesel		4580	75	102	06.93-08.06	■	
6.113		Diesel		4580	81	110	06.93-08.06	■	
7.113		Diesel		4580	81	110	06.93-08.06	■	
6.113		Diesel		4580	83	113	01.97-08.06	■	
7.113		Diesel		4580	83	113	01.97-08.06	■	
8.113		Diesel		4580	83	113	01.97-08.06	■	
6.143		Diesel		4580	103	140	07.99-08.06	■	
7.143		Diesel		4580	103	140	07.99-08.06	■	
10.145		Diesel		4580	104	141	06.93-04.06	■	
6.143		Diesel		4580	104	141	06.93-08.06	■	
7.143		Diesel		4580	104	141	06.93-08.06	■	
8.145		Diesel		4580	104	141	06.93-08.06	■	

LISTA DE APLICACIONES - BUYERS GUIDE

9.145		Diesel		4580	104	141	06.93-08.06	■	
10.153		Diesel		4580	110	150	07.99-04.06	■	
10.155		Diesel		4580	110	150	07.99-04.06	■	
6.153		Diesel		4580	110	150	07.99-08.06	■	
7.153		Diesel		4580	110	150	07.99-08.06	■	
8.153		Diesel		4580	110	150	07.99-08.06	■	
8.155		Diesel		4580	110	150	07.99-08.06	■	
9.153		Diesel		4580	110	150	07.99-08.06	■	
9.155		Diesel		4580	110	150	07.99-08.06	■	
6.153		Diesel		4580	114	155	06.93-08.06	■	
6.163		Diesel		4580	114	155	04.97-08.06	■	
7.153		Diesel		4580	114	155	06.93-08.06	■	
7.163		Diesel		4580	114	155	04.97-08.06	■	
6.163		Diesel		4580	118	160	06.93-08.06	■	
7.163		Diesel		4580	118	160	06.93-08.06	■	
6.174		Diesel		4580	125	170	07.99-08.06	■	
7.174		Diesel		4580	125	170	07.99-08.06	■	
L2000 06.93-								Municipal Vehicle	
8.163		Diesel		4580	118	160	06.93-08.06	■	
L2000 06.93-								Platform/Chassis	
6.103		Diesel		4580	75	102	06.93-08.06	■	
7.103		Diesel		4580	75	102	06.93-08.06	■	■
6.113		Diesel		4580	81	110	06.93-08.06	■	
7.113		Diesel		4580	81	110	06.93-08.06	■	
6.113		Diesel		4580	83	113	01.97-08.06	■	
7.113		Diesel		4580	83	113	01.97-08.06	■	
6.143		Diesel		4580	103	140	07.99-08.06	■	
7.143		Diesel		4580	103	140	07.99-08.06	■	
10.145		Diesel		4580	104	141	06.93-04.06	■	
6.143		Diesel		4580	104	141	06.93-08.06	■	
7.143		Diesel		4580	104	141	06.93-08.06	■	
8.145		Diesel		4580	104	141	06.93-08.06	■	
9.145		Diesel		4580	104	141	06.93-08.06	■	
10.153		Diesel		4580	110	150	07.99-04.06	■	
10.155		Diesel		4580	110	150	07.99-04.06	■	
6.153		Diesel		4580	110	150	07.99-08.06	■	
7.153		Diesel		4580	110	150	07.99-08.06	■	
8.153		Diesel		4580	110	150	07.99-08.06	■	
8.155		Diesel		4580	110	150	07.99-08.06	■	
9.153		Diesel		4580	110	150	07.99-08.06	■	
9.155		Diesel		4580	110	150	07.99-08.06	■	
6.153		Diesel		4580	114	155	06.93-08.06	■	
6.163		Diesel		4580	114	155	04.97-08.06	■	
7.153		Diesel		4580	114	155	06.93-08.06	■	
7.163		Diesel		4580	114	155	04.97-08.06	■	
6.163		Diesel		4580	118	160	06.93-08.06	■	
7.163		Diesel		4580	118	160	06.93-08.06	■	
6.174		Diesel		4580	125	170	07.99-08.06	■	
7.174		Diesel		4580	125	170	07.99-08.06	■	

LISTA DE APLICACIONES - BUYERS GUIDE

L2000 06.93-					Truck Tractor				
6.103		Diesel		4580	75	102	06.93-08.06	■	
7.103		Diesel		4580	75	102	06.93-08.06	■	
8.103		Diesel		4580	75	102	06.93-08.06	■	
6.113		Diesel		4580	81	110	06.93-08.06	■	
7.113		Diesel		4580	81	110	06.93-08.06	■	
8.113		Diesel		4580	81	110	06.93-08.06	■	
6.113		Diesel		4580	83	113	01.97-08.06	■	
7.113		Diesel		4580	83	113	01.97-08.06	■	
8.113		Diesel		4580	83	113	01.97-08.06	■	
6.143		Diesel		4580	103	140	07.99-08.06	■	
7.143		Diesel		4580	103	140	07.99-08.06	■	
10.145		Diesel		4580	104	141	06.93-03.06	■	
6.143		Diesel		4580	104	141	06.93-08.06	■	
7.143		Diesel		4580	104	141	06.93-08.06	■	
8.145		Diesel		4580	104	141	06.93-08.06	■	
9.145		Diesel		4580	104	141	06.93-08.06	■	
6.153		Diesel		4580	110	150	07.99-08.06	■	
7.153		Diesel		4580	110	150	07.99-08.06	■	
8.153		Diesel		4580	110	150	07.99-08.06	■	
8.155		Diesel		4580	110	150	07.99-08.06	■	
9.153		Diesel		4580	110	150	07.99-08.06	■	
9.155		Diesel		4580	110	150	07.99-08.06	■	
6.153		Diesel		4580	114	155	06.93-08.06	■	
6.163		Diesel		4580	114	155	04.97-08.06	■	
7.153		Diesel		4580	114	155	06.93-08.06	■	
7.163		Diesel		4580	114	155	04.97-08.06	■	
6.163		Diesel		4580	118	160	06.93-08.06	■	
7.163		Diesel		4580	118	160	06.93-08.06	■	
6.174		Diesel		4580	125	170	07.99-08.06	■	
7.174		Diesel		4580	125	170	07.99-08.06	■	
TGL 01.04-					Dump Truck				
8.150 (D 0834 LFL 40)		Diesel		4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 50)		Diesel		4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 53)		Diesel		4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 63)		Diesel		4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 66)		Diesel		4580	110	150	10.06-03.22	■	■
10.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

8.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	■	■
10.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	■	■
10.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	■	■
10.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	■	■
8.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	■	■
8.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	■	■
10.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	■	■
10.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	■	■
10.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	■	■
8.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	■	■
8.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	■	■
TGL 01.04-									
								Platform/Chassis	
7.150, 8.150 (D 0834 LFL 40)		Diesel		4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 50)		Diesel		4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 53)		Diesel		4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 60)		Diesel		4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 63)		Diesel		4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 66)		Diesel		4580	110	150	04.05-03.22	■	■
10.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 61)		Diesel		4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

8.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	■	■
10.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	■	■
10.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	■	■
10.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	■	■
7.220 (D 0834 LFL 62)		Diesel		4580	162	220	04.05-	■	■
7.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-	■	■
8.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	■	■
8.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	■	■
10.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	■	■
10.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	■	■
10.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	■	■
7.250 (D 0836 LFL 60)		Diesel		6871	184	250	04.05-	■	■
7.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-	■	■
8.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	■	■
8.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	■	■
TGL II 02.20-									Dump Truck
10.150		Diesel		4580	110	150	02.20-	■	■
12.150		Diesel		4580	110	150	02.20-	■	■
7.150		Diesel		4580	110	150	02.20-	■	■
8.150		Diesel		4580	110	150	02.20-	■	■
10.180		Diesel		4580	132	179	02.20-	■	■
12.180		Diesel		4580	132	179	02.20-	■	■
7.180		Diesel		4580	132	179	02.20-	■	■
8.180		Diesel		4580	132	179	02.20-	■	■
10.220		Diesel		4580	162	220	02.20-	■	■
12.220		Diesel		4580	162	220	02.20-	■	■
7.220		Diesel		4580	162	220	02.20-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

8.220		Diesel		4580	162	220	02.20-	■	■
10.250		Diesel		6871	184	250	02.20-	■	■
12.250		Diesel		6871	184	250	02.20-	■	■
7.250		Diesel		6871	184	250	02.20-	■	■
8.250		Diesel		6871	184	250	02.20-	■	■
10.290		Diesel		6871	213	290	02.20-	■	■
12.290		Diesel		6871	213	290	02.20-	■	■
7.290		Diesel		6871	213	290	02.20-	■	■
8.290		Diesel		6871	213	290	02.20-	■	■
10.340		Diesel		6871	251	341	02.20-	■	■
12.340		Diesel		6871	251	341	02.20-	■	■
7.340		Diesel		6871	251	341	02.20-	■	■
8.340		Diesel		6871	251	341	02.20-	■	■

TGL II 02.20-	Platform/Chassis
----------------------	-------------------------

10.150		Diesel		4580	110	150	02.20-	■	■
12.150		Diesel		4580	110	150	02.20-	■	■
7.150		Diesel		4580	110	150	02.20-	■	■
8.150		Diesel		4580	110	150	02.20-	■	■
10.180		Diesel		4580	132	179	02.20-	■	■
12.180		Diesel		4580	132	179	02.20-	■	■
7.180		Diesel		4580	132	179	02.20-	■	■
8.180		Diesel		4580	132	179	02.20-	■	■
10.220		Diesel		4580	162	220	02.20-	■	■
12.220		Diesel		4580	162	220	02.20-	■	■
7.220		Diesel		4580	162	220	02.20-	■	■
8.220		Diesel		4580	162	220	02.20-	■	■
10.250		Diesel		6871	184	250	02.20-	■	■
12.250		Diesel		6871	184	250	02.20-	■	■
7.250		Diesel		6871	184	250	02.20-	■	■
8.250		Diesel		6871	184	250	02.20-	■	■
10.290		Diesel		6871	213	290	02.20-	■	■
12.290		Diesel		6871	213	290	02.20-	■	■
7.290		Diesel		6871	213	290	02.20-	■	■
8.290		Diesel		6871	213	290	02.20-	■	■
10.340		Diesel		6871	251	341	02.20-	■	■
12.340		Diesel		6871	251	341	02.20-	■	■
7.340		Diesel		6871	251	341	02.20-	■	■
8.340		Diesel		6871	251	341	02.20-	■	■

MERCEDES-BENZ

ACCELO 10.98-	Platform/Chassis
----------------------	-------------------------

715 C (OM 612.965)		Diesel		2685	115	156	05.03-	■	■
715 C (OM 612.966)		Diesel		2685	115	156	05.03-	■	■
715 C (OM 612.983)		Diesel		2685	115	156	05.03-	■	■
710 (OM 374.992)		Diesel		3972	80	109	05.03-	■	■
914 C		Diesel		4249	100	136	10.98-	■	■
915, 915 C (OM 904.943)		Diesel		4249	110	150	05.03-	■	■
915, 915 C (OM 904.957)		Diesel		4249	110	150	05.03-	■	■
915, 915 C (OM 904.965)		Diesel		4249	110	150	05.03-	■	■
915, 915 C (OM 904.966)		Diesel		4249	110	150	05.03-	■	■
915, 915 C (OM 904.970)		Diesel		4249	110	150	05.03-	■	■
815		Diesel		4801	110	150	01.12-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1016		Diesel		4801	115	156	01.12-	■	■
ATEGO 01.98-10.04				Dump Truck					
1014 K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	■
714 K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■	■
714 K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	■
814K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■	■
814K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	■
814K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■	■
814K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	■
914K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	■
715 K		Diesel		4249	112	152	04.98-09.04	■	■
815 K (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■	■
815 K (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■	■
1017AK (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1017K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1017K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
717 K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
717 K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
817K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
817K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
817K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
917K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
917K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
1018 K		Diesel		4249	130	177	04.98-09.04	■	■
818 K		Diesel		4249	130	177	04.98-09.04	■	■
918 K		Diesel		4249	130	177	04.98-09.04	■	■
1023 AK (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1023 AK (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1023 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1023 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
823 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
823 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
923 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
923 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
ATEGO 01.98-10.04				Municipal Vehicle					
815 F (OM 900.912)		Diesel		4249	112	152	01.98-10.04	■	■
815 F (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■	■
1017 KO, 1018 KO (OM 900.913)		Diesel		4249	125	170	01.98-10.04	■	■
1017 KO, 1018 KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
1017 KO, 1018 KO (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
917AF (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
917AF (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■	■
917AF (OM 904.949)		Diesel		4249	125	170	01.98-10.04	■	■
917KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■	■
925 AF (OM 906.919)		Diesel		6374	180	245	01.98-10.04	■	■
925 AF (OM 906.939)		Diesel		6374	180	245	01.98-10.04	■	■
ATEGO 01.98-10.04				Platform/Chassis					
712 (OM 904.909)		Diesel		4249	90	122	01.98-10.04	■	■
812 (OM 904.909)		Diesel		4249	90	122	01.98-10.04	■	■
1014, 1014 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1214, 1214 L (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
1214, 1214 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
714, 714 L (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
714, 714 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
814, 814 L (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
814, 814 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
814, 814 L (OM 904.930)	Diesel	4249	100	136	01.98-10.04	■	■
914, 914 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
1015	Diesel	4249	112	152	04.98-09.04	■	■
715,715 L (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■	■
815,815 L (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■	■
815,815 L (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■	■
1017, 1017 L (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
1017, 1017 L (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
1017A (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
1017A (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
1217, 1217 L (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
1217, 1217 L (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
717, 717 L (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
717, 717 L (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
917, 917 L (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
917, 917 L (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
1018	Diesel	4249	130	177	04.98-09.04	■	■
1018 L	Diesel	4249	130	177	04.98-09.04	■	■
1218	Diesel	4249	130	177	04.98-09.04	■	■
1218 L	Diesel	4249	130	177	04.98-09.04	■	■
818	Diesel	4249	130	177	04.98-09.04	■	■
818 L	Diesel	4249	130	177	04.98-09.04	■	■
918	Diesel	4249	130	177	04.98-09.04	■	■
918 L	Diesel	4249	130	177	04.98-09.04	■	■
1023	Diesel	6374	170	231	04.98-09.04	■	■
1023, 1023 L (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
1223, 1223 L (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
1223, 1223 L (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■
823, 823 L (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
823, 823 L (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■
923, 923 L (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
1223	Diesel	6374	172	234	04.98-09.04	■	■
ATEGO 2 01.04-						Dump Truck	
812 K (OM 904.909)	Diesel	4249	90	122	10.04-	■	■
1015 K (OM 904.916)	Diesel	4249	100	136	10.04-	■	■
815 K	Diesel	4249	100	136	10.04-	■	■
915 K	Diesel	4249	100	136	10.04-	■	■
1015 K, 1016 K (OM 900.912)	Diesel	4249	112	152	10.04-	■	■
1015 K, 1016 K (OM 900.918)	Diesel	4249	112	152	10.04-	■	■
1015 K, 1016 K (OM 904.922)	Diesel	4249	112	152	10.04-	■	■
715 K	Diesel	4249	112	152	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

815 K, 816 K (OM 900.912)	Diesel	4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.918)	Diesel	4249	112	152	10.04-	■	■
815 K, 816 K (OM 904.922)	Diesel	4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.912)	Diesel	4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.918)	Diesel	4249	112	152	10.04-	■	■
815 K, 816 K (OM 904.922)	Diesel	4249	112	152	10.04-	■	■
915 K (OM 904.922)	Diesel	4249	112	152	10.04-	■	■
716 K	Diesel	4249	115	156	10.04-	■	■
916 K (OM 900.912)	Diesel	4249	115	156	10.04-	■	■
916 K (OM 900.918)	Diesel	4249	115	156	10.04-	■	■
1017AK (OM 904.917)	Diesel	4249	125	170	10.04-	■	■
1017 K, 1018 K (OM 900.913)	Diesel	4249	125	170	10.04-	■	■
1017 K, 1018 K (OM 900.919)	Diesel	4249	125	170	10.04-	■	■
1017 K, 1018 K (OM 904.911)	Diesel	4249	125	170	10.04-	■	■
817K	Diesel	4249	125	170	10.04-	■	■
917K	Diesel	4249	125	170	10.04-	■	■
1018 AK (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
818 K (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
818 K (OM 900.919)	Diesel	4249	130	177	10.04-	■	■
818 K (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
818 K (OM 900.919)	Diesel	4249	130	177	10.04-	■	■
918 K (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
918 K (OM 900.919)	Diesel	4249	130	177	10.04-	■	■
1016 K	Diesel	4801	115	156	10.04-	■	■
716 K	Diesel	4801	115	156	10.04-	■	■
816 K	Diesel	4801	115	156	10.04-	■	■
916 K	Diesel	4801	115	156	10.04-	■	■
1022 AK (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1022 K (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1022 K (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
822 K (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
822 K (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
822 K (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
922 K (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
922 K (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1023 K	Diesel	6374	170	231	10.04-	■	■
823 K	Diesel	6374	170	231	10.04-	■	■
923 K	Diesel	6374	170	231	10.04-	■	■
1024 AK (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
1024 K (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
824 K (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
924 K (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
1024 K	Diesel	7201	175	238	10.04-	■	■
824 K	Diesel	7201	175	238	10.04-	■	■
924 K	Diesel	7201	175	238	10.04-	■	■
1026 K	Diesel	7201	188	256	10.04-	■	■
826 K	Diesel	7201	188	256	10.04-	■	■
926 K	Diesel	7201	188	256	10.04-	■	■
1029 K	Diesel	7201	210	286	10.04-	■	■
829 K	Diesel	7201	210	286	10.04-	■	■
929 K	Diesel	7201	210	286	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

ATEGO 2 01.04-					Municipal Vehicle				
815 F (OM 904.916)		Diesel		4249	100	136	10.04-	■	■
815 F		Diesel		4249	112	152	10.04-	■	■
816 F		Diesel		4249	115	156	10.04-	■	■
1017 KO		Diesel		4249	125	170	10.04-	■	■
1018 KO		Diesel		4249	130	177	10.04-	■	■
816 F		Diesel		4801	115	156	10.04-	■	■
1022 KO (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
822 F (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
ATEGO 2 01.04-					Platform/Chassis				
1222 L		Bicombu stible		4801	160	218	10.04-	■	■
ATEGO 2 01.04-					Platform/Chassis				
712, 713 (OM 900.911)		Diesel		4249	90	122	10.04-	■	■
712, 713 (OM 900.917)		Diesel		4249	90	122	10.04-	■	■
712, 713 (OM 904.909)		Diesel		4249	90	122	10.04-	■	■
712, 713 (OM 904.915)		Diesel		4249	90	122	10.04-	■	■
812, 813 (OM 900.911)		Diesel		4249	90	122	10.04-	■	■
812, 813 (OM 900.917)		Diesel		4249	90	122	10.04-	■	■
812, 813 (OM 904.909)		Diesel		4249	90	122	10.04-	■	■
1015		Diesel		4249	100	136	10.04-	■	■
1015 L		Diesel		4249	100	136	10.04-	■	■
1214 L		Diesel		4249	100	136	10.04-	■	■
1215		Diesel		4249	100	136	10.04-	■	■
1215 L		Diesel		4249	100	136	10.04-	■	■
715 L		Diesel		4249	100	136	10.04-	■	■
815 L		Diesel		4249	100	136	10.04-	■	■
915		Diesel		4249	100	136	10.04-	■	■
915 L		Diesel		4249	100	136	10.04-	■	■
1015, 1015 L (OM 904.922)		Diesel		4249	112	152	10.04-	■	■
1215, 1215 L, 1216, 1216 L (OM 900.912)		Diesel		4249	112	152	10.04-	■	■
1215, 1215 L, 1216, 1216 L (OM 904.922)		Diesel		4249	112	152	10.04-	■	■
715, 715 L, 716, 716 L (OM 900.912)		Diesel		4249	112	152	10.04-	■	■
715, 715 L, 716, 716 L (OM 900.918)		Diesel		4249	112	152	10.04-	■	■
715, 715 L, 716, 716 L (OM 904.922)		Diesel		4249	112	152	10.04-	■	■
815, 815 L, 816, 816 L (OM 900.912)		Diesel		4249	112	152	10.04-	■	■
815, 815 L, 816, 816 L (OM 900.918)		Diesel		4249	112	152	10.04-	■	■
815, 815 L, 816, 816 L (OM 904.922)		Diesel		4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 900.912)		Diesel		4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 900.918)		Diesel		4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 904.922)		Diesel		4249	112	152	10.04-	■	■
1016, 1016 L (OM 900.912)		Diesel		4249	115	156	10.04-	■	■
1016, 1016 L (OM 900.918)		Diesel		4249	115	156	10.04-	■	■
816, 816 L (OM 900.912)		Diesel		4249	115	156	10.04-	■	■
1017		Diesel		4249	125	170	10.04-	■	■
1017 L		Diesel		4249	125	170	10.04-	■	■
1217		Diesel		4249	125	170	10.04-	■	■
1217 L		Diesel		4249	125	170	10.04-	■	■
817		Diesel		4249	125	170	10.04-	■	■
817 L		Diesel		4249	125	170	10.04-	■	■
917		Diesel		4249	125	170	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

917 L		Diesel		4249	125	170	10.04-	■	■
1018, 1018 L (OM 900.913)		Diesel		4249	130	177	10.04-	■	■
1018, 1018 L (OM 900.919)		Diesel		4249	130	177	10.04-	■	■
1018 A (OM 900.913)		Diesel		4249	130	177	10.04-	■	■
1018 A (OM 900.919)		Diesel		4249	130	177	10.04-	■	■
1218, 1218 L (OM 900.913)		Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.913)		Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.919)		Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.913)		Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.919)		Diesel		4249	130	177	10.04-	■	■
918, 918 L (OM 900.913)		Diesel		4249	130	177	10.04-	■	■
918, 918 L (OM 900.919)		Diesel		4249	130	177	10.04-	■	■
1016, 1016 L (OM 924.935)		Diesel		4801	115	156	10.04-	■	■
1016 L		Diesel		4801	115	156	10.04-	■	■
1216, 1216 L (OM 924.935)		Diesel		4801	115	156	10.04-	■	■
1216 L		Diesel		4801	115	156	10.04-	■	■
716		Diesel		4801	115	156	10.04-	■	■
716 L		Diesel		4801	115	156	10.04-	■	■
816, 816 L (OM 924.935)		Diesel		4801	115	156	10.04-	■	■
816, 816 L (OM 924.935)		Diesel		4801	115	156	10.04-	■	■
816 L		Diesel		4801	115	156	10.04-	■	■
916, 916 L (OM 924.935)		Diesel		4801	115	156	10.04-	■	■
916 L		Diesel		4801	115	156	10.04-	■	■
1022, 1022 L (OM 924.920)		Diesel		4801	160	218	10.04-	■	■
1022, 1022 L (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1022, 1022 L (OM 924.930)		Diesel		4801	160	218	10.04-	■	■
1022 A (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.920)		Diesel		4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.930)		Diesel		4801	160	218	10.04-	■	■
722		Diesel		4801	160	218	10.04-	■	■
722 L		Diesel		4801	160	218	10.04-	■	■
822, 822 L (OM 924.920)		Diesel		4801	160	218	10.04-	■	■
822, 822 L (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
822, 822 L (OM 924.930)		Diesel		4801	160	218	10.04-	■	■
822, 822 L (OM 924.920)		Diesel		4801	160	218	10.04-	■	■
822, 822 L (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
822, 822 L (OM 924.930)		Diesel		4801	160	218	10.04-	■	■
922, 922 L (OM 924.920)		Diesel		4801	160	218	10.04-	■	■
922, 922 L (OM 924.922)		Diesel		4801	160	218	10.04-	■	■
922, 922 L (OM 924.930)		Diesel		4801	160	218	10.04-	■	■
1023, 1023 L, 1024, 1024 L (OM 902.916)		Diesel		6374	170	231	10.04-	■	■
1023, 1023 L, 1024, 1024 L (OM 906.910)		Diesel		6374	170	231	10.04-	■	■
1023, 1023 L, 1024, 1024 L (OM 906.915)		Diesel		6374	170	231	10.04-	■	■
1023 A, 1024 A (OM 902.916)		Diesel		6374	170	231	10.04-	■	■
1023 A, 1024 A (OM 906.910)		Diesel		6374	170	231	10.04-	■	■
1023 A, 1024 A (OM 906.915)		Diesel		6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 902.916)		Diesel		6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 906.910)		Diesel		6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 906.915)		Diesel		6374	170	231	10.04-	■	■
823, 823 L, 824, 824 L (OM 902.916)		Diesel		6374	170	231	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

823, 823 L, 824, 824 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
823, 823 L, 824, 824 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
923, 923 L, 924, 924 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
923, 923 L, 924, 924 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
923, 923 L, 924, 924 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
1024, 1024 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1024 L	Diesel	7201	175	238	10.04-	■	■
1224, 1224 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1224 L	Diesel	7201	175	238	10.04-	■	■
824, 824 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
924, 924 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1026, 1026 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1226, 1226 L (OM 925.920)	Diesel	7201	188	256	10.04-12.14	■	■
1226 L	Diesel	7201	188	256	10.04-	■	■
826, 826 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
926, 926 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1029, 1029 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1229, 1229 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1229 L	Diesel	7201	210	286	10.04-	■	■
829, 829 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
929, 929 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
ATEGO 3 04.13-						Dump Truck	
1016 K (OM 934.911)	Diesel	5132	115	156	04.13-	■	■
716 K (OM 934.911)	Diesel	5132	115	156	04.13-	■	■
816 K (OM 934.911)	Diesel	5132	115	156	04.13-	■	■
816 K (OM 934.911)	Diesel	5132	115	156	04.13-	■	■
916 K (OM 934.911)	Diesel	5132	115	156	04.13-	■	■
1018 K (OM 934.911)	Diesel	5132	130	177	04.13-	■	■
718 K (OM 934.911)	Diesel	5132	130	177	04.13-	■	■
818 K (OM 934.911)	Diesel	5132	130	177	04.13-	■	■
818 K (OM 934.911)	Diesel	5132	130	177	04.13-	■	■
918 K (OM 934.911)	Diesel	5132	130	177	04.13-	■	■
1021 K (OM 934.913)	Diesel	5132	155	211	04.13-	■	■
721 K (OM 934.913)	Diesel	5132	155	211	04.13-	■	■
821 K (OM 934.913)	Diesel	5132	155	211	04.13-	■	■
821 K (OM 934.913)	Diesel	5132	155	211	04.13-	■	■
921 K (OM 934.913)	Diesel	5132	155	211	04.13-	■	■
1023 K (OM 934.913)	Diesel	5132	170	231	04.13-	■	■
723 K (OM 934.913)	Diesel	5132	170	231	04.13-	■	■
823 K (OM 934.913)	Diesel	5132	170	231	04.13-	■	■
823 K (OM 934.913)	Diesel	5132	170	231	04.13-	■	■
923 K (OM 934.913)	Diesel	5132	170	231	04.13-	■	■
1024 K	Diesel	7698	175	238	04.13-	■	■
824 K	Diesel	7698	175	238	04.13-	■	■
1027 K	Diesel	7698	200	272	05.13-	■	■
827 K	Diesel	7698	200	272	05.13-	■	■
927 K	Diesel	7698	200	272	05.13-	■	■
1030 K	Diesel	7698	220	299	05.13-	■	■
1530 K	Diesel	7698	220	299	04.13-	■	■
830 K	Diesel	7698	220	299	05.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

930 K		Diesel		7698	220	299	05.13-	■	■
ATEGO 3 04.13-				Municipal Vehicle					
1016 KO		Diesel		5132	115	156	05.13-	■	■
916 F		Diesel		5132	115	156	05.13-	■	■
1018 KO (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
918 F (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1021 KO (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
921 F		Diesel		5132	155	211	05.13-	■	■
1023 KO (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
923 F (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
924 F		Diesel		7698	175	238	05.13-	■	■
1530 F		Diesel		7698	220	299	04.13-	■	■
930 F		Diesel		7698	220	299	05.13-	■	■
ATEGO 3 04.13-				Platform/Chassis					
1016, 1016 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
916, 916 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1018, 1018 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
718, 718 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
918, 918 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1021, 1021 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
721, 721 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
821, 821 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
821, 821 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
921, 921 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
723, 723 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
823, 823 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
823, 823 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
923, 923 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1224, 1224 L		Diesel		7698	175	238	04.13-	■	■
2124		Diesel		7698	175	238	04.17-	■	■
824, 824 L		Diesel		7698	175	238	04.13-	■	■
1027		Diesel		7698	200	272	05.13-	■	■
1027 L		Diesel		7698	200	272	05.13-	■	■
1227, 1227 L		Diesel		7698	200	238	04.13-	■	■
2127		Diesel		7698	200	272	04.17-	■	■
827		Diesel		7698	200	272	05.13-	■	■
827 L		Diesel		7698	200	272	05.13-	■	■
927		Diesel		7698	200	272	05.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

927 L		Diesel		7698	200	272	05.13-	■	■
1030		Diesel		7698	220	299	05.13-	■	■
1030 L		Diesel		7698	220	299	05.13-	■	■
1530, 1530 L		Diesel		7698	220	299	04.13-	■	■
2130		Diesel		7698	220	299	04.17-	■	■
830		Diesel		7698	220	299	05.13-	■	■
830 L		Diesel		7698	220	299	05.13-	■	■
930		Diesel		7698	220	299	05.13-	■	■
930 L		Diesel		7698	220	299	05.13-	■	■

NISSAN

NT500 (G40M) 10.13-12.16							Platform/Chassis		
75.18, 75.18 MTA		Diesel		2953	130	177	10.13-12.16	■	■

TRENKAMP&GEHLE GMBH (GIGANT)

Protec							Trailer Axle		
DH4 05506 3334							01.99-		■