

# LISTA DE APLICACIONES - BUYERS GUIDE



## 151404-202



Qty: 660

Weight: 6.990

O.E.M.	MAKE
000 421 10 10	MERCEDES-BENZ
000 421 12 10	MERCEDES-BENZ
001 421 05 10	MERCEDES-BENZ
001 421 06 10	MERCEDES-BENZ
001 421 25 10	MERCEDES-BENZ
001 421 26 10	MERCEDES-BENZ
003 420 11 20	MERCEDES-BENZ
003 420 12 20	MERCEDES-BENZ
003 420 66 20	MERCEDES-BENZ
003 420 72 20	MERCEDES-BENZ
003 420 73 20	MERCEDES-BENZ
004 420 61 20	MERCEDES-BENZ
008 420 65 20	MERCEDES-BENZ
81 50820 5085	MAN
81 50820 6043	MAN
81 50820 6054	MAN
81 50820 8085	MAN
9291045	SAETA
9291048	SAETA
9291049	SAETA
D1060-LC55A	NISSAN



## 151404-202



90R-01178/696



Knorr SB5000/SN5000

173.6x84.1x34

185.1x84.1x34

WVA	FMSI
29115	D1995-9225
29148	
29183	
MAKE	
DENNIS	
MAN	
MERCEDES-BENZ	
NISSAN	
TRENKAMP&GEHLE GMBH (GIGANT)	



Trac.	CC	Kw	CV		
					Front / Rear

### DENNIS

#### DAGGER 01.02-12.07

#### Municipal Vehicle

Dagger (ISBE 250)	Diesel	5883	184	250	01.02-12.07	■	■
-------------------	--------	------	-----	-----	-------------	---	---

### MAN

#### TGL 01.04-

#### Dump Truck

8.150 (D 0834 LFL 40)	Diesel	4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 50)	Diesel	4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 53)	Diesel	4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 63)	Diesel	4580	110	150	10.06-03.22	■	■
8.150 (D 0834 LFL 66)	Diesel	4580	110	150	10.06-03.22	■	■
10.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 67)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 67)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 67)	Diesel	4580	132	180	04.05-03.22	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

10.210 (D 0834 LFL 42)	Diesel	4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 52)	Diesel	4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 55)	Diesel	4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 42)	Diesel	4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 52)	Diesel	4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 55)	Diesel	4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 42)	Diesel	4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 52)	Diesel	4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 55)	Diesel	4580	151	206	04.05-03.22	■	■
10.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-03.22	■	■
10.220 (D 0834 LFL 68)	Diesel	4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 68)	Diesel	4580	162	220	04.05-03.22	■	■
8.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-03.22	■	■
8.220 (D 0834 LFL 68)	Diesel	4580	162	220	04.05-03.22	■	■
10.240 (D 0836 LFL 40)	Diesel	6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 50)	Diesel	6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 53)	Diesel	6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 40)	Diesel	6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 50)	Diesel	6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 53)	Diesel	6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 40)	Diesel	6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 50)	Diesel	6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 53)	Diesel	6871	176	240	04.05-03.22	■	■
10.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-03.22	■	■
10.250 (D 0836 LFL 66)	Diesel	6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 66)	Diesel	6871	184	250	04.05-03.22	■	■
8.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-03.22	■	■
8.250 (D 0836 LFL 66)	Diesel	6871	184	250	04.05-03.22	■	■
<b>TGL 01.04-</b>				<b>Platform/Chassis</b>			
7.150, 8.150 (D 0834 LFL 40)	Diesel	4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 50)	Diesel	4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 53)	Diesel	4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 60)	Diesel	4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 63)	Diesel	4580	110	150	04.05-03.22	■	■
7.150, 8.150 (D 0834 LFL 66)	Diesel	4580	110	150	04.05-03.22	■	■
10.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
10.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
12.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 61)	Diesel	4580	132	180	04.05-03.22	■	■
7.180, 8.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 41)	Diesel	4580	132	180	04.05-03.22	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

8.180 (D 0834 LFL 51)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 54)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 64)	Diesel	4580	132	180	04.05-03.22	■	■
8.180 (D 0834 LFL 67)	Diesel	4580	132	180	04.05-03.22	■	■
10.210 (D 0834 LFL 42)	Diesel	4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 52)	Diesel	4580	151	206	04.05-03.22	■	■
10.210 (D 0834 LFL 55)	Diesel	4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 42)	Diesel	4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 52)	Diesel	4580	151	206	04.05-03.22	■	■
12.210 (D 0834 LFL 55)	Diesel	4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 42)	Diesel	4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 52)	Diesel	4580	151	206	04.05-03.22	■	■
8.210 (D 0834 LFL 55)	Diesel	4580	151	206	04.05-03.22	■	■
10.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-03.22	■	■
10.220 (D 0834 LFL 68)	Diesel	4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-03.22	■	■
12.220 (D 0834 LFL 68)	Diesel	4580	162	220	04.05-03.22	■	■
7.220 (D 0834 LFL 62)	Diesel	4580	162	220	04.05-	■	■
7.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-	■	■
8.220 (D 0834 LFL 65)	Diesel	4580	162	220	04.05-03.22	■	■
8.220 (D 0834 LFL 68)	Diesel	4580	162	220	04.05-03.22	■	■
10.240 (D 0836 LFL 40)	Diesel	6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 50)	Diesel	6871	176	240	04.05-03.22	■	■
10.240 (D 0836 LFL 53)	Diesel	6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 40)	Diesel	6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 50)	Diesel	6871	176	240	04.05-03.22	■	■
12.240 (D 0836 LFL 53)	Diesel	6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 40)	Diesel	6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 50)	Diesel	6871	176	240	04.05-03.22	■	■
8.240 (D 0836 LFL 53)	Diesel	6871	176	240	04.05-03.22	■	■
10.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-03.22	■	■
10.250 (D 0836 LFL 66)	Diesel	6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-03.22	■	■
12.250 (D 0836 LFL 66)	Diesel	6871	184	250	04.05-03.22	■	■
7.250 (D 0836 LFL 60)	Diesel	6871	184	250	04.05-	■	■
7.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-	■	■
8.250 (D 0836 LFL 63)	Diesel	6871	184	250	04.05-03.22	■	■
8.250 (D 0836 LFL 66)	Diesel	6871	184	250	04.05-03.22	■	■
MERCEDES-BENZ							
ACCELO 10.98-				Platform/Chassis			
715 C (OM 612.965)	Diesel	2685	115	156	05.03-	■	■
715 C (OM 612.966)	Diesel	2685	115	156	05.03-	■	■
715 C (OM 612.983)	Diesel	2685	115	156	05.03-	■	■
710 (OM 374.992)	Diesel	3972	80	109	05.03-	■	■
914 C	Diesel	4249	100	136	10.98-	■	■
915, 915 C (OM 904.943)	Diesel	4249	110	150	05.03-	■	■
915, 915 C (OM 904.957)	Diesel	4249	110	150	05.03-	■	■
915, 915 C (OM 904.965)	Diesel	4249	110	150	05.03-	■	■
915, 915 C (OM 904.966)	Diesel	4249	110	150	05.03-	■	■
915, 915 C (OM 904.970)	Diesel	4249	110	150	05.03-	■	■
815	Diesel	4801	110	150	01.12-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1016	Diesel	4801	115	156	01.12-	■	■
<b>ATEGO 01.98-10.04</b>			<b>Dump Truck</b>				
1014 K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
714 K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
714 K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
814K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
814K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
814K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
814K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
914K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
815 K (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■	■
815 K (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■	■
1017AK (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
1017K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
1017K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
717 K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
717 K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
817K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
817K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
817K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
917K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
917K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
1023 AK (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
1023 AK (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■
1023 K (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
1023 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■
823 K (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
823 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■
923 K (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■	■
923 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■	■
<b>ATEGO 01.98-10.04</b>			<b>Municipal Vehicle</b>				
815 F (OM 900.912)	Diesel	4249	112	152	01.98-10.04	■	■
815 F (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■	■
1017 KO, 1018 KO (OM 900.913)	Diesel	4249	125	170	01.98-10.04	■	■
1017 KO, 1018 KO (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
1017 KO, 1018 KO (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
917AF (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
917AF (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■	■
917AF (OM 904.949)	Diesel	4249	125	170	01.98-10.04	■	■
917KO (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■	■
925 AF (OM 906.919)	Diesel	6374	180	245	01.98-10.04	■	■
925 AF (OM 906.939)	Diesel	6374	180	245	01.98-10.04	■	■
<b>ATEGO 01.98-10.04</b>			<b>Platform/Chassis</b>				
712 (OM 904.909)	Diesel	4249	90	122	01.98-10.04	■	■
812 (OM 904.909)	Diesel	4249	90	122	01.98-10.04	■	■
1014, 1014 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
1214, 1214 L (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
1214, 1214 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■
714, 714 L (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■	■
714, 714 L (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

814, 814 L (OM 904.910)	Diesel		4249	100	136	01.98-10.04	■	■
814, 814 L (OM 904.916)	Diesel		4249	100	136	01.98-10.04	■	■
814, 814 L (OM 904.930)	Diesel		4249	100	136	01.98-10.04	■	■
914, 914 L (OM 904.916)	Diesel		4249	100	136	01.98-10.04	■	■
715,715 L (OM 904.922)	Diesel		4249	112	152	01.98-10.04	■	■
815,815 L (OM 904.922)	Diesel		4249	112	152	01.98-10.04	■	■
815,815 L (OM 904.922)	Diesel		4249	112	152	01.98-10.04	■	■
1017, 1017 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1017, 1017 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
1017A (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1017A (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
1217, 1217 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1217, 1217 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
717, 717 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
717, 717 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
817, 817 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
917, 917 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
917, 917 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
1023, 1023 L (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	■
1223, 1223 L (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	■
1223, 1223 L (OM 906.915)	Diesel		6374	170	231	01.98-10.04	■	■
823, 823 L (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	■
823, 823 L (OM 906.915)	Diesel		6374	170	231	01.98-10.04	■	■
923, 923 L (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	■
<b>ATEGO 2 01.04-</b>				<b>Dump Truck</b>				
812 K (OM 904.909)	Diesel		4249	90	122	10.04-	■	■
1015 K (OM 904.916)	Diesel		4249	100	136	10.04-	■	■
1015 K, 1016 K (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
1015 K, 1016 K (OM 900.918)	Diesel		4249	112	152	10.04-	■	■
1015 K, 1016 K (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.918)	Diesel		4249	112	152	10.04-	■	■
815 K, 816 K (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
815 K, 816 K (OM 900.918)	Diesel		4249	112	152	10.04-	■	■
815 K, 816 K (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
915 K (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
916 K (OM 900.912)	Diesel		4249	115	156	10.04-	■	■
916 K (OM 900.918)	Diesel		4249	115	156	10.04-	■	■
1017AK (OM 904.917)	Diesel		4249	125	170	10.04-	■	■
1017 K, 1018 K (OM 900.913)	Diesel		4249	125	170	10.04-	■	■
1017 K, 1018 K (OM 900.919)	Diesel		4249	125	170	10.04-	■	■
1017 K, 1018 K (OM 904.911)	Diesel		4249	125	170	10.04-	■	■
1018 AK (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
818 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
818 K (OM 900.919)	Diesel		4249	130	177	10.04-	■	■
818 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
818 K (OM 900.919)	Diesel		4249	130	177	10.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

918 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
918 K (OM 900.919)	Diesel		4249	130	177	10.04-	■	■
1022 AK (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
1022 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	■
1022 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
822 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	■
822 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	■
822 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
922 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	■
922 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
1024 AK (OM 902.916)	Diesel		6374	175	238	10.04-	■	■
1024 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	■
824 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	■
924 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	■
<b>ATEGO 2 01.04-</b>				<b>Municipal Vehicle</b>				
815 F (OM 904.916)	Diesel		4249	100	136	10.04-	■	■
1022 KO (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
822 F (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
<b>ATEGO 2 01.04-</b>				<b>Platform/Chassis</b>				
712, 713 (OM 900.911)	Diesel		4249	90	122	10.04-	■	■
712, 713 (OM 900.917)	Diesel		4249	90	122	10.04-	■	■
712, 713 (OM 904.909)	Diesel		4249	90	122	10.04-	■	■
712, 713 (OM 904.915)	Diesel		4249	90	122	10.04-	■	■
812, 813 (OM 900.911)	Diesel		4249	90	122	10.04-	■	■
812, 813 (OM 900.917)	Diesel		4249	90	122	10.04-	■	■
812, 813 (OM 904.909)	Diesel		4249	90	122	10.04-	■	■
1015, 1015 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
1215, 1215 L, 1216, 1216 L (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
1215, 1215 L, 1216, 1216 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
715, 715 L, 716, 716 L (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
715, 715 L, 716, 716 L (OM 900.918)	Diesel		4249	112	152	10.04-	■	■
715, 715 L, 716, 716 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
815, 815 L, 816, 816 L (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
815, 815 L, 816, 816 L (OM 900.918)	Diesel		4249	112	152	10.04-	■	■
815, 815 L, 816, 816 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 900.912)	Diesel		4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 900.918)	Diesel		4249	112	152	10.04-	■	■
915, 915 L, 916, 916 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	■
1016, 1016 L (OM 900.912)	Diesel		4249	115	156	10.04-	■	■
1016, 1016 L (OM 900.918)	Diesel		4249	115	156	10.04-	■	■
816, 816 L (OM 900.912)	Diesel		4249	115	156	10.04-	■	■
1018, 1018 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
1018, 1018 L (OM 900.919)	Diesel		4249	130	177	10.04-	■	■
1018 A (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
1018 A (OM 900.919)	Diesel		4249	130	177	10.04-	■	■
1218, 1218 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.919)	Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
818, 818 L (OM 900.919)	Diesel		4249	130	177	10.04-	■	■
918, 918 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

918, 918 L (OM 900.919)	Diesel	4249	130	177	10.04-	■	■
1016, 1016 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	■
1216, 1216 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	■
816, 816 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	■
816, 816 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	■
916, 916 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	■
1022, 1022 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1022, 1022 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1022, 1022 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1022 A (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1222, 1222 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
822, 822 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
822, 822 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
822, 822 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
822, 822 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
822, 822 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
822, 822 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
922, 922 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
922, 922 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
922, 922 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1023, 1023 L, 1024, 1024 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1023, 1023 L, 1024, 1024 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1023, 1023 L, 1024, 1024 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1023 A, 1024 A (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1023 A, 1024 A (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1023 A, 1024 A (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1223, 1223 L, 1224, 1224 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
823, 823 L, 824, 824 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	
823, 823 L, 824, 824 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
823, 823 L, 824, 824 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
923, 923 L, 924, 924 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
923, 923 L, 924, 924 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
923, 923 L, 924, 924 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
1024, 1024 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1224, 1224 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
824, 824 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
924, 924 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1026, 1026 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1226, 1226 L (OM 925.920)	Diesel	7201	188	256	10.04-12.14	■	■
826, 826 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
926, 926 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1029, 1029 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1229, 1229 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
829, 829 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
929, 929 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

ATEGO 3 04.13-					Dump Truck				
1016 K (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
716 K (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
816 K (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
816 K (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
916 K (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1018 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
718 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
818 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
818 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
918 K (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1021 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
721 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
821 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
821 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
921 K (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1023 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
723 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
823 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
823 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
923 K (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1024 K		Diesel		7698	175	238	04.13-	■	■
824 K		Diesel		7698	175	238	04.13-	■	■
1530 K		Diesel		7698	220	299	04.13-	■	■
ATEGO 3 04.13-					Municipal Vehicle				
1018 KO (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
918 F (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1021 KO (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1023 KO (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
923 F (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1530 F		Diesel		7698	220	299	04.13-	■	■
ATEGO 3 04.13-					Platform/Chassis				
1016, 1016 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
916, 916 L (OM 934.911)		Diesel		5132	115	156	04.13-	■	■
1018, 1018 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
718, 718 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
918, 918 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1021, 1021 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
721, 721 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■



# LISTA DE APLICACIONES - BUYERS GUIDE

821, 821 L (OM 934.913)	Diesel		5132	155	211	04.13-	■	■
821, 821 L (OM 934.913)	Diesel		5132	155	211	04.13-	■	■
921, 921 L (OM 934.913)	Diesel		5132	155	211	04.13-	■	■
1223, 1223 L (OM 934.913)	Diesel		5132	170	231	04.13-	■	■
1223, 1223 L (OM 934.913)	Diesel		5132	170	231	04.13-	■	■
723, 723 L (OM 934.913)	Diesel		5132	170	231	04.13-	■	■
823, 823 L (OM 934.913)	Diesel		5132	170	231	04.13-	■	■
823, 823 L (OM 934.913)	Diesel		5132	170	231	04.13-	■	■
923, 923 L (OM 934.913)	Diesel		5132	170	231	04.13-	■	■
1224, 1224 L	Diesel		7698	175	238	04.13-	■	■
824, 824 L	Diesel		7698	175	238	04.13-	■	■
1227, 1227 L	Diesel		7698	200	238	04.13-	■	■
1530, 1530 L	Diesel		7698	220	299	04.13-	■	■
<b>NISSAN</b>								
<b>NT500 (G40M) 05.13-</b>					<b>Platform/Chassis</b>			
75.18, 75.18 MTA	Diesel		2953	130	177	05.13-	■	■
<b>TRENKAMP&amp;GEHLE GMBH (GIGANT)</b>								
<b>Protec</b>					<b>Trailer Axle</b>			
DH4 05506 3334						01.99-	■	