

LISTA DE APLICACIONES - BUYERS GUIDE

151405




8 424073 083944

Qty: 660

Weight: 11.386

O.E.M.	MAKE
152 27 419 T	MERITOR
5001 855 646	RENAULT TRUCKS
503 14009 0	IVECO
81 50820 5072	MAN
81 50820 5073	MAN
81 50820 6041	MAN
81 50820 6051	MAN
81 50820 6052	MAN



151405

E 9 90R-01178/668



Meritor D-Elsa 2

249.4x118x30.25

WVA	FMSI
29131	D1310-8425
29156	
MAKE	
ERF	
HEULIEZ	
IRISBUS	
IVECO	
MAN	
MERITOR	
RENAULT TRUCKS	

151405-067



1 - Ref. 690091 E



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

ERF

ECL 04.02-	Diesel	6871	206	280	04.02-	■	■
7.28 RD3 / TP3 (D 0836 LF 03)							
Dump Truck							
ECL 04.02-							
7.28 RD3 / TP3 (D 0836 LF 03)							
Platform/Chassis							
ECM 04.02-							
12.36 MTP4							
Dump Truck							
ECM 04.02-							
6.22 RD2							
7.22 RD2 (D 0826 LF15)							
7.22 RD2 (D 0826 LF18)							
7.28 RD2							
7.28 RR3							
Platform/Chassis							
ECT 04.02-							
32.35 BB (D 2066 LF 03)							
Dump Truck							
ECT 04.02-							
10.35 DB2 (D 2066 LF 03)							
10.35 RDB3 (D 2066 LF 03)							
10.43 DB2 (D 2066 LF 01)							
10.43 RDB3 (D 2066 LF 01)							
11.39 DB2							
11.39 RDB3							
18.380 FLRC (ISME 385)							

LISTA DE APLICACIONES - BUYERS GUIDE

26.380 FNLRC, FNLLRC (ISME 385)		Diesel		10824	283	380	06.03-	■	■
11.42 DB2		Diesel		10824	309	420	04.02-	■	■
11.42 RDB3		Diesel		10824	309	420	04.02-	■	■
18.420 FLRC (ISME 420)		Diesel		10824	309	420	06.03-	■	■
26.420 FNLRC, FNLLRC (ISME 420)		Diesel		10824	309	420	06.03-	■	■
12.36 DB2 (D 2866 LF27)		Diesel		11967	265	360	04.02-	■	■
12.36 DB2 (D 2866 LF37)		Diesel		11967	265	360	04.02-	■	■
13.46 RDB3		Diesel		12816	338	460	04.02-	■	■
13.48 RDB3 (D 2876 LF 12)		Diesel		12816	353	480	02.05-	■	■
ECT 04.02-								Truck Tractor	
10.35 ST (D 2066 LF 03)		Diesel		10518	257	350	02.05-	■	■
10.43 MT, MTL (D 2066 LF 01)		Diesel		10518	316	430	02.05-	■	■
10.43 ST (D 2066 LF 01)		Diesel		10518	316	430	02.05-	■	■
11.39 MT, MTL		Diesel		10824	283	385	04.02-	■	■
11.39 ST		Diesel		10824	283	385	04.02-	■	■
18.380 FLRS (ISME 385)		Diesel		10824	283	380	07.05-	■	■
24.380 FPLRS (ISME 385)		Diesel		10824	283	380	07.05-	■	■
26.380 FPLRS (ISME 385)		Diesel		10824	283	380	07.05-	■	■
11.42 MT, MTL		Diesel		10824	309	420	04.02-	■	■
11.42 ST		Diesel		10824	309	420	04.02-	■	■
18.420 FLRS (ISME 420)		Diesel		10824	309	420	07.05-	■	■
24.420 FPLRS (ISME 420)		Diesel		10824	309	420	07.05-	■	■
26.420 FPLRS (ISME 420)		Diesel		10824	309	420	07.05-	■	■
12.36 ST (D 2866 LF27)		Diesel		11967	265	360	04.02-	■	■
12.36 ST (D 2866 LF37)		Diesel		11967	265	360	04.02-	■	■
13.46 DT		Diesel		12816	338	460	04.02-	■	■
13.46 MT, MTL		Diesel		12816	338	460	04.02-	■	■
13.48 DT (D 2876 LF 12)		Diesel		12816	353	480	02.05-	■	■
13.48 MT, MTL (D 2876 LF 12)		Diesel		12816	353	480	02.05-	■	■
13.48 ST (D 2876 LF 12)		Diesel		12816	353	480	02.05-	■	■
ECX 01.01-								Platform/Chassis	
-		Diesel					01.01-	■	■
HEULIEZ									
GX 09.13-								Bus	
GX 137		Diesel		6728	184	250	09.13-	■	■
GX 137, GX 137 L		Diesel		6728	184	250	09.13-	■	■
GX 137		Diesel		6728	210	286	09.13-	■	■
GX 137		Diesel		6728	210	286	09.13-	■	■
GX 137 L		Diesel		6728	210	286	09.13-	■	■
GX 337		Diesel		6728	210	286	09.13-	■	■
GX 437		Diesel		8709	265	360	09.13-	■	■
GX 437		Diesel		8709	294	400	09.13-	■	■
GX 09.13-								Bus	
GX 337 CNG		Gasolina		7790	213	290	09.17-12.21	■	■
GX 09.13-								Bus	
GX 337 HYB		Hidrógeno		6728	210	286	09.13-	■	■
GX 437 HYB		Hidrógeno		6728	210	286	09.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

GX 09.13-								Bus	
GX 137 E		Mixto		0	160	218	06.17-	■	■
GX 337 E		Mixto		0	160	218	06.17-	■	■
GX 437 E		Mixto		0	160	218	06.17-	■	■
GX 437 E		Mixto		0	200	272	06.17-	■	■
IRISBUS									
01.94-12.07								Bus	
GX 117		Diesel		5883	154	204	01.01-12.07	■	■
ACCESS BUS 127 03.06-12.13								Bus	
GX 127		Diesel		5883	160	218	03.06-12.13	■	■
GX 127		Diesel		5883	160	218	04.10-12.13	■	■
GX 127 L		Diesel		5883	160	218	03.06-12.13	■	■
GX 127		Diesel		5883	195	265	04.10-12.13	■	■
GX 127, GX 127 L		Diesel		5883	195	264	03.06-12.13	■	■
AGORA 01.03-								Bus	
Agora L		Diesel		7790	180	245	01.03-	■	■
Agora S		Diesel		7790	180	245	01.03-	■	■
Agora L		Diesel		7790	213	290	01.03-12.05	■	■
Agora S		Diesel		7790	213	290	01.03-12.05	■	■
AGORA 01.03-								Bus	
Agora CNG		Gasolina		7790	154	209	03.06-	■	■
Agora CNG		Gasolina		7790	198	269	03.06-	■	■
ARWAY 01.05-								Bus	
10.6M (F2BE3681B)		Diesel		7790	243	330	01.05-12.13	■	■
12.8m		Diesel		7790	243	330	01.05-12.13	■	■
12m		Diesel		7790	243	330	01.05-12.13	■	■
10.6M		Diesel		7790	280	380	01.05-12.13	■	■
12.8m		Diesel		7790	280	381	01.05-12.13	■	■
12m		Diesel		7790	280	381	01.05-12.13	■	■
15M		Diesel		10308	280	380	01.05-12.13	■	■
15M		Diesel		10308	331	450	01.05-12.13	■	■
AXER 10.03-01.07								Bus	
12m, 12.8m (F2BE1682G)		Diesel		7790	228	310	03.05-01.07	■	■
12.8m (F2BE1682G)		Diesel		7790	259	352	03.05-01.07	■	■
CITELIS 07.05-								Bus	
10.5, 12, LINE		Diesel		7790	180	245	09.05-	■	■
10.5, 12, LINE		Diesel		7790	213	290	07.05-12.13	■	■
18m		Diesel		7790	213	290	07.05-12.13	■	■
18m		Diesel		7790	280	379	07.05-12.13	■	■
CITELIS 07.05-								Bus	
10.5 CNG, 12 CNG		Gasolina		7790	180	245	07.05-12.13	■	■
10 CNG		Gasolina		7790	199	271	07.05-12.13	■	■
12 CNG		Gasolina		7790	199	271	07.05-12.13	■	■
18 CNG		Gasolina		7790	199	271	07.05-12.13	■	■
18 CNG		Gasolina		7790	200	272	09.05-	■	■
10.5 CNG, 12 CNG		Gasolina		7790	213	290	07.05-12.13	■	■
18 CNG		Gasolina		7790	213	290	05.07-12.13	■	■
10 CNG		Gasolina		7790	228	310	07.05-12.13	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

18 CNG		Gasolina		7790	228	310	09.05-		■
18 CNG		Gasolina		7790	228	310	07.05-12.13		■
18 CNG		Gasolina		7790	243	330	07.05-12.13		■
CITELIS 07.05-									Bus
18 HYBRID		Hidrógeno		5883	220	299	07.05-12.13		■
CREALIS 04.98-12.03									Bus
12, 12 NEO		Diesel		7790	180	245	01.09-		■
12, 12 NEO		Diesel		7790	213	290	01.09-		■
18, 18 NEO		Diesel		7790	213	290	01.09-		■
18, 18 NEO		Diesel		7790	280	380	04.98-12.03		■
CREALIS 04.98-12.03									Bus
12 CNG, 12 NEO CNG		Gasolina		7790	180	245	10.01-12.03		■
12 CNG, 12 NEO CNG		Gasolina		7790	213	290	01.09-		■
18 CNG, 18 NEO CNG		Gasolina		7790	213	290	01.09-		■
18 CNG, 18 NEO CNG		Gasolina		7790	243	330	01.09-		■
CROSSWAY 06.06-									Bus
LE 12M		Diesel		5861	194	264	06.06-	■	■
10.6M		Diesel		7790	194	264	06.06-	■	■
10.6M		Diesel		7790	220	300	06.06-	■	■
10.6M		Diesel		7790	243	330	06.06-	■	■
10.6M		Diesel		7790	280	381	06.06-	■	■
DOMINO 10.03-									Bus
2001		Diesel		9498	254	345	10.03-	■	■
HD		Diesel		10308	280	380	06.06-	■	■
HD, HDH		Diesel		10308	330	450	06.06-	■	■
EVADYS 09.03-									Bus
H 12.8M		Diesel		7790	243	330	09.03-	■	■
H 12M		Diesel		7790	243	330	09.03-	■	■
H 12.8M		Diesel		7790	280	381	09.03-	■	■
H 12M		Diesel		7790	280	381	09.03-	■	■
H 12M		Diesel		7990	280	381	10.03-	■	■
HD 12M		Diesel		10308	279	381	10.03-	■	■
HD 12M		Diesel		10308	330	450	10.03-	■	■
MAGELYS 01.07-12.13									Bus
HD		Diesel		10308	279	381	01.07-12.13	■	■
HD		Diesel		10308	331	450	01.07-12.13	■	■
PROWAY 06.06-									Bus
Short, Long (F4AE3681B)		Diesel		5883	160	217	01.09-	■	■
RECREO 10.03-01.07									Bus
12m, 12.8m		Diesel		7790	228	310	10.03-01.07	■	■
IVECO									
01.16-									Bus
12m		Diesel		8709	294	400	01.16-	■	■
13M		Diesel		8709	294	400	01.16-	■	■
09.19-									Bus
10.7M		Mixto		0	160	218	09.19-	■	■
12m		Mixto		0	160	218	09.19-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

9.5M		Mixto		0	160	218	09.19-	■	■
CROSSWAY 01.13-								Bus	
LE 285		Diesel		6728	209	284	01.16-	■	■
LE 10.8M		Diesel		6728	210	286	01.13-	■	■
LE 12M		Diesel		6728	210	286	01.13-	■	■
LE 13M		Diesel		6728	210	286	01.13-	■	■
10.8M		Diesel		6728	235	320	01.13-	■	■
12m		Diesel		6728	235	320	01.13-	■	■
13M		Diesel		6728	235	320	01.13-	■	■
320, LE 320 (F4AFE611D)		Diesel		6728	235	320	01.16-	■	■
360, LE 360, PRO 360 (F2CFE611B)		Diesel		8708	265	360	01.16-	■	■
PRO 400		Diesel		8708	294	400	01.16-	■	■
10.8M		Diesel		8709	265	360	01.13-	■	■
12m		Diesel		8709	265	360	01.13-	■	■
13M		Diesel		8709	265	360	01.13-	■	■
LE 10.8M		Diesel		8709	265	360	01.13-	■	■
LE 12M		Diesel		8709	265	360	01.13-	■	■
LE 13M		Diesel		8709	265	360	01.13-	■	■
CROSSWAY 01.13-								Bus	
12m CNG		Gasolina		8709	265	360	04.19-	■	■
13M CNG		Gasolina		8709	265	360	04.19-	■	■
LE 12M CNG		Gasolina		8709	265	360	11.17-	■	■
LE 13M CNG		Gasolina		8709	265	360	11.17-	■	■
MAGELYS 05.13-								Bus	
Magelys Pro		Diesel		8709	294	400	07.11-	■	■
URBANWAY 05.13-								Bus	
10m		Diesel		6728	210	286	05.13-	■	■
12m		Diesel		8709	228	310	05.13-	■	■
12m		Diesel		8709	265	360	05.13-	■	■
18m		Diesel		8709	265	360	05.13-	■	■
18m		Diesel		8709	294	400	05.13-	■	■
URBANWAY 05.13-								Bus	
12m CNG		Gasolina		7790	213	290	05.13-	■	■
18m CNG		Gasolina		7790	243	330	05.13-	■	■
MAN									
E2000 08.97-								Platform/Chassis	
28.233 CNG		Gasolina		11967	170	231	05.96-04.05	■	■
NL 09.88-								Bus	
NL 273 (D 2066 LUH 11)		Diesel		10518	199	271	01.06-10.09	■	■
NL 273 (D 2066 LUH 21)		Diesel		10518	199	271	01.06-10.09	■	■
NL 09.88-								Bus	
NL 243 (E 2866 DUH 03)		Gasolina		11967	180	245	05.07-12.14	■	■
NL 243 (E 2866 DUH 04)		Gasolina		11967	180	245	05.07-12.14	■	■
SÜ 10.75-								Bus	
SÜ 243 (D 0836 LOH 56)		Diesel		6871	176	240	06.05-10.09	■	■
SÜ 263 (D 0836 LOH 62)		Diesel		6871	191	260	06.05-10.09	■	■
SÜ 283 (D 0836 LOH 02)		Diesel		6871	206	280	09.03-	■	■
SÜ 283 (D 0836 LOH 51)		Diesel		6871	206	280	09.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

SÚ 283 (D 0836 LOH 55)		Diesel		6871	206	280	09.03-	■	■
SÚ 293 (D 0836 LOH 60)		Diesel		6871	213	290	09.03-	■	■
SÚ 273 (D 2066 LUH 11)		Diesel		10518	198	270	01.06-10.09	■	■
SÚ 273 (D 2066 LUH 21)		Diesel		10518	198	270	01.06-10.09	■	■
SÚ 313 (D 2066 LUH 12)		Diesel		10518	228	310	01.06-10.09	■	■
SÚ 313 (D 2066 LUH 22)		Diesel		10518	228	310	01.06-10.09	■	■
SÚ 320 (D 2066 LUH 32)		Diesel		10518	235	320	09.03-	■	■
SÚ 353 (D 2066 LUH 13)		Diesel		10518	257	350	01.06-10.09	■	■
SÚ 353 (D 2066 LUH 23)		Diesel		10518	257	350	01.06-10.09	■	■
SÚ 360 (D 2066 LUH 33)		Diesel		10518	264	360	05.07-	■	■
SÚ 313 (D 2866 LUH 24)		Diesel		11967	228	310	09.03-	■	■
SÚ 263 (D 2866 LUH 25)		Diesel		11967	265	360	09.03-	■	■
TGA 03.00-								Concrete Mixer	
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	06.05-	■	■
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	06.05-	■	■
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	06.05-	■	■
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	06.05-	■	■
35.310, 35.320 (D 2066 LF 04)		Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 35)		Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 39)		Diesel		10518	228	310	02.04-	■	■
37.310, 37.320 (D 2066 LF 04)		Diesel		10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 35)		Diesel		10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 39)		Diesel		10518	228	310	12.04-	■	■
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	02.04-	■	■
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	02.04-	■	■
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 13)		Diesel		10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 33)		Diesel		10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 38)		Diesel		10518	257	350	02.04-	■	■
33.350 (D 2066 LF 03)		Diesel		10518	257	350	09.07-	■	■
35.350 (D 2066 LF 03)		Diesel		10518	257	350	07.06-	■	■
35.350 (D 2066 LF 13)		Diesel		10518	257	350	07.06-	■	■
35.350, 35.360 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 13)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 33)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 38)		Diesel		10518	257	350	02.04-	■	■
37.350, 37.360 (D 2066 LF 03)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 13)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 33)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 38)		Diesel		10518	257	350	12.04-	■	■
41.350 (D 2066 LF 03)		Diesel		10518	257	350	09.07-	■	■
41.350, 41.360 (D 2066 LF 03)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 07)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 13)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 33)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 38)		Diesel		10518	257	350	12.04-	■	■
33.360 (D 2066 LF 07)		Diesel		10518	265	360	09.07-	■	■
35.360 (D 2066 LF 38)		Diesel		10518	265	360	07.06-	■	■
41.360 (D 2066 LF 07)		Diesel		10518	265	360	09.07-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
32.390, 32.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
32.390, 32.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
32.390, 32.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
32.390, 32.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 02)		Diesel		10518	287	390	09.07-	■	■
33.390, 33.400 (D 2066 LF 06)		Diesel		10518	287	390	09.07-	■	■
35.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
35.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
35.390, 35.400 (D 2066 LF 02)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 12)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 32)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 37)		Diesel		10518	287	390	02.04-	■	■
37.390, 37.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
41.390 (D 2066 LF 02)		Diesel		10518	287	390	09.07-	■	■
41.390, 41.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 06)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
35.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
41.400 (D 2066 LF 06)		Diesel		10518	294	400	09.07-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
33.430 (D 2066 LF 01)		Diesel		10518	316	430	09.07-	■	■
35.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
35.430, 35.440 (D 2066 LF 01)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 11)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 31)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 36)		Diesel		10518	316	430	02.04-	■	■
37.430, 37.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
41.430 (D 2066 LF 01)		Diesel		10518	316	430	09.07-	■	■
41.430, 41.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

41.430, 41.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
35.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■
26.310 (D 2866 LF26)		Diesel		11967	228	310	10.00-	■	■
32.310 (D 2866 LF26)		Diesel		11967	228	310	01.02-	■	■
35.310 (D 2866 LF26)		Diesel		11967	228	310	11.03-	■	■
37.310 (D 2866 LF26)		Diesel		11967	228	310	12.04-	■	■
26.360 (D 2866 LF27)		Diesel		11967	265	360	01.01-	■	■
32.360 (D 2866 LF27)		Diesel		11967	265	360	01.02-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	01.01-	■	■
35.360 (D 2866 LF27)		Diesel		11967	265	360	11.03-	■	■
37.360 (D 2866 LF27)		Diesel		11967	265	360	12.04-	■	■
41.360 (D 2866 LF27)		Diesel		11967	265	360	12.04-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	01.01-	■	■
32.410 (D 2866 LF28)		Diesel		11967	301	410	01.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	11.03-	■	■
37.410 (D 2866 LF28)		Diesel		11967	301	410	12.04-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	12.04-	■	■
33.440 (D 2676 LF 04)		Diesel		12419	324	440	09.07-	■	■
41.440 (D 2676 LF 04)		Diesel		12419	324	440	12.04-	■	■
41.440 (D 2676 LF 04)		Diesel		12419	324	440	09.07-	■	■
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
32.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
32.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	09.07-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	09.07-	■	■
35.480 (D 2676 LF 01)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
37.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
37.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 02)		Diesel		12419	353	480	09.07-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	09.07-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	01.01-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	01.01-	■	■
32.460 (D 2876 LF 04)		Diesel		12816	338	460	01.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
35.460 (D 2876 LF 04)		Diesel		12816	338	460	11.03-	■	■
37.460 (D 2876 LF 04)		Diesel		12816	338	460	12.04-	■	■
41.460 (D 2876 LF 04)		Diesel		12816	338	460	12.04-	■	■
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
32.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	11.03-	■	■
37.480 (D 2876 LF 12)		Diesel		12816	353	480	12.04-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	12.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.530 (D 2876 LF 13)		Diesel		12816	390	530	04.04-	■	■
37.530 (D 2876 LF 13)		Diesel		12816	390	530	12.04-	■	■
41.530 (D 2876 LF 13)		Diesel		12816	390	530	12.04-	■	■
TGA 03.00-							Dump Truck		
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	06.05-	■	■
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	06.05-	■	■
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	06.05-	■	■
35.310, 35.320 (D 2066 LF 04)		Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 35)		Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 39)		Diesel		10518	228	310	02.04-	■	■
37.310, 37.320 (D 2066 LF 04)		Diesel		10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 35)		Diesel		10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 39)		Diesel		10518	228	310	12.04-	■	■
18.350, 18.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
28.350 (D 2066 LF 03)		Diesel		10518	257	350	07.06-	■	■
28.350 (D 2066 LF 13)		Diesel		10518	257	350	07.06-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	06.05-	■	■
35.350 (D 2066 LF 03)		Diesel		10518	257	350	07.06-	■	■
35.350 (D 2066 LF 13)		Diesel		10518	257	350	07.06-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.350, 35.360 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 13)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 33)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 38)		Diesel		10518	257	350	02.04-	■	■
37.350, 37.360 (D 2066 LF 03)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 13)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 33)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 38)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 03)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 07)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 13)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 33)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 38)		Diesel		10518	257	350	12.04-	■	■
28.360 (D 2066 LF 38)		Diesel		10518	265	360	07.06-	■	■
35.360 (D 2066 LF 38)		Diesel		10518	265	360	07.06-	■	■
18.390, 18.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
28.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
28.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
33.390, 33.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 06)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
35.390 (D 2066 LF 02)		Diesel		10518	287	390	02.04-	■	■
35.390 (D 2066 LF 12)		Diesel		10518	287	390	02.04-	■	■
35.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
35.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
35.390, 35.400 (D 2066 LF 02)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 12)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 32)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 37)		Diesel		10518	287	390	02.04-	■	■
37.390, 37.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
40.390, 40.400 (D 2066 LF 02)		Diesel		10518	287	390	06.05-	■	■
40.390, 40.400 (D 2066 LF 06)		Diesel		10518	287	390	06.05-	■	■
41.390 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 06)		Diesel		10518	287	390	12.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

41.390, 41.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
28.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
35.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
35.400 (D 2066 LF 37)		Diesel		10518	294	400	02.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
28.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
28.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
33.430, 33.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
35.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
35.430, 35.440 (D 2066 LF 01)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 11)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 31)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 36)		Diesel		10518	316	430	02.04-	■	■
37.430, 37.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
40.430 (D 2066 LF 01)		Diesel		10518	316	430	06.05-	■	■
41.430 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
41.430 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
41.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
41.430, 41.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
28.440 (D 2066 LF 36)		Diesel		10518	324	440	01.04-10.08	■	■
35.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■
35.440		Diesel		10518	324	440	07.06-	■	■
41.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■
41.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■
18.310, 18.320 (D 2866 LF26)		Diesel		11967	228	310	12.00-	■	■
18.310, 18.320 (D 2866 LF36)		Diesel		11967	228	310	12.00-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

26.310 (D 2866 LF26)		Diesel		11967	228	310	09.02-	■	■
32.310 (D 2866 LF26)		Diesel		11967	228	310	01.02-	■	■
35.310 (D 2866 LF26)		Diesel		11967	228	310	06.03-	■	■
37.310 (D 2866 LF26)		Diesel		11967	228	310	12.04-	■	■
18.360 (D 2866 LF27)		Diesel		11967	265	360	12.00-	■	■
18.360 (D 2866 LF37)		Diesel		11967	265	360	12.00-	■	■
26.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
26.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	07.06-	■	■
32.360 (D 2866 LF27)		Diesel		11967	265	360	01.02-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	01.01-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	01.01-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
35.360 (D 2866 LF27)		Diesel		11967	265	360	10.03-	■	■
37.360 (D 2866 LF27)		Diesel		11967	265	360	12.04-	■	■
41.360 (D 2866 LF37)		Diesel		11967	265	360	09.03-	■	■
18.410, 18.420 (D 2866 LF28)		Diesel		11967	301	410	12.00-	■	■
18.410, 18.420 (D 2866 LF32)		Diesel		11967	301	410	12.00-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	09.01-	■	■
26.410 (D 2866 LF32)		Diesel		11967	301	410	09.01-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	02.02-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
32.410 (D 2866 LF28)		Diesel		11967	301	410	01.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	09.02-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	10.03-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
37.410 (D 2866 LF28)		Diesel		11967	301	410	12.04-	■	■
40.410 (D 2866 LF28)		Diesel		11967	301	410	04.04-	■	■
40.410 (D 2866 LF32)		Diesel		11967	301	410	04.04-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	09.03-	■	■
41.410 (D 2866 LF32)		Diesel		11967	301	410	09.03-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
33.440 (D 2676 LF 04)		Diesel		12419	324	440	06.05-	■	■
40.440 (D 2676 LF 04)		Diesel		12419	324	440	06.05-	■	■
41.440 (D 2676 LF 04)		Diesel		12419	324	440	12.04-	■	■
18.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
18.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
33.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
35.480 (D 2676 LF 01)		Diesel		12419	353	480	02.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.480 (D 2676 LF 05)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 02)		Diesel		12419	353	480	07.06-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
37.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
37.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
40.480 (D 2676 LF 02)		Diesel		12419	353	480	06.05-	■	■
40.480 (D 2676 LF 03)		Diesel		12419	353	480	06.05-	■	■
41.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 02)		Diesel		12419	353	480	07.06-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	12.08-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
18.460 (D 2876 LF 04)		Diesel		12816	338	460	12.00-	■	■
18.460 (D 2876 LF 07)		Diesel		12816	338	460	12.00-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	01.01-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	01.01-	■	■
32.460 (D 2876 LF 04)		Diesel		12816	338	460	01.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 07)		Diesel		12816	338	460	09.02-	■	■
35.460 (D 2876 LF 04)		Diesel		12816	338	460	10.03-	■	■
37.460 (D 2876 LF 04)		Diesel		12816	338	460	12.04-	■	■
40.460 (D 2876 LF 07)		Diesel		12816	338	460	04.04-	■	■
41.460 (D 2876 LF 07)		Diesel		12816	338	460	09.03-	■	■
18.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
28.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
32.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	10.03-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
37.480 (D 2876 LF 12)		Diesel		12816	353	480	12.04-	■	■
40.480 (D 2876 LF 12)		Diesel		12816	353	480	04.04-	■	■
40.480 (D 2876 LF 25)		Diesel		12816	353	480	04.04-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	06.05-	■	■
41.480 (D 2876 LF 25)		Diesel		12816	353	480	06.05-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
41.530 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
26.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
28.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	07.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.530 (D 2876 LF 13)		Diesel		12816	390	530	04.04-	■	■	
35.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
35.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
37.530 (D 2876 LF 13)		Diesel		12816	390	530	12.04-	■	■	
41.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
41.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
41.530 (D 2876 LF 13)		Diesel		12816	390	530	12.04-	■	■	
TGA 03.00-							Municipal Vehicle			
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	06.05-	■	■	
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	06.05-	■	■	
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	06.05-	■	■	
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	02.04-	■	■	
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	02.04-	■	■	
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	02.04-	■	■	
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	02.04-	■	■	
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	06.05-	■	■	
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	06.05-	■	■	
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	06.05-	■	■	
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	06.05-	■	■	
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	01.04-	■	■	
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	01.04-	■	■	
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	01.04-	■	■	
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	01.04-	■	■	
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	06.05-	■	■	
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	06.05-	■	■	
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	06.05-	■	■	
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	06.05-	■	■	
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	02.04-	■	■	
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	02.04-	■	■	
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	02.04-	■	■	
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	02.04-	■	■	
26.430 (D 2066 LF 01)		Diesel		10518	316	430	12.00-	■	■	
26.430 (D 2066 LF 11)		Diesel		10518	316	430	12.00-	■	■	
26.430, 26.440		Diesel		10518	316	430	06.05-	■	■	
26.440 (D 2066 LF 36)		Diesel		10518	324	440	09.05-	■	■	
26.310 (D 2866 LF26)		Diesel		11967	228	310	12.00-	■	■	
26.310 (D 2866 LF36)		Diesel		11967	228	310	12.00-	■	■	
26.360 (D 2866 LF27)		Diesel		11967	265	360	12.00-	■	■	
26.360 (D 2866 LF37)		Diesel		11967	265	360	12.00-	■	■	
26.410 (D 2866 LF28)		Diesel		11967	301	410	12.00-	■	■	
26.410 (D 2866 LF32)		Diesel		11967	301	410	12.00-	■	■	
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■	
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■	
26.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■	
26.460 (D 2876 LF 04)		Diesel		12816	338	460	12.00-	■	■	
26.460 (D 2876 LF 07)		Diesel		12816	338	460	12.00-	■	■	
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■	
TGA 03.00-							Platform/Chassis			
26.280 (D 0836 LF 41)		Diesel		6871	206	280	11.02-	■	■	
26.330 (D 0836 LF 44)		Diesel		6871	240	326	11.02-	■	■	
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 28)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 28)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	02.04-	■	■
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	02.04-	■	■
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	02.04-	■	■
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	02.04-	■	■
28.310 (D 2066 LF 04)		Diesel		10518	228	310	09.02-	■	■
28.310		Diesel		10518	228	310	07.06-	■	■
28.310, 28.320 (D 2066 LF 04)		Diesel		10518	228	310	07.06-	■	■
28.310, 28.320 (D 2066 LF 14)		Diesel		10518	228	310	07.06-	■	■
28.310, 28.320 (D 2066 LF 28)		Diesel		10518	228	310	07.06-	■	■
28.310, 28.320 (D 2066 LF 39)		Diesel		10518	228	310	07.06-	■	■
28.320 (D 2066 LF 04)		Diesel		10518	228	310	07.06-	■	■
28.320 (D 2066 LF 14)		Diesel		10518	228	310	07.06-	■	■
28.320 (D 2066 LF 28)		Diesel		10518	228	310	07.06-	■	■
28.320 (D 2066 LF 39)		Diesel		10518	228	310	07.06-	■	■
28.320		Diesel		10518	228	310	07.06-	■	■
35.310, 35.320 (D 2066 LF 04)		Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 35)		Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 39)		Diesel		10518	228	310	02.04-	■	■
37.310, 37.320 (D 2066 LF 04)		Diesel		10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 35)		Diesel		10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 39)		Diesel		10518	228	310	12.04-	■	■
28.320 (D 2066 LF 39)		Diesel		10518	235	320	06.04-	■	■
18.350, 18.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 27)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
24.350, 24.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
24.350, 24.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
24.350, 24.360 (D 2066 LF 27)		Diesel		10518	257	350	05.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

24.350, 24.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
24.350, 24.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
26.350 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
26.350 (D 2066 LF 03)		Diesel		10518	257	350	01.04-	■	■
26.350 (D 2066 LF 13)		Diesel		10518	257	350	01.04-	■	■
26.350 (D 2066 LF 13)		Diesel		10518	257	350	06.05-	■	■
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 27)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
28.350 (D 2066 LF 03)		Diesel		10518	257	350	07.06-	■	■
28.350 (D 2066 LF 13)		Diesel		10518	257	350	07.06-	■	■
28.350, 28.360 (D 2066 LF 03)		Diesel		10518	257	350	06.04-	■	■
28.350, 28.360 (D 2066 LF 13)		Diesel		10518	257	350	06.04-	■	■
28.350, 28.360 (D 2066 LF 27)		Diesel		10518	257	350	06.04-	■	■
28.350, 28.360 (D 2066 LF 38)		Diesel		10518	257	350	06.04-	■	■
28.350, 28.360 (D 2066 LF 03)		Diesel		10518	257	350	07.06-	■	■
28.350, 28.360 (D 2066 LF 13)		Diesel		10518	257	350	07.06-	■	■
28.350, 28.360 (D 2066 LF 38)		Diesel		10518	257	350	07.06-	■	■
28.350, 28.360		Diesel		10518	257	350	06.04-	■	■
32.350, 32.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
32.350, 32.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
32.350, 32.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
32.350, 32.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	06.05-	■	■
35.350 (D 2066 LF 03)		Diesel		10518	257	350	07.06-	■	■
35.350 (D 2066 LF 13)		Diesel		10518	257	350	07.06-	■	■
35.350, 35.360 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 13)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 33)		Diesel		10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 38)		Diesel		10518	257	350	02.04-	■	■
37.350, 37.360 (D 2066 LF 03)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 13)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 33)		Diesel		10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 38)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 03)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 07)		Diesel		10518	257	350	12.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

41.350, 41.360 (D 2066 LF 13)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 33)		Diesel		10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 38)		Diesel		10518	257	350	12.04-	■	■
26.360 (D 2066 LF 07)		Diesel		10518	265	360	05.04-	■	■
26.360 (D 2066 LF 38)		Diesel		10518	265	360	04.06-	■	■
26.360 (D 2066 LF 38)		Diesel		10518	265	360	04.06-	■	■
26.360 (D 2066 LF 38)		Diesel		10518	265	360	04.06-	■	■
28.360 (D 2066 LF 38)		Diesel		10518	265	360	07.06-	■	■
35.360 (D 2066 LF 38)		Diesel		10518	265	360	07.06-	■	■
35.360 (D 2066 LF 38)		Diesel		10518	265	360	07.06-	■	■
35.360		Diesel		10518	265	360	07.06-	■	■
41.360 (D 2066 LF 07)		Diesel		10518	265	360	12.08-	■	■
18.390, 18.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 26)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 26)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
26.390 (D 2066 LF 02)		Diesel		10518	287	390	02.04-	■	■
26.390 (D 2066 LF 12)		Diesel		10518	287	390	02.04-	■	■
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 24)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 26)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 06)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
28.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
28.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
28.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
28.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
28.390, 28.400 (D 2066 LF 02)		Diesel		10518	287	390	06.04-	■	■
28.390, 28.400 (D 2066 LF 12)		Diesel		10518	287	390	06.04-	■	■
28.390, 28.400 (D 2066 LF 26)		Diesel		10518	287	390	06.04-	■	■
28.390, 28.400 (D 2066 LF 37)		Diesel		10518	287	390	06.04-	■	■
28.390, 28.400		Diesel		10518	287	390	06.04-	■	■
32.390, 32.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
32.390, 32.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
32.390, 32.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

32.390, 32.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 06)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
35.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
35.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
35.390 (D 2066 LF 02)		Diesel		10518	287	390	07.06-	■	■
35.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
35.390, 35.400 (D 2066 LF 02)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 06)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 12)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 32)		Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 37)		Diesel		10518	287	390	02.04-	■	■
37.390, 37.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
39.390 (D 2066 LF 12)		Diesel		10518	287	390	07.06-	■	■
41.390, 41.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 06)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
26.400 (D 2066 LF 37)		Diesel		10518	294	400	04.06-	■	■
28.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
28.400 (D 2066 LF 26)		Diesel		10518	294	400	07.06-	■	■
28.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
35.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
35.400 (D 2066 LF 37)		Diesel		10518	294	400	11.06-	■	■
35.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
35.400		Diesel		10518	294	400	11.06-	■	■
39.400 (D 2066 LF 37)		Diesel		10518	294	400	07.06-	■	■
41.400 (D 2066 LF 06)		Diesel		10518	294	400	12.08-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 25)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 23)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 25)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 23)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 25)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	06.05-	■	■
26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	06.05-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	06.05-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	06.05-	■	■
26.430, 26.440		Diesel		10518	316	430	05.04-	■	■
28.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
28.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
28.430		Diesel		10518	316	430	09.02-10.08	■	■
28.430, 28.440 (D 2066 LF 01)		Diesel		10518	316	430	06.04-	■	■
28.430, 28.440 (D 2066 LF 11)		Diesel		10518	316	430	06.04-	■	■
28.430, 28.440 (D 2066 LF 25)		Diesel		10518	316	430	06.04-	■	■
28.430, 28.440 (D 2066 LF 36)		Diesel		10518	316	430	06.04-	■	■
32.430, 32.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
35.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
35.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
35.430, 35.440 (D 2066 LF 01)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 11)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 31)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 36)		Diesel		10518	316	430	02.04-	■	■
37.430, 37.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
39.430 (D 2066 LF 01)		Diesel		10518	316	430	07.06-	■	■
39.430 (D 2066 LF 11)		Diesel		10518	316	430	07.06-	■	■
41.430, 41.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
28.440 (D 2066 LF 36)		Diesel		10518	324	440	01.04-10.08	■	■
28.440		Diesel		10518	324	440	07.06-	■	■
35.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■
35.440 (D 2066 LF 36)		Diesel		10518	324	440	11.06-	■	■
35.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.440		Diesel		10518	324	440	11.06-	■	■
39.440 (D 2066 LF 36)		Diesel		10518	324	440	07.06-	■	■
18.310, 18.320 (D 2866 LF26)		Diesel		11967	228	310	04.00-	■	■
18.310, 18.320 (D 2866 LF36)		Diesel		11967	228	310	04.00-	■	■
26.310 (D 2866 LF26)		Diesel		11967	228	310	09.00-	■	■
26.310 (D 2866 LF36)		Diesel		11967	228	310	09.00-	■	■
26.310 (D 2866 LF26)		Diesel		11967	228	310	01.01-	■	■
26.310 (D 2866 LF36)		Diesel		11967	228	310	09.03-	■	■
28.310 (D 2866 LF26)		Diesel		11967	228	310	09.02-	■	■
28.310 (D 2866 LF26)		Diesel		11967	228	310	09.02-	■	■
28.310		Diesel		11967	228	310	07.06-	■	■
32.310 (D 2866 LF26)		Diesel		11967	228	310	01.02-	■	■
35.310 (D 2866 LF26)		Diesel		11967	228	310	06.03-	■	■
37.310 (D 2866 LF26)		Diesel		11967	228	310	12.04-	■	■
18.360 (D 2866 LF27)		Diesel		11967	265	360	04.00-	■	■
18.360 (D 2866 LF37)		Diesel		11967	265	360	04.00-	■	■
24.360 (D 2866 LF27)		Diesel		11967	265	360	09.01-	■	■
26.360 (D 2866 LF27)		Diesel		11967	265	360	09.00-	■	■
26.360 (D 2866 LF37)		Diesel		11967	265	360	09.00-	■	■
26.360 (D 2866 LF27)		Diesel		11967	265	360	01.01-	■	■
26.360 (D 2866 LF37)		Diesel		11967	265	360	01.01-	■	■
26.360		Diesel		11967	265	360	09.00-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	07.06-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
28.360		Diesel		11967	265	360	07.06-	■	■
32.360 (D 2866 LF27)		Diesel		11967	265	360	01.02-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
35.360 (D 2866 LF27)		Diesel		11967	265	360	10.03-	■	■
35.360 (D 2866 LF27)		Diesel		11967	265	360	07.06-	■	■
37.360 (D 2866 LF27)		Diesel		11967	265	360	12.04-	■	■
41.360 (D 2866 LF27)		Diesel		11967	265	360	01.03-	■	■
41.360 (D 2866 LF37)		Diesel		11967	265	360	01.03-	■	■
18.410, 18.420 (D 2866 LF28)		Diesel		11967	301	410	04.00-	■	■
18.410, 18.420 (D 2866 LF32)		Diesel		11967	301	410	04.00-	■	■
24.410 (D 2866 LF28)		Diesel		11967	301	410	09.01-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	04.00-	■	■
26.410 (D 2866 LF32)		Diesel		11967	301	410	04.00-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	01.01-	■	■
26.410 (D 2866 LF32)		Diesel		11967	301	410	01.01-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	09.03-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
28.410		Diesel		11967	301	410	07.06-	■	■
32.410 (D 2866 LF28)		Diesel		11967	301	410	01.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	10.00-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

33.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	09.02-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	10.03-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	07.06-	■	■
37.410 (D 2866 LF28)		Diesel		11967	301	410	12.04-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	09.03-	■	■
41.410 (D 2866 LF32)		Diesel		11967	301	410	09.03-	■	■
26.440 (D 2676 LF 04)		Diesel		12419	324	440	02.06-	■	■
33.440 (D 2676 LF 04)		Diesel		12419	324	440	06.05-	■	■
41.440 (D 2676 LF 04)		Diesel		12419	324	440	12.04-	■	■
18.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
18.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
18.480 (D 2676 LF 14)		Diesel		12419	353	480	01.06-	■	■
24.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
24.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
24.480 (D 2676 LF 12)		Diesel		12419	353	480	01.06-	■	■
24.480 (D 2676 LF 14)		Diesel		12419	353	480	01.06-	■	■
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 12)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 14)		Diesel		12419	353	480	02.06-	■	■
26.480		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 14)		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
32.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
32.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
33.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
35.480 (D 2676 LF 01)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	11.06-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
35.480		Diesel		12419	353	480	11.06-	■	■
37.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
37.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
39.480 (D 2676 LF 05)		Diesel		12419	353	480	07.06-	■	■
41.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

18.540 (D 2676 LF 13)		Diesel		12419	397	540	08.06-	■	■
24.540 (D 2676 LF 11)		Diesel		12419	397	540	01.06-	■	■
24.540 (D 2676 LF 13)		Diesel		12419	397	540	01.06-	■	■
26.540 (D 2676 LF 13)		Diesel		12419	397	540	08.06-	■	■
26.540		Diesel		12419	397	540	08.06-	■	■
28.540 (D 2676 LF 13)		Diesel		12419	397	540	08.06-	■	■
18.460 (D 2876 LF 04)		Diesel		12816	338	460	04.00-	■	■
18.460 (D 2876 LF 07)		Diesel		12816	338	460	04.00-	■	■
24.460 (D 2876 LF 04)		Diesel		12816	338	460	09.01-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	04.00-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	04.00-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	01.01-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	01.01-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	02.01-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	02.01-	■	■
28.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
32.460 (D 2876 LF 04)		Diesel		12816	338	460	01.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 07)		Diesel		12816	338	460	09.02-	■	■
35.460 (D 2876 LF 04)		Diesel		12816	338	460	10.03-	■	■
35.460 (D 2876 LF 04)		Diesel		12816	338	460	07.06-	■	■
37.460 (D 2876 LF 04)		Diesel		12816	338	460	12.04-	■	■
41.460 (D 2876 LF 07)		Diesel		12816	338	460	09.03-	■	■
18.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
24.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480		Diesel		12816	353	480	09.02-	■	■
28.390 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
28.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
28.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
32.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	10.03-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
37.480 (D 2876 LF 12)		Diesel		12816	353	480	12.04-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	06.05-	■	■
41.480 (D 2876 LF 25)		Diesel		12816	353	480	06.05-	■	■
18.510 (D 2876 LF 05)		Diesel		12816	375	510	09.00-	■	■
24.510 (D 2876 LF 05)		Diesel		12816	375	510	09.01-	■	■
26.510 (D 2876 LF 05)		Diesel		12816	375	510	12.00-	■	■
26.510 (D 2876 LF 05)		Diesel		12816	375	510	01.01-	■	■
26.510		Diesel		12816	375	510	12.00-	■	■
28.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
33.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
18.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

24.530 (D 2876 LF 13)		Diesel		12816	390	530	09.01-	■	■	
26.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■	
26.530 (D 2876 LF 13)		Diesel		12816	390	530	01.01-	■	■	
26.530		Diesel		12816	390	530	09.02-	■	■	
28.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■	
28.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
33.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■	
35.530 (D 2876 LF 13)		Diesel		12816	390	530	04.04-	■	■	
35.530 (D 2876 LF 13)		Diesel		12816	390	530	04.04-	■	■	
35.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
37.530 (D 2876 LF 13)		Diesel		12816	390	530	12.04-	■	■	
41.530 (D 2876 LF 13)		Diesel		12816	390	530	12.04-	■	■	
TGA 03.00-							Truck Tractor			
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 28)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■	
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■	
26.310, 26.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■	
28.310 (D 2066 LF 04)		Diesel		10518	228	310	06.04-	■	■	
28.310 (D 2066 LF 14)		Diesel		10518	228	310	06.04-	■	■	
28.320 (D 2066 LF 28)		Diesel		10518	235	320	06.04-	■	■	
28.320 (D 2066 LF 39)		Diesel		10518	235	320	06.04-	■	■	
18.350 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■	
18.350 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■	
18.350, 18.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■	
18.350, 18.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■	
18.350, 18.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■	
18.350, 18.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■	
19.350 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■	
24.350, 24.360 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■	
24.350, 24.360 (D 2066 LF 13)		Diesel		10518	257	350	02.04-	■	■	
24.350, 24.360 (D 2066 LF 33)		Diesel		10518	257	350	02.04-	■	■	
24.350, 24.360 (D 2066 LF 38)		Diesel		10518	257	350	02.04-	■	■	
26.350 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■	
26.350 (D 2066 LF 03)		Diesel		10518	257	350	07.05-	■	■	
26.350 (D 2066 LF 13)		Diesel		10518	257	350	07.05-	■	■	
26.350 (D 2066 LF 13)		Diesel		10518	257	350	07.05-	■	■	
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■	
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
26.350, 26.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
28.350 (D 2066 LF 03)		Diesel		10518	257	350	02.04-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	06.05-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	06.05-	■	■
18.360 (D 2066 LF 07)		Diesel		10518	265	360	01.06-	■	■
18.360 (D 2066 LF 27)		Diesel		10518	265	360	01.06-	■	■
18.360 (D 2066 LF 38)		Diesel		10518	265	360	01.06-	■	■
19.360 (D 2066 LF 07)		Diesel		10518	265	360	05.04-	■	■
26.360 (D 2066 LF 07)		Diesel		10518	265	360	05.04-	■	■
26.360 (D 2066 LF 38)		Diesel		10518	265	360	05.04-	■	■
26.360 (D 2066 LF 38)		Diesel		10518	265	360	04.06-	■	■
28.360 (D 2066 LF 38)		Diesel		10518	265	360	04.06-	■	■
18.390 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
24.390, 24.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
26.390 (D 2066 LF 02)		Diesel		10518	287	390	07.05-	■	■
26.390 (D 2066 LF 12)		Diesel		10518	287	390	07.05-	■	■
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 06)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
26.390, 26.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
28.390 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
28.390 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 06)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

33.390, 33.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
40.390, 40.400 (D 2066 LF 02)		Diesel		10518	287	390	06.05-	■	■
40.390, 40.400 (D 2066 LF 06)		Diesel		10518	287	390	06.05-	■	■
18.400 (D 2066 LF 26)		Diesel		10518	294	400	10.05-	■	■
18.400 (D 2066 LF 37)		Diesel		10518	294	400	10.05-	■	■
19.400 (D 2066 LF 06)		Diesel		10518	294	400	05.04-	■	■
26.400 (D 2066 LF 37)		Diesel		10518	294	400	04.06-	■	■
28.400 (D 2066 LF 26)		Diesel		10518	294	400	04.06-	■	■
28.400 (D 2066 LF 37)		Diesel		10518	294	400	04.06-	■	■
18.430 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
19.430 (D 2066 LF 01)		Diesel		10518	316	430	03.05-03.11	■	■
24.430, 24.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
24.430, 24.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
26.430 (D 2066 LF 01)		Diesel		10518	316	430	02.04-	■	■
26.430 (D 2066 LF 01)		Diesel		10518	316	430	07.05-	■	■
26.430 (D 2066 LF 11)		Diesel		10518	316	430	07.05-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
26.430, 26.440 (D 2066 LF 01)		Diesel		10518	316	430	02.04-	■	■
26.430, 26.440 (D 2066 LF 11)		Diesel		10518	316	430	02.04-	■	■
26.430, 26.440 (D 2066 LF 23)		Diesel		10518	316	430	02.04-	■	■
26.430, 26.440 (D 2066 LF 31)		Diesel		10518	316	430	02.04-	■	■
26.430, 26.440 (D 2066 LF 36)		Diesel		10518	316	430	02.04-	■	■
28.430 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
28.430 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
40.430 (D 2066 LF 01)		Diesel		10518	316	430	06.05-	■	■
18.440 (D 2066 LF 25)		Diesel		10518	324	440	09.05-	■	■
18.440 (D 2066 LF 36)		Diesel		10518	324	440	09.05-	■	■
26.440 (D 2066 LF 36)		Diesel		10518	324	440	09.05-	■	■
28.440 (D 2066 LF 25)		Diesel		10518	324	440	09.05-	■	■
28.440 (D 2066 LF 36)		Diesel		10518	324	440	09.05-	■	■
18.310 (D 2866 LF26)		Diesel		11967	228	310	04.00-	■	■
18.310 (D 2866 LF36)		Diesel		11967	228	310	04.00-	■	■
26.310 (D 2866 LF26)		Diesel		11967	228	310	12.00-	■	■
26.310 (D 2866 LF36)		Diesel		11967	228	310	12.00-	■	■
26.310 (D 2866 LF26)		Diesel		11967	228	310	01.01-	■	■
26.310		Diesel		11967	228	310	12.00-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

28.310 (D 2866 LF26)		Diesel		11967	228	310	09.02-	■	■
18.360 (D 2866 LF27)		Diesel		11967	265	360	04.00-	■	■
18.360 (D 2866 LF37)		Diesel		11967	265	360	04.00-	■	■
19.360 (D 2866 LF37)		Diesel		11967	265	360	05.04-	■	■
26.360 (D 2866 LF27)		Diesel		11967	265	360	12.00-	■	■
26.360 (D 2866 LF37)		Diesel		11967	265	360	12.00-	■	■
26.360 (D 2866 LF27)		Diesel		11967	265	360	09.03-	■	■
26.360 (D 2866 LF37)		Diesel		11967	265	360	09.03-	■	■
26.360		Diesel		11967	265	360	12.00-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
18.410 (D 2866 LF28)		Diesel		11967	301	410	04.00-	■	■
18.410 (D 2866 LF32)		Diesel		11967	301	410	04.00-	■	■
19.410 (D 2866 LF32)		Diesel		11967	301	410	05.04-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	12.00-	■	■
26.410 (D 2866 LF32)		Diesel		11967	301	410	12.00-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	06.01-	■	■
26.410 (D 2866 LF32)		Diesel		11967	301	410	06.01-	■	■
26.410 (D 2866 LF28)		Diesel		11967	301	410	07.05-	■	■
26.410 (D 2866 LF32)		Diesel		11967	301	410	07.05-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	09.02-	■	■
40.410 (D 2866 LF28)		Diesel		11967	301	410	04.04-	■	■
40.410 (D 2866 LF32)		Diesel		11967	301	410	04.04-	■	■
19.440 (D 2676 LF 04)		Diesel		12419	324	440	02.06-03.11	■	■
26.440 (D 2676 LF 04)		Diesel		12419	324	440	02.06-	■	■
27.440 (D 2676 LF 04)		Diesel		12419	324	440	10.08-	■	■
40.440 (D 2676 LF 04)		Diesel		12419	324	440	06.05-	■	■
18.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
18.480 (D 2676 LF 14)		Diesel		12419	353	480	01.06-	■	■
19.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
19.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
19.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
19.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
24.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
24.480 (D 2676 LF 12)		Diesel		12419	353	480	01.06-	■	■
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
26.480 (D 2676 LF 12)		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

28.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
28.480 (D 2676 LF 14)		Diesel		12419	353	480	02.06-	■	■
33.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
40.480 (D 2676 LF 02)		Diesel		12419	353	480	06.05-	■	■
40.480 (D 2676 LF 03)		Diesel		12419	353	480	06.05-	■	■
40.480 (D 2676 LF 12)		Diesel		12419	353	480	06.05-	■	■
18.540 (D 2676 LF 13)		Diesel		12419	397	540	08.06-	■	■
28.540 (D 2676 LF 13)		Diesel		12419	397	540	08.06-	■	■
41.540 (D 2676 LF 13)		Diesel		12419	397	540	11.06-	■	■
18.460 (D 2876 LF 04)		Diesel		12816	338	460	04.00-	■	■
18.460 (D 2876 LF 07)		Diesel		12816	338	460	04.00-	■	■
19.460 (D 2876 LF 07)		Diesel		12816	338	460	05.04-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	12.00-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	12.00-	■	■
26.460 (D 2876 LF 04)		Diesel		12816	338	460	06.01-	■	■
26.460 (D 2876 LF 07)		Diesel		12816	338	460	06.01-	■	■
26.460		Diesel		12816	338	460	12.00-	■	■
28.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 07)		Diesel		12816	338	460	09.02-	■	■
40.460 (D 2876 LF 07)		Diesel		12816	338	460	04.04-	■	■
18.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
18.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
19.480 (D 2876 LF 25)		Diesel		12816	353	480	05.04-	■	■
24.480 (D 2876 LF 12)		Diesel		12816	353	480	07.05-	■	■
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
26.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
26.480		Diesel		12816	353	480	09.02-	■	■
28.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
40.480 (D 2876 LF 12)		Diesel		12816	353	480	04.04-	■	■
40.480 (D 2876 LF 25)		Diesel		12816	353	480	04.04-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	07.06-	■	■
18.510 (D 2876 LF 05)		Diesel		12816	375	510	04.00-	■	■
26.510 (D 2876 LF 05)		Diesel		12816	375	510	12.00-	■	■
26.510 (D 2876 LF 05)		Diesel		12816	375	510	01.01-	■	■
26.510		Diesel		12816	375	510	12.00-	■	■
28.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
33.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
18.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
24.530 (D 2876 LF 13)		Diesel		12816	390	530	07.05-	■	■
26.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
26.530 (D 2876 LF 13)		Diesel		12816	390	530	01.01-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

26.530		Diesel		12816	390	530	09.02-	■	■	
28.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■	
33.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■	
33.530 (D 2876 LF 13)		Diesel		12816	390	530	07.03-	■	■	
37.530 (D 2876 LF 13)		Diesel		12816	390	530	07.06-	■	■	
41.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■	
41.660 (D 2840 LF25)		Diesel		18273	485	660	09.02-	■	■	
TGL 01.04-							Dump Truck			
7.150		Diesel		4580	110	150	01.04-03.22	■	■	
8.160		Diesel		4580	118	160	01.18-03.22	■	■	
7.180		Diesel		4580	132	179	01.04-03.22	■	■	
10.190		Diesel		4580	140	190	12.17-03.22	■	■	
12.190		Diesel		4580	140	190	12.17-03.22	■	■	
7.190		Diesel		4580	140	190	01.18-03.22	■	■	
8.190		Diesel		4580	140	190	01.18-03.22	■	■	
TGL 01.04-							Municipal Vehicle			
10.180		Diesel		4580	132	179	08.12-03.22	■	■	
12.180		Diesel		4580	132	179	08.12-03.22	■	■	
7.180		Diesel		4580	132	179	08.12-03.22	■	■	
8.180		Diesel		4580	132	179	08.12-03.22	■	■	
10.220		Diesel		4580	162	220	08.12-03.22	■	■	
12.220		Diesel		4580	162	220	08.12-03.22	■	■	
8.220		Diesel		4580	162	220	08.12-03.22	■	■	
10.250		Diesel		6871	184	250	04.08-03.22	■	■	
12.250		Diesel		6871	184	250	04.08-03.22	■	■	
8.250		Diesel		6871	184	250	04.08-03.22	■	■	
TGL 01.04-							Platform/Chassis			
7.160		Diesel		4580	118	160	12.17-03.22	■	■	
8.160		Diesel		4580	118	160	12.17-03.22	■	■	
8.160		Diesel		4580	118	160	01.18-03.22	■	■	
10.190		Diesel		4580	140	190	12.17-03.22	■	■	
12.190		Diesel		4580	140	190	12.17-03.22	■	■	
7.190		Diesel		4580	140	190	12.17-03.22	■	■	
8.190		Diesel		4580	140	190	12.17-03.22	■	■	
8.190		Diesel		4580	140	190	01.18-03.22	■	■	
TGM 05.05-							Platform/Chassis			
18.240 (D 0836 LFL 40)		Diesel		6871	176	240	10.05-03.22	■	■	
18.240 (D 0836 LFL 53)		Diesel		6871	176	240	10.05-03.22	■	■	
18.280 (D 0836 LFL 41)		Diesel		6871	206	280	10.05-03.22	■	■	
18.280 (D 0836 LFL 54)		Diesel		6871	206	280	10.05-03.22	■	■	
18.330 (D 0836 LFL 44)		Diesel		6871	240	326	10.05-03.22	■	■	
18.330 (D 0836 LFL 55)		Diesel		6871	240	326	10.05-03.22	■	■	
TGS 01.05-							Truck Tractor			
26.320 (D 2066 LF 39)		Diesel		10518	235	320	07.08-09.21	■	■	
26.320 (D 2066 LF 43)		Diesel		10518	235	320	07.08-09.21	■	■	
MERITOR										
LMC							Trailer Axle			
LMC							01.53-	■		

LISTA DE APLICACIONES - BUYERS GUIDE

TA					Trailer Axle				
TA							01.53-		■
TAC					Trailer Axle				
TAC							01.53-		■
TM					Trailer Axle				
TM							01.53-		■
TM							01.53-		■
RENAULT TRUCKS									
04.96-03.05					Platform/Chassis				
E.TECH 400.18 (MACK E.TECH A/46)		Diesel		11929	295	401	05.00-		■ ■
E.TECH 400.24 (MACK E.TECH A/46)		Diesel		11929	295	401	05.00-		■ ■
E.TECH 400.26 (MACK E.TECH A/46)		Diesel		11929	295	401	05.00-		■ ■
E.TECH 440.18 (MACK E.TECH B/46)		Diesel		11929	324	441	05.00-		■ ■
E.TECH 440.24 (MACK E.TECH B/46)		Diesel		11929	324	441	05.00-		■ ■
E.TECH 440.26 (MACK E.TECH B/46)		Diesel		11929	324	441	05.00-		■ ■
E.TECH 480.18 (MACK E.TECH C/46)		Diesel		11929	347	472	05.00-		■ ■
E.TECH 480.24 (MACK E.TECH C/46)		Diesel		11929	347	472	05.00-		■ ■
E.TECH 480.26 (MACK E.TECH C/46)		Diesel		11929	347	472	05.00-		■ ■
04.96-03.05					Truck Tractor				
E.TECH 400.18T (MACK E.TECH A/46)		Diesel		11929	295	401	05.00-		■ ■
E.TECH 440.18T (MACK E.TECH B/46)		Diesel		11929	324	441	05.00-		■ ■
E.TECH 440.26T (MACK E.TECH B/46)		Diesel		11929	324	441	05.00-		■ ■
E.TECH 440.26T (MACK E.TECH B/46)		Diesel		11929	324	441	05.00-		■ ■
E.TECH 480.18T (MACK E.TECH C/46)		Diesel		11929	347	472	05.00-		■ ■
E.TECH 480.26T (MACK E.TECH C/46)		Diesel		11929	347	472	05.00-		■ ■
E.TECH 480.26T (MACK E.TECH C/46)		Diesel		11929	347	472	05.00-		■ ■
AE 560.18T (MACK-EE9-560)		Diesel		16361	412	560	04.96-		■ ■
AE 560.19T (MACK-EE9-560)		Diesel		16361	412	560	04.96-		■ ■
AE 560.26T (MACK-EE9-560)		Diesel		16361	412	560	01.97-		■ ■
AE 560.26T (MACK-EE9-560)		Diesel		16361	412	560	01.98-		■ ■
Agora 01.96-					Bus				
Agora (MIDR 06.20.45 I41)		Diesel		9840	186	253	01.96-		■ ■
Agora (MIDR 06.20.45 I41)		Diesel		9840	186	253	01.96-		■ ■
Iliade 01.97-					Bus				
TE, RTC		Diesel			222	302	01.97-		■ ■
RT, RTX, GTC		Diesel			250	340	01.97-		■ ■
GTX		Diesel			280	381	01.97-		■ ■
GT, GTC, GTE (MIDR 06.20.45 M41)		Diesel		9839	250	340	04.98-		■ ■
FRH, GTX, GTXE, RTX, TX (MIDR 06.23.56 A/41)		Diesel		11123	280	381	01.97-		■ ■
Magnum 01.90-04.99					Platform/Chassis				
AE 390.18 (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-		■
AE 390.19 (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-		■
AE 390.26 (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-		■
AE 430.18 (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-		■
AE 430.19 (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-		■
AE 430.26 (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-		■
AE 470.18 (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-		■
AE 470.19 (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-		■

LISTA DE APLICACIONES - BUYERS GUIDE

AE 470.26 (MIDR 06.24.65 C/42)		Diesel		11929	346	471	01.97-	■	
AE 480		Diesel		11995	347	472	01.90-	■	■
AE 520.26 (MACK-EE9-530)		Diesel		16361	390	530	10.92-	■	
AE 560.18 (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
AE 560.19 (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
AE 560.26 (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
Magnum 01.90-04.99								Truck Tractor	
AE 390.18T (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 390.19T (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 430.18T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 430.19T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 430.26T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	01.98-	■	
AE 430.26T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	01.97-	■	
AE 470.18T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-	■	
AE 470.19T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-	■	
AE 470.26T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	01.98-	■	
Premium 04.96-								Municipal Vehicle	
Distribution 320.26		Diesel		11123	232	315	03.01-09.06	■	
Distribution 370.26		Diesel		11123	266	362	03.01-09.06	■	
Premium 04.96-								Platform/Chassis	
Distribution 210.16 (MIDR 06.02.26 W/4)		Diesel		6177	154	209	04.96-	■	■
Distribution 210.18D, 220.18 (DCI 6W)		Diesel		6177	154	209	04.96-	■	
Distribution 210.18D, 220.18 (MIDR 06.02.26 W/4)		Diesel		6177	154	209	04.96-	■	
Distribution 210.19D		Diesel		6177	155	210	04.96-	■	■
Distribution 250.16 (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	04.96-	■	■
Distribution 250.18D (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	04.96-	■	
Distribution 250.19 (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	04.96-	■	■
Distribution 270.18 (DCI 6A)		Diesel		6177	195	265	08.00-	■	
Distribution 260.16 (MIDR 06.20.45 C/4)		Diesel		9839	188	256	04.96-	■	■
Distribution 260.18 (MIDR 06.20.45 C/4)		Diesel		9839	188	256	04.96-	■	■
Distribution 260.19 (MIDR 06.20.45 C/4)		Diesel		9839	188	256	04.96-	■	■
Distribution 300.16D (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	■
Distribution 300.18D (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	
Distribution 300.19 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	■
Distribution 300.26D (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	
Distribution 300.26D		Diesel		9839	219	298	04.96-	■	■
Route 300.16 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■	■
Route 300.18 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■	■
Route 300.19 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■	■
Distribution 340.18D (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	
Distribution 340.19D (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Distribution 340.26D (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	
Distribution 340.26D		Diesel		9839	249	339	04.96-	■	■
Route 340.18 (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Route 340.19 (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Route 340.24 (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Route 340.26 (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Distribution 400.18D (MIDR 06.23.56 B/41)		Diesel		11100	288	392	01.00-	■	
Distribution 320.18 D (DCI 11G)		Diesel		11123	230	313	08.00-	■	
Distribution 320.24D (DCI 11G)		Diesel		11123	230	313	08.00-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

Distribution 320.26D (DCI 11G)		Diesel		11123	230	313	08.00-	■	
Distribution 320.26D		Diesel		11123	230	313	08.00-	■	■
Route 320.18 (DCI 11G)		Diesel		11123	230	313	08.00-	■	■
Route 320.26		Diesel		11123	232	315	01.01-09.06	■	■
Distribution 370.18D (DCI 11E)		Diesel		11123	266	362	08.00-	■	
Distribution 370.24D (DCI 11E)		Diesel		11123	266	362	08.00-	■	
Distribution 370.26D (DCI 11E)		Diesel		11123	266	362	08.00-	■	
Distribution 370.26D		Diesel		11123	266	362	08.00-	■	■
Route 370.18 (DCI 11E)		Diesel		11123	266	362	08.00-	■	■
Route 370.24 (DCI 11E)		Diesel		11123	266	362	08.00-	■	■
Route 370.26 (DCI 11E)		Diesel		11123	266	362	08.00-	■	■
Route 385.18,400.18 (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.18,400.18 (MIDR 06.23.56 B/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.19,400.19 (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.19,400.19 (MIDR 06.23.56 B/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.24,400.24 (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.24,400.24 (MIDR 06.23.56 B/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.26 (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.26,400.26 (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.26,400.26 (MIDR 06.23.56 B/41)		Diesel		11123	280	381	04.96-	■	■
Distribution 420.18D (DCI 11C)		Diesel		11123	303	412	08.00-	■	
Route 420.18 (DCI 11C)		Diesel		11123	303	412	08.00-	■	■
Route 420.24 (DCI 11C)		Diesel		11123	303	412	08.00-	■	■
Route 420.26 (DCI 11C)		Diesel		11123	303	412	08.00-	■	■
Premium 04.96-				Truck Tractor					
Distribution 300.16T (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	■
Distribution 300.18D/T (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	
Distribution 300.19D/T (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■	■
Route 300.18T (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■	■
Route 300.19T (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■	■
Distribution 340.18D/T (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	
Distribution 340.19D/T (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Route 340.18T (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Route 340.19T (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■	■
Distribution 320.18 (DCI 11G)		Diesel		11123	230	313	08.00-	■	
Route 320.18 (DCI 11G)		Diesel		11123	230	313	08.00-	■	■
Distribution 320.19		Diesel		11123	232	315	10.00-12.06	■	
Route 320.19		Diesel		11123	232	315	10.00-12.06	■	■
Distribution 370.18 (DCI 11E)		Diesel		11123	266	362	08.00-	■	
Distribution 370.19		Diesel		11123	266	362	10.00-12.06	■	
Route 370.18 (DCI 11E)		Diesel		11123	266	362	08.00-	■	■
Route 370.19		Diesel		11123	266	362	10.00-12.06	■	■
Route 370.24		Diesel		11123	266	362	05.01-09.06	■	■
Route 370.24		Diesel		11123	266	362	06.01-12.06	■	■
Route 385.18T,400.18T (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.18T,400.18T (MIDR 06.23.56 B/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.19T,400.19T (MIDR 06.23.56 A/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.19T,400.19T (MIDR 06.23.56 B/41)		Diesel		11123	280	381	04.96-	■	■
Route 385.24T,400.24T (MIDR 06.23.56 A/41)		Diesel		11123	280	381	09.96-	■	■
Route 385.24T,400.24T (MIDR 06.23.56 B/41)		Diesel		11123	280	381	09.96-	■	■
Distribution 400.18D/T (MIDR 06.23.56 B/41)		Diesel		11123	288	392	01.00-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

Distribution 420.18 (DCI 11C)	Diesel		11123	303	412	08.00-	■
Route 420.18T (DCI 11 B/43)	Diesel		11123	303	412	08.00-	■ ■
Route 420.18T (DCI 11C)	Diesel		11123	303	412	08.00-	■ ■
Route 420.24 (DCI 11C)	Diesel		11123	303	412	08.00-	■ ■
Route 420.25 (DCI 11C)	Diesel		11123	303	412	08.00-	■ ■
Route 420.19	Diesel		11123	305	415	10.00-12.06	■ ■