

# LISTA DE APLICACIONES - BUYERS GUIDE

## 151437




8 424073 083623

Qty: 660

Weight: 10.535

O.E.M.	MAKE
3 057 3179 00	SAF
7 258 57	SCANIA
790-22008	Brake HALDEX
81163	SAF
87407	SAF
RS18892305731790	SCANIA



## 151437



90R-01178/659



Haldex DB22

247.5x105.1x30

WVA	FMSI
29143	D1527-8735
29176	
29185	
MAKE	
FRUEHAUF	
IVECO	
SAF	
SCANIA	
SMB	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### FRUEHAUF

Eje/Axle	Trailer Axle						
Llanta 22.5" Haldex (DB22)						01.53-	■

### IVECO

P/PA 12.79-12.93	Dump Truck						
330-30H (8210.22X.235)	Diesel		13798	224	305	06.84-12.90	■ ■
330-30H (8210.22X.523)	Diesel		13798	224	305	06.84-12.90	■ ■

### SAF

Intradisk Plus 01.99-10.00							
Intradisk Plus "IO"						09.00-	■
Intradisk Plus "IU"						09.00-	■
Intradisk Plus "PO"						02.00-10.00	■
Intradisk Plus "PU"						02.99-10.00	■

Intradisk Plus 01.99-10.00	Air Suspension Unit						
Intradisk Plus "IO"						08.00-	■
Intradisk Plus "IU"						08.00-	■
Intradisk Plus "PO"						01.99-10.00	■
Intradisk Plus "PU"						01.99-10.00	■

SK 02.98-	Trailer Axle						
SKRZ 11222 K						02.98-	■
SKRZ 9022 K						02.98-	■

SKRB	Trailer Axle						
SKRB 9022 K						01.53-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

SKRS 12.92-					Trailer Axle				
SKRS 11222 K							12.92-	■	
SKRS 9022 K							12.92-		
SCANIA									
4 Series 05.95-					Dump Truck				
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DC 9.02)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
T 94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
T 94 C/310 (DSC 9.13)		Diesel		8974	228	310	09.96-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
T 114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
T 114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/380 (DC 11.02)		Diesel		10640	280	381	03.98-04.08	■	■
114 C/380 (DC 11.02)		Diesel		10640	280	381	03.98-04.08	■	■
114 C/380 (DC 11.02)		Diesel		10640	280	381	03.98-04.08	■	■
114 C/380 (DC 11.02)		Diesel		10640	280	381	03.98-04.08	■	■
114 C/380 (DC 11.02)		Diesel		10640	280	381	03.98-04.08	■	■
114 C/380 (DC 11.04)		Diesel		10640	280	381	03.98-04.08	■	■
T 114 C/380 (DC 11.02)		Diesel		10640	280	380	03.98-04.08	■	■
114 C/340 (DSC 11.79)		Diesel		11020	250	340	05.96-04.08	■	■
114 C/340 (DSC 11.79)		Diesel		11020	250	340	05.96-04.08	■	■
114 C/340 (DSC 11.79)		Diesel		11020	250	340	05.96-04.08	■	■
114 C/340 (DSC 11.79)		Diesel		11020	250	340	05.96-04.08	■	■
114 C/340 (DSC 11.79)		Diesel		11020	250	340	05.96-04.08	■	■
124 C/360 (DSC 12.02)		Diesel		11705	265	360	09.96-04.08	■	■
124 C/360 (DSC 12.02)		Diesel		11705	265	360	09.96-04.08	■	■
124 C/360 (DSC 12.02)		Diesel		11705	265	360	09.96-04.08	■	■
124 C/360 (DSC 12.02)		Diesel		11705	265	360	09.96-04.08	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

124 C/360 (DSC 12.02)		Diesel		11705	265	360	09.96-04.08	■	■
T 124 C/360 (DSC 12.02)		Diesel		11705	265	360	09.95-04.08	■	■
124 C/400 (DSC 12.01)		Diesel		11705	294	400	09.96-04.08	■	■
124 C/400 (DSC 12.01)		Diesel		11705	294	400	09.96-04.08	■	■
124 C/400 (DSC 12.01)		Diesel		11705	294	400	09.96-04.08	■	■
124 C/400 (DSC 12.01)		Diesel		11705	294	400	09.96-04.08	■	■
124 C/400 (DSC 12.01)		Diesel		11705	294	400	09.96-04.08	■	■
T 124 C/400 (DSC 12.01)		Diesel		11705	294	400	05.96-04.08	■	■
T 124 C/420 (DC 12.01)		Diesel		11705	309	420	05.96-04.08	■	■
T 124 C/420 (DSC 12.05)		Diesel		11705	309	420	05.96-04.08	■	■
144 C/460 (DSC 14.15)		Diesel		14190	338	460	09.96-04.08	■	■
144 C/460 (DSC 14.15)		Diesel		14190	338	460	09.96-04.08	■	■
144 C/530 (DSC 14.13)		Diesel		14190	390	530	09.96-04.08	■	■
144 C/530 (DSC 14.13)		Diesel		14190	390	530	09.96-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
<b>4 Series 05.95-</b>					<b>Platform/Chassis</b>				
94 D/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
94 D/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
94 G/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
94 G/220 (DSC 9.11)		Diesel		8974	162	220	01.98-04.08	■	■
T 94 G/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
T 94 G/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
94 D/230 (DC 9.01)		Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.04)		Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.01)		Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.04)		Diesel		8974	169	230	08.99-04.08	■	■
T 94 G/230 (DC 9.01)		Diesel		8974	169	230	04.99-04.08	■	■
T 94 G/230 (DC 9.01)		Diesel		8974	169	230	04.99-04.08	■	■
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 D/260 (DC 9.02)		Diesel		8974	191	260	08.96-04.08	■	■
94 D/260 (DSC 9.12)		Diesel		8974	191	260	08.96-04.08	■	■
94 D/260 (DSC 9.12)		Diesel		8974	191	260	08.96-04.08	■	■
94 G/260 (DSC 9.12)		Diesel		8974	191	260	08.96-04.08	■	■
94 G/260 (DSC 9.12)		Diesel		8974	191	260	01.98-04.08	■	■
T 94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
T 94 C/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/310 (DC 9.03)		Diesel		8974	221	300	12.96-04.08	■	■
T 94 G/310 (DSC 9.13)		Diesel		8974	221	300	12.96-04.08	■	■
T 94 G/310 (DSC 9.15)		Diesel		8974	221	300	12.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

124 L/400 (DSC 12.01)	Diesel	11705	294	400	09.96-04.08	■	■
T 124 C/400 (DSC 12.01)	Diesel	11705	294	400	05.96-04.08	■	■
T 124 C/400 (DSC 12.01)	Diesel	11705	294	400	05.96-04.08	■	■
T 124 G/400 (DSC 12.01)	Diesel	11705	294	400	03.97-04.08	■	■
T 124 G/400 (DSC 12.01)	Diesel	11705	294	400	03.97-04.08	■	■
T 124 G/400 (DSC 12.01)	Diesel	11705	294	400	03.97-04.08	■	■
124 L/420 (DC 12.01)	Diesel	11705	309	420	09.97-04.08	■	■
124 L/420 (DSC 12.05)	Diesel	11705	309	420	09.97-04.08	■	■
124 L/420 (DSC 12.05)	Diesel	11705	309	420	09.97-04.08	■	■
T 124 C/420 (DC 12.01)	Diesel	11705	309	420	05.96-04.08	■	■
T 124 C/420 (DSC 12.05)	Diesel	11705	309	420	05.96-04.08	■	■
T 124 C/420 (DC 12.01)	Diesel	11705	309	420	05.96-04.08	■	■
T 124 C/420 (DSC 12.05)	Diesel	11705	309	420	05.96-04.08	■	■
T 124 G/420 (DC 12.01)	Diesel	11705	309	420	09.97-04.08	■	■
T 124 G/420 (DSC 12.05)	Diesel	11705	309	420	09.97-04.08	■	■
T 124 G/420 (DC 12.01)	Diesel	11705	309	420	05.96-04.08	■	■
T 124 G/420 (DSC 12.05)	Diesel	11705	309	420	05.96-04.08	■	■
124 L/440 (DT 12.08)	Diesel	11705	324	440	01.01-04.08	■	■
124 L/440 (DT 12.08)	Diesel	11705	324	440	01.01-04.08	■	■
124 L/470 (DT 12.02)	Diesel	11705	345	470	01.01-04.08	■	■
124 L/470 (DT 12.02)	Diesel	11705	345	470	01.01-04.08	■	■
144 C/460 (DSC 14.15)	Diesel	14190	338	460	09.96-04.08	■	■
144 C/460 (DSC 14.15)	Diesel	14190	338	460	09.96-04.08	■	■
144 G/460 (DSC 14.15)	Diesel	14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	Diesel	14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	Diesel	14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	Diesel	14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	Diesel	14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	Diesel	14190	338	460	04.96-04.08	■	■
144 L/460 (DSC 14.15)	Diesel	14190	338	460	11.95-04.08	■	■
144 L/460 (DSC 14.15)	Diesel	14190	338	460	11.95-04.08	■	■
T 144 C/460 (DSC 14.15)	Diesel	14190	338	460	09.95-04.08	■	■
T 144 C/460 (DSC 14.15)	Diesel	14190	338	460	09.95-04.08	■	■
T 144 G/460 (DSC 14.15)	Diesel	14190	338	460	03.97-04.08	■	■
T 144 G/460 (DSC 14.15)	Diesel	14190	338	460	03.97-04.08	■	■
144 C/530 (DSC 14.13)	Diesel	14190	390	530	09.96-04.08	■	■
144 C/530 (DSC 14.13)	Diesel	14190	390	530	09.96-04.08	■	■
144 G/530 (DSC 14.13)	Diesel	14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	Diesel	14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	Diesel	14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	Diesel	14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	Diesel	14190	390	530	04.96-04.08	■	■
144 L/530 (DSC 14.13)	Diesel	14190	390	530	11.95-04.08	■	■
144 L/530 (DSC 14.13)	Diesel	14190	390	530	11.95-04.08	■	■
T 144 C/530 (DSC 14.13)	Diesel	14190	390	530	09.95-04.08	■	■
T 144 C/530 (DSC 14.13)	Diesel	14190	390	530	09.95-04.08	■	■
T 144 G/530 (DSC 14.13)	Diesel	14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)	Diesel	14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)	Diesel	14190	390	530	03.97-04.08	■	■
144 L/460 (DSC 14.15)	Diesel	14200	338	460	11.95-04.08	■	■
144 L/530 (DSC 14.13)	Diesel	14200	390	530	11.95-04.08	■	■
164 C/480 (DC 16.02)	Diesel	15607	353	480	05.00-04.08	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 G/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 G/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 C/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
<b>4 Series 05.95-</b>					<b>Truck Tractor</b>				
94 D/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
94 G/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
T 94 G/220 (DSC 9.11)		Diesel		8974	162	220	08.96-04.08	■	■
94 D/230 (DC 9.01)		Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.04)		Diesel		8974	169	230	08.99-04.08	■	■
T 94 G/230 (DC 9.01)		Diesel		8974	169	230	04.99-04.08	■	■
94 D/260 (DC 9.02)		Diesel		8974	191	260	08.96-04.08	■	■
94 D/260 (DSC 9.12)		Diesel		8974	191	260	08.96-04.08	■	■
94 G/260 (DSC 9.12)		Diesel		8974	191	260	08.96-04.08	■	■
T 94 G/260 (DSC 9.12)		Diesel		8974	191	260	12.96-04.08	■	■
94 C/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 D/310 (DSC 9.13)		Diesel		8974	228	310	12.96-04.08	■	■
94 D/310 (DSC 9.15)		Diesel		8974	228	310	12.96-04.08	■	■
94 G/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 G/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.13)		Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.15)		Diesel		8974	228	310	08.96-04.08	■	■
T 94 C/310 (DSC 9.13)		Diesel		8974	228	310	09.96-04.08	■	■
T 94 G/310 (DSC 9.13)		Diesel		8974	228	310	12.96-04.08	■	■
T 94 G/310 (DSC 9.15)		Diesel		8974	228	310	12.96-04.08	■	■
T 94 L/310 (DSC 9.13)		Diesel		8974	228	310	09.96-04.08	■	■
T 94 L/310 (DSC 9.15)		Diesel		8974	228	310	09.96-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 C/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 G/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 G/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 G/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 G/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 G/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 G/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■
114 L/340 (DC 11.01)		Diesel		10640	250	340	03.98-04.08	■	■
114 L/340 (DC 11.03)		Diesel		10640	250	340	03.98-04.08	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

T 124 L/470 (DT 12.02)		Diesel		11705	345	470	01.01-04.08	■	■
144 C/460 (DSC 14.15)		Diesel		14190	338	460	09.96-04.08	■	■
144 C/460 (DSC 14.15)		Diesel		14190	338	460	09.96-04.08	■	■
144 G/460 (DSC 14.15)		Diesel		14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)		Diesel		14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)		Diesel		14190	338	460	04.96-04.08	■	■
144 L/460 (DSC 14.15)		Diesel		14190	338	460	11.95-04.08	■	■
144 L/460 (DSC 14.15)		Diesel		14190	338	460	11.95-04.08	■	■
144 L/460 (DSC 14.15)		Diesel		14190	338	460	11.95-04.08	■	■
T 144 C/460 (DSC 14.15)		Diesel		14190	338	460	09.95-04.08	■	■
T 144 C/460 (DSC 14.15)		Diesel		14190	338	460	09.95-04.08	■	■
T 144 G/460 (DSC 14.15)		Diesel		14190	338	460	03.97-04.08	■	■
T 144 G/460 (DSC 14.15)		Diesel		14190	338	460	03.97-04.08	■	■
T 144 G/460 (DSC 14.15)		Diesel		14190	338	460	03.97-04.08	■	■
T 144 L/460 (DSC 14.15)		Diesel		14190	338	460	03.97-04.08	■	■
T 144 L/460 (DSC 14.15)		Diesel		14190	338	460	09.95-04.08	■	■
T 144 L/460 (DSC 14.15)		Diesel		14190	338	460	09.95-04.08	■	■
144 C/530 (DSC 14.13)		Diesel		14190	390	530	09.96-04.08	■	■
144 C/530 (DSC 14.13)		Diesel		14190	390	530	09.96-04.08	■	■
144 G/530 (DSC 14.13)		Diesel		14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)		Diesel		14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)		Diesel		14190	390	530	04.96-04.08	■	■
144 L/530 (DSC 14.13)		Diesel		14190	390	530	11.95-04.08	■	■
144 L/530 (DSC 14.13)		Diesel		14190	390	530	11.95-04.08	■	■
144 L/530 (DSC 14.13)		Diesel		14190	390	530	11.95-04.08	■	■
T 144 C/530 (DSC 14.13)		Diesel		14190	390	530	09.95-04.08	■	■
T 144 C/530 (DSC 14.13)		Diesel		14190	390	530	09.95-04.08	■	■
T 144 G/530 (DSC 14.13)		Diesel		14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)		Diesel		14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)		Diesel		14190	390	530	03.97-04.08	■	■
T 144 L/530 (DSC 14.13)		Diesel		14190	390	530	03.97-04.08	■	■
T 144 L/530 (DSC 14.13)		Diesel		14190	390	530	09.95-04.08	■	■
T 144 L/530 (DSC 14.13)		Diesel		14190	390	530	09.95-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 G/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)		Diesel		15607	353	480	05.00-04.08	■	■
164 C/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 C/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)		Diesel		15607	426	580	05.00-04.08	■	■
SMB									
O 01.92-						Trailer Axle			
O-A2020 D1-09						04.92-		■	
O-A2040 D1-09						04.92-		■	

## LISTA DE APLICACIONES - BUYERS GUIDE

O-A2095 D1-09						04.92-
O-A2130 D1-09						04.92-

■

■