

# LISTA DE APLICACIONES - BUYERS GUIDE


## 152123



Qty: 660

Weight: 9.635

O.E.M.	MAKE
001 423 12 10	MERCEDES-BENZ
006 420 15 20	MERCEDES-BENZ
006 420 53 20	MERCEDES-BENZ



## 152123

**E 9** 90R-02A0178/3284



Knorr SL 7 ProTechS

207.4x113.6x30

WVA
29244
29245
29298
29299
29351

MAKE
MERCEDES-BENZ



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### MERCEDES-BENZ

							Dump Truck	
<b>ACTROS MP2 / MP3 10.02-</b>								
5048 AK (OM 541.949)		Diesel		11946	350	476	06.08-	■
<b>ACTROS MP2 / MP3 10.02-</b>								
4141 (OM 541.944)		Diesel		11946	300	408	06.08-	■
<b>ACTROS MP2 / MP3 10.02-</b>								
4165 S		Diesel		15928	480	653	08.08-	■
<b>ACTROS MP4 / MP5 07.11-</b>								
1824 L (OM 936.912)		Diesel		7698	175	238	07.11-	■
2024 L (OM 936.912)		Diesel		7698	175	238	07.11-	■
1827 L (OM 936.912)		Diesel		7698	200	272	07.11-	■
2027 L (OM 936.912)		Diesel		7698	200	272	07.11-	■
2527 L (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 L		Diesel		7698	200	272	07.11-	■
1830 L (OM 936.912)		Diesel		7698	220	299	07.11-	■
2030 L (OM 936.912)		Diesel		7698	220	299	07.11-	■
2530 L (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 L (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 L (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 L		Diesel		7698	220	299	07.11-	■
1832 L (OM 936.916)		Diesel		7698	235	320	07.11-	■
2032 L (OM 936.916)		Diesel		7698	235	320	07.11-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2532 L (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 L (OM 936.916)		Diesel		7698	235	319	07.11-	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 L		Diesel		7698	235	320	07.11-	■
1835 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2035 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2535 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 L (OM 936.916)		Diesel		7698	260	353	07.11-	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 L		Diesel		7698	260	354	07.11-	■
1833 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2033 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2533 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 L		Diesel		10677	240	326	07.11-	■
3333 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
1836 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2036 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2536 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 L		Diesel		10677	265	360	07.11-	■
3336 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
1840 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2040 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2540 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 L		Diesel		10677	290	394	07.11-	■
3340 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
1843 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2043 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2543 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 L		Diesel		10677	315	428	07.11-	■
3343 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
1842 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
1842 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2042 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2042 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2542 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 L (OM 471.900)		Diesel		12809	310	421	07.11-	■
2642 L (OM 471.909)		Diesel		12809	310	421	07.11-	■
2642 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2642 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 L		Diesel		12809	310	422	07.11-	■
3342 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
3342 L (OM 471.909)		Diesel		12809	310	422	07.11-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1845 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
1845 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2045 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2045 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2545 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2545 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 L (OM 471.900)		Diesel		12809	330	448	07.11-	■
2645 L (OM 471.909)		Diesel		12809	330	448	07.11-	■
2645 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2645 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 L		Diesel		12809	330	449	07.11-	■
3345 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
3345 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
1848 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2048 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2548 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 L		Diesel		12809	350	476	07.11-	■
3348 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2651 L (OM 471.900)		Diesel		12809	360	490	07.11-	■
1851 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
1851 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
2051 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2051 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
2551 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2551 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
3351 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
3351 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
1852 L (OM 473.900)		Diesel		15569	380	517	01.14-	■
1858 L (OM 473.905)		Diesel		15569	425	578	01.14-	■
1863 L (OM 473.903)		Diesel		15569	460	626	01.14-	■
<b>ACTROS MP4 / MP5 07.11-</b>				<b>Platform/Chassis</b>				
eActros 300		Mixto		0	400	544	10.21-	■ ■
eActros 300		Mixto		0	400	544	10.21-	■ ■
eActros 300		Mixto		0	400	544	10.21-	■ ■
eActros 400		Mixto		0	400	544	10.21-	■ ■
eActros 400		Mixto		0	400	544	06.23-	■
eActros 600		Mixto		0	600	816	11.24-	■
<b>ACTROS MP4 / MP5 07.11-</b>				<b>Truck Tractor</b>				
1824 LS (OM 936.912)		Diesel		7698	175	238	07.11-	■
2024 LS (OM 936.912)		Diesel		7698	175	238	07.11-	■
1827 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2027 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2427 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2427 LS		Diesel		7698	200	272	07.11-	■
2527 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2527 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 LS		Diesel		7698	200	272	07.11-	■
1830 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2030 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2430 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2430 LS		Diesel		7698	220	299	07.11-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 LS		Diesel		7698	220	299	07.11-	■
1832 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2032 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2432 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2432 LS		Diesel		7698	235	320	07.11-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 LS (OM 936.916)		Diesel		7698	235	319	07.11-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 LS		Diesel		7698	235	320	07.11-	■
1835 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2035 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2435 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2435 LS		Diesel		7698	260	354	07.11-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 LS (OM 936.916)		Diesel		7698	260	353	07.11-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
1833 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2033LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2433 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2433 LS		Diesel		10677	240	326	07.11-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 LS		Diesel		10677	240	326	07.11-	■
3333 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
1836 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2036LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2436 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2436 LS		Diesel		10677	265	360	07.11-	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 LS		Diesel		10677	265	360	07.11-	■
3336 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
1840LS (OM 470.906)		Diesel		10677	290	394	07.11-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2040 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2440 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2440 LS		Diesel		10677	290	394	07.11-	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 LS		Diesel		10677	290	394	07.11-	■
3340 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
1843 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2043 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2443 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2443 LS		Diesel		10677	315	428	07.11-	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 LS		Diesel		10677	315	428	07.11-	■
3343 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
1842 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
1842 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2042 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2042 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2442 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2442 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2442 LS		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 LS (OM 471.900)		Diesel		12809	310	421	07.11-	■
2642 LS (OM 471.909)		Diesel		12809	310	421	07.11-	■
2642 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2642 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 LS		Diesel		12809	310	422	07.11-	■
3342 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
3342 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
1845 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
1845 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2045 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2045 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2445 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2445 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2445 LS		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 LS (OM 471.900)		Diesel		12809	330	448	07.11-	■
2645 LS (OM 471.909)		Diesel		12809	330	448	07.11-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2645 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 LS		Diesel		12809	330	449	07.11-	■
3345 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
3345 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
1848 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2048 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2448LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2448LS		Diesel		12809	350	476	07.11-	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 LS		Diesel		12809	350	476	07.11-	■
3348 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
1851 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
1851 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2051 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2051 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2451 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2451 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2451 LS		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 LS		Diesel		12809	375	510	07.11-	■
3351 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
3351 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
1852 LS (OM 473.900)		Diesel		15569	380	517	01.14-	■
4152 LS (OM 473.900)		Diesel		15569	380	517	01.14-	■
1858 LS (OM 473.905)		Diesel		15569	425	578	01.14-	■
1863 LS (OM 473.903)		Diesel		15569	460	626	01.14-	■
<b>ACTROS MP4 / MP5 07.11-</b>				<b>Truck Tractor</b>				
eActros 300		Mixto		0	400	544	06.23-	■
eActros 600		Mixto		0	600	816	11.24-	■
<b>ANTOS 07.12-</b>				<b>Platform/Chassis</b>				
1824 L (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■
2024 L (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■
1827 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2027 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2527 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.12-	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
1830 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2030 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2530 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2630 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2630 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2630 L		Diesel		7698	220	299	07.12-12.18	■
1832 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2032 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2532 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2632 L		Diesel		7698	235	320	07.12-12.18	■
1835 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2035 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2535 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2635 L		Diesel		7698	260	354	07.12-12.18	■
1833 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2033 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2533 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.12-	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2633 L		Diesel		10677	240	326	07.12-12.18	■
3333 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
1836 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2036 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2536 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.12-	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2636 L		Diesel		10677	265	360	07.12-12.18	■
3336 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
1840 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2040 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2540 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2640 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2640 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2640 L		Diesel		10677	290	394	07.12-12.18	■
3340 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
1843 L (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2043 L (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2543 L (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2643 L (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2643 L (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2643 L		Diesel		10677	315	428	07.12-12.18	■
3343 L (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
1842 L (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2042 L (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2542 L (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2642 L (OM 471.900)		Diesel		12809	310	422	07.12-	■
2642 L (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2642 L		Diesel		12809	310	422	07.12-12.18	■
3342 L (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
1845 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2045 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2545 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2645 L (OM 471.900)		Diesel		12809	330	449	07.12-	■
2645 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2645 L		Diesel		12809	330	449	07.12-12.18	■
3345 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
1848 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2048 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2548 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2648 L		Diesel		12809	350	476	07.12-12.18	■
3348 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
1851 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2051 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2551 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.12-	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2651 L		Diesel		12809	375	510	07.12-12.18	■
3351 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
<b>ANTOS 07.12-</b>				<b>Truck Tractor</b>				
1824 LS (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■
2024 LS (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■
1827 LS (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2027 LS (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2427 LS (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2527 LS (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2527 LS (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2627 LS (OM 936.912)		Diesel		7698	200	272	07.12-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■
2627 LS		Diesel		7698	200	272	07.12-12.18	■
1830 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2030 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2430 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2530 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2530 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2630 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2630 LS (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■
2630 LS		Diesel		7698	220	299	07.12-12.18	■
1832 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2032 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2432 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2532 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2532 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2632 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2632 LS (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■
2632 LS		Diesel		7698	235	320	07.12-12.18	■
1835 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2035 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2435 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2535 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2635 LS (OM 936.916)		Diesel		7698	260	354	07.12-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■
2635 LS		Diesel		7698	260	354	07.12-12.18	■
1833 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2033LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2433 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2633 LS (OM 470.906)		Diesel		10677	240	326	07.12-	■
2633 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
2633 LS		Diesel		10677	240	326	07.12-12.18	■
3333 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■
1836 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2036LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2436 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2536 LS (OM 470.910)		Diesel		10677	265	360	07.12-12.18	■
2636 LS (OM 470.906)		Diesel		10677	265	360	07.12-	■
2636 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
2636 LS		Diesel		10677	265	360	07.12-12.18	■
3336 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■
1840LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2040 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2440 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2640 LS (OM 470.906)		Diesel		10677	290	394	07.12-	■
2640 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
2640 LS		Diesel		10677	290	394	07.12-12.18	■
3340 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■
1843 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2043 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2443 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2643 LS (OM 470.906)		Diesel		10677	315	428	07.12-	■
2643 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
2643 LS		Diesel		10677	315	428	07.12-12.18	■
3343 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■
1842 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2042 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2442 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2642 LS (OM 471.900)		Diesel		12809	310	422	07.12-	■
2642 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
2642 LS		Diesel		12809	310	422	07.12-12.18	■
3342 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■
1845 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2045 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2445 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2545 LS (OM 471.909)		Diesel		12809	330	449	07.12-12.18	■
2645 LS (OM 471.900)		Diesel		12809	330	449	07.12-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
2645 LS		Diesel		12809	330	449	07.12-12.18	■
3345 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■
1848 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2048 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2448LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2548 LS (OM 471.909)		Diesel		12809	350	476	07.12-12.18	■
2648 LS (OM 471.900)		Diesel		12809	350	476	07.12-	■
2648 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
2648 LS		Diesel		12809	350	476	07.12-12.18	■
3348 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■
1851 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2051 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2451 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2551 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2551 LS (OM 471.909)		Diesel		12809	375	510	07.12-12.18	■
2651 LS (OM 471.900)		Diesel		12809	375	510	07.12-	■
2651 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
2651 LS		Diesel		12809	375	510	07.12-12.18	■
3351 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■
<b>AROCS 01.13-</b>								<b>Concrete Mixer</b>
2627 B, 2627 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 B, 3227 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■
2630 B, 2630 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 B, 3230 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■
2632 B, 2632 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 B, 3232 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■
2635 B, 2635 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 B, 3235 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■
2633 B, 2633 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
3233 B, 3233 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
3233 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 B, 3333 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
4133 B (OM 470.906)		Diesel		10677	240	326	01.13-	■
2636 B, 2636 LB		Diesel		10677	265	360	01.13-	■
3236 B, 3236 LB		Diesel		10677	265	360	01.13-	■
3236 LB		Diesel		10677	265	360	01.13-	■
3336 B, 3336 LB		Diesel		10677	265	360	01.13-	■
4136 B		Diesel		10677	265	360	01.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2640 B, 2640 LB (OM 470.906)	Diesel	10677	290	394	01.13-
3240 B, 3240 LB (OM 470.906)	Diesel	10677	290	394	01.13-
3240 LB (OM 470.906)	Diesel	10677	290	394	01.13-
3340 B, 3340 LB (OM 470.906)	Diesel	10677	290	394	01.13-
4140 B (OM 470.906)	Diesel	10677	290	394	01.13-
2643 B, 2643 LB (OM 470.906)	Diesel	10677	315	428	01.13-
3243 B, 3243 LB (OM 470.906)	Diesel	10677	315	428	01.13-
3243 LB (OM 470.906)	Diesel	10677	315	428	01.13-
3343 B, 3343 LB (OM 470.906)	Diesel	10677	315	428	01.13-
4143 B (OM 470.906)	Diesel	10677	315	428	01.13-
2642 B, 2642 LB (OM 471.900)	Diesel	12809	310	422	01.13-
3242 B, 3242 LB (OM 471.900)	Diesel	12809	310	422	01.13-
3242 LB (OM 471.900)	Diesel	12809	310	422	01.13-
3342 B, 3342 LB (OM 471.900)	Diesel	12809	310	422	01.13-
4142 B (OM 471.900)	Diesel	12809	310	422	01.13-
2645 B, 2645 LB (OM 471.900)	Diesel	12809	330	449	01.13-
3245 B, 3245 LB	Diesel	12809	330	449	01.13-
3245 LB (OM 471.900)	Diesel	12809	330	449	01.13-
3345B, 3345 LB (OM 471.900)	Diesel	12809	330	449	01.13-
4145 B (OM 471.900)	Diesel	12809	330	449	01.13-
2648 B, 2648 LB	Diesel	12809	350	476	01.13-
3248 B, 3248 LB	Diesel	12809	350	476	01.13-
3248 LB	Diesel	12809	350	476	01.13-
3348 B, 3348 LB (OM 471.900)	Diesel	12809	350	476	01.13-
4148 B (OM 471.900)	Diesel	12809	350	476	01.13-
2651 B, 2651 LB (OM 471.909)	Diesel	12809	375	510	01.13-
3251 B, 3251 LB (OM 471.909)	Diesel	12809	375	510	01.13-
3251 LB (OM 471.909)	Diesel	12809	375	510	01.13-
3351 B, 3351 LB (OM 471.909)	Diesel	12809	375	510	01.13-
4151 B (OM 471.909)	Diesel	12809	375	510	01.13-

## AROCS 01.13-

## Dump Truck

1824AK (OM 936.912)	Diesel	7698	175	238	01.13-
1824K (OM 936.912)	Diesel	7698	175	238	01.13-
2024K (OM 936.912)	Diesel	7698	175	238	01.13-
1827 AK (OM 936.912)	Diesel	7698	200	272	01.13-
1827 K (OM 936.912)	Diesel	7698	200	272	01.13-
2027 K (OM 936.912)	Diesel	7698	200	272	01.13-
2627 K, 2627 LK (OM 936.912)	Diesel	7698	200	272	01.13-
3227 K, 3227 LK (OM 936.912)	Diesel	7698	200	272	01.13-
3227 LK (OM 936.912)	Diesel	7698	200	272	01.13-
1830 AK (OM 936.912)	Diesel	7698	220	299	01.13-
1830 K (OM 936.912)	Diesel	7698	220	299	01.13-
2030 K (OM 936.912)	Diesel	7698	220	299	01.13-
2630 K, 2630 LK (OM 936.912)	Diesel	7698	220	299	01.13-
3230 K, 3230 LK (OM 936.912)	Diesel	7698	220	299	01.13-
3230 LK (OM 936.912)	Diesel	7698	220	299	01.13-
1832 AK (OM 936.916)	Diesel	7698	235	320	01.13-
1832 K (OM 936.916)	Diesel	7698	235	320	01.13-
2032 K (OM 936.916)	Diesel	7698	235	320	01.13-
2632 K, 2632 LK (OM 936.916)	Diesel	7698	235	320	01.13-
3232 K, 3232 LK (OM 936.916)	Diesel	7698	235	320	01.13-

## LISTA DE APLICACIONES - BUYERS GUIDE

3232 LK (OM 936.916)	Diesel	7698	235	320	01.13-
1835 AK (OM 936.916)	Diesel	7698	260	354	01.13-
1835 K (OM 936.916)	Diesel	7698	260	354	01.13-
2035 K (OM 936.916)	Diesel	7698	260	354	01.13-
3235 K, 3235 LK (OM 936.916)	Diesel	7698	260	354	01.13-
3235 LK (OM 936.916)	Diesel	7698	260	354	01.13-
1833 AK (OM 470.906)	Diesel	10677	240	326	01.13-
1833 K (OM 470.906)	Diesel	10677	240	326	01.13-
2033 AK (OM 470.906)	Diesel	10677	240	326	01.13-
2033 K (OM 470.906)	Diesel	10677	240	326	01.13-
2633 K, 2633 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3233 K, 3233 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3233 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 AK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 K, 3333 LK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 AK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 AK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 K (OM 470.906)	Diesel	10677	240	326	01.13-
4136 AK (OM 470.903)	Diesel	10677	240	326	01.13-
4136 AK (OM 470.903)	Diesel	10677	240	326	01.13-
1836 AK (OM 470.908)	Diesel	10677	265	360	01.13-
1836 AK (OM 470.910)	Diesel	10677	265	360	01.13-
1836 AK (OM 470.913)	Diesel	10677	265	360	01.13-
1836 K (OM 470.903)	Diesel	10677	265	360	01.13-
1836 K (OM 470.910)	Diesel	10677	265	360	01.13-
1836 K (OM 470.913)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.903)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.910)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.913)	Diesel	10677	265	360	01.13-
2036 K (OM 470.903)	Diesel	10677	265	360	01.13-
2036 K (OM 470.910)	Diesel	10677	265	360	01.13-
2036 K (OM 470.913)	Diesel	10677	265	360	01.13-
2636 K, 2636 LK	Diesel	10677	265	360	01.13-
3236 K, 3236 LK	Diesel	10677	265	360	01.13-
3236 LK	Diesel	10677	265	360	01.13-
3336AK	Diesel	10677	265	360	01.13-
3336 K, 3336 LK	Diesel	10677	265	360	01.13-
4136 K	Diesel	10677	265	360	01.13-
1840 AK (OM 470.906)	Diesel	10677	290	394	01.13-
1840 K (OM 470.906)	Diesel	10677	290	394	01.13-
2040 AK (OM 470.906)	Diesel	10677	290	394	01.13-
2040 K (OM 470.906)	Diesel	10677	290	394	01.13-
2640 K, 2640 LK (OM 470.906)	Diesel	10677	290	394	01.13-
3240 K, 3240 LK (OM 470.906)	Diesel	10677	290	394	01.13-
3240 LK (OM 470.906)	Diesel	10677	290	394	01.13-
3340 AK (OM 470.906)	Diesel	10677	290	394	01.13-
3340 K, 3340 LK (OM 470.906)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.903)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.906)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.903)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.906)	Diesel	10677	290	394	01.13-

# LISTA DE APLICACIONES - BUYERS GUIDE

4140 K (OM 470.906)	Diesel	10677	290	394	01.13-
1843 AK (OM 470.906)	Diesel	10677	315	428	01.13-
1843 K (OM 470.906)	Diesel	10677	315	428	01.13-
2043 AK (OM 470.906)	Diesel	10677	315	428	01.13-
2043 K (OM 470.906)	Diesel	10677	315	428	01.13-
2643 K, 2643 LK (OM 470.906)	Diesel	10677	315	428	01.13-
3243 K, 3243 LK (OM 470.906)	Diesel	10677	315	428	01.13-
3243 LK (OM 470.906)	Diesel	10677	315	428	01.13-
3343 AK (OM 470.906)	Diesel	10677	315	428	01.13-
3343 K, 3343 LK (OM 470.906)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.903)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.906)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.903)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.906)	Diesel	10677	315	428	01.13-
4143 K (OM 470.906)	Diesel	10677	315	428	01.13-
1846 AK	Diesel	10677	335	455	07.15-
2046 AK	Diesel	10677	335	455	07.15-
3346 AK	Diesel	10677	335	455	07.15-
4146 AK	Diesel	10677	335	455	07.15-
4146 AK	Diesel	10677	335	455	07.15-
1842 AK (OM 471.900)	Diesel	12809	310	422	01.13-
1842 K (OM 471.900)	Diesel	12809	310	422	01.13-
2042 AK (OM 471.900)	Diesel	12809	310	422	01.13-
2042 K (OM 471.900)	Diesel	12809	310	422	01.13-
2642 K, 2642 LK (OM 471.900)	Diesel	12809	310	422	01.13-
3242 K, 3242 LK (OM 471.900)	Diesel	12809	310	422	01.13-
3242 LK (OM 471.900)	Diesel	12809	310	422	01.13-
3342 AK (OM 471.900)	Diesel	12809	310	422	01.13-
3342 K, 3342 LK (OM 471.900)	Diesel	12809	310	422	01.13-
4142 AK (OM 471.900)	Diesel	12809	310	422	01.13-
4142 K (OM 471.900)	Diesel	12809	310	422	01.13-
1845 AK	Diesel	12809	330	449	01.13-
1845 K (OM 471.900)	Diesel	12809	330	449	01.13-
1845 K (OM 471.906)	Diesel	12809	330	449	01.13-
2045 AK	Diesel	12809	330	449	01.13-
2045 K (OM 471.900)	Diesel	12809	330	449	01.13-
2045 K (OM 471.906)	Diesel	12809	330	449	01.13-
2645 K, 2645 LK (OM 471.900)	Diesel	12809	330	449	01.13-
3245 K, 3245 LK (OM 471.900)	Diesel	12809	330	449	01.13-
3245 LK (OM 471.900)	Diesel	12809	330	449	01.13-
3345 AK	Diesel	12809	330	449	01.13-
3345K, 3345 LK (OM 471.900)	Diesel	12809	330	449	01.13-
4145 AK (OM 471.906)	Diesel	12809	330	449	01.13-
4145 AK (OM 471.906)	Diesel	12809	330	449	01.13-
4145 K (OM 471.900)	Diesel	12809	330	449	01.13-
1848 AK (OM 471.906)	Diesel	12809	350	476	01.13-
1848 K (OM 471.900)	Diesel	12809	350	476	01.13-
1848 K (OM 471.906)	Diesel	12809	350	476	01.13-
2048 AK	Diesel	12809	350	476	01.13-
2048 K (OM 471.900)	Diesel	12809	350	476	01.13-
2048 K (OM 471.906)	Diesel	12809	350	476	01.13-

## LISTA DE APLICACIONES - BUYERS GUIDE

2648 K, 2648 LK	Diesel	12809	350	476	01.13-	■
3248 K, 3248 LK	Diesel	12809	350	476	01.13-	■
3248 LK	Diesel	12809	350	476	01.13-	■
3348 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
3348 K, 3348 LK (OM 471.900)	Diesel	12809	350	476	01.13-	■
4148 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
4148 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
4148 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
1851 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
1851 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
2051 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
2051 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
2651 K, 2651 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3251 K, 3251 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3251 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 K, 3351 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.906)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.906)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
1853AK	Diesel	12809	390	530	07.15-	■
2053 AK	Diesel	12809	390	530	07.15-	■
3353 AK	Diesel	12809	390	530	07.15-	■
4153 AK	Diesel	12809	390	530	07.15-	■
4153 AK	Diesel	12809	390	530	07.15-	■
3352 AK	Diesel	15569	380	517	05.13-	■
4152 AK	Diesel	15569	380	517	05.13-	■
4152 AK	Diesel	15569	380	517	07.15-	■
3358 AK	Diesel	15569	425	578	05.13-	■
4158 AK	Diesel	15569	425	578	05.13-	■
4158 AK	Diesel	15569	425	578	07.15-	■
3363 AK	Diesel	15569	460	625	05.13-	■
4163 AK	Diesel	15569	460	625	05.13-	■
4163 AK	Diesel	15569	460	625	07.15-	■
<b>AROCS 01.13-</b>						
					<b>Platform/Chassis</b>	
1824 (OM 936.912)	Diesel	7698	175	238	01.13-	■
1824 A (OM 936.912)	Diesel	7698	175	238	01.13-	■
2024 (OM 936.912)	Diesel	7698	175	238	01.13-	■
1827 (OM 936.912)	Diesel	7698	200	272	01.13-	■
2027 (OM 936.912)	Diesel	7698	200	272	01.13-	■
2527 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
2527 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
2627, 2627 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
2627 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
2627 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
3227, 3227 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
3227 L (OM 936.912)	Diesel	7698	200	272	01.13-	■
1830 (OM 936.912)	Diesel	7698	220	299	01.13-	■
2030 (OM 936.912)	Diesel	7698	220	299	01.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2530 L (OM 936.912)	Diesel	7698	220	299	01.13-
2530 L (OM 936.912)	Diesel	7698	220	299	01.13-
2630, 2630 L (OM 936.912)	Diesel	7698	220	299	01.13-
2630 L (OM 936.912)	Diesel	7698	220	299	01.13-
2630 L (OM 936.912)	Diesel	7698	220	299	01.13-
3230, 3230 L (OM 936.912)	Diesel	7698	220	299	01.13-
3230 L (OM 936.912)	Diesel	7698	220	299	01.13-
1832 (OM 936.916)	Diesel	7698	235	320	01.13-
2032 (OM 936.916)	Diesel	7698	235	320	01.13-
2532 L (OM 936.916)	Diesel	7698	235	320	01.13-
2532 L (OM 936.916)	Diesel	7698	235	320	01.13-
2632, 2632 L (OM 936.916)	Diesel	7698	235	320	01.13-
2632 L (OM 936.916)	Diesel	7698	235	320	01.13-
2632 L (OM 936.916)	Diesel	7698	235	320	01.13-
3232, 3232 L (OM 936.916)	Diesel	7698	235	320	01.13-
3232 L (OM 936.916)	Diesel	7698	235	320	01.13-
1835 (OM 936.916)	Diesel	7698	260	354	01.13-
1835 A (OM 936.916)	Diesel	7698	260	354	01.13-
2035 (OM 936.916)	Diesel	7698	260	354	01.13-
2535 L (OM 936.916)	Diesel	7698	260	354	01.13-
2535 L (OM 936.916)	Diesel	7698	260	354	01.13-
2635, 2635 L (OM 936.916)	Diesel	7698	260	354	01.13-
2635 L (OM 936.916)	Diesel	7698	260	354	01.13-
2635 L (OM 936.916)	Diesel	7698	260	354	01.13-
3235, 3235 L (OM 936.916)	Diesel	7698	260	354	01.13-
3235 L (OM 936.916)	Diesel	7698	260	354	01.13-
1833 (OM 470.906)	Diesel	10677	240	326	01.13-
1833 A (OM 470.906)	Diesel	10677	240	326	01.13-
2033 (OM 470.906)	Diesel	10677	240	326	01.13-
2033 A (OM 470.906)	Diesel	10677	240	326	01.13-
2533 L (OM 470.906)	Diesel	10677	240	326	01.13-
2533 L	Diesel	10677	240	326	01.13-
2633, 2633 L (OM 470.906)	Diesel	10677	240	326	01.13-
2633 L (OM 470.906)	Diesel	10677	240	326	01.13-
2633 L	Diesel	10677	240	326	01.13-
3233, 3233 L (OM 470.906)	Diesel	10677	240	326	01.13-
3233 L (OM 470.906)	Diesel	10677	240	326	01.13-
3333, 3333 L (OM 470.906)	Diesel	10677	240	326	01.13-
3333 A (OM 470.906)	Diesel	10677	240	326	01.13-
4133 (OM 470.906)	Diesel	10677	240	326	01.13-
1836	Diesel	10677	265	360	01.13-
1836 A (OM 470.908)	Diesel	10677	265	360	01.13-
1836 A (OM 470.910)	Diesel	10677	265	360	01.13-
1836 A (OM 470.913)	Diesel	10677	265	360	01.13-
2036 (OM 470.903)	Diesel	10677	265	360	01.13-
2036 (OM 470.910)	Diesel	10677	265	360	01.13-
2036 (OM 470.913)	Diesel	10677	265	360	01.13-
2036 A (OM 470.903)	Diesel	10677	265	360	01.13-
2036 A (OM 470.910)	Diesel	10677	265	360	01.13-
2036 A (OM 470.913)	Diesel	10677	265	360	01.13-
2536 L	Diesel	10677	265	360	01.13-

## LISTA DE APLICACIONES - BUYERS GUIDE

2536 L		Diesel		10677	265	360	01.13-	■
2636, 2636 L		Diesel		10677	265	360	01.13-	■
2636 L (OM 470.903)		Diesel		10677	265	360	01.13-	■
2636 L (OM 470.910)		Diesel		10677	265	360	01.13-	■
2636 L (OM 470.913)		Diesel		10677	265	360	01.13-	■
2636 L		Diesel		10677	265	360	01.13-	■
3236, 3236 L		Diesel		10677	265	360	01.13-	■
3236 L		Diesel		10677	265	360	01.13-	■
3336, 3336 L		Diesel		10677	265	360	01.13-	■
3336 A		Diesel		10677	265	360	01.13-	■
4136		Diesel		10677	265	360	01.13-	■
1840 (OM 470.906)		Diesel		10677	290	394	01.13-	■
1840 A (OM 470.906)		Diesel		10677	290	394	01.13-	■
2040 (OM 470.906)		Diesel		10677	290	394	01.13-	■
2040 A (OM 470.906)		Diesel		10677	290	394	01.13-	■
2540 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
2540 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
2640, 2640 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
2640 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
2640 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3240, 3240 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3240 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340, 3340 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 A (OM 470.906)		Diesel		10677	290	394	01.13-	■
4140 (OM 470.906)		Diesel		10677	290	394	01.13-	■
1843 (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643, 2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243, 3243 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343, 3343 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
4143 (OM 470.906)		Diesel		10677	315	428	01.13-	■
1846 A		Diesel		10677	335	455	07.15-	■
2046 A		Diesel		10677	335	455	07.15-	■
3346 A		Diesel		10677	335	455	07.15-	■
1842 (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 A (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 A (OM 471.900)		Diesel		12809	310	422	01.13-	■
2542 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642, 2642 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 L		Diesel		12809	310	422	01.13-	■
3242, 3242 L (OM 471.900)		Diesel		12809	310	422	01.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

3242 L (OM 471.900)	Diesel	12809	310	422	01.13-
3342, 3342 L (OM 471.900)	Diesel	12809	310	422	01.13-
3342 A (OM 471.900)	Diesel	12809	310	422	01.13-
4142 (OM 471.900)	Diesel	12809	310	422	01.13-
1845 (OM 471.900)	Diesel	12809	330	449	01.13-
1845 (OM 471.906)	Diesel	12809	330	449	01.13-
1845 A	Diesel	12809	330	449	01.13-
2045 (OM 471.900)	Diesel	12809	330	449	01.13-
2045 (OM 471.906)	Diesel	12809	330	449	01.13-
2045 A	Diesel	12809	330	449	01.13-
2545 L (OM 471.900)	Diesel	12809	330	449	01.13-
2545 L (OM 471.906)	Diesel	12809	330	449	01.13-
2645, 2645 L (OM 471.900)	Diesel	12809	330	449	01.13-
2645, 2645 L (OM 471.906)	Diesel	12809	330	449	01.13-
2645 L (OM 471.900)	Diesel	12809	330	449	01.13-
2645 L (OM 471.900)	Diesel	12809	330	449	01.13-
3245, 3245 L (OM 471.900)	Diesel	12809	330	449	01.13-
3245 L (OM 471.900)	Diesel	12809	330	449	01.13-
3345, 3345 L (OM 471.900)	Diesel	12809	330	449	01.13-
3345 A	Diesel	12809	330	449	01.13-
4145 (OM 471.900)	Diesel	12809	330	449	01.13-
1848 (OM 471.900)	Diesel	12809	350	476	01.13-
1848 (OM 471.906)	Diesel	12809	350	476	01.13-
1848 A (OM 471.906)	Diesel	12809	350	476	01.13-
2048	Diesel	12809	350	476	01.13-
2048 A	Diesel	12809	350	476	01.13-
2548 L (OM 471.900)	Diesel	12809	350	476	01.13-
2548 L (OM 471.906)	Diesel	12809	350	476	01.13-
2648, 2648 L	Diesel	12809	350	476	01.13-
2648 L (OM 471.900)	Diesel	12809	350	476	01.13-
2648 L	Diesel	12809	350	476	01.13-
3248, 3248 L	Diesel	12809	350	476	01.13-
3248 L	Diesel	12809	350	476	01.13-
3348, 3348 L (OM 471.900)	Diesel	12809	350	476	01.13-
3348 A	Diesel	12809	350	476	01.13-
4148 (OM 471.900)	Diesel	12809	350	476	01.13-
1851 (OM 471.909)	Diesel	12809	375	510	01.13-
1851 A (OM 471.909)	Diesel	12809	375	510	01.13-
2051 (OM 471.909)	Diesel	12809	375	510	01.13-
2051 A (OM 471.909)	Diesel	12809	375	510	01.13-
2551 L (OM 471.909)	Diesel	12809	375	510	01.13-
2551 L (OM 471.909)	Diesel	12809	375	510	01.13-
2651, 2651 L (OM 471.909)	Diesel	12809	375	510	01.13-
2651 L (OM 471.909)	Diesel	12809	375	510	01.13-
2651 L (OM 471.909)	Diesel	12809	375	510	01.13-
3251, 3251 L (OM 471.909)	Diesel	12809	375	510	01.13-
3251 L (OM 471.909)	Diesel	12809	375	510	01.13-
3351, 3351 L (OM 471.909)	Diesel	12809	375	510	01.13-
3351 A (OM 471.909)	Diesel	12809	375	510	01.13-
4151 (OM 471.909)	Diesel	12809	375	510	01.13-
1853 A	Diesel	12809	390	530	07.15-

# LISTA DE APLICACIONES - BUYERS GUIDE

2053 A		Diesel		12809	390	530	07.15-	■
3353 A		Diesel		12809	390	530	07.15-	■
2552 L		Diesel		15569	380	517	01.14-	■
3352 A		Diesel		15569	380	517	05.13-	■
2558 L		Diesel		15569	425	578	01.14-	■
3358 A		Diesel		15569	425	578	05.13-	■
2563 L		Diesel		15569	460	625	01.14-	■
3363 A		Diesel		15569	460	625	05.13-	■
<b>AROCS 01.13-</b>				<b>Truck Tractor</b>				
1824 LS (OM 936.912)		Diesel		7698	175	238	01.13-	■
2024 S, 2424 LS (OM 936.912)		Diesel		7698	175	238	01.13-	■
1827 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2027 S, 2027 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 S, 2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
1830 S, 1830 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2030 S, 2030 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 S, 2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
1832 S, 1832 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2032 S, 2032 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 S, 2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
1835 S, 1835 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2035 S, 2035 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 S, 2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
1833 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033 S, 2033 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS		Diesel		10677	240	326	01.13-	■
2633 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2633 LS		Diesel		10677	240	326	01.13-	■
2633 S, 2633 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 S, 3333 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1836 AS (OM 470.903)		Diesel		10677	265	360	01.13-	■
1836 AS (OM 470.910)		Diesel		10677	265	360	01.13-	■
1836 AS (OM 470.913)		Diesel		10677	265	360	01.13-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

1836 S, 1836 LS (OM 470.903)	Diesel	10677	265	360	01.13-
1836 S, 1836 LS (OM 470.910)	Diesel	10677	265	360	01.13-
1836 S, 1836 LS (OM 470.913)	Diesel	10677	265	360	01.13-
2036 AS (OM 470.903)	Diesel	10677	265	360	01.13-
2036 AS (OM 470.910)	Diesel	10677	265	360	01.13-
2036 AS (OM 470.913)	Diesel	10677	265	360	01.13-
2036 S, 2036 LS (OM 470.903)	Diesel	10677	265	360	01.13-
2036 S, 2036 LS (OM 470.910)	Diesel	10677	265	360	01.13-
2036 S, 2036 LS (OM 470.913)	Diesel	10677	265	360	01.13-
2536 LS	Diesel	10677	265	360	01.13-
2536 LS	Diesel	10677	265	360	01.13-
2536 LS	Diesel	10677	265	360	01.13-
2536 LS	Diesel	10677	265	360	01.13-
2636 LS	Diesel	10677	265	360	01.13-
2636 LS	Diesel	10677	265	360	01.13-
2636 S, 2636 LS	Diesel	10677	265	360	01.13-
3336 AS	Diesel	10677	265	360	01.13-
3336 S, 3336 LS	Diesel	10677	265	360	01.13-
1840 AS (OM 470.906)	Diesel	10677	290	394	01.13-
1840LS (OM 470.906)	Diesel	10677	290	394	01.13-
2040 AS (OM 470.906)	Diesel	10677	290	394	01.13-
2040 S, 2040 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-
2640 S, 2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-
3340 AS (OM 470.906)	Diesel	10677	290	394	01.13-
3340 S, 3340 LS (OM 470.906)	Diesel	10677	290	394	01.13-
1843 AS (OM 470.906)	Diesel	10677	315	428	01.13-
1843 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2043 AS (OM 470.906)	Diesel	10677	315	428	01.13-
2043 S, 2043 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-
2643 S, 2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-
3343 AS (OM 470.906)	Diesel	10677	315	428	01.13-
3343 S, 3343 LS (OM 470.906)	Diesel	10677	315	428	01.13-
1846 AS	Diesel	10677	335	455	07.15-
2046 AS	Diesel	10677	335	455	07.15-
3346 AS	Diesel	10677	335	455	07.15-
1842 AS (OM 471.900)	Diesel	12809	310	422	01.13-
1842 LS (OM 471.900)	Diesel	12809	310	422	01.13-
2042 AS (OM 471.900)	Diesel	12809	310	422	01.13-
2042 S, 2042 LS (OM 471.900)	Diesel	12809	310	422	01.13-

# LISTA DE APLICACIONES - BUYERS GUIDE

2542 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
2542 LS (OM 471.900)		Diesel		12809	310	421	01.13-	■
2542 LS		Diesel		12809	310	422	01.13-	■
2642 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 LS		Diesel		12809	310	422	01.13-	■
2642 S, 2642 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 AS (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 S, 3342 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
1845 AS		Diesel		12809	330	449	01.13-	■
1845 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
1845 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
2045 AS		Diesel		12809	330	449	01.13-	■
2045 S, 2045 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2045 S, 2045 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2545 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
2545 LS		Diesel		12809	330	448	01.13-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 S, 2645 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 S, 2645 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
3345 AS		Diesel		12809	330	449	01.13-	■
3345S, 3345 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
1848 AS (OM 471.906)		Diesel		12809	350	476	01.13-	■
1848 LS (OM 471.900)		Diesel		12809	350	476	01.13-	■
1848 LS (OM 471.906)		Diesel		12809	350	476	01.13-	■
2048 AS		Diesel		12809	350	476	01.13-	■
2048 S, 2048 LS		Diesel		12809	350	476	01.13-	■
2548 LS		Diesel		12809	350	476	01.13-	■
2548 LS		Diesel		12809	350	476	01.13-	■
2548 LS		Diesel		12809	350	476	01.13-	■
2648 LS (OM 471.900)		Diesel		12809	350	476	01.13-	■
2648 LS		Diesel		12809	350	476	01.13-	■
2648 S, 2648 LS		Diesel		12809	350	476	01.13-	■
3348 AS (OM 471.906)		Diesel		12809	350	476	01.13-	■
3348 S, 3348 LS (OM 471.900)		Diesel		12809	350	476	01.13-	■
1851 AS (OM 471.909)		Diesel		12809	375	510	01.13-	■
1851 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2051 AS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2051 S, 2051 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 S, 2651 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 S, 3351 LS (OM 471.909)		Diesel		12809	375	510	01.13-	■
1853 AS		Diesel		12809	390	530	07.15-	■
2053 AS		Diesel		12809	390	530	07.15-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

3353 AS		Diesel		12809	390	530	07.15-	■
3352 AS		Diesel		15569	380	517	05.13-	■
3352 SLT		Diesel		15569	380	517	04.14-	■
4052 SLT		Diesel		15569	380	517	04.14-	■
4152 SLT		Diesel		15569	380	517	04.14-	■
4152 SLT		Diesel		15569	380	517	04.14-	■
4452 SLT		Diesel		15569	380	517	04.14-	■
4852 SLT		Diesel		15569	380	517	04.14-	■
3358 AS		Diesel		15569	425	578	05.13-	■
3358 SLT		Diesel		15569	425	578	04.14-	■
4058 SLT		Diesel		15569	425	578	04.14-	■
4158 SLT		Diesel		15569	425	578	04.14-	■
4158 SLT		Diesel		15569	425	578	04.14-	■
4458 SLT		Diesel		15569	425	578	04.14-	■
4858 SLT		Diesel		15569	425	578	04.14-	■
3363 AS		Diesel		15569	460	625	05.13-	■
3363 SLT		Diesel		15569	460	625	04.14-	■
4063 SLT		Diesel		15569	460	625	04.14-	■
4163 SLT		Diesel		15569	460	625	04.14-	■
4163 SLT		Diesel		15569	460	625	04.14-	■
4463 SLT		Diesel		15569	460	625	04.14-	■
4863 SLT		Diesel		15569	460	625	04.14-	■
<b>ECONIC 2 04.13-</b>					<b>Platform/Chassis</b>			
1827 LL		Diesel		7698	200	272	09.17-	■
2627 LL		Diesel		7698	200	272	09.17-	■
1830 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■
2630 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■
2630 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■
1835 LL		Diesel		7698	260	354	04.13-	■
2635 LL		Diesel		7698	260	354	04.13-	■
2635 LL		Diesel		7698	260	354	04.13-	■
<b>ECONIC 2 04.13-</b>					<b>Platform/Chassis</b>			
1830 LL CNG		Gasolina		7698	222	302	09.14-	■
2630 LL CNG		Gasolina		7698	222	302	09.14-	■
<b>ECONIC 2 04.13-</b>					<b>Platform/Chassis</b>			
eECONIC 2730 LL		Mixto		0	400	544	11.21-	■