


LISTA DE APLICACIONES - BUYERS GUIDE


180092




8 424073 006677

Qty: 300 Weight: 1.106


O.E.M.	MAKE
1 571 569	FORD
1 642 643	FORD
5 010 540	FORD
5 015 932	FORD
5 018 907	FORD
5 022 397	FORD
513083	TRIUMPH
520243	TRIUMPH
6 150 948	FORD
6 567 001	FORD
76VB-2K021-AA	FORD
86VX-2K021-AA	FORD
89VB-2K021-BA	FORD
89VB-2K021-BA	FORD
89VX-2K021-AA	FORD
89VX-2K021-AA	FORD
91 109 274	BEDFORD
91 126 365	BEDFORD
AB2SX-2K021-LA	FORD
AEU1546	ROVER
AEU1947	ROVER
GBP90242	ROVER
GBP90245	TRIUMPH
RTC-3261	LDV
RTGBP3400	RELIANT




2x



2x



180092



E 9 90R-01111/2892

AP-Lockheed

89.1x71.1x15

WVA	FMSI
20364	D81-7014
20365	
20381	
20382	
20400	

MAKE
BEDFORD
DAF
FORD
LDV
LEYLAND
MG
RELIANT
ROVER
TRIUMPH
VAUXHALL



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BEDFORD

BLITZ / CF 08.69-10.87

Van (LCVs-N1 Segment)

2.0 CF220	01/84-	Gasolina	FWD	1995	56	76	08.69-	■
2.0 CF250	01/84-	Gasolina	FWD	1995	56	76	08.69-	■
2.0 CF280	01/84-	Gasolina	FWD	1995	56	76	08.69-	■
2.3 CF250 D	01/84-	Diesel	RWD	2295	46	63	08.69-	■
2.3 CF280 D	01/84-	Diesel	RWD	2295	46	63	08.69-	■
2.3 CF220 D	01/84-	Diesel	RWD	2295	56	76	08.69-	■

DAF

400 11.86-01.97

Platform/Chassis (LCVs-N1 Segment)

2.5 D		Diesel	RWD	2495	51	69	11.86-03.89	■
-------	--	--------	-----	------	----	----	-------------	---

400-Serie 04.89-08.93

428-435 2.5 D (BN 52)	-12/89	Diesel	RWD	2498	53	72	04.89-08.93	■
428-435 2.5 D (EN 55)	-12/89	Diesel	RWD	2498	53	72	04.89-08.93	■
428-435 2.5 TD (ET 70)	-12/89	Diesel	RWD	2498	71	97	04.89-08.93	■

FORD

TRANSIT (72E, 73E) 11.65-09.78

Bus (Minibus-M2-Segment)

1.5 1000 (72E2A) (EX)	01/71-	Gasolina	RWD	1498	44	60	12.68-05.73	■
1.5 1100 (72000) (EX)		Gasolina	RWD	1498	44	60	11.65-07.71	■
1.5 900 (7200) (EX)		Gasolina	RWD	1498	44	60	11.65-08.69	■
1.5 900 (7300) (EX)		Gasolina	RWD	1498	44	60	11.65-05.73	■
1.7 (72E3C) (EY)		Gasolina	RWD	1699	48	65	01.71-05.73	■
1.7 1000 (72E2A) (EY)		Gasolina	RWD	1699	48	65	01.71-05.73	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.7 1300 (820000) (EY)	01/71-	Gasolina	RWD	1699	48	65	01.66-05.73	■
1.7 900 (7300) (EY)		Gasolina	RWD	1699	48	65	02.71-06.71	■
1.7 FT 100 (72E2A) (EY)		Gasolina	RWD	1699	48	65	04.71-03.78	■
2.3 D FT 100 (72E2X) (4AA)		Diesel	RWD	2358	46	63	11.71-09.78	■
TRANSIT (74E) 12.68-09.78					Platform/Chassis (LCVs-N1 Segment)			
1.5 (EX)		Gasolina	RWD	1498	44	60	01.71-05.73	■
1.7 FT 100 (EY)		Gasolina	RWD	1699	48	65	04.71-03.78	■
TRANSIT 04.55-07.67					Van (LCVs-N1 Segment)			
1.5		Gasolina	RWD	1498	40	54	06.58-08.65	■
1.5 (72E1A) (EX)		Gasolina	RWD	1498	44	60	01.71-05.73	■
1.7 1300 (81E4SA) (EY)		Gasolina	RWD	1699	48	65	03.67-07.73	■
1.7 1300 Feuerw. (810000) (EY)		Gasolina	RWD	1699	48	65	11.65-05.73	■
1.7 FT 100 (EY)		Gasolina	RWD	1699	48	65	04.71-03.78	■
TRANSIT II (V_ _) 11.77-10.86					Bus (Minibus-M2-Segment)			
1.6 (VAS, VLS, VZS) (4RB)		Gasolina	RWD	1593	48	65	12.77-10.86	■
1.6 (L3C)		Gasolina	RWD	1598	62	84	01.78-10.86	■
2.0 (VAS, VBLVIL, VLS, VUL, VZS) (4RC)		Gasolina	RWD	1993	43	59	12.77-07.82	■
2.0 (VAS, VLS, VZS) (4RC)		Gasolina	RWD	1993	55	75	11.77-10.86	■
2.0 (VAS, VIL, VLS, VUL, VZS) (4RC)		Gasolina	RWD	1993	57	78	11.77-10.86	■
2.4 D (VAS, VBL, VIL, VUL, VZS) (4AA)		Diesel	RWD	2358	46	62	01.78-12.85	■
2.5 D (VAS, VBL, VIL, VUL, VZS) (4AB)		Diesel	RWD	2496	50	68	10.83-10.86	■
TRANSIT II (V_ _) 11.77-10.86					Platform/Chassis (LCVs-N1 Segment)			
1.6 (VCS, VDS) (B)		Gasolina	RWD	1593	48	65	11.77-10.86	■
1.6 (L3C)	-12/85	Gasolina	RWD	1598	62	84	01.78-10.86	■
2.0 (VGL, VSL, VTL) (4RC)		Gasolina	RWD	1993	43	59	11.77-07.82	■
2.0 (VGL, VSL, VTL, VCS, VDS) (4RC)		Gasolina	RWD	1993	57	78	11.77-10.86	■
2.4 D (VGL, VSL, VTL, VCS, VDS) (4AA)		Diesel	RWD	2358	46	62	01.78-12.85	■
2.5 D (VGL, VSL, VTL, VCS, VDS) (4AB)		Diesel	RWD	2496	50	68	10.83-10.86	■
TRANSIT II (V_ _) 01.77-10.86					Van (LCVs-N1 Segment)			
1.6 (WS) (4RB)		Gasolina	RWD	1593	48	65	11.77-10.86	■
1.6 (L3C)		Gasolina	RWD	1598	62	84	01.78-09.85	■
2.0 (VVS) (4RC)		Gasolina	RWD	1993	43	59	11.77-07.82	■
2.0 (VVL) (4RC)		Gasolina	RWD	1993	55	75	11.77-10.86	■
2.0 (VHL, VVS) (4RC)		Gasolina	RWD	1993	57	78	11.77-10.86	■
2.4 D (VVS) (4AA)		Diesel	RWD	2358	46	62	01.78-12.85	■
2.5 D (VVL) (4AB)		Diesel	RWD	2496	50	68	10.83-10.86	■
TRANSIT III (T_ _) 10.85-09.92					Bus (Minibus-M2-Segment)			
1.6		Gasolina	FWD	1598	62	84	10.86-07.87	■
2.0 L (NAW)	-12/89	Gasolina	RWD	1993	56	76	10.85-03.91	■
2.0 L (NAX)	-12/89	Gasolina	RWD	1993	56	76	10.85-03.91	■
2.0 Cat (TBS, TCL, TCS) (N6T)		Gasolina	RWD	1993	57	78	12.85-09.92	■
2.0 (N6TS)	-12/89	Gasolina	RWD	1993	60	82	10.85-03.91	■
2.0 (TBS, TCL, TCS, TEL, TES) (NAT)	-12/89	Gasolina	RWD	1994	57	78	11.85-09.92	■
2.0 (TBS, TCL, TCS, TEL, TES) (NAV)	-12/89	Gasolina	RWD	1994	57	78	11.85-09.92	■
2.5 D (TBS, TCL, TCS, TEL, TES) (4AB)	-12/88	Diesel	RWD	2496	50	68	12.85-01.89	■
2.5 D (TBS, TEL, TES) (4BA)	-12/89	Diesel	RWD	2496	52	71	09.88-09.92	■
2.5 D (TBS, TEL, TES) (4CA)	-12/89	Diesel	RWD	2496	52	71	09.88-09.92	■

LISTA DE APLICACIONES - BUYERS GUIDE

					Platform/Chassis (LCVs-N1 Segment)			
TRANSIT III (T_ _) 10.85-09.92								
1.6	01/85-	Gasolina	FWD	1598	62	84	01.78-12.88	■
2.0 Cat (TUL) (N6T)	-12/88	Gasolina	RWD	1993	57	78	11.85-09.92	■
2.0 (TTE, TTL, TTS) (NAT)	-12/88	Gasolina	RWD	1994	57	78	01.86-09.92	■
2.0 (TTE, TTL, TTS) (NAV)	-12/88	Gasolina	RWD	1994	57	78	01.86-09.92	■
2.5 D (TTL, TTS, TUL, TUS, TTE) (4AB)	-12/88	Diesel	RWD	2496	50	68	01.86-01.89	■
2.5 DI (TTE, TTL, TTS, TUL) (4BA)	-12/89	Diesel	RWD	2496	52	71	09.88-09.92	■
2.5 DI (TTE, TTL, TTS, TUL) (4BB)	-12/89	Diesel	RWD	2496	52	71	09.88-09.92	■
2.5 DI (TTE, TTL, TTS, TUL) (4CA)	-12/89	Diesel	RWD	2496	52	71	09.88-09.92	■
2.5 DI (TTE, TTL, TTS, TUL) (4CB)	-12/89	Diesel	RWD	2496	52	71	09.88-09.92	■
TRANSIT III (T_ _) 09.85-09.92					Van (LCVs-N1 Segment)			
1.6 (TAS) (LAT)	-12/89	Gasolina	RWD	1593	46	63	09.85-09.92	■
1.6 (L3C)		Gasolina	RWD	1598	62	84	10.85-07.87	■
2.0 (NAW)		Gasolina	RWD	1993	56	76	10.85-03.91	■
2.0 (NAX)		Gasolina	RWD	1993	56	76	10.85-03.91	■
2.0		Gasolina	FWD	1993	60	82	10.85-03.91	■
2.0 (TAL, TAS, TGL, TWS) (NAT)	-12/89	Gasolina	RWD	1994	57	78	09.85-09.92	■
2.0 (TAL, TAS, TGL, TWS) (NAV)	-12/89	Gasolina	RWD	1994	57	78	09.85-09.92	■
2.5 D (TAL, TAS, TGL, TWS) (4AB)	-12/88	Diesel	RWD	2496	50	68	01.86-09.91	■
2.5 D (TAL, TAS, TGL, TWS) (4BA)	-12/89	Diesel	RWD	2496	52	71	10.88-09.91	■
2.5 D (TAL, TAS, TGL, TWS) (4CA)	-12/89	Diesel	RWD	2496	52	71	10.88-09.91	■
LDV								
200 04.89-03.96					Van (LCVs-N1 Segment)			
1.7 City	01/89-	Gasolina	FWD	1695	54	73	04.89-	■
1.7 Crewbus	01/89-	Gasolina	FWD	1695	54	73	04.89-	■
1.7 (O-SERIES 17V)		Gasolina	RWD	1699	52	71	04.89-12.92	■
SHERPA (AS) 03.74-12.82					Bus (Minibus-M2-Segment)			
1.6 (KB16)		Gasolina	RWD	1622	48	65	03.74-09.78	■
1.7 (KB17)		Gasolina	RWD	1700	54	73	10.78-12.82	■
1.8 D (KD18)		Diesel	RWD	1798	48	65	03.74-12.82	■
SHERPA II (FR) 01.83-09.88					Bus (Minibus-M2-Segment)			
1.6 (G16A)		Gasolina	RWD	1598	48	65	01.83-09.88	■
1.8 (G18A)		Gasolina	RWD	1760	50	68	01.83-09.88	■
2.4 D		Diesel	RWD	2495	51	69	02.84-09.88	■
2.6 D (K25D)		Diesel	RWD	2594	59	80	01.83-09.88	■
SHERPA II 07.74-03.89					Platform/Chassis (LCVs-N1 Segment)			
1.7 (O-SERIES 17V)		Gasolina	RWD	1699	54	73	09.78-03.89	■
2.0		Gasolina	RWD	1994	64	87	04.85-03.89	■
1.8 D		Diesel	RWD	1798	38	52	07.74-12.86	■
2.0 D		Diesel	RWD	1994	38	52	11.86-03.89	■
2.5 D		Diesel	RWD	2495	51	69	02.84-03.89	■
2.5 D A las 4 ruedas		Diesel	4WD	2495	51	69	07.85-03.89	■
SHERPA II 06.74-03.89					Van (LCVs-N1 Segment)			
1.7 (O-SERIES 17V)		Gasolina	RWD	1699	54	73	09.78-10.86	■
3.5 (15G)		Gasolina	RWD	3528	99	135	08.85-03.89	■
1.8 D		Diesel	RWD	1798	38	52	06.74-10.85	■
2.5 D		Diesel	RWD	2495	51	69	02.84-03.89	■
2.5 D A las 4 ruedas		Diesel	4WD	2495	51	69	02.84-03.89	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D		Diesel	RWD	2495	59	80	02.84-03.89	■
LEYLAND								
SHERPA 01.80-					Van (LCVs-N1 Segment)			
1.7	01/80-	Gasolina	FWD	1695	54	73	01.80-	■
1.7	01/80-	Gasolina	FWD	1695	54	73	01.80-	■
1.8 D	01/80-	Diesel	RWD	1795	50	68	01.80-	■
1.8 F	01/80-	Diesel	RWD	1795	50	68	01.80-	■
MG								
MG B GT 07.65-11.80					Coupe (Sports car-S Segment)			
3.5 (D1) (15G)		Gasolina	RWD	3532	101	137	10.72-12.77	■
RELIANT								
SCIMITAR 01.80-12.85					Convertible (Sports car-S Segment)			
2.8 GTC		Gasolina	RWD	2792	99	135	01.80-12.85	■
SCIMITAR Station Wagon 01.68-12.86					Estate (Sports car-S Segment)			
2.8 GTE	-12/82	Gasolina	RWD	2792	99	135	01.80-12.86	■
ROVER								
2000-3500 01.64-					Hatchback (Luxury car-F Segment)			
2300	-12/81	Gasolina	RWD	2350	92	125	09.77-10.86	■
2600 S (12 C)		Gasolina	RWD	2597	93	126	10.82-10.86	■
2600 S (13 C)		Gasolina	RWD	2597	93	126	10.82-10.86	■
2600 (12 C)		Gasolina	RWD	2597	99	135	09.77-10.82	■
2600 (13 C)		Gasolina	RWD	2597	99	135	09.77-10.82	■
2.7 2700 Vitesse	01/77-	Gasolina	FWD	2695	125	170	01.64-	■
3500 (38 A)	01/77-	Gasolina	RWD	3528	115	156	06.76-10.86	■
3500 (39 A)	01/77-	Gasolina	RWD	3528	115	156	06.76-10.86	■
3500 Vitesse (30 A)		Gasolina	RWD	3528	142	193	10.82-10.86	■
3500 Vitesse (31 A)		Gasolina	RWD	3528	142	193	10.82-10.86	■
2400 TD (HR 492 HT)		Diesel	RWD	2393	67	91	05.82-10.86	■
2200-3500 (P6) 09.63-10.77					Saloon (Luxury car-F Segment)			
3500		Gasolina	RWD	3532	104	141	04.68-05.76	■
TRIUMPH								
2.5 PI 01.68-12.75					Saloon (Sports car-S Segment)			
2.5		Gasolina	RWD	2498	90	122	10.68-10.75	■
2.5 (25PI)		Gasolina	RWD	2498	99	134	01.68-12.75	■
2.5 PI Estate 01.68-12.75					Estate (Sports car-S Segment)			
2.5 (25PI)		Gasolina	RWD	2498	90	122	10.68-10.74	■
2.5 (25PI)		Gasolina	RWD	2498	99	134	01.68-12.75	■
2000 01.68-03.72					Saloon (Sports car-S Segment)			
2.0 (20TC)		Gasolina	RWD	1998	65	88	03.72-04.75	■
2.0		Gasolina	RWD	1998	66	90	01.68-03.72	■
2.0 (20TC)		Gasolina	RWD	1998	66	90	03.72-12.75	■
2.0 TC (20TC)		Gasolina	RWD	1998	68	93	04.75-12.77	■
2000 Estate 01.68-12.75					Estate (Sports car-S Segment)			
2.0 (20TC)		Gasolina	RWD	1998	66	90	01.68-12.75	■
2.0 (20TC)		Gasolina	RWD	1998	66	91	03.72-12.75	■
2.0 TC (20TC)		Gasolina	RWD	1998	68	92	03.72-12.75	■

LISTA DE APLICACIONES - BUYERS GUIDE

2500 05.74-12.77					Saloon (Sports car-S Segment)			
TC		Gasolina	RWD	2498	74	100	05.74-04.75	■
S		Gasolina	RWD	2498	79	108	04.75-12.77	■
2500 Estate 05.74-12.79					Estate (Sports car-S Segment)			
TC		Gasolina	RWD	2498	74	100	05.74-04.75	■
S		Gasolina	RWD	2498	79	108	04.75-12.77	■
STAG (LD) 01.70-12.77					Convertible (Sports car-S Segment)			
3.0		Gasolina	RWD	2997	107	145	01.70-12.77	■
TR 8 09.79-12.81					Convertible (Sports car-S Segment)			
3.5		Gasolina	RWD	3532	99	135	01.80-12.81	■
VAUXHALL								
VENTORA 03.68-10.76					Saloon (Executive car-E Segment)			
2.8 2800 LS	01/72-	Gasolina	FWD	2795	66	90	03.68-	■
3300		Gasolina	RWD	3294	91	124	03.69-10.76	■
VICTOR 03.68-10.76					Estate (Executive car-E Segment)			
1800		Gasolina	RWD	1759	57	78	10.72-10.76	■
2300 (23 HC)		Gasolina	RWD	2279	74	100	10.72-10.76	■
3000		Gasolina	RWD	3294	91	124	03.68-09.72	■
VICTOR 01.67-10.76					Saloon (Executive car-E Segment)			
1600		Gasolina	RWD	1599	53	72	03.69-09.72	■
1800 (18 HC)		Gasolina	RWD	1759	57	78	10.72-10.76	■
2000	01/70-	Gasolina	RWD	1975	65	88	01.67-09.72	■
2300 (23 HC)		Gasolina	RWD	2279	74	100	10.72-10.76	■
2.8 2800 SL	01/72-	Gasolina	FWD	2795			01.67-	■
VX 01.76-10.78					Estate (Executive car-E Segment)			
1800 (18 HC)		Gasolina	RWD	1759	65	88	01.76-10.78	■
2300 (23 HC)		Gasolina	RWD	2279	81	110	01.76-10.78	■
VX 01.69-10.78					Saloon (Executive car-E Segment)			
1800 (18 HC)		Gasolina	RWD	1759	65	88	01.76-10.78	■
2000 4/90		Gasolina	RWD	1975	78	106	01.69-10.71	■
2300 (23 HC)		Gasolina	RWD	2279	81	110	09.75-10.78	■