

# LISTA DE APLICACIONES - BUYERS GUIDE


## 180337-700




Qty: 944

Weight: 950

O.E.M.	MAKE
0060 743 565	ALFA ROMEO
0060 743 578	ALFA ROMEO
0060 760 120	ALFA ROMEO
16 416 260 030 130	ALFA ROMEO
16 420 224 130 100	ALFA ROMEO
16 420 260 030 030	ALFA ROMEO
5 892 650	LANCIA
60 743 565	ALFA ROMEO
60 743 578	ALFA ROMEO
60 760 120	ALFA ROMEO
7 177 098 8	LANCIA
7 736 218 7	FIAT
8 244 43 81	FIAT
8 244 43 82	FIAT
86 60 004 464	RENAULT
86 71 016 637	RENAULT
9 939 503	LANCIA
9 941 873	LANCIA
9 945 629	LANCIA
9 945 750	ALFA ROMEO



## 180337-700



## 180337-700

E 9 90R-02A0110/1323



Lucas - Girling

86.8x66.7x16.5

WVA	FMSI
20598	D228-7144
20668	D306-7208
MAKE	
ALFA ROMEO	
AUDI	
FIAT	
LANCIA	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### ALFA ROMEO

#### 164 / 168 (164\_) 01.87-10.98

#### Saloon (Executive car-E Segment)

2.0 (164A2C) (AR 06416)	Gasolina	FWD	1962	102	138	06.87-09.98	■
2.0 (164A2C, 164A2L, 164A2H) (AR 06420)	Gasolina	FWD	1962	105	143	11.87-10.92	■
2.0 Twin Spark (164.A2C, 164.A2L, 164A2H) (AR 06420)	Gasolina	FWD	1962	105	143	06.87-08.92	■
2.0 Twin Spark (164A2C, 164A2L, 164A2H) (AR 06420)	Gasolina	FWD	1962	105	143	07.90-10.92	■
2.0 Twin Spark (164.A2H, 164.A2) (AR 06420)	Gasolina	FWD	1962	109	148	06.87-09.92	■
2.0 Twin Spark (164A2) (AR 06420)	Gasolina	FWD	1962	109	148	06.87-09.92	■
2.0 Twin Spark (164.H3) (AR 64103)	Gasolina	FWD	1995	106	144	09.92-09.98	■
2.0 Turbo (164A2B) (AR 06476)	Gasolina	FWD	1995	128	174	10.87-09.98	■
2.0 Turbo (164A2B) (AR 06476)	Gasolina	FWD	1995	129	175	02.88-10.92	■
2.0 Turbo	Gasolina	FWD	1995	148	201	07.90-10.92	■
2.0 Turbo	Gasolina	FWD	1995	152	207	07.90-10.92	■
2.0 V6 Turbo (164.K3) (AR 64102)	Gasolina	FWD	1996	148	201	09.92-09.98	■
2.0 V6 Turbo (164.A2G, 164.A2F) (AR 64101)	Gasolina	FWD	1996	150	204	03.91-09.92	■
2.5 V6 (164A1C) (AR 66201)	Gasolina	FWD	2492	120	163	09.92-09.98	■
3.0 V6 (164.H1A, 164.H1B, 164.K1P) (AR 64303)	Gasolina	FWD	2959	132	180	09.92-09.98	■
3.0 V6 (164.H1A, 164.H1B, 164.K1P) (AR 64305)	Gasolina	FWD	2959	132	180	09.92-09.98	■
3.0 V6 (164.H1A, 164.H1B, 164.K1P) (AR 64399)	Gasolina	FWD	2959	132	180	09.92-09.98	■
3.0 V6 (164.H1A, 164.H1B, 164.K1P) (AR 66303)	Gasolina	FWD	2959	132	180	09.92-09.98	■
3.0 V6 (164.AD, 164.AH, 164.AB) (AR 06412)	Gasolina	FWD	2959	135	184	06.87-09.92	■
3.0 (164AG) (AR 06410)	Gasolina	FWD	2959	136	185	09.90-12.93	■

# LISTA DE APLICACIONES - BUYERS GUIDE

3.0 (164A) (AR 06410)		Gasolina	FWD	2959	138	188	11.87-09.91	■
3.0 V6 (164.A) (AR 06410)		Gasolina	FWD	2959	141	192	06.87-09.92	■
3.0		Gasolina	FWD	2959	145	197	10.94-08.97	■
3.0		Gasolina	FWD	2959	147	200	02.88-10.92	■
3.0 i.e. QV (164.AG) (AR 06430)		Gasolina	FWD	2959	147	200	09.90-09.92	■
3.0 i.e. QV (164.AG) (AR 64301)		Gasolina	FWD	2959	147	200	09.90-09.92	■
3.0 24V (164K1G, 164K1F) (AR 66302)		Gasolina	FWD	2959	154	209	03.95-10.97	■
3.0 24V (164.K1) (AR 64306)		Gasolina	FWD	2959	155	211	09.92-09.98	■
3.0 24V (164.K1) (AR 66301)		Gasolina	FWD	2959	155	211	09.92-09.98	■
3.0 24V (164.K1) (AR 66302)		Gasolina	FWD	2959	155	211	09.92-09.98	■
3.0		Gasolina	FWD	2959	157	213	03.95-10.97	■
3.0 (164H1) (AR 64304)		Gasolina	FWD	2959	168	228	04.93-02.95	■
3.0 (164H1) (AR 64304)		Gasolina	FWD	2959	170	231	03.95-08.97	■
3.0 24V QV (164.H1) (AR 64304)		Gasolina	FWD	2959	171	233	09.92-09.98	■
2.5 TD (164.A1A) (VM 84 A)		Diesel	FWD	2499	84	114	06.87-09.92	■
2.5 TD (164.K2A, 164.K2B) (VM 08 B)		Diesel	FWD	2499	92	125	09.92-09.98	■
2.5 TD (164.K2A, 164.K2B) (VM 32 B)		Diesel	FWD	2499	92	125	09.92-09.98	■
AUDI								
100 (U.S.A. C1) 09.70-12.77						Saloon (Executive car-E Segment)		
1.9	01/75-	Gasolina	FWD	1895			09.70-	■
2.3	01/89-	Gasolina	FWD	2295			09.70-	■
2.3 quattro	01/89-	Gasolina	FWD	2295			09.70-	■
2.8	01/92-	Gasolina	FWD	2795			09.70-	■
2.8 quattro	01/93-	Gasolina	FWD	2795			09.70-	■
2.8 quattro	01/92-	Gasolina	FWD	2795			09.70-	■
100 IV C4 Avant (4A5) 12.90-11.94						Estate (Executive car-E Segment)		
2.3	01/89-	Gasolina	FWD	2295			12.90-	■
2.8	01/94-	Gasolina	FWD	2795			12.90-	■
2.8 quattro	01/92-	Gasolina	FWD	2795			12.90-	■
200 II C3 (447, 448) 06.83-12.91						Saloon (Executive car-E Segment)		
2.2	01/89-	Gasolina	FWD	2195			06.83-	■
2.2	01/91-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/89-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/91-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/91-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/91-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/89-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/91-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/91-	Gasolina	FWD	2195			06.83-	■
2.2 20V Quattro	01/91-	Gasolina	FWD	2195			06.83-	■
4000 (U.S.A. B2) 09.79-12.87						Saloon (Compact executive car-D Segment)		
1.8	01/87-	Gasolina	FWD	1795			09.79-	■
1.8	01/87-	Gasolina	FWD	1795			09.79-	■
2.2 quattro	01/83-	Gasolina	FWD	2195			09.79-	■
2.2 quattro	01/83-	Gasolina	FWD	2195			09.79-	■
5000 (U.S.A. C2) 09.77-12.84						Saloon (Executive car-E Segment)		
2.1	01/80-	Gasolina	FWD	2095			09.77-	■
2.1	01/84-	Gasolina	FWD	2095			09.77-	■
2.2	01/85-	Gasolina	FWD	2195			09.77-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.2	01/85-	Gasolina	FWD	2195			09.77-	■
2.2 quattro	01/86-	Gasolina	FWD	2195			09.77-	■
2.2 quattro	01/86-	Gasolina	FWD	2195			09.77-	■
2.2 Turbo	01/81-	Gasolina	FWD	2195			09.77-	■
2.2 Turbo	01/81-	Gasolina	FWD	2195			09.77-	■
2.3	01/87-	Gasolina	FWD	2295			09.77-	■
2.3 quattro	01/87-	Gasolina	FWD	2295			09.77-	■
<b>80 IV / 90 (U.S.A. B3) 09.87-12.92</b>					<b>Saloon (Compact executive car-D Segment)</b>			
2.0	01/88-	Gasolina	FWD	1995			09.87-	■
2.0	01/89-	Gasolina	FWD	1995			09.87-	■
2.3	01/91-	Gasolina	FWD	2295			09.87-	■
2.3	01/91-	Gasolina	FWD	2295			09.87-	■
2.3 quattro	01/88-	Gasolina	FWD	2295			09.87-	■
2.3 quattro	01/88-	Gasolina	FWD	2295			09.87-	■
<b>80 V B4 Avant / 90 (8C5) 09.91-01.96</b>					<b>Estate (Compact executive car-D Segment)</b>			
2.8 quattro (AAH)		Gasolina	4WD	2771	128	174	08.92-07.95	■
1.9 TD (AAZ)		Diesel	FWD	1896	55	75	09.91-12.94	■
<b>90 II (U.S.A. B3) 09.87-12.95</b>					<b>Saloon (Compact executive car-D Segment)</b>			
2.0	01/88-	Gasolina	FWD	1995			09.87-	■
2.3 20V	01/88-	Gasolina	FWD	2295			09.87-	■
2.3 20V	01/89-	Gasolina	FWD	2295			09.87-	■
2.3 20V quattro	01/90-	Gasolina	FWD	2295			09.87-	■
2.3 20V quattro	01/90-	Gasolina	FWD	2295			09.87-	■
2.3 quattro	01/88-	Gasolina	FWD	2295			09.87-	■
2.3 quattro	01/88-	Gasolina	FWD	2295			09.87-	■
2.8	01/93-	Gasolina	FWD	2795			09.87-	■
2.8	01/94-	Gasolina	FWD	2795			09.87-	■
2.8 30V	01/94-	Gasolina	FWD	2795			09.87-	■
2.8 30V Quattro	01/94-	Gasolina	FWD	2795			09.87-	■
2.8 quattro	01/93-	Gasolina	FWD	2795			09.87-	■
2.8 quattro	01/94-	Gasolina	FWD	2795			09.87-	■
<b>FIAT</b>								
<b>CROMA (154_) 12.85-12.96</b>					<b>Hatchback (Large family car-D Segment)</b>			
1600 (154 A.048)	01/86-	Gasolina	FWD	1585	61	83	12.85-12.90	■
2000 CHT (154.AC) (154 A1.000)	01/88-	Gasolina	FWD	1995	66	90	12.85-02.89	■
2000 CHT (154 A1.000)		Gasolina	FWD	1995	74	100	01.91-09.92	■
2000 CHT (154 C5.000)		Gasolina	FWD	1995	74	100	01.91-09.92	■
2000 i.e. (154.AM) (834 B.048)		Gasolina	FWD	1995	83	113	03.86-09.90	■
2000 i.e. (154.AM, 154.LM) (154 C3.046)		Gasolina	FWD	1995	85	116	10.87-08.96	■
2000 i.e. (154.AM, 154.LM) (834 B.146)		Gasolina	FWD	1995	85	116	10.87-08.96	■
2000 i.e. (154.AD) (154 C3.000)		Gasolina	FWD	1995	88	120	03.87-09.92	■
2000 i.e. (154.AD) (834 B.000)		Gasolina	FWD	1995	88	120	03.87-09.92	■
2000 16V (154 E1.000)		Gasolina	FWD	1995	101	137	08.92-08.96	■
2000 i.e. Turbo (154.AM, 154.LM) (154 C4.046)	-12/95	Gasolina	FWD	1995	110	150	06.87-08.96	■
2000 i.e. Turbo (154.AM, 154.LM) (834 C.146)	-12/95	Gasolina	FWD	1995	110	150	06.87-08.96	■
2000 i.e. Turbo (834 C.146)		Gasolina	FWD	1995	111	151	11.86-11.88	■
2000 i.e. Turbo (154.AM, 154.LM) (154 A2.000)		Gasolina	FWD	1995	114	155	12.85-06.90	■
2500 V6 (834 G.000)		Gasolina	FWD	2492	119	162	06.93-08.96	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1900 Turbo D i.d. (154.LL, 154.PL) (154 C6.000)		Diesel	FWD	1929	66	90	08.87-10.92	■
1900 Turbo D i.d. (154 D1.000)		Diesel	FWD	1929	69	94	11.92-12.96	■
2500 TD (154.AE) (8144.91.2000)	01/86-	Diesel	FWD	2445	74	101	12.85-08.89	■
2500 D (8144.67)	-12/88	Diesel	FWD	2499	55	75	12.85-12.89	■
2500 TD (154.LL, 154.PL) (8144.97)		Diesel	FWD	2500	85	115	05.89-08.96	■
2500 TD (154.LL, 154.PL) (8144.97 Y)		Diesel	FWD	2500	85	115	05.89-08.96	■
2500 TD (154.LL, 154.PL) (8144.97.2400)		Diesel	FWD	2500	85	115	05.89-08.96	■
<b>LANCIA</b>								
<b>THEMA (834_) 11.84-07.94</b>					<b>Saloon (Executive car-E Segment)</b>			
2000 i.e. (834AB) (834 B.048)		Gasolina	FWD	1995	83	113	03.86-09.88	■
2000 i.e. (834BV) (834 B.146)		Gasolina	FWD	1995	85	115	09.87-05.92	■
2000 i.e (834AB) (834 B1.000)		Gasolina	FWD	1995	86	117	09.88-05.92	■
2000 i.e. (834B) (834 B.000)		Gasolina	FWD	1995	88	120	11.84-09.88	■
2000 i.e. 16V (834AI) (834 B2.246)		Gasolina	FWD	1995	104	141	02.89-05.92	■
2000 i.e. 16V (834AA) (834 B2.000)		Gasolina	FWD	1995	108	147	05.88-08.92	■
2000 i.e.Turbo (834CV) (834 C.146)		Gasolina	FWD	1995	110	150	07.86-05.90	■
2000 16V (834FA) (834 F1.000)		Gasolina	FWD	1995	112	152	08.92-12.93	■
2000 i.e. Turbo (834C) (834 C.000)		Gasolina	FWD	1995	122	166	11.84-12.89	■
2000 i.e. 16V Turbo (834AL) (834 C1.246)		Gasolina	FWD	1995	130	177	04.89-05.92	■
2000 16V Turbo (834AC) (834 C1.000)		Gasolina	FWD	1995	133	181	12.88-06.90	■
2000 16V Turbo (834GC, 834FC) (834 F2.000)		Gasolina	FWD	1995	148	201	10.92-07.94	■
2850 V6 i.e. (834AD, 834CD, 834BD) (834 E.146)		Gasolina	FWD	2849	108	147	06.88-05.92	■
2850 V6 i.e. (834F) (834 E.000)		Gasolina	FWD	2849	110	150	11.84-09.88	■
2850 V6 i.e. (834F) (834 E.146)		Gasolina	FWD	2849	110	150	11.84-09.88	■
3000 V6 (834GD, 834FD) (834 F.000)		Gasolina	FWD	2959	126	171	08.92-07.94	■
2500 Turbo D (834D) (8144.91)		Diesel	FWD	2445	74	101	11.84-09.88	■
2500 Turbo DS (834AM) (8144. 97S)		Diesel	FWD	2500	77	105	05.88-07.92	■
<b>THEMA SW (834_) 03.87-07.94</b>					<b>Estate (Executive car-E Segment)</b>			
2000 i.e. 16V (834AI) (834 B2.246)		Gasolina	FWD	1995	104	141	02.89-05.92	■
2000 i.e. 16V (834AA) (834 B2.000)		Gasolina	FWD	1995	108	147	05.89-08.92	■
2000 Turbo (834.FA, 834.BV, 834.CV) (834 C.146)		Gasolina	FWD	1995	110	150	12.88-03.92	■
2000 16V (834FA) (834 F1.000)		Gasolina	FWD	1995	112	152	05.92-07.94	■
2000 i.e. Turbo (834.05) (834 C.000)		Gasolina	FWD	1995	122	166	06.87-07.94	■
2000 i.e. 16V Turbo (834AL) (834 C1.246)		Gasolina	FWD	1995	130	177	04.89-03.93	■
2000 i.e. 16V Turbo (834AL) (834 C1.000)		Gasolina	FWD	1995	133	181	12.88-06.90	■
2000 Turbo 16V (834GC, 834FC) (834 F2.000)		Gasolina	FWD	1995	148	201	11.92-07.94	■
3000 V6 (834GD, 834FD) (834 F.000)		Gasolina	FWD	2959	126	171	09.92-07.94	■
2500 Turbo DS (834D) (8144.91)		Diesel	FWD	2445	74	101	03.87-09.90	■
2500 Turbo DS (834AE) (8144.97)	-12/90	Diesel	FWD	2499	85	115	06.88-05.92	■