

LISTA DE APLICACIONES - BUYERS GUIDE

180386




8 424073 008220

Qty: 944

Weight: 722

O.E.M.	MAKE
000 420 57 20	MERCEDES-BENZ
000 420 58 20	MERCEDES-BENZ
000 420 62 20	MERCEDES-BENZ
000 420 62 80	MERCEDES-BENZ
000 420 70 20	MERCEDES-BENZ
000 420 71 20	MERCEDES-BENZ
000 420 76 20	MERCEDES-BENZ
000 479 14 00	MERCEDES-BENZ
001 420 06 20	MERCEDES-BENZ
001 420 71 20	MERCEDES-BENZ
001 420 79 20	MERCEDES-BENZ
001 420 93 20	MERCEDES-BENZ
002 586 47 42	MERCEDES-BENZ
002 586 48 42	MERCEDES-BENZ
16 05 723	OPEL
2 726 75	VOLVO
2 726 750	VOLVO
2 728 77	VOLVO
2 728 772	VOLVO
90 297 420	VAUXHALL



180386

E 9 90R-01110/1048



Ate - Teves

61.8x56.6x15.5

WVA	FMSI
20343	D58-796
20630	
20902	
21035	

MAKE
BENTLEY
IRION
MASERATI
MERCEDES-BENZ
OPEL
VAUXHALL
VOLVO



Trac.	CC	Kw	CV		Front / Rear
-------	----	----	----	--	--------------

BENTLEY

T1 SERIES (U.S.A.) 09.65-12.76						Saloon (Luxury car-F Segment)			
6.7	01/65-	Gasolina	FWD	6695		09.65-			■

IRION

BF G 304 2 Type ASSE									
AUTO TRANS	01/73-	Diesel				01.53-			■

MASERATI

228 08.86-06.93						Coupe (Sports car-S Segment)			
2.8 (473)		Gasolina	RWD	2790	182	247	07.87-12.90		■
2.8 i		Gasolina	RWD	2790	184	250	12.86-12.90		■

BITURBO (AM 331) 12.81-06.93						Coupe (Sports car-S Segment)			
i (452)		Gasolina	RWD	1996	136	184	07.85-04.87		■
S 2.0 (454)		Gasolina	RWD	1996	151	205	12.81-02.87		■
Si 2.0 (471)		Gasolina	RWD	1996	151	205	09.87-12.88		■
222 (471)		Gasolina	RWD	1996	162	220	01.89-12.92		■
2.24v (475)		Gasolina	RWD	1996	180	245	03.89-06.93		■
E		Gasolina	RWD	2491	139	189	06.82-10.87		■
ES (453)		Gasolina	RWD	2491	147	200	09.83-12.86		■
222 E (473)		Gasolina	RWD	2790	182	247	01.89-10.89		■
222 SE (473)		Gasolina	RWD	2790	184	250	01.88-12.90		■

BITURBO (69, 78, AF3, AM 332) 06.84-12.94						Saloon (Sports car-S Segment)			
4.24V (475)		Gasolina	RWD	1996	180	245	04.90-12.94		■
425 i		Gasolina	RWD	2469	138	188	09.87-12.88		■

LISTA DE APLICACIONES - BUYERS GUIDE

425 (453)		Gasolina	RWD	2491	140	190	06.84-08.87	■	
425 (453)		Gasolina	RWD	2491	147	200	06.84-08.87	■	
430		Gasolina	RWD	2790	165	224	10.91-09.94	■	
430 (473)		Gasolina	RWD	2790	182	247	02.88-12.94	■	
2.8 SE		Gasolina	FWD	2790	184	250	03.91-12.94	■	
430 4V		Gasolina	RWD	2790	209	284	10.91-09.94	■	
BITURBO Spider (AM 333) 07.85-12.94					Convertible (Sports car-S Segment)				
2.0 (452)		Gasolina	RWD	1996	136	184	07.85-04.87	■	
2.8 (473)		Gasolina	RWD	2790	165	224	01.89-12.94	■	
GHIBLI II (AM336) 04.92-12.97					Coupe (Sports car-S Segment)				
2.0 24V Biturbo (AM 496)	-12/94	Gasolina	RWD	1996	225	306	05.92-12.97	■	
2.0		Gasolina	RWD	1996	236	321	05.92-09.94	■	
2.8 24V Biturbo (AM 574)	-12/94	Gasolina	RWD	2790	209	284	06.92-12.97	■	
KARIF 04.88-06.00					Coupe (Sports car-S Segment)				
2.8 (473)		Gasolina	RWD	2790	165	225	04.88-01.91	■	
2.8 (473)		Gasolina	RWD	2790	182	247	04.88-12.92	■	
SHAMAL 09.89-11.95					Coupe (Sports car-S Segment)				
3.2		Gasolina	RWD	3217	240	326	12.89-11.95	■	
MERCEDES-BENZ									
/8 (W114) 04.69-02.77					Coupe (Executive car-E Segment)				
250 C (114.021) (M 114.920)		Gasolina	RWD	2496	96	130	04.69-06.72	■	
250 CE (114.022) (M 114.980)		Gasolina	RWD	2496	110	150	04.69-04.72	■	
280 C (114.073) (M 110.921)		Gasolina	RWD	2746	118	160	06.72-02.77	■	
280 CE (114.072) (M 110.981)		Gasolina	RWD	2746	136	185	06.72-01.77	■	
250 C 2.8 (114.023) (M 130.923)		Gasolina	RWD	2778	96	130	06.72-11.76	■	
/8 (W114) 01.68-11.76					Saloon (Executive car-E Segment)				
200 (115.015) (M 115.923)		Gasolina	RWD	1988	63	86	01.68-01.77	■	
200 (115.015) (M 115.926)		Gasolina	RWD	1988	63	86	01.68-01.77	■	
200 (115.020) (M 115.923)		Gasolina	RWD	1988	70	95	01.68-01.77	■	
200 (115.020) (M 115.926)		Gasolina	RWD	1988	70	95	01.68-01.77	■	
220 (115.010) (M 115.924)		Gasolina	RWD	2200	66	90	01.68-07.73	■	
220 (115.010) (M 115.920)		Gasolina	RWD	2200	77	105	01.68-07.73	■	
230.6 (114.015) (M 180.954)		Gasolina	RWD	2292	88	120	01.68-11.76	■	
230.4 (115.017) (M 115.951)		Gasolina	RWD	2307	81	110	08.73-12.76	■	
250 (114.010) (M 114.920)		Gasolina	RWD	2496	85	116	01.68-08.72	■	
250 (114.024, 114.010) (M 114.920)		Gasolina	RWD	2496	96	130	07.68-08.72	■	
280 (114.060) (M 110.921)		Gasolina	RWD	2746	118	160	06.72-11.76	■	
280 E (114.062) (M 110.981)		Gasolina	RWD	2746	136	185	06.72-11.76	■	
250 2.8 (114.011) (M 130.923)		Gasolina	RWD	2778	96	130	06.72-11.76	■	
200 D (115.115) (OM 615.913)		Diesel	RWD	1988	40	55	01.68-01.77	■	
220 D (115.110) (OM 615.912)		Diesel	RWD	2197	44	60	01.68-01.77	■	
240 D (115.117) (OM 616.916)		Diesel	RWD	2404	48	65	08.73-01.77	■	
240 D 3.0 (115.114) (OM 617.910)		Diesel	RWD	2998	59	80	08.74-11.76	■	
123 (C123) 03.77-12.85					Coupe (Executive car-E Segment)				
230 CE (123.243) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-12.85	■	
230 C (123.043) (M 115.954)		Gasolina	RWD	2307	80	109	05.77-04.80	■	
280 C (123.050) (M 110.923)		Gasolina	RWD	2746	115	156	03.77-03.80	■	
280 CE (123.053) (M 110.988)		Gasolina	RWD	2746	130	177	09.77-08.79	■	
280 CE (M 110.988)		Gasolina	RWD	2746	136	185	03.77-11.85	■	

LISTA DE APLICACIONES - BUYERS GUIDE

300 C Turbo-D (123.153) (OM 617.952)		Diesel	RWD	2998	92	125	09.81-07.85	■	
123 (W123) 01.76-12.85					Saloon (Executive car-E Segment)				
200 (123.020) (M 115.938)		Gasolina	RWD	1988	62	84	02.76-08.80	■	
200 (123.020) (M 115.939)		Gasolina	RWD	1988	62	84	02.76-08.80	■	
200 (123.020) (M 115.938)		Gasolina	RWD	1988	69	94	02.76-08.80	■	
200 (123.020) (M 115.939)		Gasolina	RWD	1988	69	94	02.76-08.80	■	
200 (123.220) (M 102.939)		Gasolina	RWD	1996	74	101	06.80-11.85	■	
200 (123.220) (M 102.920)		Gasolina	RWD	1996	80	109	06.80-11.85	■	
230 E (123.223) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-12.85	■	
230 (123.023) (M 115.954)		Gasolina	RWD	2307	80	109	02.76-03.81	■	
250 (123.026) (M 123.921)		Gasolina	RWD	2525	95	129	02.76-10.79	■	
250 (123.026) (M 123.921)		Gasolina	RWD	2525	103	140	10.79-07.85	■	
280 (123.030) (M 110.923)		Gasolina	RWD	2746	115	156	02.76-08.81	■	
280 E (123.033) (M 110.988)		Gasolina	RWD	2746	130	177	08.76-08.81	■	
280 E (123.033) (M 110.984)		Gasolina	RWD	2746	136	185	02.76-11.85	■	
280 E (123.033) (M 110.988)		Gasolina	RWD	2746	136	185	02.76-11.85	■	
200 D (123.120) (OM 615.940)		Diesel	RWD	1988	40	55	07.76-02.79	■	
200 D (123.120) (OM 615.940)		Diesel	RWD	1988	44	60	03.79-11.85	■	
220 D (123.126) (OM 615.941)		Diesel	RWD	2197	44	60	01.76-02.79	■	
220 D (123.126) (OM 615.941)		Diesel	RWD	2197	49	67	01.77-03.79	■	
240 D (123.123) (OM 616.912)		Diesel	RWD	2399	48	65	02.76-02.79	■	
240 D (123.123) (OM 616.912)		Diesel	RWD	2399	53	72	03.79-11.85	■	
300 D (123.130) (OM 617.912)		Diesel	RWD	2998	59	80	02.76-07.80	■	
300 D (123.130) (OM 617.912)		Diesel	RWD	2998	65	88	03.79-11.85	■	
300 Turbo-D (123.133) (OM 617.952)		Diesel	RWD	2998	92	125	08.81-07.85	■	
123 T-Model (S123) 09.77-12.86					Estate (Executive car-E Segment)				
200 T (123.280) (M 102.939)		Gasolina	RWD	1997	74	101	11.80-11.85	■	
200 T (123.280) (M 102.920)		Gasolina	RWD	1997	80	109	11.80-11.85	■	
230 TE (123.283) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-11.85	■	
230 T (123.083) (M 115.954)		Gasolina	RWD	2307	80	109	09.77-03.80	■	
250 T (123.086) (M 123.921)		Gasolina	RWD	2525	95	129	05.78-10.79	■	
250 T (123.086) (M 123.921)		Gasolina	RWD	2525	103	140	05.78-08.82	■	
280 TE (123.093) (M 110.988)		Gasolina	RWD	2746	136	185	09.77-11.85	■	
240 T D (123.183) (OM 616.912)		Diesel	RWD	2399	48	65	09.77-02.79	■	
240 T D (123.183) (OM 616.912)		Diesel	RWD	2399	53	72	03.79-12.85	■	
300 T D (123.190) (OM 617.912)		Diesel	RWD	2998	59	80	09.77-10.85	■	
300 T D (123.190) (OM 617.912)		Diesel	RWD	2998	65	88	03.79-11.85	■	
300 T Turbo-D (123.193) (OM 617.952)		Diesel	RWD	2998	92	125	10.80-11.85	■	
CABRIOLET (W111, W112) 09.61-12.71					Convertible (Luxury car-F Segment)				
280 SE 3.5 (111.025) (M 116.980)		Gasolina	RWD	3499	147	200	04.68-12.71	■	
HECKFLOSSE (W110) 08.59-02.68					Saloon (Compact executive car-D Segment)				
200 (110.010) (M 121.940)		Gasolina	RWD	1988	61	83	07.65-02.68	■	
200 (M 115.926)		Gasolina	RWD	1988	70	95	07.65-02.68	■	
230 (110.011) (M 180.945)		Gasolina	RWD	2281	77	105	07.65-02.68	■	
230 (110.011) (M 180.949)		Gasolina	RWD	2281	77	105	07.65-02.68	■	
230 (M 180.950)		Gasolina	RWD	2281	88	120	06.66-12.67	■	
200 D (110.110) (OM 621.918)		Diesel	RWD	1971	40	55	07.65-02.68	■	
HECKFLOSSE (W111, W112) 08.59-01.68					Saloon (Luxury car-F Segment)				
230 S (111.010) (M 180.947)		Gasolina	RWD	2281	88	120	07.65-01.68	■	

LISTA DE APLICACIONES - BUYERS GUIDE

230 S (111.010) (M 180.950)	Gasolina	RWD	2281	88	120	07.65-01.68	■
300 SE (112.014, 112.015) (M 189.984)	Gasolina	RWD	2996	118	160	02.61-02.64	■
300 SE (112.014, 112.015) (M 189.986)	Gasolina	RWD	2996	118	160	02.61-02.64	■
300 SE (112.021, 112.023) (M 189.985)	Gasolina	RWD	2996	125	170	02.64-07.65	■
300 SE (112.021, 112.023) (M 189.987)	Gasolina	RWD	2996	125	170	02.64-07.65	■
PAGODE (W113) 01.63-12.71				Convertible (Luxury car-F Segment)			
230 SL (113.042) (M 127.981)	Gasolina	RWD	2306	110	150	01.63-01.67	■
250 SL (113.043) (M 129.982)	Gasolina	RWD	2496	110	150	01.66-01.68	■
280 SL (113.044) (M 130.983)	Gasolina	RWD	2780	125	170	01.68-03.71	■
S-Class (W108, W109) 01.66-08.72				Saloon (Luxury car-F Segment)			
250 S (108.012) (M 108.920)	Gasolina	RWD	2496	96	130	01.66-12.69	■
250 SE (108.014) (M 129.980)	Gasolina	RWD	2496	110	150	01.66-12.67	■
280 S (116.020) (M 110.922)	Gasolina	RWD	2746	115	156	08.72-07.80	■
280 S (116.020) (M 110.922)	Gasolina	RWD	2746	118	160	08.72-07.80	■
280 SE, SEL (116.024, 116.025) (M 110.985)	Gasolina	RWD	2746	130	177	08.72-07.80	■
280 SE, SEL (116.024, 116.025) (M 110.983)	Gasolina	RWD	2746	136	185	08.72-07.80	■
280 SE, SEL (116.024, 116.025) (M 110.985)	Gasolina	RWD	2746	136	185	08.72-07.80	■
280 SE, SEL (108.018, 108.019) (M 130.980)	Gasolina	RWD	2778	118	160	01.68-08.72	■
300 SEL (109.016) (M 130.981)	Gasolina	RWD	2778	125	170	01.68-08.72	■
280 S (108.016) (M 130.920)	Gasolina	RWD	2780	103	140	10.67-07.72	■
350 SE, SEL (116.028, 116.029) (M 116.985)	Gasolina	RWD	3499	143	194	03.76-03.80	■
280 SE, SEL 3.5 (108.057, 108.058) (M 116.980)	Gasolina	RWD	3499	147	200	03.71-08.72	■
300 SEL 3.5 (109.056) (M 116.981)	Gasolina	RWD	3499	147	200	01.70-07.72	■
350 SE, SEL (116.028, 116.029) (M 116.983)	Gasolina	RWD	3499	147	200	08.72-02.76	■
350 SE, SEL (116.028, 116.029) (M 116.985)	Gasolina	RWD	3499	151	205	03.76-03.80	■
450 SE (M 117.983)	Gasolina	RWD	4520	143	194	08.72-12.76	■
450 SE,SEL (116.033) (M 117.983)	Gasolina	RWD	4520	160	218	12.75-04.80	■
450 SE,SEL (116.033) (M 117.986)	Gasolina	RWD	4520	160	218	12.75-04.80	■
450 SE, SEL (116.032) (M 117.983)	Gasolina	RWD	4520	165	224	01.73-04.80	■
450 SE, SEL (116.032) (M 117.986)	Gasolina	RWD	4520	165	224	01.73-04.80	■
300 SEL 6.3 (109.018) (M 100.981)	Gasolina	RWD	6332	184	250	03.68-08.72	■
450 SEL 6.9 (116.036) (M 100.985)	Gasolina	RWD	6834	210	286	07.75-03.80	■
S-Class II (C126) 08.80-06.91				Coupe (Luxury car-F Segment)			
380 SEC (126.043) (M 116.963)	Gasolina	RWD	3839	150	204	10.81-07.85	■
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	150	204	10.85-06.91	■
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	160	218	10.85-12.87	■
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	165	224	10.85-06.91	■
420 SEC (126.046) (M 116.965)	Gasolina	RWD	4196	170	231	09.86-06.91	■
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	164	223	10.85-06.91	■
500 SEC (126.044) (M 117.963)	Gasolina	RWD	4973	170	231	10.81-08.85	■
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	180	245	09.85-06.91	■
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	185	252	08.87-06.91	■
500 SEC Cat (M 117.965)	Gasolina	RWD	4973	185	252	06.89-06.91	■
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	195	265	09.85-06.91	■
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	178	242	10.85-06.91	■
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	200	272	10.85-12.87	■
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	205	279	10.85-06.91	■
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	220	300	10.85-12.89	■

LISTA DE APLICACIONES - BUYERS GUIDE

S-Class II (W126) 10.79-06.91					Saloon (Luxury car-F Segment)			
280 S (126.021) (M 110.924)		Gasolina	RWD	2746	115	156	12.79-07.85	■
280 S (126.021) (M 110.926)		Gasolina	RWD	2746	115	156	12.79-07.85	■
280 SE, SEL (126.022, 126.023) (M 110.987)		Gasolina	RWD	2746	136	185	10.79-07.85	■
280 SE, SEL (126.022, 126.023) (M 110.989)		Gasolina	RWD	2746	136	185	10.79-07.85	■
380 SE,SEL (126.032) (M 116.963)		Gasolina	RWD	3839	150	204	10.81-08.85	■
500 SE, SEL (126.036) (M 117.961)		Gasolina	RWD	4973	170	231	12.79-08.85	■
500 SE, SEL (126.036) (M 117.963)		Gasolina	RWD	4973	170	231	12.79-08.85	■
500 SE, SEL (126.036) (M 117.961)		Gasolina	RWD	4973	177	241	12.79-08.85	■
500 SE, SEL (126.036) (M 117.963)		Gasolina	RWD	4973	177	241	12.79-08.85	■
SL-Class III (R107) 05.71-12.89					Convertible (Executive car-E Segment)			
280 SL (107.042) (M 110.982)		Gasolina	RWD	2746	130	177	06.76-09.81	■
280 SL (107.042) (M 110.986)		Gasolina	RWD	2746	130	177	06.76-09.81	■
280 SL (107.042) (M 110.990)		Gasolina	RWD	2746	130	177	06.76-09.81	■
280 SL (107.042) (M 110.982)		Gasolina	RWD	2746	136	185	08.74-07.85	■
280 SL (107.042) (M 110.986)		Gasolina	RWD	2746	136	185	08.74-07.85	■
280 SL (107.042) (M 110.990)		Gasolina	RWD	2746	136	185	08.74-07.85	■
350 SL (107.043) (M 116.982)		Gasolina	RWD	3499	143	195	05.71-02.80	■
350 SL (107.043) (M 116.984)		Gasolina	RWD	3499	143	195	05.71-02.80	■
380 SL (107.045) (M 116.960)		Gasolina	RWD	3818	160	218	09.80-08.81	■
380 SL (107.045) (M 116.962)		Gasolina	RWD	3839	150	204	09.80-08.85	■
4.2 420 SL	01/85-	Gasolina	FWD	4195	150	204	05.71-	■
4.2 420 SL	01/85-	Gasolina	FWD	4195	160	218	05.71-	■
450 SL (107.044)		Gasolina	FWD	4520	134	182	09.74-12.79	■
450 SL (107.044) (M 117.982)		Gasolina	RWD	4520	160	218	09.75-10.80	■
450 SL (107.044) (M 117.985)		Gasolina	RWD	4520	160	218	09.75-10.80	■
450 SL (107.044) (M 117.982)		Gasolina	RWD	4520	165	224	10.72-10.80	■
450 SL (107.044) (M 117.985)		Gasolina	RWD	4520	165	224	10.72-10.80	■
500 SL (107.046) (M 117.960)		Gasolina	RWD	4973	170	231	05.80-12.85	■
500 SL (107.046) (M 117.962)		Gasolina	RWD	4973	170	231	05.80-12.85	■
500 SL (107.046) (M 117.960)		Gasolina	RWD	4973	177	241	05.80-12.81	■
5.0 500 SL	01/86-	Gasolina	FWD	4995	164	223	05.71-	■
5.0 500 SL	01/86-	Gasolina	FWD	4995	180	245	05.71-	■
560 SL (107.048) (M 117.967)		Gasolina	RWD	5547	169	230	09.85-12.89	■
560 SL (107.048)		Gasolina	RWD	5547	178	242	01.86-12.89	■
SL-Class III (C107) 01.72-08.85					Coupe (Executive car-E Segment)			
280 SLC (107.022) (M 110.982)		Gasolina	RWD	2746	130	177	06.76-09.81	■
280 SLC (107.022) (M 110.986)		Gasolina	RWD	2746	130	177	06.76-09.81	■
280 SLC (107.022) (M 110.990)		Gasolina	RWD	2746	130	177	06.76-09.81	■
280 SLC (107.022) (M 110.982)		Gasolina	RWD	2746	136	185	08.74-09.81	■
280 SLC (107.022) (M 110.986)		Gasolina	RWD	2746	136	185	08.74-09.81	■
280 SLC (107.022) (M 110.990)		Gasolina	RWD	2746	136	185	08.74-09.81	■
350 SLC (107.023) (M 116.982)		Gasolina	RWD	3499	143	195	03.76-02.80	■
350 SLC (107.023) (M 116.984)		Gasolina	RWD	3499	143	195	03.76-02.80	■
350 SLC (107.023) (M 116.982)		Gasolina	RWD	3499	147	200	01.72-02.76	■
350 SLC (107.023) (M 116.984)		Gasolina	RWD	3499	147	200	01.72-02.76	■
380 SLC (107.025) (M 116.960)		Gasolina	RWD	3818	160	218	07.80-08.81	■
450 SLC (107.024) (M 117.982)		Gasolina	RWD	4520	160	218	09.75-08.79	■
450 SLC (107.024) (M 117.985)		Gasolina	RWD	4520	160	218	09.75-08.79	■
450 SLC (107.024) (M 117.982)		Gasolina	RWD	4520	165	225	01.73-11.75	■

LISTA DE APLICACIONES - BUYERS GUIDE

450 SLC (107.024) (M 117.985)		Gasolina	RWD	4520	165	225	01.73-11.75	■
450 SLC 5.0 (107.026) (M 117.960)		Gasolina	RWD	4973	177	241	06.78-02.80	■
OPEL								
ADMIRAL B 03.69-01.78				Saloon (Luxury car-F Segment)				
2.8 S (28 S)		Gasolina	RWD	2784	95	129	03.75-01.78	■
2.8 S (28 S)		Gasolina	RWD	2784	97	132	03.69-07.75	■
2.8 (28 H)		Gasolina	RWD	2784	103	140	03.75-07.76	■
2.8 (28 H)		Gasolina	RWD	2784	107	146	03.69-02.75	■
2.8 E (28 E)		Gasolina	RWD	2784	118	160	03.75-01.78	■
2.8 E (28 E)		Gasolina	RWD	2784	121	165	03.69-02.75	■
COMMODORE B 01.72-07.78				Coupe (Executive car-E Segment)				
2.5 (25 S)		Gasolina	RWD	2490	85	115	01.72-07.78	■
2.5 GS (25 H)		Gasolina	RWD	2490	96	130	01.72-08.75	■
2.8 GS (28 HC)		Gasolina	RWD	2784	103	140	03.75-07.78	■
2.8 GS (28 HC)		Gasolina	RWD	2784	104	141	12.72-07.78	■
2.8 GS/E (28 HC)		Gasolina	RWD	2784	114	155	03.75-07.78	■
2.8 GS/E (28 E)		Gasolina	RWD	2784	118	160	07.72-02.75	■
2.8 GS/E (28 EC)		Gasolina	RWD	2784	118	160	07.72-02.75	■
COMMODORE B 01.72-07.78				Saloon (Executive car-E Segment)				
2.5 (25 S)		Gasolina	RWD	2490	85	115	01.72-07.78	■
2.5 GS (25 H)		Gasolina	RWD	2490	96	130	01.72-08.75	■
2.8 GS (28 HC)		Gasolina	RWD	2784	103	140	03.75-07.78	■
2.8 GS (28 HC)		Gasolina	RWD	2784	104	141	01.72-07.78	■
2.8 GS/E (28 HC)		Gasolina	RWD	2784	114	155	03.75-07.78	■
2.8 GS/E (28 E)		Gasolina	RWD	2784	118	160	07.72-02.75	■
2.8 GS/E (28 EC)		Gasolina	RWD	2784	118	160	07.72-02.75	■
COMMODORE C (61) 12.80-12.82				Estate (Executive car-E Segment)				
2.5 S (25 S)		Gasolina	RWD	2490	85	115	12.80-12.82	■
2.5 E (25 E)	01/81-	Gasolina	RWD	2490	96	130	12.80-12.82	■
COMMODORE C (14_, 19_) 08.78-12.82				Saloon (Executive car-E Segment)				
2.5 S (25 S)		Gasolina	RWD	2490	85	115	08.78-12.82	■
2.5 E (25 E)		Gasolina	RWD	2490	96	130	05.81-12.82	■
DIPLOMAT B 03.69-08.78				Saloon (Luxury car-F Segment)				
2.8 (28 HC)		Gasolina	RWD	2784	103	140	09.72-08.78	■
2.8 E (28 E)		Gasolina	RWD	2784	121	165	03.69-02.75	■
5.4 (54 S)		Gasolina	RWD	5354	169	230	03.69-01.78	■
KAPITÄN IV 05.55-12.58				Saloon (Luxury car-F Segment)				
2.5		Gasolina	RWD	2473	55	75	05.55-12.58	■
KAPITÄN P 05.58-12.63				Saloon (Luxury car-F Segment)				
P 2.6 (26 N)		Gasolina	RWD	2605	66	90	05.58-12.63	■
MONZA (22_) 02.78-08.86				Coupe (Luxury car-F Segment)				
2.0 E (H 20 E)		Gasolina	RWD	1979	85	115	03.83-10.84	■
2.2 E (22 E)		Gasolina	RWD	2197	85	115	11.84-08.86	■
2.5 E (H 25 E)		Gasolina	RWD	2490	100	136	05.81-08.86	■
2.5 E (25 E)		Gasolina	RWD	2490	103	140	06.84-08.86	■
2.8 (28 H)		Gasolina	RWD	2784	103	140	02.78-04.81	■
3.0 (30 H)		Gasolina	RWD	2969	110	150	04.78-07.82	■
3.0 GSE (C 30 LE)		Gasolina	RWD	2969	115	156	09.85-08.86	■

LISTA DE APLICACIONES - BUYERS GUIDE

3.0 GSE (30 E)		Gasolina	RWD	2969	132	180	02.78-08.86	■	
SENATOR A (29_) 02.78-08.87					Saloon (Luxury car-F Segment)				
2.0 E (H 20 E)		Gasolina	RWD	1979	85	115	03.83-10.84	■	
2.2 E (22 E)		Gasolina	RWD	2197	85	115	11.84-08.87	■	
2.5 (25 S)		Gasolina	RWD	2490	85	115	05.78-12.80	■	
2.5 E (H 25 E)		Gasolina	RWD	2490	100	136	01.83-08.84	■	
2.5 E (25 E)		Gasolina	RWD	2490	103	140	09.84-08.87	■	
2.8 (28 H)		Gasolina	RWD	2784	103	140	02.78-04.81	■	
3.0 (30 H)		Gasolina	RWD	2969	110	150	04.78-07.82	■	
3.0 (C 30 LE)		Gasolina	RWD	2969	115	156	09.85-08.87	■	
3.0 E (30 E)		Gasolina	RWD	2969	132	180	02.78-12.86	■	
2.2 TD (23 TD)		Diesel	RWD	2260	63	86	11.84-08.87	■	
VAUXHALL									
ROYALE 02.78-08.86					Coupe (Luxury car-F Segment)				
2.8 (28 H)		Gasolina	RWD	2784	103	140	10.79-10.82	■	
3.0 (30 E)		Gasolina	RWD	2969	132	180	10.79-10.82	■	
ROYALE 02.78-08.87					Saloon (Luxury car-F Segment)				
2.8 (28 H)		Gasolina	RWD	2784	103	140	02.78-04.81	■	
2.2 TD		Diesel	RWD	2260	63	86	11.84-08.87	■	
VOLVO									
140 (145) 08.66-02.75					Estate (Executive car-E Segment)				
1.8 S (B 18 A)		Gasolina	RWD	1779	55	75	08.66-07.68	■	
1.8 S (B 18 B)		Gasolina	RWD	1780	74	101	08.66-07.68	■	
2.0 S (B 20 A)		Gasolina	RWD	1986	60	82	08.68-07.74	■	
2.0 S (B 20 D)		Gasolina	RWD	1986	70	95	08.72-07.74	■	
2.0 S (B 20 B)		Gasolina	RWD	1986	73	100	08.72-07.73	■	
2.0 S (B 20 B)		Gasolina	RWD	1986	74	101	08.72-07.74	■	
2.0 S (B 20 E)		Gasolina	RWD	1986	91	124	08.72-07.73	■	
2.0 S		Gasolina	RWD	1998	85	116	09.73-02.75	■	
140 (142, 144) 08.66-08.75					Saloon (Executive car-E Segment)				
1.8 (B 18 A)		Gasolina	RWD	1779	55	75	08.66-07.68	■	
1.8 S (B 18 B)		Gasolina	RWD	1780	74	101	07.67-01.72	■	
2.0 (B 20 A)		Gasolina	RWD	1986	60	82	08.68-07.74	■	
2.0 (B 20 D)		Gasolina	RWD	1986	70	95	08.71-07.72	■	
2.0 S (B 20 B)		Gasolina	RWD	1986	74	101	11.68-09.72	■	
2.0 (B 20 E)		Gasolina	RWD	1986	91	124	09.70-04.75	■	
2.0 S		Gasolina	RWD	1998	85	116	09.72-08.75	■	
164 (164) 08.68-04.75					Saloon (Executive car-E Segment)				
2.9 E (B 30 A)		Gasolina	RWD	2978	96	131	08.68-07.73	■	
2.9 (B 30 E)		Gasolina	RWD	2978	118	160	08.72-07.74	■	
220 01.68-					Saloon (Executive car-E Segment)				
2.0 S	01/68-	Gasolina	FWD	1995	59	80	01.68-	■	
2.0 S	01/68-	Gasolina	FWD	1995	59	80	01.68-	■	
221 01.68-					Saloon (Executive car-E Segment)				
2.0	01/68-	Gasolina	FWD	1995	59	80	01.68-	■	
2.0	01/68-	Gasolina	FWD	1995	59	80	01.68-	■	
P 122 S AMAZON (120, 121) 05.59-05.71					Estate (Sports car-S Segment)				
1.8 (B 18)		Gasolina	RWD	1779	59	80	08.61-07.67	■	

LISTA DE APLICACIONES - BUYERS GUIDE

P 122 S AMAZON 05.59-05.71					Saloon (Sports car-S Segment)			
1.6 (B 16)		Gasolina	RWD	1583	61	83	05.59-09.66	■
1.8 (B 18)		Gasolina	RWD	1779	59	80	05.59-07.67	■
1.8 (B 18)	-12/68	Gasolina	RWD	1779	63	86	09.66-05.71	■
1.8 (B 18 D)	-12/68	Gasolina	RWD	1779	66	90	02.67-05.71	■
1.8 (B 18)	-12/68	Gasolina	RWD	1779	76	103	09.66-05.71	■
2.0 (B 20 B)		Gasolina	RWD	1986	74	101	11.68-05.71	■