

# LISTA DE APLICACIONES - BUYERS GUIDE

## 180837




8 424073 004321

Qty: 300

Weight: 1.430

O.E.M.	MAKE
2 711 79	UMM
2 711 794	VOLVO
2 711 82	VOLVO
2 711 828	VOLVO
2 717 06	VOLVO
2 717 064	VOLVO



## 180837



90R-01111/1324

Bendix



113.8x62.2x16.7

WVA	FMSI
21232	D492-7372
21233	
MAKE	
UMM	
VOLVO	



Trac.	CC	Kw	CV	
				Front / Rear

### UMM

#### ALTER / TRANSCAT 01.85-12.96

#### Closed Off-Road Vehicle (Compact SUV-J Segment)

2.5 TD (XD3TE)	01/89-	Diesel	4WD	2498	81	110	01.86-12.96	■
----------------	--------	--------	-----	------	----	-----	-------------	---

### VOLVO

#### 740 (744) 04.83-12.92

#### Saloon (Executive car-E Segment)

2.0 (B 200 K)		Gasolina	RWD	1986	76	103	09.88-08.90	■
2.0 (B 200 F)		Gasolina	RWD	1986	82	111	09.90-08.92	■
2.0 (B 200 E)		Gasolina	RWD	1986	86	117	01.87-08.88	■
2.0 (B 200 G)	01/87-	Gasolina	RWD	1986	89	121	08.85-07.92	■
2.0 GLE (B 204 E)		Gasolina	RWD	1986	103	140	09.87-08.90	■
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	09.90-08.91	■
2.0 (B 200 ET)	01/87-	Gasolina	RWD	1986	118	160	01.86-08.90	■
2.0 (B 204 FTE)		Gasolina	RWD	1986	147	200	09.90-08.92	■
2.3 (B 230 F)	01/87-	Gasolina	RWD	2315	83	113	09.85-12.89	■
2.3 (B 23 A)	01/87-	Gasolina	RWD	2316	84	114	08.84-07.90	■
2.3 (B 230 F)	01/87-	Gasolina	RWD	2316	84	114	08.84-07.90	■
2.3 (B 230 F)		Gasolina	RWD	2316	85	115	08.87-07.92	■
2.3 (B 230 K)	01/87-	Gasolina	RWD	2316	86	117	10.84-07.88	■
2.3 (B 230 E)	01/87-	Gasolina	RWD	2316	96	131	08.84-12.92	■
2.3 (B 230 FB)	01/87-	Gasolina	RWD	2316	96	131	08.84-12.92	■
2.3		Gasolina	RWD	2316	96	131	07.90-12.92	■
2.3 (B 234 F)		Gasolina	RWD	2316	111	151	08.88-08.92	■
2.3 (B 234 F)		Gasolina	RWD	2316	114	156	08.88-07.91	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	115	156	08.86-07.89	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.3 (B 234 F)		Gasolina	RWD	2316	117	159	08.87-07.89	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	08.89-07.90	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	125	170	09.89-08.91	■
2.3 Turbo (B 230 GT)		Gasolina	RWD	2316	125	170	09.89-08.91	■
2.3 Turbo (B 230 ET)	01/87-	Gasolina	RWD	2316	134	182	08.85-12.88	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	140	190	08.89-07.90	■
2.4 Diesel (D 24)	01/87-	Diesel	RWD	2383	60	82	08.84-07.92	■
2.4 TD (D 24 T)	01/87-	Diesel	RWD	2383	83	113	08.84-07.90	■
2.4 TD (D 24 TIC)	01/87-	Diesel	RWD	2383	90	122	08.86-10.88	■
<b>740 Kombi (745) 08.84-12.92</b>					<b>Estate (Executive car-E Segment)</b>			
2.0 (B 200 K)		Gasolina	RWD	1986	76	103	09.88-08.90	■
2.0 (B 200 F)		Gasolina	RWD	1986	82	112	08.89-07.91	■
2.0 (B 200 E)		Gasolina	RWD	1986	86	117	01.87-08.88	■
2.0 (B 200 E)	01/87-	Gasolina	RWD	1986	89	121	08.85-07.92	■
2.0 (B 200 G)	01/87-	Gasolina	RWD	1986	89	121	08.85-07.92	■
2.0 16V (B 204 E)		Gasolina	RWD	1986	100	136	09.87-08.90	■
2.0 GLE		Gasolina	FWD	1986	103	140	09.87-08.90	■
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	09.90-08.91	■
2.0 Turbo (B 200 ET)		Gasolina	RWD	1986	115	156	09.87-08.90	■
2.0 (B 204 FTE)		Gasolina	RWD	1986	147	200	09.90-08.92	■
2.0 GLE	01/87-	Gasolina	FWD	1995	103	140	08.84-	■
2.3 (B 230 F)	01/87-	Gasolina	RWD	2316	83	113	08.85-12.89	■
2.3 (B 230 K)	01/87-	Gasolina	RWD	2316	84	114	09.85-07.90	■
2.3 (B 230 F)		Gasolina	RWD	2316	85	115	08.87-07.92	■
2.3 (B 230 F)		Gasolina	RWD	2316	87	118	01.88-10.90	■
2.3 (B 230 E)	01/87-	Gasolina	RWD	2316	96	131	08.85-07.88	■
2.3 (B 230 FB)		Gasolina	RWD	2316	96	131	07.90-12.92	■
2.3 (B 234 F)		Gasolina	RWD	2316	111	151	07.89-08.92	■
2.3 (B 234 F)		Gasolina	RWD	2316	114	156	08.88-07.90	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	115	156	08.86-07.89	■
2.3 (B 234 F)		Gasolina	RWD	2316	117	159	08.87-07.89	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	08.89-07.90	■
2.3 Turbo (B 230 GT)		Gasolina	RWD	2316	121	165	08.89-07.90	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	125	170	09.89-08.91	■
2.3 Turbo (B 230 GT)		Gasolina	RWD	2316	125	170	09.89-08.91	■
2.3 Turbo (B 230 ET)	01/87-	Gasolina	RWD	2316	134	182	08.85-07.88	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	140	190	08.89-07.90	■
2.4 Diesel (D 24)	01/87-	Diesel	RWD	2383	60	82	08.85-07.88	■
2.4 Turbo-Diesel (D 24 T)	01/87-	Diesel	RWD	2383	80	109	09.85-07.92	■
2.4 TD Interc. (D 24 TIC)	01/87-	Diesel	RWD	2383	90	122	08.86-07.88	■
<b>760 (704, 764) 08.81-07.92</b>					<b>Saloon (Executive car-E Segment)</b>			
2.3 (B 230 K)	01/87-	Gasolina	RWD	2316	84	114	08.84-08.87	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	115	156	09.87-08.90	■
2.3 (B 230 FT)		Gasolina	RWD	2316	121	165	01.88-07.92	■
2.3 Turbo (B 230 ET)	01/87-	Gasolina	RWD	2316	134	182	08.84-10.88	■
2.8 (B 280 F)	01/87-	Gasolina	RWD	2849	105	143	05.86-08.91	■
2.8 (764) (B 280 F)	01/87-	Gasolina	RWD	2849	108	147	08.86-07.90	■
2.8 (B 28 E)	01/87-	Gasolina	RWD	2849	115	156	08.81-07.88	■
2.8 (B 280 E)	01/87-	Gasolina	RWD	2849	115	156	08.81-07.88	■
2.8 (B 280 E)		Gasolina	RWD	2849	125	170	09.87-08.90	■
2.4 D	01/87-	Diesel	RWD	2383	60	82	01.82-07.92	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.4 Turbo Diesel (D 24 T)		Diesel	RWD	2383	80	109	04.87-07.92	■
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	85	115	08.87-07.92	■
<b>760 Kombi (704, 765) 01.82-07.92</b>					<b>Estate (Executive car-E Segment)</b>			
2.3 (B 230 K)	01/87-	Gasolina	RWD	2316	84	114	08.84-08.87	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	115	156	09.87-08.90	■
2.3 Turbo (B 230 ET)	01/87-	Gasolina	RWD	2316	134	182	08.84-08.90	■
2.8 (765) (B 280 F)	01/87-	Gasolina	RWD	2849	105	143	05.86-08.91	■
2.8 (765) (B 28 E)	01/87-	Gasolina	RWD	2849	115	156	08.86-08.90	■
2.8 (765) (B 280 E)	01/87-	Gasolina	RWD	2849	115	156	08.86-08.90	■
2.4 D (D 24)	01/87-	Diesel	RWD	2383	60	82	01.82-07.92	■
2.4 TD Interc. (765) (D 24 TIC)		Diesel	RWD	2383	85	116	08.87-07.92	■
<b>780 (782) 04.86-11.90</b>					<b>Coupe (Executive car-E Segment)</b>			
2.0 i 16V Turbo	01/87-	Gasolina	FWD	1995	89	121	04.86-07.90	■
2.3	01/87-	Gasolina	FWD	2316	138	188	04.86-11.90	■
2.8 i 16V Turbo USA	01/87-	Gasolina	FWD	2795	108	147	04.86-07.90	■
2.9 (B 280 F)		Gasolina	RWD	2849	108	147	08.87-07.90	■
2.4 D (D 24 TIC)	01/87-	Diesel	RWD	2383	90	122	04.86-07.90	■
<b>940 (945) 09.90-10.98</b>					<b>Estate (Executive car-E Segment)</b>			
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	04.96-10.98	■
2.3 (B 230 FD)		Gasolina	RWD	2316	85	116	08.94-07.95	■
2.3 (B 230 FB)		Gasolina	RWD	2316	96	131	08.94-10.98	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	08.94-10.98	■
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	90	122	08.94-10.98	■
<b>940 (944) 08.90-03.95</b>					<b>Saloon (Executive car-E Segment)</b>			
2.0 (B 200 F)	-12/93	Gasolina	RWD	1986	82	112	01.92-07.94	■
2.0 (B 200 E)		Gasolina	RWD	1986	89	121	09.90-09.93	■
2.0 (B 200 G)		Gasolina	RWD	1986	89	121	09.90-09.93	■
2.0 (B 204 FT)		Gasolina	RWD	1986	102	139	09.90-09.93	■
2.0 GL (B 204 E)		Gasolina	RWD	1986	103	140	09.90-04.92	■
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	08.90-12.94	■
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	04.96-10.98	■
2.3 (B 230 FD)	-12/93	Gasolina	RWD	2316	85	116	08.92-07.94	■
2.3 (B 230 FD)		Gasolina	RWD	2316	85	116	08.94-07.95	■
2.3 (B 230 FB)	-12/93	Gasolina	RWD	2316	96	131	08.90-12.94	■
2.3 (B 230 G)	-12/93	Gasolina	RWD	2316	96	131	08.90-12.94	■
2.3 (B 230 FB)		Gasolina	RWD	2316	96	131	08.94-10.98	■
2.3 (B 230 FK)	-12/93	Gasolina	RWD	2316	99	135	05.91-03.95	■
2.3 (B 234 F)		Gasolina	RWD	2316	114	156	08.90-07.91	■
2.3 (B 234 G)		Gasolina	RWD	2316	114	156	08.90-07.91	■
2.3 (B 230 FT)		Gasolina	RWD	2316	118	160	09.90-09.93	■
2.3 Turbo (B 230 FT)	-12/93	Gasolina	RWD	2316	121	165	08.90-07.94	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	08.94-10.98	■
2.3 Turbo (B 230 FT+)		Gasolina	RWD	2316	140	190	08.91-07.93	■
2.4 D (D 24)		Diesel	RWD	2383	60	82	08.90-12.94	■
2.4 Turbo Diesel (D 24 T)		Diesel	RWD	2383	80	109	08.90-12.94	■
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	90	122	08.94-10.98	■
2.4 TD Intercooler (D 24 TIC)	-12/93	Diesel	RWD	2383	90	122	08.90-12.94	■
<b>940 Kombi (945) 08.90-10.95</b>					<b>Estate (Executive car-E Segment)</b>			
2.0 (B 200 F)	-12/93	Gasolina	RWD	1986	82	112	01.92-07.94	■
2.0		Gasolina	FWD	1986	89	121	09.90-09.93	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 GL (B 204 E)		Gasolina	RWD	1986	103	140	09.90-04.92	■
2.0 Turbo (B 200 FT)	-12/93	Gasolina	RWD	1986	114	155	01.91-07.95	■
2.3 (B 230 FD)	-12/93	Gasolina	RWD	2316	85	116	08.92-07.94	■
2.3 (B 230 FB)	-12/93	Gasolina	RWD	2316	96	131	08.90-12.94	■
2.3 (B 234 F)		Gasolina	RWD	2316	114	155	08.90-07.91	■
2.3 (B 230 FB)		Gasolina	RWD	2316	118	160	09.90-09.93	■
2.3 Turbo (B 230 FT)	-12/93	Gasolina	RWD	2316	121	165	08.90-07.94	■
2.3 Turbo (B 230 FT+)		Gasolina	RWD	2316	140	190	08.91-07.93	■
2.4 D (D 24)	-12/94	Diesel	RWD	2383	60	82	08.90-07.95	■
2.4 Turbo Diesel (D 24 T)		Diesel	RWD	2383	80	109	08.90-07.94	■
2.4 TD Intercooler (D 24 TIC)	01/92-	Diesel	RWD	2383	90	122	08.90-08.94	■
2.4 TD	-12/93	Diesel	RWD	2383	95	130	05.91-03.95	■
<b>960 (965) 07.94-12.96</b>					<b>Estate (Executive car-E Segment)</b>			
2.9 (B 6304 S)		Gasolina	RWD	2922	150	204	09.94-12.96	■
<b>960 (964) 08.90-07.94</b>					<b>Saloon (Executive car-E Segment)</b>			
2.0 (B 200 F)		Gasolina	RWD	1986	82	111	09.90-09.93	■
2.0 (B 204 E)		Gasolina	RWD	1986	103	140	09.90-08.93	■
2.0 (B 204 FT)		Gasolina	RWD	1986	140	190	08.90-09.93	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	09.90-08.93	■
2.8 GL (B 280 F)		Gasolina	RWD	2849	108	147	09.90-05.92	■
2.8 GL		Gasolina	FWD	2849	115	156	09.90-05.92	■
2.9 (B 6304 F)	-12/93	Gasolina	RWD	2922	150	204	08.90-07.94	■
2.9 (B 6304 FS)	-12/93	Gasolina	RWD	2922	150	204	08.90-07.94	■
2.9 (B 6304 GS)	-12/93	Gasolina	RWD	2922	150	204	08.90-07.94	■
2.9 (B 6304 S)		Gasolina	RWD	2922	150	204	07.94-12.96	■
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	85	115	09.91-07.94	■
<b>960 Kombi (965) 08.90-07.94</b>					<b>Estate (Executive car-E Segment)</b>			
2.0 (B 204 E)		Gasolina	RWD	1986	103	140	09.90-08.93	■
2.0 (B 204 FT)		Gasolina	RWD	1986	140	190	08.90-09.93	■
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	09.90-08.93	■
2.8 (B 280 F)		Gasolina	RWD	2849	108	147	09.90-05.92	■
2.8		Gasolina	FWD	2849	115	156	09.90-05.92	■
2.9 (B 6304 F)	-12/93	Gasolina	RWD	2922	150	204	08.90-07.94	■
2.9 (B 6304 S)	-12/93	Gasolina	RWD	2922	150	204	08.90-07.94	■
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	85	115	09.91-07.94	■
2.4 TDi (D 24 TIC)		Diesel	RWD	2383	90	122	09.90-08.93	■