

# LISTA DE APLICACIONES - BUYERS GUIDE



## 181674-204



Qty: 944

Weight: 1.400

O.E.M.	MAKE
3W0 698 451	BENTLEY
3W0 698 451 B	BENTLEY
4B3 698 451	AUDI
4B3 698 451 A	AUDI
4B3698451A	SEAT
4E0 698 451	AUDI
4E0 698 451 A	AUDI
4E0 698 451 B	AUDI
4E4698451	AUDI
4E4698451A	AUDI
4F0 698 451	AUDI
4F0 698 451 C	AUDI
4F0 698 451 F	AUDI
4F0 698 451 G	AUDI
4F0 698 451 H	AUDI
4F0698451F	SEAT
4F0698451H	SEAT
7H0698451A	SEAT
86 60 000 788	RENAULT
86 60 004 440	RENAULT
8E0 698 451 C	AUDI
8E0 698 451 H	AUDI
8E0 698 451 N	AUDI
8E0 698 451 P	AUDI
JZW698451L	AUDI



## 181674-204



Lucas - Girling

116.1x59.1x17.4

WVA	FMSI
23326	D1018-7921
23854	
23882	

MAKE
AUDI
BENTLEY
SEAT
VW



Trac.	CC	Kw	CV	Front / Rear

### AUDI

A3 II Sportback (8PA) 09.04-12.15						Hatchback (Compact executive car-D Segment)			
S3 quattro (CDLC)	-12/11	Gasolina	4WD	1984	188	256	07.08-03.13	■	
S3 quattro (BHZ)	-12/11	Gasolina	4WD	1984	195	265	06.08-03.13	■	
S3 quattro (CDLA)	-12/11	Gasolina	4WD	1984	195	265	06.08-03.13	■	
A4 II B6 (8H7) 01.02-12.09						Convertible (Compact executive car-D Segment)			
1.8 T (BFB)	discØ 300	Gasolina	FWD	1781	120	163	07.02-12.05	■	
1.8 T quattro (BFB)	discØ 300	Gasolina	4WD	1781	120	163	05.03-12.05	■	
2.0 (ALT)	discØ 300	Gasolina	FWD	1984	96	130	09.04-12.05	■	
2.4 (AMM)	discØ 300	Gasolina	FWD	2393	120	163	04.02-12.05	■	
2.4 (BDV)	discØ 300	Gasolina	FWD	2393	125	170	04.02-12.05	■	
3.0 (BBJ)	discØ 300	Gasolina	FWD	2976	160	218	04.02-12.05	■	
3.0 (ASN)	discØ 300	Gasolina	FWD	2976	162	220	04.02-12.05	■	
3.0 (AVK)	discØ 300	Gasolina	FWD	2976	162	220	04.02-12.05	■	
3.0 (BGN)	discØ 300	Gasolina	FWD	2976	162	220	04.02-12.05	■	
3.0 quattro (ASN)	discØ 300	Gasolina	4WD	2976	162	220	05.03-12.05	■	
3.0 quattro (AVK)	discØ 300	Gasolina	4WD	2976	162	220	05.03-12.05	■	
3.0 quattro (BGN)	discØ 300	Gasolina	4WD	2976	162	220	05.03-12.05	■	
S4 quattro (BBK)	PR 1KE, PR 1LJ	Gasolina	4WD	4163	253	344	03.04-12.05	■	
S4 quattro (BHF)	PR 1KE, PR 1LJ	Gasolina	4WD	4163	253	344	03.04-12.05	■	
2.5 TDI (BCZ)	discØ 300	Diesel	FWD	2496	120	163	08.02-12.05	■	
2.5 TDI (BDG)	discØ 300	Diesel	FWD	2496	120	163	08.02-12.05	■	
2.5 TDI (BFC)	discØ 300	Diesel	FWD	2496	120	163	08.02-12.05	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>A4 II B6 (8E2) 11.00-12.05</b>					<b>Saloon (Compact executive car-D Segment)</b>			
S4 quattro (APB)	PR 1KE	Gasolina	4WD	2671	176	253	01.02-12.05	■
S4 quattro (APB)	PR 1KE	Gasolina	4WD	2671	187	254	01.02-12.02	■
S4 quattro (BBK)	PR 1KE	Gasolina	4WD	4163	253	344	03.03-12.04	■
S4 quattro (BHF)	PR 1KE	Gasolina	4WD	4163	253	344	03.03-12.04	■
<b>A4 II B6 Avant (8E5) 02.00-12.05</b>					<b>Estate (Compact executive car-D Segment)</b>			
2.7 S4 quattro (APB)	PR 1KE	Gasolina	4WD	2671	187	254	04.01-12.02	■
S4 quattro (BBK)	PR 1KE	Gasolina	4WD	4163	253	344	03.03-12.04	■
S4 quattro (BHF)	PR 1KE	Gasolina	4WD	4163	253	344	03.03-12.04	■
<b>A4 III B7 Avant (8ED) 11.04-11.08</b>					<b>Estate (Compact executive car-D Segment)</b>			
1.6 (ALZ)	discØ 300, PR 1KE	Gasolina	FWD	1595	75	102	11.04-06.08	■
1.8 T (BFB)	discØ 300, PR 1KE	Gasolina	FWD	1781	120	163	11.04-06.08	■
1.8 T quattro (BFB)	discØ 300, PR 1KE	Gasolina	4WD	1781	120	163	11.04-06.08	■
2.0 (ALT)	discØ 300, PR 1KE	Gasolina	FWD	1984	96	130	11.04-06.08	■
2.0 FSI		Gasolina	FWD	1984	110	150	01.05-07.05	■
2.0 TFSI (BPJ)	discØ 300, PR 1KE	Gasolina	FWD	1984	125	170	10.06-06.08	■
2.0 TFSI (BYK)	discØ 300, PR 1KE	Gasolina	FWD	1984	125	170	10.06-06.08	■
2.0 TFSI (BGB)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI (BPG)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI (BWE)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BGB)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BPG)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BWE)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BWT)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI (BUL)	discØ 300, PR 1KE	Gasolina	FWD	1984	162	220	06.05-06.08	■
2.0 TFSI quattro (BUL)	discØ 300, PR 1KE	Gasolina	4WD	1984	162	220	06.05-06.08	■
3.0 (BBJ)	discØ 300, PR 1KE	Gasolina	FWD	2976	160	218	11.04-05.06	■
3.0 quattro (BBJ)	discØ 300, PR 1KE	Gasolina	4WD	2976	160	218	11.04-07.06	■
3.2 FSI (AUK)	discØ 300, PR 1KE	Gasolina	FWD	3123	188	255	01.05-06.08	■
3.2 FSI quattro (AUK)	01/06-, discØ 300, PR 1KE	Gasolina	4WD	3123	188	255	01.05-06.08	■
3.2 FSI quattro (BKH)	01/06-, discØ 300, PR 1KE	Gasolina	4WD	3123	188	255	01.05-06.08	■
S4 quattro (BBK)	-12/07, PR 1KE	Gasolina	4WD	4163	253	344	11.04-06.08	■
S4 quattro (BHF)	-12/07, PR 1KE	Gasolina	4WD	4163	253	344	11.04-06.08	■
RS4 quattro (BNS)	PR 1KY, discØ 324	Gasolina	4WD	4163	309	420	09.05-06.08	■
1.9 TDI (BKE)	discØ 300, PR 1KE	Diesel	FWD	1896	85	116	11.04-06.08	■
1.9 TDI (BRB)	discØ 300, PR 1KE	Diesel	FWD	1896	85	116	11.04-06.08	■
2.0 TDI (BVF)	discØ 300, PR 1KE	Diesel	FWD	1968	93	126	11.05-11.06	■
2.0 TDI (BNA)	discØ 300, PR 1KE	Diesel	FWD	1968	100	136	11.04-06.08	■
2.0 TDI (BRF)	discØ 300, PR 1KE	Diesel	FWD	1968	100	136	11.04-06.08	■
2.0 TDI (BPW)	discØ 300, PR 1KE	Diesel	FWD	1968	103	140	11.04-06.08	■
2.0 TDI 16V (BLB)	discØ 300, PR 1KE	Diesel	FWD	1968	103	140	11.04-06.08	■
2.0 TDI 16V (BRE)	discØ 300, PR 1KE	Diesel	FWD	1968	103	140	11.04-06.08	■
2.0 TDI quattro (BPW)	discØ 300, PR 1KE	Diesel	4WD	1968	103	140	01.06-06.08	■
2.0 TDI (BRD)	discØ 300, PR 1KE	Diesel	FWD	1968	125	170	06.06-06.08	■
2.0 TDI quattro (BRD)	discØ 300, PR 1KE	Diesel	4WD	1968	125	170	06.06-06.08	■
2.5 TDI (BDG)	discØ 300, PR 1KE	Diesel	FWD	2496	120	163	11.04-05.06	■
2.7 TDI (BSG)	01/06-, discØ 300, PR 1KE	Diesel	FWD	2698	120	163	11.05-03.08	■
2.7 TDI (BPP)	discØ 300, PR 1KE	Diesel	FWD	2698	132	180	01.06-06.08	■
3.0 TDI quattro (BKN)	discØ 300, PR 1KE	Diesel	4WD	2967	150	204	11.04-06.08	■
3.0 TDI quattro (ASB)	discØ 300, PR 1KE	Diesel	4WD	2967	171	233	01.06-06.08	■

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>A4 III B7 (8HE) 01.02-01.10</b>					<b>Convertible (Compact executive car-D Segment)</b>			
2.0 TFSI 16V (BWE)	discØ 300	Gasolina	FWD	1984	147	200	01.06-03.09	■
2.0 TFSI 16V (BWT)	discØ 300	Gasolina	FWD	1984	147	200	01.06-03.09	■
3.2 FSI (AUK)	discØ 300	Gasolina	FWD	3123	188	255	01.06-03.09	■
3.2 FSI quattro (AUK)	discØ 300	Gasolina	4WD	3123	188	255	01.06-03.09	■
3.2 FSI quattro (BKH)	discØ 300	Gasolina	4WD	3123	188	255	01.06-03.09	■
S4 quattro	discØ 300, PR 1KE	Gasolina	4WD	4163	253	344	11.05-03.09	■
RS4 quattro (BNS)	PR 1KY, discØ 324	Gasolina	4WD	4163	309	420	02.06-12.08	■
2.0 TDI (BRC)	discØ 300	Diesel	FWD	1968	100	136	01.06-03.09	■
2.0 TDI (BPW)	discØ 300	Diesel	FWD	1968	103	140	01.06-03.09	■
2.7 TDI (BPP)	discØ 300	Diesel	FWD	2698	132	180	06.06-03.09	■
3.0 TDI quattro (BKN)	discØ 300	Diesel	4WD	2967	150	204	01.06-03.09	■
3.0 TDI quattro (ASB)	-12/08, discØ 300	Diesel	4WD	2967	171	233	01.06-03.09	■
<b>A4 III B7 (8EC) 11.04-01.09</b>					<b>Saloon (Compact executive car-D Segment)</b>			
1.6 (ALZ)	discØ 300, PR 1KE	Gasolina	FWD	1595	75	102	11.04-06.08	■
1.8 T (BFB)	discØ 300, PR 1KE	Gasolina	FWD	1781	120	163	11.04-06.08	■
1.8 T quattro (BFB)	discØ 300, PR 1KE	Gasolina	4WD	1781	120	163	11.04-06.08	■
2.0 (ALT)	discØ 300, PR 1KE	Gasolina	FWD	1984	96	130	11.04-06.08	■
2.0 TFSI (BPJ)	discØ 300, PR 1KE	Gasolina	FWD	1984	125	170	10.06-06.08	■
2.0 TFSI (BYK)	discØ 300, PR 1KE	Gasolina	FWD	1984	125	170	10.06-06.08	■
2.0 TFSI (BGB)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI (BPG)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI (BWE)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI (BWT)	discØ 300, PR 1KE	Gasolina	FWD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BGB)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BPG)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BWE)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI quattro (BWT)	discØ 300, PR 1KE	Gasolina	4WD	1984	147	200	11.04-06.08	■
2.0 TFSI (BUL)	discØ 300, PR 1KE	Gasolina	FWD	1984	162	220	06.05-06.08	■
2.0 TFSI quattro (BUL)	discØ 300, PR 1KE	Gasolina	4WD	1984	162	220	06.05-06.08	■
3.0 (BBJ)		Gasolina	FWD	2976	160	218	11.04-05.06	■
3.2 FSI (AUK)	discØ 300, PR 1KE	Gasolina	FWD	3123	188	255	01.05-06.08	■
3.2 FSI quattro (AUK)	discØ 300, PR 1KE	Gasolina	4WD	3123	188	255	01.05-06.08	■
3.2 FSI quattro (BKH)	discØ 300, PR 1KE	Gasolina	4WD	3123	188	255	01.05-06.08	■
S4 quattro (BBK)	-12/07, discØ 300, PR 1KE	Gasolina	4WD	4163	253	344	11.04-06.08	■
S4 quattro (BHF)	-12/07, discØ 300, PR 1KE	Gasolina	4WD	4163	253	344	11.04-06.08	■
RS4 quattro (BNS)	PR 1KY, discØ 324	Gasolina	4WD	4163	309	420	09.05-06.08	■
1.9 TDI (BKE)	discØ 300, PR 1KE	Diesel	FWD	1896	85	116	11.04-06.08	■
1.9 TDI (BRB)	discØ 300, PR 1KE	Diesel	FWD	1896	85	116	11.04-06.08	■
2.0 TDI (BVG)		Diesel	FWD	1968	89	121	09.05-09.06	■
2.0 TDI (BVF)	discØ 300, PR 1KE	Diesel	FWD	1968	93	126	11.05-11.06	■
2.0 TDI (BNA)	discØ 300, PR 1KE	Diesel	FWD	1968	100	136	11.04-06.08	■
2.0 TDI (BRF)	discØ 300, PR 1KE	Diesel	FWD	1968	100	136	11.04-06.08	■
2.0 TDI (BPW)	discØ 300, PR 1KE	Diesel	FWD	1968	103	140	11.04-06.08	■
2.0 TDI 16V (BLB)	discØ 300, PR 1KE	Diesel	FWD	1968	103	140	11.04-06.08	■
2.0 TDI 16V (BRE)	discØ 300, PR 1KE	Diesel	FWD	1968	103	140	11.04-06.08	■
2.0 TDI quattro (BPW)	discØ 300, PR 1KE	Diesel	4WD	1968	103	140	01.06-06.08	■
2.0 TDI (BRD)		Diesel	FWD	1968	125	170	06.06-06.08	■
2.0 TDI quattro (BRD)	discØ 300, PR 1KE	Diesel	4WD	1968	125	170	06.06-06.08	■
2.5 TDI (BDG)	discØ 300, PR 1KE	Diesel	FWD	2496	120	163	11.04-05.06	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.7 TDI (BSG)	discØ 300, PR 1KE	Diesel	FWD	2698	120	163	11.05-06.08	■	
2.7 TDI (BPP)	discØ 300, PR 1KE	Diesel	FWD	2698	132	180	01.06-06.08	■	
3.0 TDI quattro (BKN)	discØ 300, PR 1KE	Diesel	4WD	2967	150	204	11.04-06.08	■	
3.0 TDI quattro (ASB)	discØ 300, PR 1KE	Diesel	4WD	2967	171	233	01.06-06.08	■	
<b>A6 II C5 Avant (4B5, 4B6) 11.97-01.06</b>					<b>Estate (Executive car-E Segment)</b>				
RS6 quattro (BCY)	PR 1KY, PR 1KZ	Gasolina	4WD	4172	331	450	07.02-01.05	■	
RS6 plus quattro (BRV)	PR 1KY, PR 1KZ	Gasolina	4WD	4172	353	480	04.04-01.05	■	
<b>A6 II C5 (4B2, 4B4) 01.97-12.05</b>					<b>Saloon (Executive car-E Segment)</b>				
RS6 quattro (BCY)	PR 1KY, PR 1KZ	Gasolina	4WD	4172	331	450	07.02-01.05	■	
<b>A6 III C6 Avant (4F5) 11.04-08.11</b>					<b>Estate (Executive car-E Segment)</b>				
2.0 TFSI (BPJ)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	1984	125	170	06.05-08.11	■	
2.4 (BDW)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	2393	130	177	03.05-10.08	■	
2.4 quattro (BDW)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	2393	130	177	03.05-10.08	■	
2.8 FSI (CCDA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	2773	140	190	10.08-08.11	■	
2.8 FSI quattro (CCDA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2773	140	190	10.08-08.11	■	
2.8 FSI (BDX)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	2773	154	210	11.06-10.08	■	
2.8 FSI quattro (BDX)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	2773	154	210	06.07-10.08	■	
2.8 FSI (CCEA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	2773	162	220	10.08-08.11	■	
2.8 FSI quattro (CCEA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2773	162	220	10.08-08.11	■	
3.0 (BBJ)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	2976	160	218	03.05-05.06	■	
3.0 quattro (BBJ)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	2976	160	218	03.05-05.06	■	
3.0 TFSI quattro (CAJA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2995	213	290	10.08-08.11	■	
3.0 TFSI quattro (CCAA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2995	220	299	10.08-08.11	■	
3.2 FSI (AUK)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	3123	188	255	03.05-10.08	■	
3.2 FSI quattro (AUK)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	3123	188	255	03.05-10.08	■	
3.2 FSI quattro (BKH)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	3123	188	255	03.05-10.08	■	
4.2 quattro (BAT)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	4163	246	335	03.05-05.06	■	
4.2 FSI quattro (BVJ)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	4163	257	350	06.06-08.11	■	
RS6 quattro (BUH)	not ceramic brakes, PR 1KJ	Gasolina	4WD	4991	426	580	04.08-08.10	■	
S6 quattro (BXA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	5204	320	435	03.06-08.11	■	
2.0 TDI (BVG)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	1968	89	121	09.05-06.06	■	
2.0 TDI (BNA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	100	136	06.05-08.11	■	
2.0 TDI (BRF)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	100	136	06.05-08.11	■	
2.0 TDI (CAGB)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	100	136	06.05-08.11	■	
2.0 TDI (BLB)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	1968	103	140	06.05-10.08	■	
2.0 TDI (BRE)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	1968	103	140	06.05-10.08	■	
2.0 TDI (CAHB)	PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	120	163	04.09-08.11	■	
2.0 TDI (CAHA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	125	170	10.08-08.11	■	
2.7 TDI (BSG)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	2698	120	163	03.05-08.11	■	
2.7 TDI (CANB)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	2698	120	163	03.05-08.11	■	
2.7 TDI quattro (BSG)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2698	120	163	06.05-08.11	■	
2.7 TDI quattro (CAND)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2698	120	163	06.05-08.11	■	
2.7 TDI (BPP)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	2698	132	180	03.05-10.08	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.7 TDI quattro (BPP)	discØ 330, PR 1KW, PR 2EE,	Diesel	4WD	2698	132	180	11.04-10.08	■	
2.7 TDI (CANA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	2698	140	190	10.08-08.11	■	
2.7 TDI quattro (CANC)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2698	140	190	10.08-08.11	■	
3.0 TDI quattro (BNG)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	155	211	03.05-08.11	■	
3.0 TDI quattro (CDYB)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	155	211	03.05-08.11	■	
3.0 TDI quattro (BMK)	discØ 330, PR 1KW, PR 2EE	Diesel	4WD	2967	165	225	03.05-05.06	■	
3.0 TDI		Diesel	FWD	2967	171	232	06.06-08.11	■	
3.0 TDI quattro (ASB)	discØ 330, PR 1KW, PR 2EE	Diesel	4WD	2967	171	233	06.06-10.08	■	
3.0 TDI quattro (CDYA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	176	240	10.08-08.11	■	
3.0 TDI quattro (CDYC)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	176	240	10.08-08.11	■	
<b>A6 III Allroad C6 (4FH) 03.06-08.11</b>					<b>Estate (Executive car-E Segment)</b>				
3.0 TFSI quattro (CAJA)	discØ 330, PR 1KW, elec.brake detention	Gasolina	4WD	2995	213	290	10.08-08.11	■	
3.2 FSI quattro (AUK)	discØ 330, PR 1KW, elec.brake detention	Gasolina	4WD	3123	188	255	05.06-10.08	■	
4.2 FSI quattro (BVJ)	discØ 330, PR 1KW, elec.brake detention	Gasolina	4WD	4163	257	350	05.06-12.10	■	
2.7 TDI quattro (BSG)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2698	120	163	05.06-08.11	■	
2.7 TDI quattro (CAND)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2698	120	163	05.06-08.11	■	
2.7 TDI quattro (BPP)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2698	132	180	03.06-10.08	■	
2.7 TDI quattro (CANC)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2698	140	190	10.08-08.11	■	
3.0 TDI quattro (BNG)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2967	155	211	05.06-08.11	■	
3.0 TDI quattro (CDYB)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2967	155	211	05.06-08.11	■	
3.0 TDI quattro (ASB)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2967	171	233	05.06-10.08	■	
3.0 TDI quattro (CDYA)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2967	176	240	10.08-08.11	■	
3.0 TDI quattro (CDYC)	discØ 330, PR 1KW, elec.brake detention	Diesel	4WD	2967	176	240	10.08-08.11	■	
<b>A6 III Avant (U.S.A. C6) 09.03-12.11</b>					<b>Estate (Executive car-E Segment)</b>				
4.2 RS6 Quattro	01/03-	Gasolina	FWD	4195	331	450	09.03-	■	
<b>A6 III C6 (4F2) 04.04-08.11</b>					<b>Saloon (Executive car-E Segment)</b>				
2.0 TFSI (BPJ)	PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	1984	125	170	06.05-03.11	■	
2.0 TFSI (BYK)	PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	1984	125	170	06.05-03.11	■	
2.4 (BDW)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	2393	130	177	05.04-10.08	■	
2.4 quattro (BDW)	PR 1KW, PR 2EE	Gasolina	4WD	2393	130	177	01.05-10.08	■	
2.8 V6	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	2771	142	193	07.08-10.08	■	
2.8 V6 (AHA)	PR 1KW, PR 2EE	Gasolina	FWD	2771	142	193	07.08-10.08	■	
2.8 FSI (CCDA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	2773	140	190	10.08-03.11	■	
2.8 FSI quattro (CCDA)	PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2773	140	190	10.08-03.11	■	
2.8 FSI (BDX)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	2773	154	210	11.06-10.08	■	
2.8 FSI quattro (BDX)	PR 1KW, PR 2EE	Gasolina	4WD	2773	154	210	06.07-10.08	■	
2.8 FSI (CCEA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	2773	162	220	10.08-03.11	■	
2.8 FSI quattro (CCEA)	PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2773	162	220	10.08-03.11	■	
3.0 (BBJ)	PR 1KW, PR 2EE	Gasolina	FWD	2976	160	218	08.04-05.06	■	
3.0 quattro (BBJ)	PR 1KW, PR 2EE, discØ 330	Gasolina	4WD	2976	160	218	05.04-05.06	■	
3.0 TFSI quattro (CAJA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	2995	213	290	10.08-03.11	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

3.0 TFSI quattro (CCAA)	PR 1KW, PR 2EE, PR 2EL, discØ 330	Gasolina	4WD	2995	220	299	10.08-03.11	■
3.2 FSI quattro (BYU)	PR 1KW, PR 2EE, discØ 330	Gasolina	4WD	3123	183	249	09.06-10.08	■
3.2 FSI (AUK)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	3123	188	255	05.04-05.09	■
3.2 FSI (BKH)	discØ 330, PR 1KW, PR 2EE	Gasolina	FWD	3123	188	255	05.04-05.09	■
3.2 FSI quattro (AUK)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	3123	188	255	05.04-10.08	■
3.2 FSI quattro (BKH)	discØ 330, PR 1KW, PR 2EE	Gasolina	4WD	3123	188	255	05.04-10.08	■
3.2 FSI (CALA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	FWD	3197	195	265	05.09-03.11	■
4.2 quattro (BAT)	PR 1KW, PR 2EE	Gasolina	4WD	4163	246	335	05.04-05.06	■
4.2 quattro (BNK)	PR 1KW, PR 2EE	Gasolina	4WD	4163	246	335	05.04-05.06	■
4.2 FSI quattro (BVJ)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	4163	257	350	06.06-03.11	■
RS6 quattro (BUH)	not ceramic brakes, PR 1KJ, discØ 356	Gasolina	4WD	4991	426	580	09.08-08.10	■
S6 quattro (BXA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Gasolina	4WD	5204	320	435	03.06-03.11	■
2.0 TDI (BVG)	PR 2EE	Diesel	FWD	1968	89	121	09.05-06.06	■
2.0 TDI (BNA)	PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	100	136	07.04-03.11	■
2.0 TDI (BRF)	PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	100	136	07.04-03.11	■
2.0 TDI (CAGB)	PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	100	136	07.04-03.11	■
2.0 TDI (BLB)	PR 2EE	Diesel	FWD	1968	103	140	07.04-10.08	■
2.0 TDI (BRE)	PR 2EE	Diesel	FWD	1968	103	140	07.04-10.08	■
2.0 TDI (CAHB)	PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	120	163	04.09-03.11	■
2.0 TDI (CAHA)	PR 1KW, PR 2EE, PR 2EL	Diesel	FWD	1968	125	170	11.08-03.11	■
2.7 TDI (BSG)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	2698	120	163	11.04-03.11	■
2.7 TDI (CANB)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	2698	120	163	11.04-03.11	■
2.7 TDI quattro (BSG)	PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2698	120	163	06.05-03.11	■
2.7 TDI quattro (CAND)	PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2698	120	163	06.05-03.11	■
2.7 TDI (BPP)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	2698	132	180	11.04-10.08	■
2.7 TDI quattro (BPP)	discØ 330, PR 1KW, PR 2EE	Diesel	4WD	2698	132	180	11.04-10.08	■
2.7 TDI (CANA)	discØ 330, PR 1KW, PR 2EL	Diesel	FWD	2698	140	190	10.08-03.11	■
2.7 TDI quattro (CANC)	discØ 330, PR 1KW, PR 2EL	Diesel	4WD	2698	140	190	10.08-03.11	■
3.0 TDI quattro (BNG)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	155	211	05.04-03.11	■
3.0 TDI quattro (CDYB)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	155	211	05.04-03.11	■
3.0 TDI quattro (BMK)	discØ 330, PR 1KW, PR 2EE	Diesel	4WD	2967	165	225	05.04-05.06	■
3.0 TDI		Diesel	RWD	2967	171	232	06.06-03.11	■
3.0 TDI quattro (ASB)	discØ 330, PR 1KW, PR 2EE	Diesel	4WD	2967	171	233	06.06-10.08	■
3.0 TDI quattro (CDYA)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	176	240	10.08-03.11	■
3.0 TDI quattro (CDYC)	discØ 330, PR 1KW, PR 2EE, PR 2EL	Diesel	4WD	2967	176	240	10.08-03.11	■
<b>A8 (U.S.A. D2) 09.96-12.02</b>				<b>Saloon (Luxury car-F Segment)</b>				
4.2 40V Quattro SP	01/02-	Gasolina	FWD	4195			09.96-	■
4.2 40V Quattro SP 17" Long	01/02-	Gasolina	FWD	4195			09.96-	■
4.2 40V Quattro SP 17" Long	01/02-	Gasolina	FWD	4195			09.96-	■
4.2 40V Quattro SP 17" Long	01/06-	Gasolina	FWD	4195			09.96-	■
6.0 48V Quattro	01/05-	Gasolina	FWD	5995	331	450	09.96-	■
6.0 48V Quattro	01/06-	Gasolina	FWD	5995	331	450	09.96-	■
6.0 48V Quattro 17/18" Long	01/05-	Gasolina	FWD	5995	331	450	09.96-	■
6.0 48V Quattro 17/18" Long	01/05-	Gasolina	FWD	5995	331	450	09.96-	■
<b>A8 II D3 (4E2, 4E8) 10.02-12.10</b>				<b>Saloon (Luxury car-F Segment)</b>				
2.8 FSI (BDX)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	FWD	2773	154	210	08.07-07.10	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.8 FSI	PR 1KE, PR 1KW, PR 1KY	Gasolina	FWD	2773	170	231	01.09-07.10	■	
3.0 (BBJ)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	FWD	2976	160	218	07.03-05.06	■	
3.0 quattro (BBJ)	not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	2976	160	218	11.03-05.04	■	
3.0 (ASN)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	FWD	2976	162	220	07.03-05.05	■	
3.0 quattro	not armoured vehicl., PR 1KE, PR 1KW, PR 1KY, PR 1KU, PR 1KZ	Gasolina	4WD	2976	162	220	07.03-05.05	■	
3.2 FSI (BPK)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	FWD	3123	191	260	06.05-07.10	■	
3.2 FSI quattro (BPK)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	3123	191	260	06.05-07.10	■	
3.7 quattro (BFL)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	3697	206	280	10.02-05.06	■	
4.2 FSI quattro (BVJ)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	4163	257	350	06.06-07.10	■	
4.2 quattro (BFM)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	4172	246	335	10.02-07.10	■	
4.2 quattro (BGK)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	4172	246	335	10.02-07.10	■	
S 8	not ceramic disc, PR 1KW	Gasolina	FWD	4172	268	364	09.03-12.04	■	
S8 quattro (BSM)	not ceramic disc, PR 1KY	Gasolina	4WD	5204	324	441	09.06-07.10	■	
S8 quattro (BSM)	not ceramic brakes, PR 1KY, PR 1KZ, not ceramic disc	Gasolina	4WD	5204	331	450	06.06-07.10	■	
6.0 W12 quattro (BHT)	01/04-, not ceramic brakes, PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	5998	331	450	12.03-07.10	■	
6.0 W12 quattro (BSB)	01/04-, not ceramic brakes, PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	5998	331	450	12.03-07.10	■	
6.0 W12 quattro (BTE)	01/04-, not ceramic brakes, PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Gasolina	4WD	5998	331	450	12.03-07.10	■	
3.0 TDI quattro (BNG)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Diesel	4WD	2967	155	211	11.03-07.10	■	
3.0 TDI quattro (ASB)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Diesel	4WD	2967	171	233	08.03-07.10	■	
4.0 TDI quattro (ASE)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Diesel	4WD	3936	202	275	05.03-07.05	■	
4.2 TDI quattro (BMC)	PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Diesel	4WD	4134	235	320	01.05-06.05	■	
4.2 TDI quattro (BVN)	01/06-, PR 1KE, PR 1KW, PR 1KY, not armoured vehicl., PR 1KU, PR 1KZ	Diesel	4WD	4134	240	326	07.05-07.10	■	
<b>BENTLEY</b>									
<b>CONTINENTAL III (3W_, 394) 06.06-</b>						<b>Convertible (Luxury car-F Segment)</b>			
4.0 GTC AWD (CMMC)	PR 1KK	Gasolina	4WD	3993	373	507	02.12-07.18	■	
4.0 GTC AWD (CYCB)	PR 1KK	Gasolina	4WD	3993	373	507	02.12-07.18	■	
4.0 AWD (CMMD)	PR 1KK	Gasolina	4WD	3993	388	528	01.13-07.18	■	
4.0 AWD (CYCA)	PR 1KK	Gasolina	4WD	3993	388	528	01.13-07.18	■	
6.0 AWD (BEB)	not ceramic brakes, PR 1KK	Gasolina	4WD	5998	412	560	06.06-04.11	■	
6.0 AWD (BWR)	not ceramic brakes, PR 1KK	Gasolina	4WD	5998	412	560	06.06-04.11	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

6.0 AWD (CKHD)	not ceramic brakes, PR 1KK	Gasolina	4WD	5998	412	560	06.06-04.11	■
6.0 AWD (CKHB)	PR 1KK	Gasolina	4WD	5998	423	575	11.11-07.18	■
6.0 AWD (CVAB)	PR 1KK	Gasolina	4WD	5998	423	575	11.11-07.18	■
6.0 AWD (DBDA)	PR 1KK	Gasolina	4WD	5998	434	590	05.15-07.18	■
6.0 GTC Speed A las 4 ruedas (BWRA)	PR 1KK	Gasolina	4WD	5998	448	610	08.07-04.11	■
6.0 GTC Speed A las 4 ruedas (CKHC)	PR 1KK	Gasolina	4WD	5998	448	610	08.07-04.11	■
6.0 GTC Speed AWD (CVAA)	PR 1KK	Gasolina	4WD	5998	460	626	09.12-07.18	■
6.0 GTC Speed AWD (CVAC)	PR 1KK	Gasolina	4WD	5998	467	635	05.14-07.18	■
6.0 GTC Speed AWD (DBDE)	PR 1KK	Gasolina	4WD	5998	467	635	05.14-07.18	■
6.0 AWD (DBDD)	PR 1KK	Gasolina	4WD	5998	472	642	10.17-07.18	■
6.0 AWD (DJLA)	PR 1KK	Gasolina	4WD	5998	522	710	01.17-05.18	■
4.0 FLEX AWD (CMMC)	PR 1KK	Gasol./Etanol	4WD	3993	373	507	02.12-07.18	■
4.0 FLEX AWD (CYCB)	PR 1KK	Gasol./Etanol	4WD	3993	373	507	02.12-07.18	■
6.0 FLEX AWD (CKHB)	PR 1KK	Gasol./Etanol	4WD	5998	423	575	09.11-12.15	■
6.0 FLEX AWD (DBDA)	PR 1KK	Gasol./Etanol	4WD	5998	434	590	05.15-07.18	■
6.0 FLEX AWD (CKHA)	not ceramic brakes, PR 1KK	Gasol./Etanol	4WD	5998	463	630	03.10-12.13	■
6.0 CS ISR (CKHE)		Gasol./Etanol	4WD	5998	471	641	03.11-06.14	■
6.0 CS ISR (CVAC)		Gasol./Etanol	4WD	5998	471	641	03.11-06.14	■
<b>CONTINENTAL III (3W_, 393) 06.03-</b>				<b>Coupe (Luxury car-F Segment)</b>				
4.0 (CMMC)	PR 1KK	Gasolina	4WD	3993	373	507	09.11-07.18	■
4.0 (CYCB)	PR 1KK	Gasolina	4WD	3993	373	507	09.11-07.18	■
4.0 (CMMD)	PR 1KK	Gasolina	4WD	3993	388	528	01.14-07.18	■
4.0 (CYCA)	PR 1KK	Gasolina	4WD	3993	388	528	01.14-07.18	■
6.0 GT (BEB)	01/07-, not ceramic disc, not ceramic brakes, PR 1KK, PR DAO, PR MZ8	Gasolina	4WD	5998	412	560	06.03-12.11	■
6.0 GT (BWR)	01/07-, not ceramic disc, not ceramic brakes, PR 1KK, PR DAO, PR MZ8	Gasolina	4WD	5998	412	560	06.03-12.11	■
6.0 (CKHB)	PR 1KK	Gasolina	4WD	5998	423	575	01.11-07.18	■
6.0 (CVAB)	PR 1KK	Gasolina	4WD	5998	423	575	01.11-07.18	■
6.0 AWD (DBDA)	PR 1KK	Gasolina	4WD	5998	434	590	05.15-07.18	■
6.0 GT Speed (BWRA)	not ceramic brakes, PR 1KK	Gasolina	4WD	5998	449	610	09.07-12.11	■
6.0 (CVAA)	not ceramic disc, PR 1KK	Gasolina	4WD	5998	460	626	09.12-07.18	■
6.0 Supersports (BWRB)	not ceramic brakes, PR 1KK	Gasolina	4WD	5998	463	630	10.09-12.11	■
6.0 Supersports (CKHA)	not ceramic brakes, PR 1KK	Gasolina	4WD	5998	463	630	10.09-12.11	■
6.0 GT Speed (CVAC)	PR 1KK	Gasolina	4WD	5998	467	635	05.14-05.16	■
6.0 GT Speed (DBDE)	PR 1KK	Gasolina	4WD	5998	467	635	05.14-05.16	■
6.0 GT Speed (DBDD)	PR 1KK	Gasolina	4WD	5998	472	642	05.16-07.18	■
6.0 Supersports AWD	PR 1KK	Gasolina	4WD	5998	522	710	01.17-07.18	■
4.0 FLEX (CMMC)	PR 1KK	Gasol./Etanol	4WD	3993	373	507	04.12-07.18	■
4.0 FLEX (DCCA)	PR 1KK	Gasol./Etanol	4WD	3993	426	579	10.14-07.18	■
6.0 FLEX (CKHB)	ch. 57, PR 1KK	Gasol./Etanol	4WD	5998	423	575	11.10-12.13	■
6.0 FLEX (DBDA)	PR 1KK	Gasol./Etanol	4WD	5998	434	590	05.15-07.18	■
6.0 FLEX (BWRB)		Gasol./Etanol	4WD	5998	463	630	02.08-05.10	■
6.0 FLEX (CKHA)		Gasol./Etanol	4WD	5998	463	630	02.08-05.10	■

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>CONTINENTAL III FLYING SPUR (3W_) 03.05-</b>						<b>Saloon (Luxury car-F Segment)</b>			
6.0 (BEB)	01/07-, not ceramic brakes, PR 1KK, not ceramic disc	Gasolina	4WD	5998	412	560	03.05-12.10	■	
6.0 (BWR)	01/07-, not ceramic brakes, PR 1KK, not ceramic disc	Gasolina	4WD	5998	412	560	03.05-12.10	■	
6.0 (MTBHT)	not ceramic disc, PR 1KK	Gasolina	4WD	5998	428	582	09.10-12.12	■	
6.0 Speed (BWRA)	not ceramic disc, PR 1KK	Gasolina	4WD	5998	449	610	09.08-12.10	■	
6.0 FLEX (CKHD)	not ceramic disc, PR 1KK	Gasol./Etanol	4WD	5998	412	560	06.10-12.13	■	
6.0 FLEX (MTBHT)	not ceramic disc, PR 1KK	Gasol./Etanol	4WD	5998	428	582	09.10-12.12	■	
6.0 FLEX (BWRA)	not ceramic brakes, PR 1KK, not ceramic disc	Gasol./Etanol	4WD	5998	449	610	09.08-02.13	■	
6.0 FLEX (CKHC)	not ceramic brakes, PR 1KK, not ceramic disc	Gasol./Etanol	4WD	5998	449	610	09.08-02.13	■	
<b>FLYING SPUR (4W_) 03.13-</b>						<b>Saloon (Luxury car-F Segment)</b>			
4.0 V8 (CMMC)	PR 1KK	Gasolina	4WD	3993	373	507	03.13-10.20	■	
4.0 V8 (CYCB)	PR 1KK	Gasolina	4WD	3993	373	507	03.13-10.20	■	
V8 S 4.0 (CYCA)	PR 1KK	Gasolina	4WD	3993	388	528	05.16-	■	
6.0 W12 (CVAA)	PR 1KK	Gasolina	4WD	5998	460	626	03.13-10.20	■	
6.0 W12 (DBDB)	PR 1KK	Gasolina	4WD	5998	460	626	03.13-10.20	■	
W12 S 6.0 (DBDE)	PR 1KK	Gasolina	4WD	5998	467	635	11.16-	■	
4.0 FLEX (CMMC)	PR 1KK	Gasol./Etanol	4WD	3993	373	507	03.13-	■	
4.0 FLEX (CYCB)	PR 1KK	Gasol./Etanol	4WD	3993	373	507	03.13-	■	
<b>FLYING SPUR II (ZG2_, Z32_) 04.19-</b>						<b>Saloon (Luxury car-F Segment)</b>			
6.0 W12 TSI 4WD (ZG21BB) (DDBD)	PR 1KK	Gasolina	4WD	5950	467	635	04.19-	■	
<b>SEAT</b>									
<b>IBIZA III (6L1) 02.02-11.09</b>						<b>Hatchback (Supermini car-B Segment)</b>			
1.9 TDI Joya Racer (ASZ)	discØ 330, PR 1KW, PR 2EE	Diesel	FWD	1896	112	152	07.03-06.04	■	
<b>VW</b>									
<b>CALIFORNIA T5 (7EC, 7EF, 7EG, 7HF, 7HC) 04.03-04.16</b>						<b>Bus (LCVs-N1 Segment)</b>			
2.0 TSI		Gasolina	FWD	1984	110	150	07.12-08.15	■	
2.0 TSI		Gasolina	FWD	1984	150	204	05.11-08.15	■	
2.0 TSI 4motion		Gasolina	4WD	1984	150	204	07.11-08.15	■	
1.9 TDI		Diesel	FWD	1896	62	84	05.07-12.09	■	
1.9 TDI		Diesel	FWD	1896	63	85	05.07-11.09	■	
1.9 TDI		Diesel	FWD	1896	75	102	05.07-11.09	■	
1.9 TDI		Diesel	FWD	1896	77	105	05.07-11.09	■	
2.0 TDI		Diesel	FWD	1968	62	84	09.09-08.15	■	
2.0 TDI		Diesel	FWD	1968	75	102	09.09-08.15	■	
2.0 TDI		Diesel	FWD	1968	84	114	05.11-08.15	■	
2.0 TDI		Diesel	FWD	1968	100	136	05.10-08.15	■	
2.0 TDI 4motion		Diesel	4WD	1968	100	136	05.10-08.15	■	
2.0 TDI		Diesel	FWD	1968	103	140	09.09-08.15	■	
2.0 TDI 4motion		Diesel	4WD	1968	103	140	10.09-08.15	■	
2.0 TDI		Diesel	FWD	1968	132	180	09.09-08.15	■	
2.0 TDI 4motion		Diesel	4WD	1968	132	180	01.10-08.15	■	
2.5 TDI		Diesel	FWD	2461	96	130	05.07-11.09	■	
2.5 TDI 4motion		Diesel	4WD	2461	96	130	05.07-11.09	■	
2.5 TDI		Diesel	FWD	2461	120	163	05.07-11.09	■	
2.5 TDI		Diesel	FWD	2461	128	174	05.07-11.09	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TDI 4motion		Diesel	4WD	2461	128	174	05.07-11.09	■
<b>MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) 04.03-03.16</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 (AXA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	1984	85	115	11.03-08.15	■
2.0 TSI (CJKB)	discØ 294, PR 2E3, PR 2E4	Gasolina	FWD	1984	110	150	07.12-08.15	■
2.0 TSI (CJKA)	discØ 294, PR 2E3, PR 2E4	Gasolina	FWD	1984	150	204	05.11-08.15	■
2.0 TSI 4motion (CJKA)	discØ 294, PR 2E3, PR 2E4	Gasolina	4WD	1984	150	204	07.11-08.15	■
3.2		Gasolina	FWD	3189	170	231	11.03-06.06	■
VR6 3.2 (BDL)	discØ 294, PR 2E3, PR 2E4	Gasolina	FWD	3189	170	231	02.04-06.04	■
VR6 3.2 (BKK)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	02.04-12.09	■
VR6 3.2 (CFLA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	02.04-12.09	■
VR6 3.2 4motion (BKK)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	173	235	07.04-12.09	■
VR6 3.2 4motion (CFLA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	173	235	07.04-12.09	■
1.9 TDI (BRR)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	1896	62	84	01.06-11.09	■
1.9 TDI (AXC)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	62	84	09.09-08.15	■
2.0 TDI (CAAB)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAD)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	84	114	05.11-08.15	■
2.0 TDI (CAAE)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI (CCHB)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)	discØ 294, PR 2E3, PR 2E4	Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)	discØ 294, PR 2E3, PR 2E4	Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)	discØ 294, PR 2E3, PR 2E4	Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)	discØ 294, PR 2E3, PR 2E4	Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BiTDI (CFCA)	discØ 294, PR 2E3, PR 2E4	Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BITDI 4motion (CFCA)	discØ 294, PR 2E3, PR 2E4	Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI (BNZ)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI 4motion (AXD)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI 4motion (BNZ)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	4WD	2461	96	130	07.04-11.09	■
2.5 TDI (BLJ)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	2461	120	163	11.03-11.09	■
2.5 TDI (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI (BPC)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	FWD	2461	128	174	04.03-11.09	■
2.5 TDI 4motion (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	4WD	2461	128	174	07.04-11.09	■
2.5 TDI 4motion (BPC)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Diesel	4WD	2461	128	174	07.04-11.09	■
<b>MULTIVAN VI (SGF, SGM, SGN, SHM, SHN) 04.15-</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 TDI (CXHC)		Diesel	FWD	1968	81	110	07.19-08.24	■

# LISTA DE APLICACIONES - BUYERS GUIDE

TRANSPORTER T5 (7JD, 7JE, 7JL, 7JY, 7JZ, 7FD, 7FE, 7FL, 7FY, 7FZ) 04.03-03.16						Platform/Chassis (LCVs-N1 Segment)			
2.0 (AXA)	discØ 294, PR 2E3, PR 2E4   ch- FJ8000789, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	85	115	11.03-05.13	■	
2.0 TSI (CJKB)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	110	150	07.12-08.15	■	
VR6 3.2 (BDL)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR	Gasolina	FWD	3189	170	231	02.04-11.09	■	
VR6 3.2 4motion (BDL)	-12/06, discØ 294, PR 0E0, PR 0E9, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	170	231	11.03-11.09	■	
VR6 3.2 (BKK)	discØ 294, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	08.03-11.09	■	
VR6 3.2 4motion		Gasolina	4WD	3189	173	235	11.03-11.09	■	
2.0 CNG (AXA)	discØ 294, PR 0E0, PR 0E9, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasol./Gas (CNG)	FWD	1984	85	115	11.03-05.11	■	
1.9 TDI (BRR)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	62	84	01.06-11.09	■	
1.9 TDI (AXC)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	63	85	04.03-11.09	■	
1.9 TDI (BRS)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	75	102	01.06-11.09	■	
1.9 TDI (AXB)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	77	105	04.03-11.09	■	
2.0 TDI (CAAA)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	62	84	09.09-08.15	■	
2.0 TDI (CAAB)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	75	102	09.09-08.15	■	
2.0 TDI (CAAD)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	84	114	05.11-08.15	■	
2.0 TDI (CAAE)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	100	136	05.10-08.15	■	
2.0 TDI 4motion (CAAE)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	100	136	05.10-08.15	■	
2.0 TDI 4motion (CCHB)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	100	136	05.10-08.15	■	
2.0 TDI (CAAC)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	103	140	09.09-08.15	■	
2.0 TDI (CCHA)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	103	140	09.09-08.15	■	
2.0 TDI 4motion (CAAC)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	103	140	09.09-08.15	■	
2.0 TDI 4motion (CCHA)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	103	140	09.09-08.15	■	
2.0 BitDI (CFCA)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	132	180	09.09-08.15	■	
2.0 BitDI 4motion (CFCA)	discØ 294, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	132	180	09.09-08.15	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TDI (AXD)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■	
2.5 TDI (BNZ)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■	
2.5 TDI 4motion (AXD)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	96	130	07.04-11.09	■	
2.5 TDI 4motion (BNZ)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	96	130	07.04-11.09	■	
2.5 TDI (AXE)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	128	174	04.03-11.09	■	
2.5 TDI (BPC)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	128	174	04.03-11.09	■	
2.5 TDI 4motion (AXE)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	128	174	04.04-11.09	■	
2.5 TDI 4motion (BPC)	discØ 294, PR 2E3, PR 2E4, PR 0E0, PR 0E9, PR 0WR, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	128	174	04.04-11.09	■	
<b>TRANSPORTER T5 / EUROVAN / KOMBI-CARAVALLE (7HB, 7HJ, 7EB, 7EJ) 04.03-03.16</b>						<b>Bus (Minibus-M2-Segment)</b>			
2.0 (AXA)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	85	115	11.03-08.15	■	
2.0 TSI (CJKB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	110	150	07.12-08.15	■	
2.0 TSI (CJKA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	150	204	05.11-08.15	■	
2.0 TSI 4motion (CJKA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	4WD	1984	150	204	07.11-08.15	■	
2.5	PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	2461	82	112	09.03-12.04	■	
3.2		Gasolina	FWD	3189	170	231	11.03-06.06	■	
VR6 3.2 (BDL)	discØ 294, PR 2E3, PR 2E4	Gasolina	FWD	3189	170	231	02.04-06.04	■	
VR6 3.2 4motion (BDL)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	170	231	11.03-11.09	■	
3.2 V6 4motion (BKK)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	173	235	11.03-12.09	■	
3.2 V6 4motion (CFLA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	173	235	11.03-12.09	■	
VR6 3.2 (BKK)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	02.04-11.09	■	
VR6 3.2 (CFLA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	02.04-11.09	■	
2.0 CNG (AXA)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasol./Gas (CNG)	FWD	1984	85	115	01.06-08.15	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

1.9 TDI (BRR)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	62	84	01.06-11.09	■
1.9 TDI (AXC)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	62	84	09.09-08.15	■
2.0 TDI (CAAB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAD)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	84	114	05.11-08.15	■
2.0 TDI (CSDA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	85	116	05.11-08.15	■
2.0 TDI (CAAE)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI (CCHB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BitDI (CFCA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BitDI 4motion (CFCA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■

## LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TDI (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■	
2.5 TDI (BNZ)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■	
2.5 TDI 4motion (AXD)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	96	130	07.04-11.09	■	
2.5 TDI 4motion (BNZ)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	96	130	07.04-11.09	■	
2.5 TDI (BLJ)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	120	163	11.03-11.09	■	
2.5 TDI (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	128	174	04.03-11.09	■	
2.5 TDI (BPC)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	128	174	04.03-11.09	■	
2.5 TDI 4motion (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	128	174	07.04-11.09	■	
2.5 TDI 4motion (BPC)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	128	174	07.04-11.09	■	
<b>TRANSPORTER T5 / KOMBI (7HA, 7HH, 7EA, 7EH) 04.03-08.15</b>							<b>Van (LCVs-N1 Segment)</b>		
2.0 (AXA)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	85	115	11.03-08.15	■	
2.0 TSI (CJKB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	110	150	07.12-08.15	■	
2.0 TSI (CJKA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	FWD	1984	150	204	05.11-08.15	■	
2.0 TSI 4motion (CJKA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasolina	4WD	1984	150	204	07.11-08.15	■	
3.2		Gasolina	FWD	3189	170	231	11.03-06.06	■	
VR6 3.2 (BDL)	discØ 294, PR 2E3, PR 2E4	Gasolina	FWD	3189	170	231	04.03-06.05	■	
VR6 3.2 4motion	discØ 294, PR 2E3, PR 2E4	Gasolina	4WD	3189	170	231	04.03-06.05	■	
VR6 3.2 (BKK)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	02.04-11.09	■	
VR6 3.2 (CFLA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	FWD	3189	173	235	02.04-11.09	■	
VR6 3.2 4motion (BKK)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	173	235	11.03-11.09	■	
VR6 3.2 4motion (CFLA)	discØ 294, PR 0WR, PR 2E3, PR 2E4	Gasolina	4WD	3189	173	235	11.03-11.09	■	
2.0 BiFuel (AXA)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Gasol./Gas (CNG)	FWD	1984	85	115	06.07-08.15	■	
1.9 TDI (BRR)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	62	84	01.06-11.09	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

1.9 TDI (AXC)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	63	85	04.03-11.09	■
1.9 TDI (BRS)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	75	102	01.06-11.09	■
1.9 TDI (AXB)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1896	77	105	04.03-11.09	■
2.0 TDI (CAAA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	62	84	09.09-08.15	■
2.0 TDI (CAAB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	75	102	09.09-08.15	■
2.0 TDI (CAAD)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	84	114	05.11-08.15	■
2.0 TDI (CAAE)	01/11-, discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI (CCHB)	01/11-, discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CAAE)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI 4motion (CCHB)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	100	136	05.10-08.15	■
2.0 TDI (CAAC)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI (CCHA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CAAC)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 TDI 4motion (CCHA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	103	140	09.09-08.15	■
2.0 BitDI (CFCA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	1968	132	180	09.09-08.15	■
2.0 BitDI 4motion (CFCA)	discØ 294, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	1968	132	180	09.09-08.15	■
2.5 TDI (AXD)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI (BNZ)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	96	130	04.03-11.09	■
2.5 TDI 4motion (AXD)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	96	130	07.04-11.09	■

## LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TDI 4motion (BNZ)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	96	130	07.04-11.09	■	
2.5 TDI (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	128	174	04.03-11.09	■	
2.5 TDI (BPC)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	FWD	2461	128	174	04.03-11.09	■	
2.5 TDI 4motion (AXE)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	128	174	07.04-11.09	■	
2.5 TDI 4motion (BPC)	discØ 294, PR 0WR, PR 2E3, PR 2E4, PR 0WL, PR K4A, PR K4B, PR 0WN, PR 0WP, PR 0WQ, PR 0WS, PR 0WZ	Diesel	4WD	2461	128	174	07.04-11.09	■	
<b>TRANSPORTER T6 (SGA, SGH, SHA, SHH) 04.15-</b>					<b>Van (LCVs-N1 Segment)</b>				
2.0 TDI (CXGD)		Diesel	FWD	1968	66	90	10.19-08.24	■	
2.0 TDI 4motion (CXEC)	02/19-	Diesel	4WD	1968	146	199	08.18-08.24	■	
<b>TRANSPORTER T6 / CALIFORNIA / CARAVELLE (SGB, SGJ, SHB, SHJ) 04.15-</b>					<b>Bus (Minibus-M2-Segment)</b>				
2.0 TDI (CXEC)	02/19-	Diesel	FWD	1968	146	199	08.18-08.24	■	
2.0 TDI 4motion (CXEC)	02/19-	Diesel	4WD	1968	146	199	08.18-08.24	■	