

LISTA DE APLICACIONES - BUYERS GUIDE

181756




8 424073 095312

Qty: 300

Weight: 1.630

O.E.M.	MAKE
34 11 2 289 146	MINI
34 11 2 289 147	MINI
34 11 2 444 444	MINI
34 11 3 778 320	MINI
34 11 6 770 251	MINI
34 11 6 778 320	MINI
34 11 6 798 469	MINI
34 11 9 804 735	MINI
34 11 9 808 705	MINI



1-690022

181756



90R-01111/2022



Trw

131.6x64.1x17.9

131.6x71.55x17.9

WVA	FMSI
23984	D1204-8324
23985	
MAKE	
MINI	



Trac.

CC

Kw

CV



Front / Rear

MINI

MINI (R52) 04.04-07.08

Convertible (Supermini car-B Segment)

One (W10 B16 A)	01/06-	Gasolina	FWD	1598	66	90	07.04-11.07	■
One (N16 B16 A)		Gasolina	FWD	1598	72	98	09.09-06.15	■
Cooper (N12 B16 A)	Eq.V_ JCW Kit	Gasolina	FWD	1598	85	116	12.08-06.15	■
Cooper (N16 B16 A)	Eq.V_ JCW Kit	Gasolina	FWD	1598	85	116	12.08-06.15	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	11.11-04.15	■
Cooper (N12 B16 A)	Eq.V_ JCW Kit	Gasolina	FWD	1598	88	120	12.08-07.10	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	03.10-06.15	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	11.11-04.15	■
Cooper S (N14 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.15	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.15	■
Cooper S (N18 B16 A)	USA	Gasolina	FWD	1598	120	163	11.11-04.15	■
Cooper S (N14 B16 A)		Gasolina	FWD	1598	128	174	12.08-07.10	■
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	128	174	12.08-07.10	■
Cooper S (N18 B16 A)	-08/10, USA	Gasolina	FWD	1598	135	184	02.10-06.15	■
Cooper S (N18 B16 A)	USA	Gasolina	FWD	1598	135	184	11.11-04.15	■
Cooper S (N18 B16 A)	-08/10, USA	Gasolina	FWD	1598	147	200	02.10-06.15	■
Cooper S JCW (N18 B16 A)	USA, discØ 294, not sports package	Gasolina	FWD	1598	147	200	11.11-04.15	■
John Cooper Works (W11 B16 A)	01/06-	Gasolina	FWD	1598	155	210	07.04-11.07	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	05.09-11.13	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	02.11-05.15	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	01.11-05.15	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	06.09-05.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

MINI (R58) 12.10-05.15					Coupe (Supermini car-B Segment)			
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	12.10-04.15	■
Cooper S (N18 B16 A)	USA	Gasolina	FWD	1598	120	163	12.10-04.15	■
Cooper S (N14 B16 A)	discØ 294, not sports package	Gasolina	FWD	1598	135	184	12.10-04.15	■
Cooper S (N18 B16 A)	discØ 294, not sports package	Gasolina	FWD	1598	135	184	12.10-04.15	■
Cooper S JCW (N18 B16 A)	USA, discØ 294, not sports package	Gasolina	FWD	1598	147	200	12.10-04.15	■
MINI (R50, R53) 06.01-09.06					Hatchback (Supermini car-B Segment)			
One (N12 B14 A)		Gasolina	FWD	1397	55	75	03.09-03.10	■
One (N12 B14 A)		Gasolina	FWD	1397	70	95	11.06-03.10	■
One (W10 B14 A)		Gasolina	FWD	1398	55	75	04.03-09.06	■
One (N16 B16 A)		Gasolina	FWD	1598	55	75	03.10-11.13	■
One (W10 B16 A)		Gasolina	FWD	1598	66	90	06.01-09.06	■
One (N16 B16 A)		Gasolina	FWD	1598	72	98	03.10-11.13	■
Cooper (N12 B16 A)		Gasolina	FWD	1598	85	115	09.06-11.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	09.06-11.13	■
Cooper S (W11 B16 A)		Gasolina	FWD	1598	120	163	03.02-09.06	■
Cooper S (N18 B16 A)	-08/10, USA	Gasolina	FWD	1598	120	163	03.10-11.13	■
Cooper S (W11 B16 A)	Eq.V_ JCW Kit	Gasolina	FWD	1598	125	170	07.04-09.06	■
Cooper S (N14 B16 A)	01/07-	Gasolina	FWD	1598	128	174	10.06-02.10	■
Cooper S (N14 B16 AB)	01/07-	Gasolina	FWD	1598	128	174	10.06-02.10	■
Cooper S (N18 B16 A)	-08/10, USA	Gasolina	FWD	1598	135	184	03.10-11.13	■
Cooper S John Cooper Works (N18 B16 A)		Gasolina	FWD	1598	147	200	10.11-11.13	■
S Works (W11 B16 A)		Gasolina	FWD	1598	149	203	11.03-06.05	■
Works (W11 B16 A)	01/06-	Gasolina	FWD	1598	155	210	11.03-09.06	■
John Cooper Works (W11 B16 A)		Gasolina	FWD	1598	160	218	03.06-09.06	■
One LPG (N12 B14 A)		Gasol./Gas (LPG)	FWD	1397	55	75	03.09-03.10	■
One D (1ND)		Diesel	FWD	1364	55	75	06.03-09.06	■
One D (W17 D14 (1ND))		Diesel	FWD	1364	65	88	06.03-09.06	■
One D (9HZ (DV6TED4))		Diesel	FWD	1560	66	90	06.09-07.10	■
Cooper D (9HZ (DV6TED4))		Diesel	FWD	1560	80	109	11.06-09.10	■
Cooper D (W16 D16 (9HZ))		Diesel	FWD	1560	80	109	11.06-09.10	■
One D (N47 C16 A)		Diesel	FWD	1598	66	90	07.10-11.13	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	06.10-11.13	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	02.11-11.13	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	02.11-11.13	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	02.11-11.13	■
MINI CLUBMAN (R55) 10.06-12.15					Estate (Supermini car-B Segment)			
One (N12 B14 A)		Gasolina	FWD	1397	70	95	03.09-02.10	■
One (N16 B16 A)		Gasolina	FWD	1598	72	98	03.10-06.14	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	03.10-06.14	■
Cooper (N12 B16 A)		Gasolina	FWD	1598	88	120	10.07-12.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	88	120	10.07-12.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	03.10-06.14	■
Cooper S (N14 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.14	■
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	120	163	10.07-06.14	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.14	■
Cooper S (N14 B16 A)		Gasolina	FWD	1598	128	174	08.07-07.10	■
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	128	174	08.07-07.10	■
Cooper S (N18 B16 A)	discØ 294	Gasolina	FWD	1598	135	184	03.10-06.14	■

LISTA DE APLICACIONES - BUYERS GUIDE

Cooper S (N18 B16 A)	discØ 294	Gasolina	FWD	1598	147	200	03.10-06.14	■
Cooper D (9HZ (DV6TED4))		Diesel	FWD	1560	80	109	10.07-02.10	■
One D (N47 C16 A)		Diesel	FWD	1598	66	90	03.10-06.14	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	03.10-06.14	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	02.11-06.14	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	02.11-06.14	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	02.11-06.14	■
MINI CLUBVAN (R55) 12.12-06.14					Estate Van (Supermini car-B Segment)			
One (N16 B16 A)		Gasolina	FWD	1598	72	98	12.12-06.14	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	12.12-06.14	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	12.12-06.14	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	12.12-06.14	■
MINI COUNTRYMAN (R60) 08.10-10.16					Estate (Supermini car-B Segment)			
One (N16 B16 A)		Gasolina	FWD	1598	72	98	08.10-10.16	■
Cooper (N16 B16 A)	07/11-, USA	Gasolina	FWD	1598	85	115	08.10-10.16	■
Cooper (N16 B16 A)	discØ 294	Gasolina	FWD	1598	88	120	08.10-10.16	■
Cooper (N16 B16 A)	07/11-, USA	Gasolina	FWD	1598	90	122	08.10-10.16	■
Cooper ALL4 (N18 B16 A)		Gasolina	4WD	1598	90	122	11.12-10.16	■
Cooper ALL4 (N16 B16 A)		Gasolina	4WD	1598	90	122	11.12-10.16	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	08.10-10.16	■
Cooper S ALL4 (N18 B16 A)	01/12-, USA	Gasolina	4WD	1598	120	163	08.10-10.16	■
Cooper S (N18 B16 A)	07/11-, USA	Gasolina	FWD	1598	135	184	08.10-10.16	■
Cooper S ALL4 (N18 B16 A)	07/11-, USA	Gasolina	4WD	1598	135	184	08.10-10.16	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	140	190	07.14-10.16	■
Cooper S ALL4 (N18 B16 A)		Gasolina	4WD	1598	140	190	07.14-10.16	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	147	200	08.10-10.16	■
John Cooper Works ALL4 (N18 B16 C)		Gasolina	4WD	1598	160	218	11.12-10.16	■
One D (N47 C16 A)		Diesel	FWD	1598	66	90	08.10-10.16	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	08.10-10.16	■
Cooper D ALL4 (N47 C16 A)		Diesel	4WD	1598	82	112	08.10-10.16	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	03.11-10.16	■
Cooper D ALL4 (N47 C20 A)		Diesel	4WD	1995	82	112	03.11-10.16	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	03.11-10.16	■
Cooper SD ALL4 (N47 C20 A)		Diesel	4WD	1995	100	136	03.11-10.16	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	03.11-10.16	■
Cooper SD ALL4 (N47 C20 A)		Diesel	4WD	1995	105	143	03.11-10.16	■
MINI PACEMAN (R61) 03.12-10.16					Coupe (Supermini car-B Segment)			
Cooper ALL4 (N16 B16 A)		Gasolina	4WD	1598	85	116	07.13-09.16	■
Cooper (N16 B16 A)	discØ 294	Gasolina	FWD	1598	88	120	04.12-09.16	■
Cooper (N16 B16 A)	discØ 294	Gasolina	FWD	1598	90	122	04.12-09.16	■
Cooper ALL4 (N16 B16 A)	discØ 294	Gasolina	4WD	1598	90	122	07.13-09.16	■
Cooper ALL4 (N18 B16 A)	discØ 294	Gasolina	4WD	1598	90	122	11.12-09.16	■
Cooper S (N18 B16 A)	discØ 307	Gasolina	FWD	1598	120	163	01.14-09.16	■
Cooper S ALL4 (N18 B16 A)	discØ 294	Gasolina	4WD	1598	120	163	03.12-09.16	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	135	184	11.12-10.16	■
Cooper S ALL4 (N18 B16 A)		Gasolina	4WD	1598	135	184	03.12-09.16	■
Cooper S (N18 B16 A)	discØ 307	Gasolina	FWD	1598	140	190	07.14-09.16	■
Cooper S ALL4 (N18 B16 A)	discØ 307	Gasolina	4WD	1598	140	190	03.12-09.16	■
John Cooper Works ALL4 (N18 B16 C)		Gasolina	4WD	1598	160	218	03.13-10.16	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	04.12-09.16	■

LISTA DE APLICACIONES - BUYERS GUIDE

Cooper D ALL4 (N47 C16 A)		Diesel	4WD	1598	82	112	04.12-09.16	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	07.12-09.16	■
Cooper D ALL4 (N47 C20 A)		Diesel	4WD	1995	82	112	03.12-09.16	■
Cooper SD ALL4 (N47 C20 A)	discØ 294	Diesel	4WD	1995	100	136	04.12-09.16	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	03.12-09.16	■
Cooper SD ALL4 (N47 C20 A)		Diesel	4WD	1995	105	143	04.12-09.16	■