

LISTA DE APLICACIONES - BUYERS GUIDE



181776



Qty: 300

Weight: 1.065

O.E.M.	MAKE
1 426 143	FORD
1 426 144	FORD
1 439 866	FORD
1 459 450	FORD
1 503 969	FORD
1 566 233	FORD
1 752 093	FORD
1 916 606	FORD
3 067 157 5	VOLVO
3 067 157 50	VOLVO
3 074 249 1	VOLVO
3 074 251 6	VOLVO
3 079 455 4	VOLVO
3 079 455 5	VOLVO
3 131 748 2	VOLVO
6G91-2M008-FA	FORD
6G91-2M008-FB	FORD
6G91-2M008-FC	FORD
6G91-2M008-FD	FORD
86 60 000 754	RENAULT
LR-027129	LAND ROVER
LR-043285	LAND ROVER
LR-043714	LAND ROVER
ME6G9J-2M008-FA	FORD
ME6G9J-2M008-FB	FORD



1-Ref. 690042

181776

E 9 90R-01111/2048



Trw

106.1x48.65x16.9

WVA	FMSI
24496	D1307-8422
86 60 004 428	D1307-9096
MAKE	
FORD	
FORD (CHANGAN)	
LAND ROVER	
VOLVO	
VOLVO ASIA	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

FORD

GALAXY II (WA6) 05.06-06.15						Box Body/MPV (Large MPV-M1 Segment)			
EcoBoost	elec.brake detention	Gasolina	FWD	1596	118	160	02.11-06.15	■	
2.0		Gasolina	FWD	1999	107	145	05.06-06.15	■	
2.0 EcoBoost	elec.brake detention	Gasolina	FWD	1999	149	203	03.10-06.15	■	
TDCi	elec.brake detention	Diesel	FWD	1560	85	116	03.13-06.15	■	
TDCi	elec.brake detention	Diesel	FWD	1997	85	116	01.07-06.15	■	
TDCi	elec.brake detention	Diesel	FWD	1997	96	131	11.06-06.15	■	
TDCi	elec.brake detention	Diesel	FWD	1997	103	140	05.06-06.15	■	
TDCi	elec.brake detention	Diesel	FWD	1997	120	163	03.10-06.15	■	
TDCi	elec.brake detention	Diesel	FWD	2179	147	200	03.13-06.15	■	
GALAXY II (WA6) 05.06-06.15						MPV (Large MPV-M1 Segment)			
1.6 EcoBoost (JTWA)	elec.brake detention	Gasolina	FWD	1596	118	160	11.10-06.15	■	
1.6 EcoBoost (JTWB)	elec.brake detention	Gasolina	FWD	1596	118	160	11.10-06.15	■	
2.0 (AOWA)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-06.15	■	
2.0 (AOWB)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-06.15	■	
2.0 (TBWA)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-06.15	■	
2.0 (TBWB)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-06.15	■	
2.0 EcoBoost (TNWB)		Gasolina	FWD	1999	146	199	07.10-06.15	■	
2.0 EcoBoost (TNWA)	elec.brake detention	Gasolina	FWD	1999	149	203	03.10-06.15	■	
2.3 (SEWA)	elec.brake detention	Gasolina	FWD	2261	118	160	09.07-06.15	■	
2.0 FlexiFuel (TBWA)		Gasol./Etanol	FWD	1999	107	145	05.06-06.15	■	
2.0 FlexiFuel (TBWB)		Gasol./Etanol	FWD	1999	107	145	05.06-06.15	■	
1.6 TDCi (T1WA)	elec.brake detention	Diesel	FWD	1560	85	115	02.11-06.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 TDCi (T1WB)	elec.brake detention	Diesel	FWD	1560	85	115	02.11-06.15	■
1.8 TDCi (FFWA)	elec.brake detention	Diesel	FWD	1753	74	100	05.06-06.15	■
1.8 TDCi (QYWA)	elec.brake detention	Diesel	FWD	1753	92	125	05.06-06.15	■
2.0 TDCi (KLWA)	elec.brake detention	Diesel	FWD	1997	85	115	11.07-06.15	■
2.0 TDCi (TYWA)	elec.brake detention	Diesel	FWD	1997	85	115	11.07-06.15	■
2.0 TDCi (AZWA)	elec.brake detention	Diesel	FWD	1997	96	130	05.06-06.15	■
2.0 TDCi (AZWC)	elec.brake detention	Diesel	FWD	1997	100	136	05.06-06.15	■
2.0 TDCi (UKWA)	elec.brake detention	Diesel	FWD	1997	100	136	05.06-06.15	■
2.0 TDCi (QXWA)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-06.15	■
2.0 TDCi (QXWB)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-06.15	■
2.0 TDCi (QXWC)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-06.15	■
2.0 TDCi (UFWA)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-06.15	■
2.0 TDCi (TXWA)	elec.brake detention	Diesel	FWD	1997	120	163	03.10-06.15	■
2.2 TDCi (Q4WA)	elec.brake detention	Diesel	FWD	2179	129	175	03.08-12.12	■
2.2 TDCi (KNWA)	elec.brake detention	Diesel	FWD	2179	147	200	11.10-06.15	■
S-MAX (WA6) 05.06-12.14				Box Body/MPV (LCVs-N1 Segment)				
1.6		Gasolina	FWD	1596	118	160	02.11-12.14	■
2.0		Gasolina	FWD	1999	107	145	03.10-12.14	■
2.0 EcoBoost		Gasolina	FWD	1999	149	203	03.10-12.14	■
2.0 EcoBoost		Gasolina	FWD	1999	176	239	07.10-12.14	■
2.0 TDCi		Diesel	FWD	1997	85	116	01.07-12.14	■
2.0 TDCi		Diesel	FWD	1997	103	140	03.10-12.14	■
2.0 TDCi		Diesel	FWD	1997	120	163	03.10-12.14	■
S-MAX (WA6) 05.06-12.14				MPV (Large MPV-M1 Segment)				
1.6 EcoBoost (JTWA)	elec.brake detention	Gasolina	FWD	1596	118	160	02.11-12.14	■
1.6 EcoBoost (JTWB)	elec.brake detention	Gasolina	FWD	1596	118	160	02.11-12.14	■
2.0 (AOWA)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-12.14	■
2.0 (AOWB)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-12.14	■
2.0 (TBWA)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-12.14	■
2.0 (TBWB)	elec.brake detention	Gasolina	FWD	1999	107	145	05.06-12.14	■
2.0 EcoBoost (TNWB)		Gasolina	FWD	1999	146	199	07.10-12.14	■
2.0 EcoBoost (TNWA)	elec.brake detention	Gasolina	FWD	1999	149	203	03.10-12.14	■
2.0 EcoBoost (TPWA)	elec.brake detention	Gasolina	FWD	1999	176	240	07.10-12.14	■
2.3 (SEWA)	elec.brake detention	Gasolina	FWD	2261	118	160	07.07-12.14	■
2.5 ST (HUWA)	elec.brake detention	Gasolina	FWD	2521	162	220	05.06-12.14	■
2.0 FlexiFuel (TBWA)	elec.brake detention	Gasol./Etanol	FWD	1999	107	145	05.06-12.14	■
2.0 FlexiFuel (TBWB)	elec.brake detention	Gasol./Etanol	FWD	1999	107	145	05.06-12.14	■
1.6 TDCi (T1WA)	elec.brake detention	Diesel	FWD	1560	85	115	02.11-12.14	■
1.6 TDCi (T1WB)	elec.brake detention	Diesel	FWD	1560	85	115	02.11-12.14	■
1.8 TDCi (FFWA)		Diesel	FWD	1753	74	100	01.07-12.10	■
1.8 TDCi (QYWA)	elec.brake detention	Diesel	FWD	1753	92	125	05.06-12.14	■
2.0 TDCi (KLWA)	elec.brake detention	Diesel	FWD	1997	85	115	11.07-12.14	■
2.0 TDCi (TYWA)	elec.brake detention	Diesel	FWD	1997	85	115	11.07-12.14	■
2.0 TDCi (AZWA)	elec.brake detention	Diesel	FWD	1997	96	130	05.06-12.14	■
2.0 TDCi (AZWC)	elec.brake detention	Diesel	FWD	1997	100	136	05.06-12.14	■
2.0 TDCi (UKWA)	elec.brake detention	Diesel	FWD	1997	100	136	05.06-12.14	■
2.0 TDCi (QXWA)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-12.14	■
2.0 TDCi (QXWB)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-12.14	■
2.0 TDCi (QXWC)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-12.14	■
2.0 TDCi (UFWA)	elec.brake detention	Diesel	FWD	1997	103	140	05.06-12.14	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TDCi (TXWA)		elec.brake detention	Diesel	FWD	1997	120	163	03.10-12.14	■
2.2 TDCi (Q4WA)		elec.brake detention	Diesel	FWD	2179	129	175	03.08-12.12	■
2.2 TDCi (KNWA)		elec.brake detention	Diesel	FWD	2179	147	200	07.10-12.14	■
FORD (CHANGAN)									
MONDEO 05.03-						Saloon (Large family car-D Segment)			
2.0	01/07-		Gasolina	FWD	1999	105	141	05.03-	■
2.5	01/07-		Gasolina	FWD	2495	127	170	05.03-	■
S-MAX (BWS) 01.07-						MPV (Large MPV-M1 Segment)			
2.3			Gasolina	FWD	2261	118	158	01.07-	■
2.3			Gasolina	FWD	2261	119	160	01.07-	■
LAND ROVER									
FREELANDER 2 / LR2 (L359) 10.06-12.15						Closed Off-Road Vehicle (Compact SUV-J Segment)			
2.0 Si4 4x4 (204PT)	01/12-		Gasolina	4WD	1999	177	241	10.11-10.14	■
3.2 4x4 (B 6324 S)	01/12-		Gasolina	4WD	3192	171	233	10.06-10.14	■
2.2 eD4 (224DT)	01/12-		Diesel	FWD	2179	110	150	08.10-10.14	■
2.2 eD4 (DW12BTED4)	01/12-		Diesel	FWD	2179	110	150	08.10-10.14	■
2.2 TD4 4x4 (224DT)	01/12-		Diesel	4WD	2179	110	150	10.06-10.14	■
2.2 TD4 4x4 (DW12BTED4)	01/12-		Diesel	4WD	2179	110	150	10.06-10.14	■
2.2 TD4 4x4 (224DT)	01/12-		Diesel	4WD	2179	112	152	01.07-10.14	■
2.2 TD4 4x4 (224DT)	01/12-		Diesel	4WD	2179	115	156	10.06-10.14	■
2.2 TD4 4x4 (224DT)	01/12-		Diesel	4WD	2179	118	160	10.06-10.14	■
2.2 TD4 4x4 (DW12BTED4)	01/12-		Diesel	4WD	2179	118	160	10.06-10.14	■
2.2 SD4 4x4 (224DT)	01/12-		Diesel	4WD	2179	140	190	08.10-10.14	■
FREELANDER 2 / LR2 (L359) 10.06-10.14						Van (Compact SUV-J Segment)			
2.2 TD4 4x4 (224DT)			Diesel	4WD	2179	118	160	10.06-10.14	■
RANGE ROVER EVOQUE (L538) 11.15-						Convertible (Compact SUV-J Segment)			
2.0 4x4 (204PT)			Gasolina	4WD	1999	177	241	11.15-12.19	■
2.0 D 4x4 (204DTD)			Diesel	4WD	1999	110	150	11.15-12.19	■
2.0 D 4x4 (204DTD)			Diesel	4WD	1999	132	180	11.15-12.19	■
RANGE ROVER EVOQUE (L538) 06.11-12.19						SUV Van (Compact SUV-J Segment)			
Si4 4x4			Gasolina	4WD	1999	177	241	09.13-12.19	■
TD4			Diesel	FWD	2179	110	150	05.15-12.19	■
TD4 4x4			Diesel	4WD	2179	110	150	05.15-12.19	■
SD4 4x4			Diesel	4WD	2179	140	190	05.15-12.19	■
RANGE ROVER EVOQUE (L538) 06.11-						SUV (Compact SUV-J Segment)			
2.0 4x4 (PT204)			Gasolina	4WD	1997	213	290	08.17-12.19	■
2.0 4x4 (204PT)			Gasolina	4WD	1999	176	240	09.11-12.19	■
2.0 4x4 (204PT)			Gasolina	4WD	1999	177	241	06.11-12.19	■
2.0 D (204DTD)			Diesel	FWD	1999	110	150	06.15-12.19	■
2.0 D 4x4 (204DTD)			Diesel	4WD	1999	110	150	06.15-12.19	■
2.0 D 4x4 (204DTD)			Diesel	4WD	1999	132	180	05.15-12.19	■
2.2 D (224DT)			Diesel	FWD	2179	110	150	06.11-12.19	■
2.2 D 4x4 (224DT)			Diesel	4WD	2179	110	150	06.11-12.19	■
2.2 D 4x4 (224DT)			Diesel	4WD	2179	140	190	06.11-12.19	■
VOLVO									
S60 II (134) 04.10-						Saloon (Compact executive car-D Segment)			
T2 (B 4154 T5)			Gasolina	FWD	1498	90	122	10.15-05.18	■

LISTA DE APLICACIONES - BUYERS GUIDE

T3 (B 4154 T4)	Gasolina	FWD	1498	112	152	03.15-05.18	■
T3 (B 4164 T3)	Gasolina	FWD	1596	110	150	04.10-12.15	■
T4 (B 4164 T)	Gasolina	FWD	1596	132	180	04.10-12.15	■
T3 (B 4204 T37)	Gasolina	FWD	1969	112	152	03.15-05.18	■
T4 (B 4204 T19)	Gasolina	FWD	1969	140	190	03.15-05.18	■
T5 (B 4204 T11)	Gasolina	FWD	1969	180	245	09.13-12.18	■
T5 AWD (B 4204 T11)	Gasolina	4WD	1969	180	245	07.14-12.18	■
T5 AWD	Gasolina	4WD	1969	180	245	06.16-12.18	■
T5 Drive-E Polestar AWD (B 4204 T11)	Gasolina	4WD	1969	186	253	06.16-05.18	■
T5 (B 4204 T9)	Gasolina	FWD	1969	225	306	08.13-05.18	■
T6 (B 4204 T9)	Gasolina	FWD	1969	225	306	09.13-12.18	■
T6 AWD (B 4204 T9)	Gasolina	4WD	1969	225	306	09.15-12.18	■
2.0 Polestar AWD (B 4204 T43)	Gasolina	4WD	1969	270	367	06.15-05.18	■
2.0 T (B 5204 T8)	Gasolina	FWD	1984	132	180	05.12-12.15	■
2.0 T (B 4204 T6)	Gasolina	FWD	1999	149	203	04.10-12.11	■
T5 (B 4204 T7)	Gasolina	FWD	1999	177	240	04.10-12.14	■
T5 DRIVe (B 4204 T7)	Gasolina	FWD	1999	180	245	09.14-12.15	■
2.5 T	Gasolina	FWD	2497	183	249	01.13-01.16	■
T5 AWD (B 5254 T14)	Gasolina	4WD	2497	183	249	03.15-12.18	■
T5 AWD (B 5254 T12)	Gasolina	4WD	2497	187	254	08.15-12.18	■
T5 AWD	Gasolina	4WD	2497	187	254	03.15-12.18	■
T5 (B 5254 T5)	Gasolina	FWD	2521	186	253	09.11-12.15	■
T5 AWD (B 5254 T5)	Gasolina	4WD	2521	186	253	09.12-12.15	■
T6 AWD (B 6304 T4)	Gasolina	4WD	2953	224	304	04.10-12.15	■
T6 AWD (B 6304 T3)	Gasolina	4WD	2953	242	329	04.14-12.15	■
T6 AWD (B 6304 T4)	Gasolina	4WD	2953	242	329	04.14-12.15	■
3.0 T AWD (B 6304 T5)	Gasolina	4WD	2953	258	351	04.14-12.18	■
T4F (B 4164 T2)	Gasol./Etanol	FWD	1596	132	180	04.11-12.15	■
DRIVe / D2 (D 4162 T)	Diesel	FWD	1560	84	114	01.11-12.15	■
D2 (D 4204 T20)	Diesel	FWD	1969	88	120	03.15-05.18	■
D2 (D 4204 T8)	Diesel	FWD	1969	88	120	03.15-05.18	■
D3 (D 4204 T4)	Diesel	FWD	1969	110	150	03.15-05.18	■
D3 (D 4204 T9)	Diesel	FWD	1969	110	150	03.15-05.18	■
D3	Diesel	FWD	1969	110	150	03.15-05.18	■
D4 (D 4204 T5)	Diesel	FWD	1969	133	181	09.13-12.15	■
2.0 D4	Diesel	RWD	1969	140	190	03.15-	■
D4 (D 4204 T14)	Diesel	FWD	1969	140	190	03.15-05.18	■
D4	Diesel	FWD	1969	140	190	03.15-05.18	■
D4 Drive-E Polestar (D 4204 T14)	Diesel	FWD	1969	147	200	03.15-05.18	■
D4 Drive-E Polestar	Diesel	FWD	1969	147	200	03.15-05.18	■
D5 (D 4204 T11)	Diesel	FWD	1969	165	224	03.15-05.18	■
D5 Drive-E Polestar (D 4204 T11)	Diesel	FWD	1969	171	232	03.15-05.18	■
D3 (D 5204 T7)	Diesel	FWD	1984	100	136	05.12-12.15	■
D3 (D 5204 T2)	Diesel	FWD	1984	120	163	04.10-12.14	■
D3 (D 5204 T3)	Diesel	FWD	1984	120	163	04.10-12.14	■
D4 (D 5204 T3)	Diesel	FWD	1984	120	163	04.10-12.14	■
D4 AWD (D 5244 T21)	Diesel	4WD	2400	140	190	03.15-05.18	■
D4 AWD	Diesel	4WD	2400	140	190	03.15-05.18	■
D5 (D 5244 T10)	Diesel	FWD	2400	151	205	04.10-12.11	■
D5 AWD (D 5244 T10)	Diesel	4WD	2400	151	205	04.10-12.11	■
D5 (D 5244 T11)	Diesel	FWD	2400	158	215	04.11-12.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

D5 (D 5244 T15)		Diesel	FWD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)		Diesel	4WD	2400	158	215	04.11-12.15	■
D4 Polestar AWD (D 5244 T21)		Diesel	4WD	2400	162	220	03.15-07.18	■
D5 (D 5244 T15)		Diesel	FWD	2400	169	230	04.14-12.15	■
D5 AWD (D 5244 T15)		Diesel	4WD	2400	169	230	04.14-12.15	■
S80 II (124) 03.06-				Saloon (Executive car-E Segment)				
T4 (B 4164 T)	elec.brake detention	Gasolina	FWD	1596	132	180	10.10-04.14	■
T5 (B 4204 T15)	elec.brake detention	Gasolina	FWD	1969	162	220	01.14-12.16	■
2.0 Drive- E (B 4204 T11)		Gasolina	FWD	1969	180	245	12.14-12.16	■
T5 (B 4204 T11)		Gasolina	FWD	1969	180	245	09.13-05.14	■
2.0 (B 4204 S3)	elec.brake detention	Gasolina	FWD	1999	107	146	01.08-09.12	■
2.0 T (B 4204 T6)	elec.brake detention	Gasolina	FWD	1999	149	203	01.10-05.11	■
T5 (B 4204 T7)	elec.brake detention	Gasolina	FWD	1999	177	241	10.10-12.16	■
2.5 T (B 5254 T14)		Gasolina	FWD	2497	183	249	09.12-12.16	■
2.5 T (B 5254 T12)		Gasolina	FWD	2497	187	254	01.12-04.16	■
2.5 T (B 5254 T6)	elec.brake detention	Gasolina	FWD	2521	147	200	03.06-12.11	■
2.5 T AWD (B 5254 T6)		Gasolina	4WD	2521	147	200	10.06-04.09	■
2.5 T (B 5254 T10)	elec.brake detention	Gasolina	FWD	2521	170	231	01.10-12.12	■
T6 AWD (B 6304 T2)	elec.brake detention	Gasolina	4WD	2953	210	286	01.07-12.10	■
T6 AWD (B 6304 T4)	elec.brake detention	Gasolina	4WD	2953	224	305	10.10-12.15	■
3.2 (B 6324 S)	elec.brake detention	Gasolina	FWD	3192	175	238	03.06-12.10	■
3.2 AWD (B 6324 S)	elec.brake detention	Gasolina	4WD	3192	175	238	01.07-12.10	■
3.2 (B 6324 S5)	elec.brake detention	Gasolina	FWD	3192	179	243	01.10-12.14	■
3.2 AWD (B 6324 S5)	elec.brake detention	Gasolina	4WD	3192	179	243	01.10-12.14	■
4.4 V8 AWD (B 8444 S)	elec.brake detention	Gasolina	4WD	4414	232	316	03.06-03.12	■
T4F (B 4164 T2)	elec.brake detention	Gasol./Et anol	FWD	1596	132	180	05.11-01.14	■
2.0 FlexFuel (B 4204 S4)	elec.brake detention	Gasol./Et anol	FWD	1999	107	146	01.08-12.11	■
2.5 T FlexFuel (B 5254 T8)	elec.brake detention	Gasol./Et anol	FWD	2521	147	200	05.08-12.11	■
2.5 T FlexFuel (B 5254 T11)	elec.brake detention	Gasol./Et anol	FWD	2521	170	231	01.10-12.11	■
3.2 Flexifuel AWD		Gasol./Et anol	4WD	3192	177	241	01.09-03.10	■
1.6 D DRIVe (D 4164 T)	elec.brake detention	Diesel	FWD	1560	80	109	01.10-12.11	■
1.6 DRIVe (D 4162 T)	elec.brake detention	Diesel	FWD	1560	84	114	06.11-01.14	■
D2		Diesel	FWD	1560	85	116	01.14-12.16	■
D4 (D 4204 T5)		Diesel	FWD	1969	133	181	09.13-12.16	■
D3 (D 5204 T7)		Diesel	FWD	1984	100	136	05.12-05.14	■
D3 / D4 (D 5204 T2)	elec.brake detention	Diesel	FWD	1984	120	163	01.10-12.16	■
D3 / D4 (D 5204 T3)	elec.brake detention	Diesel	FWD	1984	120	163	01.10-12.16	■
2.0 TDI (D 4204 T)	elec.brake detention	Diesel	FWD	1998	100	136	02.08-03.11	■
2.4 D (D 5244 T19)	elec.brake detention, Solid disc, Vented disc	Diesel	FWD	2400	120	163	03.06-03.11	■
2.4 D (D 5244 T5)	elec.brake detention, Solid disc, Vented disc	Diesel	FWD	2400	120	163	03.06-03.11	■
2.4 D (D 5244 T14)	elec.brake detention	Diesel	FWD	2400	129	175	01.10-03.11	■
D5 (D 5244 T4)	elec.brake detention	Diesel	FWD	2400	136	185	03.06-08.09	■
D5 AWD (D 5244 T4)	elec.brake detention	Diesel	4WD	2400	136	185	01.07-05.09	■
D5 (D 5244 T10)	elec.brake detention	Diesel	FWD	2400	151	205	01.10-12.11	■
D5 AWD (D 5244 T10)	elec.brake detention	Diesel	4WD	2400	151	205	01.10-12.11	■
D5 (D 5244 T11)	elec.brake detention	Diesel	FWD	2400	158	215	06.11-04.15	■
D5 (D 5244 T15)	elec.brake detention	Diesel	FWD	2400	158	215	06.11-04.15	■
D5 AWD (D 5244 T15)	elec.brake detention	Diesel	4WD	2400	158	215	06.11-04.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

V60 (155) 09.13-12.15					Estate Van (Compact executive car-D Segment)			
1.6 DRIVe (D 4162 T)		Diesel	FWD	1560	84	114	09.13-12.15	■
2.0 D3 (D 5204 T7)		Diesel	FWD	1984	100	136	09.13-12.15	■
2.0 D4 (D 5204 T3)		Diesel	FWD	1984	120	163	09.13-12.15	■
2.4 D4 AWD		Diesel	4WD	2400	133	181	09.13-12.15	■
2.4 D5 (D 5244 T15)		Diesel	FWD	2400	158	215	09.13-12.15	■
V60 (155) 07.10-					Estate (Compact executive car-D Segment)			
T2 (B 4154 T5)		Gasolina	FWD	1498	90	122	10.15-03.17	■
T3 (B 4154 T4)		Gasolina	FWD	1498	112	152	03.15-05.18	■
T3 (B 4164 T3)		Gasolina	FWD	1596	110	150	09.10-12.15	■
T4 (B 4164 T)		Gasolina	FWD	1596	132	180	09.10-12.15	■
T3 (B 4204 T37)		Gasolina	FWD	1969	112	152	03.15-05.18	■
T4 (B 4204 T19)		Gasolina	FWD	1969	140	190	03.15-05.18	■
T5 (B 4204 T15)		Gasolina	FWD	1969	162	220	01.14-12.17	■
T5 (B 4204 T11)		Gasolina	FWD	1969	180	245	10.13-12.18	■
T5 (B 4204 T41)		Gasolina	FWD	1969	180	245	10.13-12.18	■
T5		Gasolina	FWD	1969	180	245	03.15-05.18	■
T5 AWD (B 4204 T11)		Gasolina	4WD	1969	180	245	07.14-05.18	■
T5 AWD		Gasolina	4WD	1969	180	245	06.16-05.18	■
T5 Drive-E Polestar		Gasolina	FWD	1969	186	253	03.15-07.18	■
T5 Drive-E Polestar AWD (B 4204 T11)		Gasolina	4WD	1969	186	253	03.15-07.18	■
T6 (B 4204 T9)		Gasolina	FWD	1969	225	306	10.13-12.18	■
T6 AWD (B 4204 T9)		Gasolina	4WD	1969	225	306	10.13-12.18	■
2.0 Polestar AWD (B 4204 T43)		Gasolina	4WD	1969	270	367	06.15-05.18	■
2.0 T (B 5204 T8)		Gasolina	FWD	1984	132	180	01.14-07.18	■
T5 (B 5204 T9)		Gasolina	FWD	1984	157	214	10.13-05.18	■
2.0 T (B 4204 T6)		Gasolina	FWD	1999	149	203	07.10-12.12	■
T5 (B 4204 T7)		Gasolina	FWD	1999	176	240	08.12-07.14	■
T5 (B 4204 T7)		Gasolina	FWD	1999	177	241	09.10-12.14	■
T5 AWD (B 5254 T14)		Gasolina	4WD	2497	183	249	03.15-05.18	■
T5 AWD (B 5254 T12)		Gasolina	4WD	2497	187	254	04.15-05.18	■
T5 AWD		Gasolina	4WD	2497	187	254	03.15-05.18	■
T6 AWD (B 6304 T4)		Gasolina	4WD	2953	224	305	07.10-12.15	■
T6 AWD (B 6304 T3)		Gasolina	4WD	2953	242	329	04.14-12.15	■
T6 AWD (B 6304 T4)		Gasolina	4WD	2953	242	329	04.14-12.15	■
3.0 T AWD (B 6304 T5)		Gasolina	4WD	2953	258	351	04.14-05.18	■
2.0 BiFuel (B 5204 T9)		Gasol./Gas (LPG)	FWD	1984	157	213	03.14-12.15	■
T4F (B 4164 T2)		Gasol./Etanol	FWD	1596	132	180	04.11-12.15	■
2.4 D6 Plug in Hybrid AWD		Diesel/eléc.	4WD	2400	158	215	06.12-12.15	■
D5 Hybrid AWD (D87PHEV)		Diesel/eléc.	4WD	2400	169	230	03.15-05.18	■
D6 Hybrid AWD (D82PHEV)		Diesel/eléc.	4WD	2400	206	280	06.12-12.15	■
D6 Hybrid AWD (D97PHEV)		Diesel/eléc.	4WD	2400	206	280	03.15-05.18	■
1.6 DRIVe (D 4162 T)		Diesel	FWD	1560	84	114	02.11-12.15	■
1.6 DRIVe	01/10-	Diesel	RWD	1595	85	115	07.10-	■
D2 (D 4204 T20)		Diesel	FWD	1969	88	120	03.15-05.18	■
D2 (D 4204 T8)		Diesel	FWD	1969	88	120	03.15-05.18	■
D3 (D 4204 T4)		Diesel	FWD	1969	110	150	03.15-05.18	■
D3 (D 4204 T9)		Diesel	FWD	1969	110	150	03.15-05.18	■

LISTA DE APLICACIONES - BUYERS GUIDE

D3		Diesel	FWD	1969	110	150	03.15-05.18	■
D4 (D 4204 T5)		Diesel	FWD	1969	133	181	10.13-12.15	■
D4 (D 4204 T14)		Diesel	FWD	1969	140	190	03.15-05.18	■
D4		Diesel	FWD	1969	140	190	03.15-05.18	■
D4 Drive-E Polestar (D 4204 T14)		Diesel	FWD	1969	147	200	03.15-05.18	■
D5 (D 4204 T11)		Diesel	FWD	1969	165	224	03.15-05.18	■
D3 (D 5204 T7)		Diesel	FWD	1984	100	136	05.12-12.15	■
D3 / D4 (D 5204 T2)		Diesel	FWD	1984	120	163	07.10-12.14	■
D3 / D4 (D 5204 T3)		Diesel	FWD	1984	120	163	07.10-12.14	■
D4 AWD (D 5244 T17)		Diesel	4WD	2400	120	163	05.12-12.15	■
D4 AWD (D 5244 T12)		Diesel	4WD	2400	133	181	10.13-12.15	■
D4 AWD (D 5244 T21)		Diesel	4WD	2400	140	190	03.15-05.18	■
D4 AWD		Diesel	4WD	2400	140	190	03.15-05.18	■
D4 Polestar AWD (D 5244 T21)		Diesel	4WD	2400	147	200	03.15-05.18	■
D5 (D 5244 T10)		Diesel	FWD	2400	151	205	07.10-12.11	■
D5 AWD (D 5244 T10)		Diesel	4WD	2400	151	205	07.10-12.11	■
D5 (D 5244 T11)		Diesel	FWD	2400	158	215	04.11-12.15	■
D5 (D 5244 T15)		Diesel	FWD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)		Diesel	4WD	2400	158	215	04.11-12.15	■
D4 Polestar AWD (D 5244 T21)	RC01,RC02, RK03,RK04, Vented disc	Diesel	4WD	2400	162	220	03.15-05.18	■
D5 (D 5244 T23)		Diesel	FWD	2400	169	230	04.14-12.15	■
D5 AWD (D 5244 T15)		Diesel	4WD	2400	169	230	04.14-12.15	■
V60 II (225) 02.18-							Estate (Compact executive car-D Segment)	
T5 (B 4204 T26)		Gasolina	FWD	1969	184	250	02.18-12.21	■
T8 Plug-in Hybrid AWD (B 4204 T34)		Gasol./el éc.	4WD	1969	287	390	02.18-12.22	■
D4 (D 4204 T14)		Diesel	FWD	1969	140	190	02.18-12.21	■
V70 III (135) 09.13-							Estate Van (Executive car-E Segment)	
2.0 D3 DRIVe (D 5204 T7)		Diesel	FWD	1984	100	136	09.13-12.15	■
2.4 D4	elec.brake detention	Diesel	FWD	2400	120	163	09.13-	■
2.4 D4 AWD	elec.brake detention	Diesel	4WD	2400	120	163	09.13-12.15	■
2.4 D5 (D 5244 T11)	elec.brake detention	Diesel	FWD	2400	158	215	09.13-12.15	■
2.4 D5 (D 5244 T15)	elec.brake detention	Diesel	FWD	2400	158	215	09.13-12.15	■
V70 III (135) 04.07-							Estate (Executive car-E Segment)	
T4 (B 4164 T)	elec.brake detention	Gasolina	FWD	1596	132	180	10.10-12.15	■
T4 (B 4204 T19)		Gasolina	FWD	1969	140	190	03.15-04.16	■
T5 (B 4204 T11)		Gasolina	FWD	1969	180	245	10.13-04.16	■
2.0 GDI (B 5204 T9)		Gasolina	FWD	1984	157	214	04.12-12.15	■
2.0 (B 4204 S3)	elec.brake detention	Gasolina	FWD	1999	107	145	10.07-12.11	■
2.0 T (B 4204 T6)	elec.brake detention	Gasolina	FWD	1999	149	203	09.09-12.11	■
T5 (B 4204 T7)	elec.brake detention	Gasolina	FWD	1999	177	241	01.10-12.14	■
2.5 T (B 5254 T6)	elec.brake detention	Gasolina	FWD	2521	147	200	08.07-12.09	■
2.5 T (B 5254 T10)	elec.brake detention	Gasolina	FWD	2521	170	231	04.09-12.12	■
T6 AWD (B 6304 T2)	elec.brake detention	Gasolina	4WD	2953	210	286	08.07-12.10	■
T6 AWD (B 6304 T4)	elec.brake detention	Gasolina	4WD	2953	224	305	01.10-12.15	■
T6 AWD (B 6304 T4)		Gasolina	4WD	2953	242	329	11.13-04.16	■
3.2 (B 6324 S)	elec.brake detention	Gasolina	FWD	3192	175	238	08.07-12.10	■
3.2 AWD (B 6324 S)	elec.brake detention	Gasolina	4WD	3192	175	238	04.07-12.10	■
3.2 (B 6324 S5)	elec.brake detention	Gasolina	FWD	3192	179	243	04.10-12.14	■
3.2 AWD (B 6324 S5)	elec.brake detention	Gasolina	4WD	3192	179	243	04.10-12.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 BiFuel (B 5204 T9)		Gasol./Gas (LPG)	FWD	1984	157	214	03.13-12.15	■
T4F (B 4164 T2)	elec.brake detention	Gasol./Etanol	FWD	1596	132	180	01.11-12.15	■
2.0 FlexiFuel (B 4204 S4)	elec.brake detention	Gasol./Etanol	FWD	1999	107	146	01.08-12.11	■
2.5 T FlexiFuel (B 5254 T8)	elec.brake detention	Gasol./Etanol	FWD	2521	147	200	05.08-12.09	■
2.5 T FlexiFuel (B 5254 T11)	elec.brake detention	Gasol./Etanol	FWD	2521	170	231	04.09-12.11	■
1.6 D (D 4164 T)	elec.brake detention	Diesel	FWD	1560	80	109	07.09-12.11	■
1.6 DRIVe / D2 (D 4162 T)	elec.brake detention	Diesel	FWD	1560	84	114	04.11-12.15	■
D2 (D 4204 T20)		Diesel	FWD	1969	88	120	03.15-04.16	■
D3 (D 4204 T9)		Diesel	FWD	1969	110	150	03.15-04.16	■
D4 (D 4204 T5)		Diesel	FWD	1969	133	181	10.13-04.16	■
D3 (D 5204 T7)		Diesel	FWD	1984	100	136	10.07-12.15	■
D3 / D4 (D 5204 T2)		Diesel	FWD	1984	120	163	03.10-12.15	■
D3 / D4 (D 5204 T3)		Diesel	FWD	1984	120	163	03.10-12.15	■
2.0 D (D 4204 T)	elec.brake detention	Diesel	FWD	1998	100	136	10.07-12.15	■
2.4 D (D 5244 T19)	elec.brake detention, Solid disc, Vented disc	Diesel	FWD	2400	120	163	04.07-12.10	■
2.4 D (D 5244 T5)	elec.brake detention, Solid disc, Vented disc	Diesel	FWD	2400	120	163	04.07-12.10	■
D4 AWD (D 5244 T17)		Diesel	4WD	2400	120	163	10.07-12.15	■
2.4 D (D 5244 T14)	elec.brake detention	Diesel	FWD	2400	129	175	04.09-12.10	■
D4 AWD (D 5244 T12)		Diesel	4WD	2400	133	181	10.13-04.16	■
D5 (D 5244 T4)	elec.brake detention	Diesel	FWD	2400	136	185	04.07-12.09	■
D5 (D 5244 T10)	elec.brake detention	Diesel	FWD	2400	151	205	10.08-12.11	■
D5 AWD (D 5244 T10)	elec.brake detention	Diesel	4WD	2400	151	205	12.09-12.11	■
D5 (D 5244 T11)	elec.brake detention	Diesel	FWD	2400	158	215	04.11-12.15	■
D5 (D 5244 T15)	elec.brake detention	Diesel	FWD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)	elec.brake detention	Diesel	4WD	2400	158	215	04.11-12.15	■
D5	elec.brake detention	Diesel	FWD	2400	169	230	03.11-04.16	■
D5 AWD	elec.brake detention	Diesel	4WD	2400	169	230	03.11-04.16	■
D5 AWD (D 5244 T4)	elec.brake detention	Diesel	4WD	2401	136	185	04.07-12.09	■
XC60 (156) 05.08-				SUV (Compact SUV-J Segment)				
2.0 T5 Flexfuel		Gasolina	FWD	1969	162	220	09.14-	■
T5 (B 4204 T11)		Gasolina	FWD	1969	180	245	10.13-02.17	■
T5 (B 4204 T41)		Gasolina	FWD	1969	180	245	10.13-02.17	■
T5 AWD (B 4204 T11)		Gasolina	4WD	1969	180	245	10.15-02.17	■
T5 AWD (B 4204 T41)		Gasolina	4WD	1969	180	245	10.15-02.17	■
T6 (B 4204 T9)		Gasolina	FWD	1969	225	306	10.13-02.17	■
T6 AWD (B 4204 T9)		Gasolina	4WD	1969	225	306	10.13-12.17	■
2.0 T (B 4204 T6)		Gasolina	FWD	1999	149	203	12.09-12.12	■
T5 (B 4204 T7)		Gasolina	FWD	1999	177	241	09.10-02.17	■
T5 AWD (B 5254 T12)		Gasolina	4WD	2497	183	249	04.14-02.17	■
T5 AWD (B 5254 T12)		Gasolina	4WD	2497	187	254	04.14-02.17	■
T6 AWD (B 6304 T2)		Gasolina	4WD	2953	210	286	05.08-12.10	■
T6 AWD (B 6304 T4)		Gasolina	4WD	2953	224	304	03.10-02.17	■
T6 AWD (B 6304 T3)		Gasolina	4WD	2953	242	329	04.14-12.15	■
T6 AWD (B 6304 T4)		Gasolina	4WD	2953	242	329	04.14-12.15	■
3.2		Gasolina	FWD	3192	175	238	09.09-12.10	■
3.2 AWD (B 6324 S)		Gasolina	4WD	3192	175	238	07.09-12.10	■
3.2 AWD (B 6324 S5)		Gasolina	4WD	3192	179	243	03.10-12.15	■
D3 (D 4204 T4)		Diesel	FWD	1969	110	150	03.15-04.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

D4 (D 4204 T5)		Diesel	FWD	1969	133	181	10.13-12.15	■
D4 (D 4204 T14)		Diesel	FWD	1969	140	190	03.15-02.17	■
D3 (D 5204 T7)		Diesel	FWD	1984	100	136	04.12-12.15	■
D3 / D4 (D 5204 T2)		Diesel	FWD	1984	120	163	03.10-12.14	■
D3 / D4 (D 5204 T3)		Diesel	FWD	1984	120	163	03.10-12.14	■
2.4 D / D3 / D4 AWD (D 5244 T16)	RC01,RC02	Diesel	4WD	2400	120	163	05.08-02.17	■
2.4 D / D3 / D4 AWD (D 5244 T17)	RC01,RC02	Diesel	4WD	2400	120	163	05.08-02.17	■
2.4 D / D3 / D4 AWD (D 5244 T5)	RC01,RC02	Diesel	4WD	2400	120	163	05.08-02.17	■
2.4 D (D 5244 T14)		Diesel	FWD	2400	129	175	04.09-12.10	■
2.4 D AWD		Diesel	4WD	2400	129	175	06.09-12.10	■
D4 AWD (D 5244 T12)		Diesel	4WD	2400	133	181	10.13-12.15	■
D5 AWD (D 5244 T4)		Diesel	4WD	2400	136	185	05.08-12.09	■
D4 AWD (D 5244 T21)		Diesel	4WD	2400	140	190	03.15-02.17	■
D5 AWD (D 5244 T10)		Diesel	4WD	2400	151	205	07.09-06.11	■
D5 (D 5244 T11)		Diesel	FWD	2400	158	215	06.11-02.17	■
D5 (D 5244 T15)		Diesel	FWD	2400	158	215	06.11-02.17	■
D5 AWD (D 5244 T11)		Diesel	4WD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)		Diesel	4WD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T20)		Diesel	4WD	2400	162	220	03.15-02.17	■
D5 AWD (D 5244 T22)		Diesel	4WD	2400	162	220	03.15-02.17	■
D5 AWD (D 5244 T23)		Diesel	4WD	2400	169	230	04.14-12.15	■
XC60 II (246) 03.17-				SUV (Compact SUV-J Segment)				
T5 AWD (B 4204 T23)	Eq.V_ RC01,RC02	Gasolina	4WD	1969	187	254	03.17-12.21	■
T6 AWD (B 4204 T27)	Eq.V_ RC01,RC02	Gasolina	4WD	1969	235	320	03.17-12.21	■
T8 Hybrid AWD (B 4204 T34)	Eq.V_ RC01,RC02	Gasol./el éc.	4WD	1969	287	390	02.18-12.22	■
T8 Hybrid AWD (B 4204 T35)	Eq.V_ RC01,RC02	Gasol./el éc.	4WD	1969	299	407	03.17-12.22	■
D3 (D 4204 T4)	Eq.V_ RC01,RC02	Diesel	FWD	1969	110	150	03.17-12.21	■
D4 (D 4204 T14)	Eq.V_ RC01,RC02	Diesel	FWD	1969	140	190	03.17-12.21	■
D4 AWD (D 4204 T14)	Eq.V_ RC01,RC02	Diesel	4WD	1969	140	190	03.17-12.21	■
D5 AWD (D 4204 T23)	Eq.V_ RC01,RC02	Diesel	4WD	1969	173	235	03.17-12.22	■
XC60 VAN (156) 05.08-12.17				SUV Van (Compact SUV-J Segment)				
D3		Diesel	FWD	1984	100	136	09.13-12.15	■
D4		Diesel	FWD	1984	120	163	09.13-02.17	■
D4 AWD	RC01,RC02	Diesel	4WD	2400	120	163	09.13-02.17	■
D5 AWD		Diesel	4WD	2400	158	215	09.13-02.17	■
XC70 III (136) 04.07-				Estate (Executive car-E Segment)				
T5 (B 4204 T11)	Vented disc, Europe	Gasolina	FWD	1969	180	245	10.13-12.16	■
T6 AWD (B 5254 T14)		Gasolina	4WD	2497	183	249	03.15-12.16	■
T5 AWD (B 5254 T12)		Gasolina	4WD	2497	187	254	08.15-12.16	■
T6 AWD (B 6304 T2)	elec.brake detention	Gasolina	4WD	2953	210	286	01.08-12.16	■
T6 AWD (B 6304 T4)	elec.brake detention	Gasolina	4WD	2953	224	304	01.10-04.15	■
T6 Polestar AWD		Gasolina	4WD	2953	242	329	11.13-12.16	■
3.2	elec.brake detention	Gasolina	FWD	3192	171	233	09.10-12.12	■
3.2 AWD (B 6324 S)	elec.brake detention	Gasolina	4WD	3192	175	238	08.07-12.11	■
3.2	elec.brake detention	Gasolina	FWD	3192	179	243	08.07-	■
3.2 AWD (B 6324 S5)	elec.brake detention	Gasolina	4WD	3192	179	243	05.10-12.14	■
D4 (D 4204 T5)		Diesel	FWD	1969	133	181	10.13-04.16	■
D3 (D 5204 T2)	elec.brake detention	Diesel	FWD	1984	120	163	04.10-12.15	■
D3 (D 5204 T3)	elec.brake detention	Diesel	FWD	1984	120	163	04.10-12.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

D3	elec.brake detention	Diesel	RWD	1984	120	163	08.11-	■
2.4 D / D4 AWD (D 5244 T16)	elec.brake detention, Solid disc, Vented disc	Diesel	4WD	2400	120	163	08.07-04.16	■
2.4 D / D4 AWD (D 5244 T17)	elec.brake detention, Solid disc, Vented disc	Diesel	4WD	2400	120	163	08.07-04.16	■
2.4 D / D4 AWD (D 5244 T5)	elec.brake detention, Solid disc, Vented disc	Diesel	4WD	2400	120	163	08.07-04.16	■
2.4 D (D 5244 T14)	elec.brake detention	Diesel	FWD	2400	129	175	06.09-12.10	■
D4 AWD (D 5244 T12)		Diesel	4WD	2400	133	181	10.13-04.16	■
D5 AWD (D 5244 T4)	elec.brake detention	Diesel	4WD	2400	136	185	04.07-12.09	■
D5 AWD (D 5244 T10)	elec.brake detention	Diesel	4WD	2400	151	205	04.09-12.11	■
D5 AWD (D 5244 T11)	elec.brake detention	Diesel	4WD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)	elec.brake detention	Diesel	4WD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T20)		Diesel	4WD	2400	162	220	03.15-04.16	■
D5 AWD (D 5244 T15)		Diesel	4WD	2400	169	230	11.13-04.16	■
XC70 III VAN (136) 04.07-12.16						Estate Van (Executive car-E Segment)		
2.0 D4		Diesel	FWD	1984	120	163	09.13-12.16	■
2.4 D4 AWD		Diesel	4WD	2400	120	163	09.13-04.16	■
2.4 D5 AWD		Diesel	4WD	2400	158	215	09.13-12.16	■
VOLVO ASIA								
S60 12.19-						Saloon (Compact executive car-D Segment)		
T5		Gasolina	FWD	1969	184	250	12.19-	■
XC60 11.14-						SUV (Compact SUV-J Segment)		
2.0 T5		Gasolina	FWD	1969	180	245	11.14-	■
2.0 T5		Gasolina	FWD	1984	157	214	11.14-	■
2.5 T6		Gasolina	FWD	2497	187	254	11.14-	■