

LISTA DE APLICACIONES - BUYERS GUIDE

181913




8 424073 098351

Qty: 300

Weight: 2.205

O.E.M.	MAKE
10 42 42 74	MG
13 237 751	VAUXHALL
1323 7751	CHEVROLET
16 05 186	OPEL
16 05 232	OPEL
16 05 265	OPEL
16 05 317	OPEL
16 05 434	SAAB
1605232I	OPEL
22 95 910 4	OPEL
22 959 104	VAUXHALL
22786292	GMC
22959104	BUICK
3201 7996	CHEVROLET
9223 0269	CHEVROLET
9225 7988	CHEVROLET
95 514 526	VAUXHALL
95 516 195	VAUXHALL
95 520 061	VAUXHALL
95 530 018	VAUXHALL



181913

E 9 90R-01111/2263



Mando

141.8x66.6x19.3

WVA	FMSI
24412	D1404-8512
24413	D1557-8769
24414	D1745-8971
MAKE	
BENTLEY	
BUICK	
BUICK (SGM)	
CHEVROLET	
CHEVROLET (SGM)	
GMC	
HOLDEN	
MG	
NISSAN	
OPEL	
ROEWE (SAIC)	
SAAB	
VAUXHALL	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BENTLEY

FLYING SPUR (4W_) 03.13-

Saloon (Luxury car-F Segment)

Model	Rim	Fuel	Trac.	CC	Kw	CV	Year	Availability
4.0	Rim 17	Gasolina	FWD	3993	389	529	09.14-	■
6.0 W12 (CVAA)	Rim 17	Gasolina	4WD	5998	460	626	03.13-10.20	■
6.0 W12 (DBDB)	Rim 17	Gasolina	4WD	5998	460	626	03.13-10.20	■
4.0 FLEX (CMMC)	Rim 17	Gasol./Etanol	4WD	3993	373	507	03.13-	■
4.0 FLEX (CYCB)	Rim 17	Gasol./Etanol	4WD	3993	373	507	03.13-	■
6.0 FLEX	Rim 17	Gasol./Etanol	4WD	5998	453	616	03.13-	■

BUICK

CASCADA 09.15-

Convertible (Large family car-D Segment)

1.6 (LWC)		Gasolina	FWD	1598	149	203	09.15-	■
-----------	--	----------	-----	------	-----	-----	--------	---

LA CROSSE II 06.09-

Saloon (Executive car-E Segment)

3.6	01/16-	Gasolina	FWD	3564	226	307	07.15-	■
-----	--------	----------	-----	------	-----	-----	--------	---

REGAL V (U.S.A.) 09.10-

Saloon (Large family car-D Segment)

2.4	01/16-	Gasolina	FWD		136	185	09.10-	■
2.4 FLEX	01/16-	Gasolina	FWD		136	185	09.11-	■

BUICK (SGM)

GL8 (CU2) 07.05-12.16

MPV (Large MPV-M1 Segment)

2.4 (LE5)		Gasolina	FWD	2384	123	167	11.11-12.16	■
-----------	--	----------	-----	------	-----	-----	-------------	---

GL8 II (CU3) 11.10-

MPV (Large MPV-M1 Segment)

SIDI (LTG)		Gasolina	FWD	1998	191	260	12.18-	■
------------	--	----------	-----	------	-----	-----	--------	---

LISTA DE APLICACIONES - BUYERS GUIDE

2.4		Gasolina	FWD	2384	123	167	11.10-	■	
2.4 SIDI		Gasolina	FWD	2384	137	186	01.13-	■	
2.5 SIDI (LCV)		Gasolina	FWD	2457	147	200	02.17-	■	
3.0		Gasolina	FWD	2997	190	258	11.10-	■	
GL8 III (CU4) 11.16-					MPV (Large MPV-M1 Segment)				
2.0 SIDI (LTG)		Gasolina	FWD	1998	191	260	11.16-	■	
LACROSSE II (EG2) 07.09-12.16					Saloon (Executive car-E Segment)				
2.4		Gasolina	FWD	2384	125	170	09.09-	■	
3.0		Gasolina	FWD	2994	190	258	09.09-	■	
3.0 (LFW)	discØ 321	Gasolina	FWD	2997	195	265	02.12-03.16	■	
LACROSSE III 04.10-					Saloon (Executive car-E Segment)				
2.0 Turbo	discØ 321	Gasolina	FWD	1998	162	220	01.11-	■	
2.0 Turbo	discØ 321	Gasolina	FWD	1998	187	254	06.13-	■	
2.4	discØ 321	Gasolina	FWD	2384	137	186	01.11-	■	
2.4 Hybrid	discØ 321	Gasol./el éc.	FWD	2384	137	186	08.11-	■	
REGAL II (EG1) 12.08-					Saloon (Large family car-D Segment)				
1.6	discØ 321	Gasolina	FWD	1598	132	180	09.09-	■	
1.6 Turbo (LLU)	discØ 321	Gasolina	FWD	1598	135	184	02.12-12.17	■	
2.0 Turbo	discØ 321	Gasolina	FWD	1998	162	220	06.09-	■	
GS 2.0 (LDK)	discØ 321	Gasolina	FWD	1998	187	254	09.13-	■	
CHEVROLET									
CAMARO V 01.11-					Convertible (Pony car-F Segment)				
3.6 (LLT)	Rim 17	Gasolina	RWD	3564	232	316	01.11-	■	
3.6		Gasolina	RWD	3564	233	317	01.11-12.11	■	
3.6 (LFX)		Gasolina	RWD	3564	241	328	09.11-	■	
6.2 (L99(376CUV8))	Rim 17	Gasolina	RWD	6162	298	405	01.11-	■	
6.2 (LS3(376CUV8))	Rim 17	Gasolina	RWD	6162	318	432	01.11-	■	
CAMARO V 02.09-12.15					Coupe (Pony car-F Segment)				
3.2 V6	01/10-, Rim 17	Gasolina	FWD	3195	220	300	02.09-	■	
3.6		Gasolina	RWD	3564	215	292	04.11-12.11	■	
3.6		Gasolina	RWD	3564	221	300	02.09-01.12	■	
3.6 (LLT)		Gasolina	RWD	3564	224	305	09.09-12.10	■	
3.6 (LLT)		Gasolina	RWD	3564	227	309	09.09-12.10	■	
3.6 (LLT)	Rim 17	Gasolina	RWD	3564	232	316	01.11-12.15	■	
3.6 (LFX)		Gasolina	RWD	3564	241	328	09.11-12.15	■	
6.2 (L99(376CUV8))	Rim 17	Gasolina	RWD	6162	298	405	09.09-12.15	■	
6.2 (LS3(376CUV8))	Rim 17	Gasolina	RWD	6162	318	432	09.09-12.15	■	
CAMARO VI 09.15-					Coupe (Pony car-F Segment)				
3.6 (LGX)		Gasolina	RWD	3649	250	340	09.15-	■	
CAPRICE VI (U.S.A.) 07.06-					Saloon (Luxury car-F Segment)				
3.6 PPV Flexfuel (LFX)		Gasol./Et anol	RWD	3564	224	305	09.11-12.17	■	
6.0 PPV Flexfuel (L77(364CUV8))		Gasol./Et anol	RWD	5967	265	360	09.10-12.16	■	
MALIBU VII 01.08-					Saloon (Executive car-E Segment)				
2.0		Gasolina	FWD	1998	193	262	09.12-	■	
MALIBU VIII (V300) 01.12-					Saloon (Executive car-E Segment)				
1.6 T	Rim 17	Gasolina	FWD	1598	135	184	12.12-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 LPG	Rim 17, Syst. 17"	Gasolina	FWD	1998	101	137	02.12-	■
2.0	Rim 17, Syst. 17"	Gasolina	FWD	1998	104	141	02.12-	■
2.0	Rim 17	Gasolina	FWD	1998	108	147	12.12-	■
2.0 (LTG)	Syst. 17"	Gasolina	FWD	1998	193	262	01.12-12.15	■
2.4 (LE9(145CUL4))	Syst. 17", Rim 17	Gasolina	FWD	2384	123	167	01.12-	■
2.4 (LE9(145CUL4))	Rim 17, Syst. 17"	Gasolina	FWD	2384	125	170	01.12-	■
2.4	Rim 17	Gasolina	FWD	2384	137	186	01.12-	■
2.5 (LCV)	Syst. 17"	Gasolina	FWD	2457	142	193	09.12-12.13	■
2.5	Syst. 17"	Gasolina	FWD	2457	146	199	09.13-12.15	■
2.5 (LCV,LKW)	Syst. 17"	Gasolina	FWD	2457	147	200	07.13-	■
3.0 (LFW)	POC J61, Rim 17, Syst. 17"	Gasolina	FWD	2997	196	267	04.13-	■
2.4 Hybrid (LUK)	Syst. 17"	Gasol./el éc.	FWD	2384	136	185	01.12-	■
2.0 D	Syst. 17"	Diesel	FWD	1956	115	156	04.12-	■
2.0 D (LBS)	Rim 17, Syst. 17"	Diesel	FWD	1956	118	160	04.12-	■
CHEVROLET (SGM)								
MALIBU (EG3) 02.12-					Saloon (Executive car-E Segment)			
1.6 Turbo		Gasolina	FWD	1598	135	184	02.12-	■
GMC								
TERRAIN 08.09-					SUV (Compact SUV-J Segment)			
3.0 (LF1)	Mexico	Gasolina	FWD	2997	197	268	09.09-12.12	■
3.0 Flexfuel DI	Mexico	Gasol./Et anol	FWD	2997	197	268	09.10-	■
3.0 Flexfuel DI AWD (LF1)	Mexico	Gasol./Et anol	4WD	2997	197	268	09.10-	■
HOLDEN								
ASTRA (PJ) 12.14-					Hatchback (Compact car-C Segment)			
2.0 VXR	discØ 321	Gasolina	FWD	1998	206	280	12.14-	■
ASTRA (BL) 06.17-					Saloon (Compact car-C Segment)			
1.4 (B 14 XFT)	discØ 321	Gasolina	FWD	1399	110	150	06.17-	■
CASCADA (CJ) 08.14-					Convertible (Large family car-D Segment)			
1.6		Gasolina	FWD	1598	125	170	12.14-	■
1.6 (A 16 XHT)		Gasolina	FWD	1598	147	200	08.14-01.15	■
CRUZE II (JH) 11.11-					Hatchback (Supermini car-B Segment)			
1.6 i	discØ 321	Gasolina	FWD	1598	132	180	04.13-	■
CRUZE II (JG) 06.09-03.11					Saloon (Supermini car-B Segment)			
1.6 i	Syst. 17"	Gasolina	FWD	1598	132	180	04.13-	■
MALIBU (EM) 05.13-					Saloon (Executive car-E Segment)			
2.4 i (LE9)	Syst. 17"	Gasolina	FWD	2384	123	167	05.13-12.16	■
2.0 D (A 20 DTH)	Syst. 17"	Diesel	FWD	1956	117	159	05.13-12.16	■
MG								
MARVEL R 02.21-					SUV (Compact Crossover SUV-C Segment)			
EV (EP21)		Eléctrico	RWD		132	180	02.21-	■
EV (EP21)		Eléctrico	4WD		212	288	02.21-	■
NISSAN								
ROGUE 01.07-12.15					SUV (Compact SUV-J Segment)			
2.5	Rim 17	Gasolina	FWD	2488	124	169	01.10-11.13	■
2.5 AWD	Rim 17	Gasolina	4WD	2488	124	169	01.10-11.13	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.5	Rim 17	Gasolina	FWD	2488	125	170	01.10-11.13	■
2.5 AWD (QR25DE)	Rim 17	Gasolina	4WD	2488	125	170	01.10-11.13	■
OPEL								
ASTRA H CLASSIC (A04) 01.09-						Hatchback (Compact car-C Segment)		
1.8 (L48) (Z 18 XER)	Syst. 17"	Gasolina	FWD	1796	103	140	02.13-05.14	■
1.7 CDTI (L48) (A 17 DTR)	Syst. 17"	Diesel	FWD	1686	92	125	01.09-05.14	■
1.7 CDTI (L48) (Z 17 DTR)	Syst. 17"	Diesel	FWD	1686	92	125	01.09-05.14	■
ASTRA J (P10) 09.09-10.15						Estate Van (Compact car-C Segment)		
1.3 CDTI (35) (A 13 DTE)	Rim 17, discØ 321	Diesel	FWD	1248	70	95	10.12-10.15	■
1.6 CDTi (35) (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	01.14-10.15	■
1.7 CDTI (35) (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	10.12-10.15	■
1.7 CDTI (35) (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	10.12-10.15	■
2.0 CDTI (35) (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	121	165	10.12-10.15	■
ASTRA J (P10) 09.09-10.15						Hatchback Van (Compact car-C Segment)		
1.3 CDTI (68) (A 13 DTE)	Rim 17, discØ 321	Diesel	FWD	1248	70	95	05.13-10.15	■
1.6 CDTi (68) (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	01.14-10.15	■
1.7 CDTI (68) (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	05.13-10.15	■
1.7 CDTI (68) (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	05.13-10.15	■
ASTRA J (P10) 09.09-04.16						Hatchback (Compact car-C Segment)		
1.4 Turbo (68) (A 14 NEL)	discØ 321	Gasolina	FWD	1364	88	120	10.10-10.15	■
1.4 Turbo (68) (B 14 NEL)	discØ 321	Gasolina	FWD	1364	88	120	10.10-10.15	■
1.4 Turbo (68) (A 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	12.09-10.15	■
1.4 Turbo (68) (B 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	12.09-10.15	■
1.4 (68) (A 14 XEL)	Rim 17, discØ 321	Gasolina	FWD	1398	64	87	12.09-10.15	■
1.4 (68) (A 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	100	12.09-10.15	■
1.4 (68) (B 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	100	12.09-10.15	■
1.6 (68) (A 16 XER)	Rim 17, discØ 321	Gasolina	FWD	1598	85	115	12.09-10.15	■
1.6 (68) (B 16 XER)	Rim 17, discØ 321	Gasolina	FWD	1598	85	115	12.09-10.15	■
1.6 SIDI (68) (A 16 XHT)	discØ 321	Gasolina	FWD	1598	125	170	12.12-10.15	■
1.6 SIDI (68) (B 16 SHL)	discØ 321	Gasolina	FWD	1598	125	170	12.12-10.15	■
1.6 Turbo (68) (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	12.09-10.15	■
1.6 Turbo 4x4 (68) (A 16 LET)	Rim 17, discØ 321	Gasolina	4WD	1598	132	180	12.09-10.15	■
1.4 LPG (68) (A 14 NET)	Rim 17, discØ 321	Gasol./Gas (LPG)	FWD	1364	103	140	01.12-10.15	■
1.3 CDTI (68) (A 13 DTE)	Rim 17, discØ 321	Diesel	FWD	1248	70	95	12.09-10.15	■
1.6 CDTi (68) (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	02.14-10.15	■
1.6 CDTi (68) (B 16 DTH)	discØ 321	Diesel	FWD	1598	100	136	11.13-10.15	■
1.7 CDTI (68)	Rim 17	Diesel	FWD	1686	74	101	10.10-10.15	■
1.7 CDTI (68) (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	09.09-10.15	■
1.7 CDTI (68) (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	09.09-10.15	■
1.7 CDTI (68) (A 17 DTJ)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	09.09-10.15	■
1.7 CDTI (68) (A 17 DTR)	Rim 17, discØ 321	Diesel	FWD	1686	92	125	12.09-10.15	■
1.7 CDTI (68) (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	07.11-10.15	■
1.7 CDTI (68) (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	07.11-10.15	■
2.0 CDTi (A 20 DTH)	discØ 321	Diesel	FWD	1956	96	131	10.14-10.15	■
2.0 CDTI (68) (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	118	160	09.09-10.15	■
2.0 CDTI (68) (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	121	165	06.11-10.15	■
2.0 Biturbo CDTI (68) (A 20 DTR)	discØ 321, POC J61	Diesel	FWD	1956	143	194	09.12-10.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

ASTRA J 06.12-						Saloon (Compact car-C Segment)			
1.4 Turbo (69) (A 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	06.12-10.15	■	
1.4 Turbo (69) (B 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	06.12-10.15	■	
1.4 Turbo (69) (A 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	06.12-06.18	■	
1.4 Turbo (69) (B 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	06.12-06.18	■	
1.4 (A 14 XEL)	Rim 17, discØ 321	Gasolina	FWD	1398	64	87	01.14-10.15	■	
1.4 (69) (A 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	101	06.12-10.15	■	
1.4 (69) (B 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	101	06.12-10.15	■	
1.6 (69) (A 16 XER)	Rim 17, discØ 321	Gasolina	FWD	1598	85	116	06.12-06.18	■	
1.6 (69) (B 16 XER)	Rim 17, discØ 321	Gasolina	FWD	1598	85	116	06.12-06.18	■	
1.6 SIDI (69) (A 16 XHT)	Rim 17, discØ 321	Gasolina	FWD	1598	125	170	06.12-10.15	■	
1.6 Turbo (69) (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	06.12-10.13	■	
1.4 Turbo LPG (69) (A 14 NET)	discØ 321	Gasol./G as (LPG)	FWD	1364	103	140	07.14-06.18	■	
1.3 CDTI (69) (A 13 DTE)	Rim 17, discØ 321	Diesel	FWD	1248	70	95	06.12-10.15	■	
1.6 CDTi (69) (B 16 DTL)	Rim 17, discØ 321	Diesel	FWD	1598	81	110	04.14-06.18	■	
1.6 CDTi (69) (B 16 DTH)	Rim 17, discØ 321	Diesel	FWD	1598	100	136	01.14-06.18	■	
1.7 CDTI (69) (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTJ)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.12-10.15	■	
ASTRA J GTC 10.11-						Hatchback (Compact car-C Segment)			
1.4 (08) (A 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	10.11-04.18	■	
1.4 (08) (B 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	10.11-04.18	■	
1.4 Turbo (08) (A 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	10.11-04.18	■	
1.4 Turbo (08) (B 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	10.11-04.18	■	
1.4 (08) (A 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	101	10.11-11.13	■	
1.6 SIDI (08) (A 16 XHT)	discØ 321	Gasolina	FWD	1598	125	170	12.12-04.18	■	
1.6 SIDI (08) (B 16 SHL)	discØ 321	Gasolina	FWD	1598	125	170	12.12-04.18	■	
1.6 Turbo (08) (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	10.11-06.13	■	
1.6 SIDI (08) (A 16 SHT)	discØ 321, POC J61	Gasolina	FWD	1598	147	200	07.13-04.18	■	
1.6 SIDI (08) (B 16 SHT)	discØ 321, POC J61	Gasolina	FWD	1598	147	200	07.13-04.18	■	
1.8 (08) (A 18 XER)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1796	103	140	10.11-10.13	■	
2.0 OPC Turbo (08) (A 20 NFT)	Rim 17	Gasolina	FWD	1998	206	280	04.12-04.18	■	
2.0 OPC Turbo (08) (B 20 NFT)	Rim 17	Gasolina	FWD	1998	206	280	04.12-04.18	■	
1.6 CDTI (08) (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	07.14-04.18	■	
1.6 CDTI (08) (B 16 DTH)	discØ 321	Diesel	FWD	1598	100	136	07.14-04.18	■	
1.7 CDTI (08) (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	03.12-10.13	■	
1.7 CDTI (08) (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	03.12-10.13	■	
1.7 CDTI (08) (A 17 DTJ)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	03.12-10.13	■	
1.7 CDTI (08) (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	03.12-06.14	■	
1.7 CDTI (08) (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	03.12-06.14	■	
2.0 CDTI (08) (A 20 DTH)	discØ 321	Diesel	FWD	1956	96	131	01.12-10.15	■	
2.0 CDTI (08) (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	121	165	01.12-06.15	■	
2.0 BiTurbo CDTI (08) (A 20 DTR)	discØ 321, POC J61	Diesel	FWD	1956	143	194	10.13-06.15	■	
ASTRA J Sports Tourer (P10) 10.10-						Estate (Compact car-C Segment)			
1.4 Turbo (35) (A 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	10.10-10.15	■	
1.4 Turbo (35) (B 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	10.10-10.15	■	
1.4 Turbo (35) (A 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	10.10-10.15	■	
1.4 Turbo (35) (B 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	10.10-10.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.4 (35) (A 14 XEL)	discØ 321	Gasolina	FWD	1398	64	87	10.10-10.15	■	
1.4 (35) (A 14 XER)	discØ 321	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.4 (35) (B 14 XER)	discØ 321	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.6 (35) (A 16 XER)	discØ 321	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 (35) (B 16 XER)	discØ 321	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 SIDI (35) (A 16 XHT)	discØ 321	Gasolina	FWD	1598	125	170	12.12-10.15	■	
1.6 SIDI (35) (B 16 SHL)	discØ 321	Gasolina	FWD	1598	125	170	12.12-10.15	■	
1.6 Turbo (35) (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	10.10-10.15	■	
1.4 LPG (35) (A 14 NET)	Rim 17, discØ 321	Gasol./Gas (LPG)	FWD	1364	103	140	12.11-10.15	■	
1.3 CDTI (35) (A 13 DTE)	Rim 17, discØ 321	Diesel	FWD	1248	70	95	10.10-10.14	■	
1.6 CDTi (35) (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	02.14-10.15	■	
1.6 CDTi (35) (B 16 DTH)	discØ 321	Diesel	FWD	1598	100	136	11.13-10.15	■	
1.7 CDTI (35) (A 17 DTL)	discØ 321	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTN)	discØ 321	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTJ)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTR)	Rim 17, discØ 321	Diesel	FWD	1686	92	125	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	10.10-10.15	■	
2.0 CDTI (35)	discØ 321	Diesel	FWD	1956	96	131	01.14-10.15	■	
2.0 CDTI (35) (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	118	160	10.10-10.15	■	
2.0 CDTI (35) (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	121	165	08.11-10.15	■	
2.0 Biturbo CDTI (35) (A 20 DTR)	discØ 321, POC J61	Diesel	FWD	1956	143	194	09.12-10.15	■	
CASCADA (W13) 03.13-							Convertible (Large family car-D Segment)		
1.4 (67) (A 14 NEL)	Rim 17	Gasolina	FWD	1364	88	120	04.13-04.18	■	
1.4 (67) (B 14 NEL)	Rim 17	Gasolina	FWD	1364	88	120	04.13-04.18	■	
1.4 Turbo (67) (A 14 NET)	Rim 17	Gasolina	FWD	1364	103	140	03.13-04.18	■	
1.4 Turbo (67) (B 14 NET)	Rim 17	Gasolina	FWD	1364	103	140	03.13-04.18	■	
1.6 (67) (D 16 SHJ)		Gasolina	FWD	1598	100	136	05.18-04.19	■	
1.6 SIDI (67) (A 16 XHT)	Rim 17	Gasolina	FWD	1598	125	170	04.13-04.19	■	
1.6 SIDI (67) (B 16 SHL)	Rim 17	Gasolina	FWD	1598	125	170	04.13-04.19	■	
1.6 SIDI (67) (D 16 SHL)	Rim 17	Gasolina	FWD	1598	125	170	04.13-04.19	■	
1.6 (67) (A 16 SHT)		Gasolina	FWD	1598	147	200	11.13-04.18	■	
1.6 (67) (B 16 SHT)		Gasolina	FWD	1598	147	200	11.13-04.18	■	
2.0 CDTI (67) (A 20 DTH)	Rim 17	Diesel	FWD	1956	121	165	04.13-06.15	■	
2.0 CDTI (67) (B 20 DTH)		Diesel	FWD	1956	125	170	07.15-04.18	■	
2.0 CDTI (67) (A 20 DTR)	Rim 17	Diesel	FWD	1956	143	194	04.13-06.15	■	
INSIGNIA A (G09) 07.08-							Hatchback (Executive car-E Segment)		
1.4 (68) (A 14 NET)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.4 (68) (B 14 NET)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.6 (68) (A 16 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	85	116	07.08-03.17	■	
1.6 SIDI (68) (A 16 XHT)	discØ 321, POC J61, Syst. 17"	Gasolina	FWD	1598	125	170	03.13-03.17	■	
1.6 SIDI (68) (B 16 SHL)	discØ 321, POC J61, Syst. 17"	Gasolina	FWD	1598	125	170	03.13-03.17	■	
1.6 Turbo (68) (A 16 LET)	Rim 17, discØ 321, POC J61, Syst. 17"	Gasolina	FWD	1598	132	180	07.08-03.17	■	
1.8 (68) (A 18 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1796	103	140	07.08-03.17	■	
1.8 (68) (B 18 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1796	103	140	07.08-03.17	■	
2.0 Turbo (68) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-03.17	■	
2.0 Turbo 4x4 (68) (A 20 NHT)	Rim 17, discØ 321, POC J61, Syst. 17"	Gasolina	4WD	1998	162	220	07.08-03.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo (68) (A 20 NHT)	discØ 321, POC J61, Syst. 17"	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo (68) (B 20 NHT)	discØ 321, POC J61, Syst. 17"	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo 4x4 (68) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (68) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (68) (B 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.8 V6 Turbo 4x4 (68) (A 28 NET)	discØ 321, POC J61	Gasolina	4WD	2792	191	260	07.08-03.17	■	
1.4 LPG (68) (A 14 NET)	discØ 321, POC J61, Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
1.4 LPG (68) (B 14 NET)	discØ 321, POC J61, Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
2.0 E85 Turbo (68) (A 20 NHT)	Rim 17, discØ 321, POC J61, Syst. 17"	Gasol./Etanol	FWD	1998	162	220	10.10-03.17	■	
1.6 CDTi (68) (B 16 DTJ)	discØ 321, POC J61, Syst. 17"	Diesel	FWD	1598	88	120	07.15-03.17	■	
1.6 CDTi (68) (B 16 DTH)	discØ 321, POC J61, Rim 17, Syst. 17"	Diesel	FWD	1598	100	136	07.15-03.17	■	
2.0 CDTi (68) (A 20 DTC)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	07.08-03.17	■	
2.0 CDTi (68) (A 20 DTL)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	07.08-03.17	■	
2.0 CDTi (68) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	88	120	03.12-03.17	■	
2.0 CDTi (68) (A 20 DT)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTi (68) (A 20 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTi (68) (A 20 DTE)	discØ 321, POC J61, Rim 17, Syst. 17"	Diesel	FWD	1956	103	140	06.13-03.17	■	
2.0 CDTi (68) (A 20 DTH)	Rim 17, discØ 321, POC J61, Syst. 17"	Diesel	FWD	1956	118	160	07.08-03.17	■	
2.0 CDTi 4x4 (68) (A 20 DTH)	Rim 17, discØ 321, POC J61, Syst. 17"	Diesel	4WD	1956	118	160	06.10-03.17	■	
2.0 CDTi (68) (A 20 DTH)	discØ 321, POC J61, Syst. 17"	Diesel	FWD	1956	120	163	07.13-03.17	■	
2.0 CDTi 4x4 (68) (A 20 DTH)	discØ 321, POC J61, Syst. 17"	Diesel	4WD	1956	120	163	07.13-03.17	■	
2.0 CDTi (68) (B 20 DTH)	discØ 321, POC J61, Rim 17, Syst. 17"	Diesel	FWD	1956	125	170	11.14-03.17	■	
2.0 CDTi 4x4 (68) (B 20 DTH)	discØ 321, POC J61, Syst. 17"	Diesel	4WD	1956	125	170	11.14-03.17	■	
2.0 Biturbo CDTi (68) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	140	190	07.08-12.11	■	
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	140	190	05.09-12.11	■	
2.0 Biturbo CDTi (68) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	143	195	01.12-03.17	■	
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	143	195	01.12-03.17	■	
INSIGNIA A (G09) 07.08-							Saloon (Executive car-E Segment)		
1.4 (69) (A 14 NET)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.4 (69) (B 14 NET)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.6 (69) (A 16 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	85	116	07.08-03.17	■	
1.6 SIDI (69) (A 16 XHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	03.13-03.17	■	
1.6 SIDI (69) (B 16 SHL)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	03.13-03.17	■	
1.6 Turbo (69) (A 16 LET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1598	132	180	07.08-03.17	■	
1.8 (69) (A 18 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1796	103	140	07.08-03.17	■	
1.8 (69) (B 18 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1796	103	140	07.08-03.17	■	
2.0 Turbo (69) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-03.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	162	220	07.08-03.17	■	
2.0 Turbo (69) (A 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo (69) (B 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (69) (B 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.8 V6 Turbo 4x4 (69) (A 28 NET)	discØ 321, POC J61	Gasolina	4WD	2792	191	260	07.08-03.17	■	
1.4 LPG (69) (A 14 NET)	discØ 321, POC J61, Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
1.4 LPG (69) (B 14 NET)	discØ 321, POC J61, Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo E85 (69) (A 20 NFT)	Rim 17, discØ 321, POC J61	Gasol./Etanol	FWD	1998	162	220	07.08-03.17	■	
1.6 CDTi (69) (B 16 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	88	120	07.15-03.17	■	
1.6 CDTi (69) (B 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	100	136	07.15-03.17	■	
2.0 CDTI (69) (A 20 DTC)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	07.08-03.17	■	
2.0 CDTI (69) (A 20 DTL)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	07.08-03.17	■	
2.0 CDTI (69) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	88	120	03.12-03.17	■	
2.0 CDTI (69) (A 20 DT)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTI (69) (A 20 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTI (69) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	103	140	06.13-03.17	■	
2.0 CDTI (69) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	118	160	07.08-03.17	■	
2.0 CDTI 4x4 (69) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	118	160	06.10-03.17	■	
2.0 CDTI (69) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.13-03.17	■	
2.0 CDTI 4x4 (69) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	120	163	07.13-03.17	■	
2.0 CDTI (69) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-03.17	■	
2.0 CDTI 4x4 (69) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-03.17	■	
2.0 Biturbo CDTI (69) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	140	190	07.08-12.11	■	
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	140	190	07.08-12.11	■	
2.0 Biturbo CDTI (69) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	143	195	01.12-03.17	■	
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	143	195	01.12-03.17	■	
INSIGNIA A Country Tourer (G09) 07.08-03.17							Estate (Executive car-E Segment)		
1.6 SIDI (47) (A 16 XHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	07.14-03.17	■	
1.6 SIDI (47) (B 16 SHL)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	07.14-03.17	■	
2.0 Turbo 4x4 (47) (A 20 NFT)	discØ 321, POC J61, Rim 17	Gasolina	4WD	1998	184	250	09.13-03.17	■	
2.0 Turbo 4x4 (47) (A 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	4WD	1998	184	250	09.13-03.17	■	
2.0 Turbo 4x4 (47) (B 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	4WD	1998	184	250	09.13-03.17	■	
1.6 CDTi (47) (B 16 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	88	120	07.15-03.17	■	
1.6 CDTi (47) (B 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	100	136	07.15-03.17	■	
2.0 CDTi (47) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	88	120	03.12-03.17	■	
2.0 CDTi (47) (A 20 DT)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTi (47) (A 20 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTi (47) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.14-03.17	■	
2.0 CDTi 4x4 (47) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	120	163	09.13-03.17	■	
2.0 CDTi (47) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-03.17	■	
2.0 CDTi 4x4 (47) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-03.17	■	
2.0 CDTi 4x4 (47) (A 20 DTR)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	143	194	09.13-03.17	■	
INSIGNIA A Sports Tourer (G09) 07.08-							Estate (Executive car-E Segment)		
1.4 (35) (A 14 NET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.4 (35) (B 14 NET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.6 (35) (A 16 XER)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1598	85	116	07.08-06.12	■	
1.6 SIDI (35) (A 16 XHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	06.13-03.17	■	
1.6 SIDI (35) (B 16 SHL)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	06.13-03.17	■	
1.6 Turbo (35) (A 16 LET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1598	132	180	01.09-06.13	■	
1.8 (35) (A 18 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1796	103	140	07.08-03.17	■	
1.8 (35) (B 18 XER)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1796	103	140	07.08-03.17	■	
2.0 Turbo (35) (A 20 NFT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-06.13	■	
2.0 Turbo (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-06.13	■	
2.0 Turbo 4x4 (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	162	220	07.08-06.11	■	
2.0 Turbo (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo (35) (B 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo 4x4 (35) (A 20 NFT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	09.11-03.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo 4x4 (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	09.11-03.17	■	
2.0 Turbo 4x4 (35) (B 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	184	250	09.11-03.17	■	
2.8 V6 Turbo 4x4 (35) (A 28 NET)	discØ 321, POC J61	Gasolina	4WD	2792	191	260	10.08-06.13	■	
1.4 LPG (35) (A 14 NET)	discØ 321, POC J61, Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■	
1.4 LPG (35) (B 14 NET)	discØ 321, POC J61, Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■	
2.0 E85 Turbo (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasol./Etanol	FWD	1998	162	220	09.10-11.11	■	
1.6 CDTi (35) (B 16 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	88	120	07.15-01.17	■	
1.6 CDTi (35) (B 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	100	136	07.15-12.16	■	
2.0 CDTI (35) (A 20 DTC)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	07.08-06.13	■	
2.0 CDTI (35) (A 20 DTL)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	07.08-06.13	■	
2.0 CDTI (35) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	88	120	03.12-06.15	■	
2.0 CDTI (35) (A 20 DT)	discØ 321, POC J61, Syst. 17"	Diesel	FWD	1956	96	131	07.08-06.15	■	
2.0 CDTI (35) (A 20 DTJ)	discØ 321, POC J61, Syst. 17"	Diesel	FWD	1956	96	131	07.08-06.15	■	
2.0 CDTI (35) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	103	140	07.13-06.15	■	
2.0 CDTI (35) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	118	160	07.08-06.15	■	
2.0 CDTI 4x4 (35) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	118	160	06.10-06.15	■	
2.0 CDTI (35) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.13-06.15	■	
2.0 CDTI 4x4 (35) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	120	163	07.13-06.15	■	
2.0 CDTI (35) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-12.16	■	
2.0 CDTI 4x4 (35) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-12.16	■	
2.0 Biturbo CDTI (35) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	140	190	07.08-03.17	■	
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	140	190	07.08-03.17	■	
2.0 Biturbo CDTI (35) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	143	195	01.12-06.15	■	
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	143	195	01.12-06.15	■	
ZAFIRA Tourer C (P12) 10.11-							MPV (Compact MPV-M1 Segment)		
1.4 (75) (A 14 NEL)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1364	88	120	10.11-05.18	■	
1.4 (75) (B 14 NEL)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1364	88	120	10.11-05.18	■	
1.4 (75) (A 14 NET)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1364	103	140	10.11-05.18	■	
1.4 (75) (B 14 NET)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1364	103	140	10.11-05.18	■	
1.6 (75) (D 16 SHJ)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	100	136	09.18-07.19	■	
1.6 (75) (A 16 XHT)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1598	125	170	12.12-03.19	■	
1.6 (75) (B 16 SHL)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1598	125	170	12.12-03.19	■	
1.6 (75) (D 16 SHL)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1598	125	170	12.12-03.19	■	
1.6 SIDI (75) (A 16 SHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	147	200	07.13-05.18	■	
1.6 SIDI (75) (B 16 SHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	147	200	07.13-05.18	■	
1.8 (75) (A 18 XEL)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1796	85	115	10.11-06.15	■	
1.8	Rim 17, Syst. POC J61	Gasolina	FWD	1796	88	120	10.11-	■	
1.8 (75) (A 18 XER)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasolina	FWD	1796	103	140	10.11-05.18	■	
1.4 LPG (75) (A 14 NET)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasol./Gas (LPG)	FWD	1364	103	140	10.11-05.18	■	
1.4 LPG (75) (B 14 NET)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasol./Gas (LPG)	FWD	1364	103	140	10.11-05.18	■	
1.8 LPG (75)	Rim 17, Syst. POC J61	Gasol./Gas (LPG)	FWD	1796	101	137	10.11-	■	
1.6 CNG (75) (A 16 XNT)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasol./Gas (CNG)	FWD	1598	110	150	10.11-05.18	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 CNG (75) (B 16 XNT)	Rim 17, Syst. POC J61, discØ 321, POC J61	Gasol./Gas (CNG)	FWD	1598	110	150	10.11-05.18	■
1.6 CDTi (75) (B 16 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	88	120	07.14-11.18	■
1.6 CDTi (75) (D 16 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	88	120	07.14-11.18	■
1.6 CDTi (75) (B 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	99	134	07.13-03.19	■
1.6 CDTi (75) (D 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	99	134	07.13-03.19	■
1.6 CDTi (75) (B 16 DTH)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1598	100	136	02.13-05.16	■
2.0 CDTi (75) (A 20 DTL)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	81	110	10.11-10.14	■
2.0 CDTi (75) (A 20 DT)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-11.18	■
2.0 CDTi (75) (B 20 DTJ)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-11.18	■
2.0 CDTi (75) (D 20 DTJ)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-11.18	■
2.0 CDTi (75) (Y 20 DTJ)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-11.18	■
2.0 CDTi (75) (Z 20 DTJ)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-11.18	■
2.0 CDTi (75)	Rim 17, Syst. POC J61	Diesel	FWD	1956	118	160	10.11-	■
2.0 CDTi (75) (A 20 DTH)	Rim 17, Syst. POC J61, discØ 321, POC J61	Diesel	FWD	1956	121	165	10.11-10.14	■
2.0 CDTi (75) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-03.19	■
2.0 CDTi (75) (D 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-03.19	■
2.0 BiTurbo CDTi (75) (A 20 DTR)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	143	194	01.13-10.14	■
ZAFIRA TOURER C VAN (P12) 10.11-						Box Body/MPV (Compact MPV-M1 Segment)		
2.0 CDTi (75)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	81	110	01.13-10.14	■
2.0 CDTi (75)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	131	01.12-10.14	■
2.0 CDTi (75)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	121	165	01.13-10.14	■
ROEWE (SAIC)								
950 (950) 07.12-						Saloon (Executive car-E Segment)		
1.8 28T (18L4E)		Gasolina	FWD	1798	136	185	07.15-	■
2.0		Gasolina	FWD	1998	108	147	07.12-	■
2.4 TGI		Gasolina	FWD	2384	137	186	07.12-	■
3.0 V6 TGI		Gasolina	FWD	2994	190	258	07.12-	■
2.0 30T (20L4E)		Diesel	FWD	1995	162	220	07.15-	■
E950 04.16-						Saloon (Executive car-E Segment)		
1.4 Hybrid		Gasol./el éc.	FWD	1399	110	150	04.16-	■
hybrid (14E4E)		Gasol./el éc.	FWD	1399	110	150	04.16-12.17	■
MARVEL X 08.18-						SUV (Compact SUV-J Segment)		
EV (TZ204XS52K01,TZ204XS85K01)		Eléctrico	RWD	0	137	186	08.18-	■
EV a las 4 ruedas (TZ204XS52K01, TZ204XS85K01,TZ204XS85K02)		Eléctrico	4WD	0	222	302	08.18-	■
SAAB								
9-5 II (YS3G) 01.10-01.12						Saloon (Executive car-E Segment)		
1.6 Turbo (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	05.10-01.12	■
2.0 Turbo (A 20 NHT)	Rim 17, discØ 321	Gasolina	FWD	1998	162	220	05.10-01.12	■
2.0 Turbo XWD (A 20 NHT)	Rim 17, discØ 321	Gasolina	4WD	1998	162	220	05.10-01.12	■
2.0 (A 20 NFT)	discØ 321	Gasolina	FWD	1998	164	223	09.10-01.12	■
2.8 Turbo V6 XWD (A 28 NER)	Rim 17, discØ 321	Gasolina	4WD	2792	221	301	05.10-01.12	■
2.8 AWD (A28 NER)	discØ 321	Gasolina	4WD	2792	224	305	05.10-01.12	■
2.0 t Biopower (A 20 NFT)	Rim 17, discØ 321	Gasol./Et anol	FWD	1998	162	220	05.10-01.12	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 t BioPower XWD (A 20 NHT)	Rim 17, discØ 321	Gasol./Etanol	4WD	1998	162	220	05.10-01.12	■	
2.0 TiD (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	118	160	05.10-01.12	■	
2.0 TTiD (A 20 DTR)	Rim 17, discØ 321	Diesel	FWD	1956	140	190	05.10-01.12	■	
2.0 TTiD XWD (A 20 DTR)	Rim 17, discØ 321	Diesel	4WD	1956	140	190	05.10-01.12	■	
VAUXHALL									
ASTRA Mk VI (J) (P10) 10.10-							Estate (Compact car-C Segment)		
1.4 Turbo (A 14 NET)	discØ 321	Gasolina	FWD	1364	103	140	10.10-10.15	■	
1.4 (A 14 XEL)	discØ 321	Gasolina	FWD	1398	64	87	10.10-10.15	■	
1.4 (A 14 XER)	discØ 321	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.4 (B 14 XER)	discØ 321	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.6 (A 16 XER)	discØ 321	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 (B 16 XER)	discØ 321	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 Turbo (A 16 LET)	discØ 321	Gasolina	FWD	1598	132	180	10.10-10.15	■	
1.3 CDTi (A 13 DTE)	discØ 321	Diesel	FWD	1248	70	95	10.10-10.15	■	
1.6 CDTi (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	01.14-10.15	■	
1.6 CDTi (B 16 DTH)	discØ 321	Diesel	FWD	1598	100	136	01.14-10.15	■	
1.7 CDTi	Rim 17	Diesel	RWD	1686	74	101	10.10-	■	
1.7 CDTi (A 17 DTC)	discØ 321	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTi (A 17 DTE)	discØ 321	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTi (A 17 DTJ)	discØ 321	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTi (A 17 DTR)	discØ 321	Diesel	FWD	1686	92	125	10.10-10.15	■	
1.7 CDTi (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.11-10.15	■	
1.7 CDTi (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.11-10.15	■	
2.0 CDTi (A 20 DTH)	discØ 321	Diesel	FWD	1956	118	160	10.10-06.11	■	
2.0 CDTi (A 20 DTH)	discØ 321	Diesel	FWD	1956	121	165	08.11-10.15	■	
2.0 BiTurbo CDTi (A 20 DTR)	discØ 321	Diesel	FWD	1956	143	194	12.12-10.15	■	
ASTRA Mk VI (J) (P10) 12.09-							Hatchback (Compact car-C Segment)		
1.4 Turbo (A 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	08.10-10.15	■	
1.4 Turbo (A 14 NET)	discØ 321	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 Turbo (B 14 NET)	discØ 321	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 Turbo (D 14 NET)	discØ 321	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 (A 14 XEL)	discØ 321	Gasolina	FWD	1398	64	87	12.09-10.15	■	
1.4 (A 14 XER)	discØ 321	Gasolina	FWD	1398	74	100	12.09-10.15	■	
1.4 (B 14 XER)	discØ 321	Gasolina	FWD	1398	74	100	12.09-10.15	■	
1.6 (A 16 XER)	discØ 321	Gasolina	FWD	1598	85	115	12.09-10.15	■	
1.6 (B 16 XER)	discØ 321	Gasolina	FWD	1598	85	115	12.09-10.15	■	
1.6 Turbo (A 16 LET)	discØ 321	Gasolina	FWD	1598	132	180	12.09-10.15	■	
1.3 CDTi (A 13 DTE)	discØ 321	Diesel	FWD	1248	70	95	12.09-10.15	■	
1.6 CDTi (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	11.13-10.15	■	
1.6 CDTi (B 16 DTH)	discØ 321	Diesel	FWD	1598	100	136	11.13-10.15	■	
1.7 CDTi	Rim 17	Diesel	RWD	1686	74	101	12.09-	■	
1.7 CDTi (A 17 DTL)	discØ 321	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTi (A 17 DTC)	discØ 321	Diesel	FWD	1686	81	110	12.09-10.15	■	
1.7 CDTi (A 17 DTE)	discØ 321	Diesel	FWD	1686	81	110	12.09-10.15	■	
1.7 CDTi (A 17 DTJ)	discØ 321	Diesel	FWD	1686	81	110	12.09-10.15	■	
1.7 CDTi (A 17 DTR)	discØ 321	Diesel	FWD	1686	92	125	12.09-10.15	■	
1.7 CDTi (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.11-10.15	■	
1.7 CDTi (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.11-10.15	■	
2.0 CDTi (A 20 DTH)	discØ 321	Diesel	FWD	1956	118	160	12.09-06.11	■	
2.0 CDTi (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	121	165	08.11-10.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 BiTurbo CDTI (A 20 DTR)	discØ 321	Diesel	FWD	1956	143	194	12.12-10.15	■	
ASTRA Mk VI (J) (P10) 06.12-					Saloon (Compact car-C Segment)				
1.4 Turbo (A 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	06.12-10.15	■	
1.4 (A 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	101	06.12-10.15	■	
1.6 (A 16 XER)	Rim 17, discØ 321	Gasolina	FWD	1598	85	116	06.12-10.15	■	
1.6 SIDI	Rim 17, discØ 321	Gasolina	FWD	1598	125	170	12.12-	■	
1.6 Turbo (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	06.12-10.15	■	
1.3 CDTi (A 13 DTE)	Rim 17, discØ 321	Diesel	FWD	1248	70	95	06.12-10.15	■	
1.7 CDTi (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTi (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTi (A 17 DTJ)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTi (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.12-10.15	■	
1.7 CDTi (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	06.12-10.15	■	
2.0 BiTurbo CDTI	Rim 17, discØ 321	Diesel	FWD	1956	143	194	12.12-	■	
ASTRA Mk VI (J) GTC (P10) 10.11-					Hatchback (Compact car-C Segment)				
1.4 (A 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	10.11-10.18	■	
1.4 (B 14 NEL)	Rim 17, discØ 321	Gasolina	FWD	1364	88	120	10.11-10.18	■	
1.4 (A 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	10.11-04.18	■	
1.4 (B 14 NET)	Rim 17, discØ 321	Gasolina	FWD	1364	103	140	10.11-04.18	■	
1.4 (A 14 XER)	Rim 17, discØ 321	Gasolina	FWD	1398	74	101	10.11-10.18	■	
1.6 (A 16 LET)	Rim 17, discØ 321	Gasolina	FWD	1598	132	180	10.11-10.18	■	
1.6 SIDI (A 16 SHT)	discØ 321	Gasolina	FWD	1598	147	200	09.13-10.18	■	
1.6 SIDI (B 16 SHT)	discØ 321	Gasolina	FWD	1598	147	200	09.13-10.18	■	
2.0 VXR (A 20 NFT)	Rim 17, discØ 321	Gasolina	FWD	1998	206	280	04.12-10.18	■	
2.0 VXR (B 20 NFT)	Rim 17, discØ 321	Gasolina	FWD	1998	206	280	04.12-10.18	■	
1.6 CDTi (B 16 DTL)	discØ 321	Diesel	FWD	1598	81	110	07.14-10.18	■	
1.6 CDTi (B 16 DTH)	discØ 321	Diesel	FWD	1598	100	136	07.14-10.18	■	
1.7 CDTi (A 17 DTC)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	10.11-10.18	■	
1.7 CDTi (A 17 DTE)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	10.11-10.18	■	
1.7 CDTi (A 17 DTJ)	Rim 17, discØ 321	Diesel	FWD	1686	81	110	10.11-10.18	■	
1.7 CDTi (A 17 DTF)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	10.11-10.18	■	
1.7 CDTi (A 17 DTS)	Rim 17, discØ 321	Diesel	FWD	1686	96	131	10.11-10.18	■	
2.0 CDTi (A 20 DTH)	Rim 17, discØ 321	Diesel	FWD	1956	121	165	10.11-10.18	■	
2.0 BiTurbo CDTI (A 20 DTR)	discØ 321	Diesel	FWD	1956	143	194	12.12-10.18	■	
CASCADA (W13) 02.13-					Convertible (Large family car-D Segment)				
1.4	Rim 17	Gasolina	FWD	1364	88	120	02.13-	■	
1.4 (A 14 NET)	Rim 17	Gasolina	FWD	1364	103	140	02.13-	■	
1.4 (B 14 NET)	Rim 17	Gasolina	FWD	1364	103	140	02.13-	■	
1.6		Gasolina	FWD	1598	100	136	05.18-04.19	■	
1.6 (A 16 XHT)	Rim 17	Gasolina	FWD	1598	125	170	02.13-	■	
1.6 (B 16 SHL)	Rim 17	Gasolina	FWD	1598	125	170	02.13-	■	
1.6 (A 16 SHT)	Rim 17	Gasolina	FWD	1598	147	200	11.13-	■	
1.6 (B 16 SHT)	Rim 17	Gasolina	FWD	1598	147	200	11.13-	■	
2.0 CDTi (A 20 DTH)	Rim 17	Diesel	FWD	1956	121	165	02.13-	■	
2.0 CDTi (B 20 DTH)		Diesel	FWD	1956	125	170	07.15-	■	
2.0 CDTi (A 20 DTR)	Rim 17	Diesel	FWD	1956	143	194	02.13-	■	
INSIGNIA Mk I (A) (G09) 07.08-05.17					Hatchback (Executive car-E Segment)				
1.4 (68) (A 14 NET)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1364	103	140	04.11-05.17	■	
1.4 (68) (B 14 NET)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1364	103	140	04.11-05.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 (A 16 XER)	Rim 17, POC J61, discØ 321, Syst. 17"	Gasolina	FWD	1598	85	116	07.08-07.12	■	
1.6 Turbo (68) (A 16 XHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	07.13-05.17	■	
1.6 Turbo (68) (A 16 LET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1598	132	180	01.09-05.17	■	
1.8 (68) (A 18 XER)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1796	103	140	07.08-05.17	■	
1.8 (68) (B 18 XER)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1796	103	140	07.08-05.17	■	
2.0 Turbo (68) (A 20 NFT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo (68) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo 4x4 (68) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	162	220	07.08-05.17	■	
2.0 Turbo (68) (A 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■	
2.0 Turbo (68) (B 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■	
2.0 Turbo 4x4 (68)		Gasolina	4WD	1998	184	250	07.11-05.17	■	
2.8 V6 Turbo 4x4 (68) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-05.17	■	
1.4 LPG (68) (A 14 NET)	POC J61, Rim 17, discØ 321	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■	
1.6 CDTi (68) (B 16 DTJ)	discØ 321	Diesel	FWD	1598	88	120	07.15-05.17	■	
1.6 CDTi (68) (B 16 DTH)	Rim 17, POC J61, discØ 321	Diesel	FWD	1598	100	136	07.15-05.17	■	
2.0 CDTi (68) (A 20 DTE)	Rim 17, POC J61, discØ 321	Diesel	FWD	1956	88	120	03.12-03.16	■	
2.0 CDTi (68) (A 20 DT)	Syst. 17", POC J61, discØ 321	Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTi (68) (A 20 DTJ)	Syst. 17", POC J61, discØ 321	Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTi (68) (A 20 DTE)	Rim 17, POC J61, discØ 321	Diesel	FWD	1956	103	140	07.13-05.17	■	
2.0 CDTi (68) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	118	160	07.08-05.17	■	
2.0 CDTi 4x4 (68) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	118	160	07.08-05.17	■	
2.0 CDTi (68) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.13-05.17	■	
2.0 CDTi (68) (B 20 DTH)	Rim 17, POC J61, discØ 321	Diesel	FWD	1956	125	170	11.14-05.17	■	
2.0 CDTi 4x4 (68) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-05.17	■	
2.0 CDTi (68) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	140	190	10.08-05.17	■	
2.0 CDTi 4x4 (68) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	140	190	05.09-05.17	■	
2.0 Biturbo CDTi (68) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	143	195	03.12-05.17	■	
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	143	195	03.12-05.17	■	
INSIGNIA Mk I (A) (G09) 07.08-05.17							Saloon (Executive car-E Segment)		
1.4 (69) (A 14 NET)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1364	103	140	04.11-05.17	■	
1.6 (A 16 XER)	Rim 17, POC J61, discØ 321, Syst. 17"	Gasolina	FWD	1598	85	116	07.08-07.12	■	
1.6 SIDI		Gasolina	FWD	1598	125	170	03.13-05.17	■	
1.6 Turbo (69) (A 16 LET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1598	132	180	01.09-05.17	■	
1.8 (69) (A 18 XER)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1796	103	140	07.08-05.17	■	
2.0 Turbo (69) (A 20 NFT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo (69) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	162	220	07.08-05.17	■	
2.0 Turbo (69) (A 20 NHT)	Syst. 17", POC J61, discØ 321	Gasolina	FWD	1998	184	250	09.11-05.17	■	
2.0 Turbo (69) (B 20 NHT)	Syst. 17", POC J61, discØ 321	Gasolina	FWD	1998	184	250	09.11-05.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J61, Rim 17, discØ 321	Gasolina	4WD	1998	184	250	09.11-05.17	■	
2.0 Turbo 4x4 (69) (B 20 NHT)	POC J61, Rim 17, discØ 321	Gasolina	4WD	1998	184	250	09.11-05.17	■	
2.8 V6 Turbo 4x4 (69) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-05.17	■	
1.4 LPG (69) (A 14 NET)	POC J61, Rim 17, discØ 321	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■	
1.6 CDTi (69) (B 16 DTJ)	discØ 321	Diesel	FWD	1598	88	120	07.15-05.17	■	
1.6 CDTi (69) (B 16 DTH)	Rim 17, POC J61, discØ 321	Diesel	FWD	1598	100	136	07.15-05.17	■	
2.0 CDTi (69) (A 20 DT)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTi (69) (A 20 DTJ)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTi (69) (A 20 DTE)	Rim 17, POC J61, discØ 321	Diesel	FWD	1956	103	140	07.13-05.17	■	
2.0 CDTi (69) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	118	160	07.08-05.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI 4x4 (69) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	118	160	07.08-05.17	■	
2.0 CDTI (69) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.13-05.17	■	
2.0 CDTI (69) (B 20 DTH)	Rim 17, POC J61, discØ 321	Diesel	FWD	1956	125	170	11.14-05.17	■	
2.0 CDTI 4x4 (69) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-05.17	■	
2.0 CDTI (69) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	140	190	11.08-05.17	■	
2.0 CDTI 4x4 (69) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	140	190	05.09-05.17	■	
2.0 Biturbo CDTI (69) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	143	195	03.12-05.17	■	
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	143	195	03.12-05.17	■	
INSIGNIA Mk I (A) Country Tourer (G09) 07.08-05.17							Estate (Executive car-E Segment)		
1.6 Turbo (47) (A 16 XHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	07.13-05.17	■	
1.6 Turbo (47) (B 16 SHL)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	07.13-05.17	■	
1.6 CDTi (47) (B 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	100	136	07.15-05.17	■	
2.0 CDTi (47) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.13-05.17	■	
2.0 CDTi (47) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	120	163	07.13-05.17	■	
2.0 CDTi (47) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-05.17	■	
2.0 CDTi 4x4 (47) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-05.17	■	
2.0 Biturbo CDTI 4x4 (47) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	143	195	09.13-05.17	■	
INSIGNIA Mk I (A) Sports Tourer (G09) 07.08-05.17							Estate (Executive car-E Segment)		
1.4 (35) (A 14 NET)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1364	103	140	04.11-05.17	■	
1.4 (35) (B 14 NET)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1364	103	140	04.11-05.17	■	
1.6 (A 16 XER)	Rim 17, POC J61, discØ 321, Syst. 17"	Gasolina	FWD	1598	85	116	07.08-07.12	■	
1.6 Turbo (35) (A 16 XHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1598	125	170	07.13-05.17	■	
1.6 Turbo (35) (A 16 LET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1598	132	180	01.09-05.17	■	
1.8 (35) (A 18 XER)	POC J61, Rim 17, discØ 321	Gasolina	FWD	1796	103	140	07.08-05.17	■	
2.0 Turbo (35) (A 20 NFT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo 4x4 (35) (A 20 NHT)	Rim 17, discØ 321, POC J61	Gasolina	4WD	1998	162	220	07.08-05.17	■	
2.0 Turbo (35) (A 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■	
2.0 Turbo (35) (B 20 NHT)	discØ 321, POC J61, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■	
2.0 Turbo 4x4 (35)		Gasolina	4WD	1998	184	250	07.11-05.17	■	
2.8 V6 Turbo (35) (A 28 NET)		Gasolina	4WD	2792	191	260	08.08-05.17	■	
1.4 LPG (35) (A 14 NET)	POC J61, Rim 17, discØ 321	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■	
1.6 CDTi (35) (B 16 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1598	100	136	07.15-05.17	■	
2.0 CDTI (35) (A 20 DTC)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	81	110	07.08-05.17	■	
2.0 CDTI (35) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	88	120	03.12-03.16	■	
2.0 CDTI (35) (A 20 DT)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTI (35) (A 20 DTJ)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTI (35) (A 20 DTE)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	103	140	07.13-05.17	■	
2.0 CDTI (35) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	118	160	07.08-05.17	■	
2.0 CDTI 4x4 (35) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	4WD	1956	118	160	07.08-05.17	■	
2.0 CDTI (35) (A 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	120	163	07.13-05.17	■	
2.0 CDTI (35) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	FWD	1956	125	170	11.14-05.17	■	
2.0 CDTI 4x4 (35) (B 20 DTH)	discØ 321, POC J61, Rim 17	Diesel	4WD	1956	125	170	11.14-05.17	■	
2.0 CDTI (35) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	140	190	11.08-05.17	■	
2.0 CDTI 4x4 (35) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	140	190	05.09-05.17	■	
2.0 Biturbo CDTI (35) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	FWD	1956	143	195	03.12-05.17	■	
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)	POC J61, Rim 17, discØ 321	Diesel	4WD	1956	143	195	03.12-05.17	■	
ZAFIRA Mk III (P12) 10.11-							MPV (Compact MPV-M1 Segment)		
1.4 (75) (A 14 NEL)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1364	88	120	10.11-06.14	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.4 (75) (A 14 NET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1364	103	140	10.11-05.18	■
1.4 (75) (B 14 NET)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1364	103	140	10.11-05.18	■
1.6 SIDI		Gasolina	FWD	1598	125	170	12.12-03.19	■
1.6 SIDI (75) (A 16 SHT)	discØ 321, Rim 17, POC J61	Gasolina	FWD	1598	147	200	07.13-05.18	■
1.8 (75) (A 18 XEL)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1796	85	116	10.11-06.15	■
1.8	Rim 17	Gasolina	FWD	1796	88	120	10.11-	■
1.8 (75) (A 18 XER)	Rim 17, discØ 321, POC J61	Gasolina	FWD	1796	103	140	10.11-05.18	■
1.4 LPG	Rim 17	Gasol./Gas (LPG)	FWD	1364	103	140	10.11-08.18	■
1.6 CNG (75) (A 16 XNT)	Rim 17, discØ 321, POC J61	Gasol./Gas (CNG)	FWD	1598	110	150	10.11-04.16	■
1.6 CDTi (75) (B 16 DTH)	discØ 321, Rim 17, POC J61	Diesel	FWD	1598	99	135	07.13-05.16	■
1.6 CDTi (75) (B 16 DTH)	discØ 321, Rim 17, POC J61	Diesel	FWD	1598	100	136	02.13-05.16	■
2.0 CDTi (75) (A 20 DTL)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	81	110	09.11-10.14	■
2.0 CDTi (75) (A 20 DT)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-10.14	■
2.0 CDTi (75) (Y 20 DTJ)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-10.14	■
2.0 CDTi (75) (Z 20 DTJ)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	96	130	10.11-10.14	■
2.0 CDTi	Rim 17	Diesel	RWD	1956	118	160	10.11-	■
2.0 CDTi (75) (A 20 DTH)	Rim 17, discØ 321, POC J61	Diesel	FWD	1956	121	165	10.11-10.14	■
2.0 CDTi (75) (B 20 DTH)	discØ 321, Rim 17, POC J61	Diesel	FWD	1956	125	170	11.14-05.18	■
2.0 BiTurbo CDTi (75) (A 20 DTR)	discØ 321, Rim 17, POC J61	Diesel	FWD	1956	143	194	11.12-08.18	■