

# LISTA DE APLICACIONES - BUYERS GUIDE

## 181914




8 424073 098368

Qty: 300

Weight: 1.895

O.E.M.	MAKE
106 05 185	OPEL
13 237 750	VAUXHALL
1323 7750	CHEVROLET
1323 7753	BUICK
1331 2895	CHEVROLET
16 05 185	OPEL
16 05 236	OPEL
16 05 524	OPEL
16 05 624	SAAB
22 95 910 5	OPEL
84233325	CHEVROLET
95 514 525	VAUXHALL
95 530 020	VAUXHALL



## 181914



90R-01111/2264



Mando

131.3x59.6x19.3

WVA	FMSI
24415	D1421-8536
24416	D1559-8536
24417	
MAKE	
BENTLEY	
BUICK	
BUICK (SGM)	
CADILLAC	
CHEVROLET	
CHEVROLET (SGM)	
GMC	
HOLDEN	
OPEL	
SAAB	
VAUXHALL	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### BENTLEY

#### FLYING SPUR (4W\_) 03.13-

#### Saloon (Luxury car-F Segment)

4.0	Rim 16	Gasolina	FWD	3993	389	529	09.14-	■
6.0 W12 (CVAA)	Rim 16	Gasolina	4WD	5998	460	626	03.13-10.20	■
6.0 W12 (DBDB)	Rim 16	Gasolina	4WD	5998	460	626	03.13-10.20	■
4.0 FLEX (CMMC)	Rim 16	Gasol./Etanol	4WD	3993	373	507	03.13-	■
4.0 FLEX (CYCB)	Rim 16	Gasol./Etanol	4WD	3993	373	507	03.13-	■
6.0 FLEX	Rim 16	Gasol./Etanol	4WD	5998	453	616	03.13-	■

### BUICK

#### LA CROSSE 09.04-12.09

#### Saloon (Executive car-E Segment)

All models	01/10-	Gasolina	FWD				09.04-	■
------------	--------	----------	-----	--	--	--	--------	---

#### LA CROSSE II 06.09-

#### Saloon (Executive car-E Segment)

2.4 (LE5)		Gasolina	FWD	2384	125	170	09.09-	■
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-	■
2.4		Gasolina	FWD	2384	136	185	09.10-12.11	■
3.0		Gasolina	FWD	2980	131	178	09.09-	■
3.0 (LF1)		Gasolina	FWD	2997	190	258	09.09-	■
3.0 AWD (LF1)		Gasolina	4WD	2997	190	258	09.09-	■
3.6 VVTi (LLT)		Gasolina	FWD	3564	209	284	01.10-12.11	■
3.6 VVTi		Gasolina	FWD	3564	209	284	09.10-12.11	■
3.6		Gasolina	FWD	3564	226	307	07.15-	■
3.6 (LFX)		Gasolina	FWD	3564	227	309	09.13-	■
3.6 (LLT)		Gasolina	FWD	3564	227	309	09.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

3.6 (LGX)		Gasolina	FWD	3640	227	309	02.16-09.17	■
3.6 (LGX)		Gasolina	FWD	3640	231	314	09.17-	■
3.6 AWD (LGX)		Gasolina	4WD	3640	231	314	09.17-	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	227	309	09.11-	■
3.6 FLEX AWD (LFX)		Gasol./Etanol	4WD	3564	227	309	09.11-	■
2.4 Hybrid (LUK)		Gasol./eléc.	FWD	2384	136	185	09.12-	■
2.4 Hybrid AWD (LUK)		Gasol./eléc.	4WD	2384	136	185	09.11-	■
2.4 Hybrid (LUK)		Gasol./eléc.	FWD	2384	147	200	09.11-12.16	■
2.4 Hybrid AWD (LUK)		Gasol./eléc.	4WD	2384	147	200	09.11-12.16	■
<b>REGAL V (U.S.A.) 09.10-</b>					<b>Saloon (Large family car-D Segment)</b>			
2.4	01/17-	Gasolina	FWD		136	185	09.10-	■
2.4 FLEX	01/17-	Gasolina	FWD		136	185	09.11-	■
2.0 (LHU)		Gasolina	FWD	1998	164	223	09.12-12.13	■
2.0 (LTG)		Gasolina	FWD	1998	190	258	01.14-12.17	■
2.0 (LTG)		Gasolina	FWD	1998	193	262	07.13-	■
2.0 AWD (LTG)		Gasolina	4WD	1998	193	262	07.13-	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.10-	■
2.0 Flex (LHU)		Gasol./Etanol	FWD	1998	164	223	09.10-	■
2.0 FLEX AWD (LHU)		Gasol./Etanol	4WD	1998	164	223	09.11-	■
2.4 FLEX AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	05.16-	■
2.4 Hybrid (LUK)		Gasol./eléc.	FWD	2384	147	200	09.11-	■
2.4 Hybrid AWD (LUK)		Gasol./eléc.	4WD	2384	147	200	07.13-	■
<b>BUICK (SGM)</b>								
<b>REGAL II (EG1) 12.08-</b>					<b>Saloon (Large family car-D Segment)</b>			
2.0		Gasolina	FWD	1998	108	147	12.08-	■
2.0 (LTD)		Gasolina	FWD	1998	113	154	09.13-12.17	■
2.4		Gasolina	FWD	2384	127	173	12.08-	■
2.4		Gasolina	FWD	2384	137	186	01.11-	■
<b>CADILLAC</b>								
<b>ELR 09.13-</b>					<b>Coupe (Compact car-C Segment)</b>			
1.4 Range extender (LUU)		Gasol./eléc.	FWD	1398	63	86	09.13-02.16	■
1.4 Range extender (LUU)		Gasol./eléc.	FWD	1398	111	151	09.13-02.16	■
<b>CHEVROLET</b>								
<b>AVEO / KALOS (T250, T255) 03.05-</b>					<b>Saloon (Supermini car-B Segment)</b>			
1.6 Aveo (LXV)	Syst. 16",17"	Gasolina	FWD	1598	79	106	09.08-12.09	■
<b>EQUINOX 04.03-12.09</b>					<b>SUV (Compact SUV-J Segment)</b>			
3.6 (LY1)		Gasolina	FWD	3564	197	268	09.07-12.09	■
3.6 AWD (LY7)		Gasolina	4WD	3564	197	268	09.07-12.09	■
<b>EQUINOX II 09.09-</b>					<b>SUV (Compact SUV-J Segment)</b>			
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-12.17	■
2.4 (LEA)		Gasolina	FWD	2384	136	185	09.09-12.17	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.09-12.17	■
2.4 AWD (LEA)		Gasolina	4WD	2384	136	185	09.09-12.17	■

# LISTA DE APLICACIONES - BUYERS GUIDE

3.0		Gasolina	FWD	2997	197	268	09.09-12.10	■
3.0 AWD		Gasolina	4WD	2997	197	268	09.09-12.12	■
3.0 FLEX		Gasolina	FWD	2997	197	268	09.10-12.12	■
3.0 FLEX		Gasolina	FWD	2997	197	268	09.10-12.12	■
3.6 (LFX)		Gasolina	FWD	3564	224	305	07.13-12.17	■
3.6 AWD (LFX)		Gasolina	4WD	3564	224	305	07.13-12.17	■
2.4 FLEX (LEA)		Gasol./Etanol	FWD	2384	136	185	09.11-12.17	■
2.4 FLEX AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	09.11-12.17	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	224	305	09.12-12.17	■
3.6 FLEX AWD (LFX)		Gasol./Etanol	4WD	3564	224	305	09.12-12.17	■
<b>IMPALA X 01.13-</b>					<b>Saloon (Executive car-E Segment)</b>			
2.5		Gasolina	FWD	2457	145	197	07.13-12.16	■
2.5		Gasolina	FWD	2457	146	199	03.16-	■
3.6 (LFX)		Gasolina	FWD	3564	227	309	07.13-12.14	■
3.6 Bi-Fuel		Gasol./Gas (CNG)	FWD	3564	172	234	04.15-	■
2.5 Flex (LCV)		Gasol./Etanol	FWD	2457	145	197	06.15-	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	224	305	07.13-	■
3.6 FLEX		Gasol./Etanol	FWD	3564	226	307	07.13-12.14	■
3.6 FLEX		Gasol./Etanol	FWD	3564	227	309	07.13-	■
2.4 Hybrid		Gasol./eléc.	FWD	2384	136	185	07.13-12.14	■
2.4 Hybrid		Gasol./eléc.	FWD	2384	147	200	06.14-	■
<b>MALIBU VII 01.08-</b>					<b>Saloon (Executive car-E Segment)</b>			
2.0		Gasolina	FWD	1998	193	262	09.12-	■
<b>MALIBU VIII (V300) 01.12-</b>					<b>Saloon (Executive car-E Segment)</b>			
1.6 T	Rim 16	Gasolina	FWD	1598	135	184	12.12-	■
2.0 LPG	Syst. 16"	Gasolina	FWD	1998	101	137	02.12-	■
2.0	Syst. 16"	Gasolina	FWD	1998	104	141	02.12-	■
2.0	Rim 16	Gasolina	FWD	1998	108	147	12.12-	■
2.0 (LTG)	Syst. 16"	Gasolina	FWD	1998	193	262	01.12-12.15	■
2.4 (LE9(145CUL4))	Syst. 16", POC J60	Gasolina	FWD	2384	123	167	01.12-	■
2.4 (LE9(145CUL4))	Syst. 16", POC J60	Gasolina	FWD	2384	125	170	01.12-	■
2.4	Rim 16	Gasolina	FWD	2384	137	186	01.12-	■
2.5 (LCV)	Syst. 16"	Gasolina	FWD	2457	142	193	09.12-12.13	■
2.5	Syst. 16"	Gasolina	FWD	2457	146	199	09.13-12.15	■
2.5 (LCV,LKW)	Syst. 16"	Gasolina	FWD	2457	147	200	07.13-	■
3.0 (LFW)	Syst. 16"	Gasolina	FWD	2997	196	267	04.13-	■
2.4 Hybrid (LUK)	Syst. 16"	Gasol./eléc.	FWD	2384	136	185	01.12-	■
2.0 D	Syst. 16"	Diesel	FWD	1956	115	156	04.12-	■
2.0 D (LBS)	Syst. 16", POC J60	Diesel	FWD	1956	118	160	04.12-	■
<b>CHEVROLET (SGM)</b>								
<b>MALIBU (EG3) 02.12-</b>					<b>Saloon (Executive car-E Segment)</b>			
1.5 T (LFV)		Gasolina	FWD	1490	125	170	08.16-	■
2.0		Gasolina	FWD	1998	108	147	02.12-	■
2.4		Gasolina	FWD	2384	137	186	02.12-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

GMC								
TERRAIN 08.09-					SUV (Compact SUV-J Segment)			
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 (LEA)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.09-	■
2.4 AWD (LEA)		Gasolina	4WD	2384	136	185	09.09-	■
3.0 (LF1)	Mexico	Gasolina	FWD	2997	197	268	09.09-12.12	■
3.0 AWD (LF1)		Gasolina	4WD	2997	197	268	09.09-12.10	■
3.6 DI (LFX)		Gasolina	FWD	3564	224	305	09.12-	■
3.6 DI AWD (LFX)		Gasolina	4WD	3564	224	305	07.13-	■
2.4 Flexfuel (LEA)		Gasol./Etanol	FWD	2384	136	185	08.09-	■
2.4 Flexfuel AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	08.09-	■
3.0 Flexfuel DI	Mexico	Gasol./Etanol	FWD	2997	197	268	09.10-	■
3.0 Flexfuel DI AWD (LF1)	Mexico	Gasol./Etanol	4WD	2997	197	268	09.10-	■
3.6 Flexfuel DI (LFX)		Gasol./Etanol	FWD	3564	224	305	09.12-	■
3.6 Flexfuel DI AWD (LFX)		Gasol./Etanol	4WD	3564	224	305	09.12-	■
HOLDEN								
MALIBU (EM) 05.13-					Saloon (Executive car-E Segment)			
2.4 i (LE9)	Syst. 16"	Gasolina	FWD	2384	123	167	05.13-12.16	■
2.0 D (A 20 DTH)	Syst. 16"	Diesel	FWD	1956	117	159	05.13-12.16	■
OPEL								
INSIGNIA A (G09) 07.08-					Hatchback (Executive car-E Segment)			
1.4 (68) (A 14 NET)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (68) (B 14 NET)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (68) (A 16 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 SIDI (68) (A 16 XHT)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (68) (B 16 SHL)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 Turbo (68) (A 16 LET)	discØ 296, POC J60	Gasolina	FWD	1598	132	180	07.08-03.17	■
1.8 (68) (A 18 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (68) (B 18 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)	discØ 296, POC J60, Syst. 16"	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (68) (B 20 NHT)	discØ 296, POC J60, Syst. 16"	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (68) (A 20 NFT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (68) (B 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	07.11-03.17	■
2.8 V6 Turbo 4x4 (68) (A 28 NET)	discØ 296, POC J60	Gasolina	4WD	2792	191	260	07.08-03.17	■
1.4 LPG (68) (A 14 NET)	discØ 296, POC J60, Rim 16	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (68) (B 14 NET)	discØ 296, POC J60, Rim 16	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
2.0 E85 Turbo (68) (A 20 NFT)	discØ 296, POC J60	Gasol./Etanol	FWD	1998	162	220	10.10-03.17	■
1.6 CDTi (68) (B 16 DTJ)	discØ 296, POC J60, Syst. 16"	Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (68) (B 16 DTH)	discØ 296, Syst. 16", POC J60	Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTI (68) (A 20 DTC)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (68) (A 20 DTL)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (68) (A 20 DTE)	discØ 296, Rim 16, POC J60	Diesel	FWD	1956	88	120	03.12-03.17	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI (68) (A 20 DT)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (68) (A 20 DTJ)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (68) (A 20 DTE)	discØ 296, Syst. 16", POC J60	Diesel	FWD	1956	103	140	06.13-03.17	■
2.0 CDTI (68) (A 20 DTH)	discØ 296, POC J60, Syst. 16"	Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTI 4x4 (68) (A 20 DTH)	discØ 296, POC J60, Syst. 16"	Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTI (68) (A 20 DTH)	discØ 296, POC J60, Syst. 16"	Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTI 4x4 (68) (A 20 DTH)	discØ 296, POC J60, Syst. 16"	Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTI (68) (B 20 DTH)	discØ 296, Syst. 16", POC J60	Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTI 4x4 (68) (B 20 DTH)	discØ 296, POC J60, Syst. 16"	Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 Biturbo CDTI (68) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	140	190	05.09-12.11	■
2.0 Biturbo CDTI (68) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	143	195	01.12-03.17	■
<b>INSIGNIA A (G09) 07.08-</b>					<b>Saloon (Executive car-E Segment)</b>			
1.4 (69) (A 14 NET)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (69) (B 14 NET)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (69) (A 16 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 SIDI (69) (A 16 XHT)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (69) (B 16 SHL)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 Turbo (69) (A 16 LET)	discØ 296, POC J60	Gasolina	FWD	1598	132	180	07.08-03.17	■
1.8 (69) (A 18 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (69) (B 18 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (69) (A 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo (69) (A 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (69) (B 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (69) (A 20 NFT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (B 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	07.11-03.17	■
2.8 V6 Turbo 4x4 (69) (A 28 NET)	discØ 296, POC J60	Gasolina	4WD	2792	191	260	07.08-03.17	■
1.4 LPG (69) (A 14 NET)	discØ 296, POC J60, Rim 16	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (69) (B 14 NET)	discØ 296, POC J60, Rim 16	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
2.0 Turbo E85 (69) (A 20 NFT)	discØ 296, POC J60	Gasol./Etanol	FWD	1998	162	220	07.08-03.17	■
1.6 CDTi (69) (B 16 DTJ)	discØ 296, POC J60, Rim 16	Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (69) (B 16 DTH)	discØ 296, Rim 16, POC J60	Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTI (69) (A 20 DTC)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTL)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTE)	discØ 296, Rim 16, POC J60	Diesel	FWD	1956	88	120	03.12-03.17	■
2.0 CDTI (69) (A 20 DT)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTJ)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTE)	discØ 296, Rim 16, POC J60	Diesel	FWD	1956	103	140	06.13-03.17	■
2.0 CDTI (69) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTI (69) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTI (69) (B 20 DTH)	discØ 296, Rim 16, POC J60	Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI (69) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	143	195	01.12-03.17	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	143	195	01.12-03.17	■
<b>INSIGNIA A Country Tourer (G09) 07.08-03.17</b>					<b>Estate (Executive car-E Segment)</b>			
1.6 SIDI (47) (A 16 XHT)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	07.14-03.17	■
1.6 SIDI (47) (B 16 SHL)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	07.14-03.17	■
2.0 Turbo 4x4 (47) (A 20 NFT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (B 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	09.13-03.17	■
1.6 CDTi (47) (B 16 DTJ)	discØ 296, POC J60, Rim 16	Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (47) (B 16 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTi (47) (A 20 DTE)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	88	120	03.12-03.17	■
2.0 CDTi (47) (A 20 DT)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (47) (A 20 DTJ)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (47) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	120	163	07.14-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	120	163	09.13-03.17	■
2.0 CDTi (47) (B 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	143	194	09.13-03.17	■
<b>INSIGNIA A Sports Tourer (G09) 07.08-</b>					<b>Estate (Executive car-E Segment)</b>			
1.4 (35) (A 14 NET)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (35) (B 14 NET)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (35) (A 16 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1598	85	116	07.08-06.12	■
1.6 SIDI (35) (A 16 XHT)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 SIDI (35) (B 16 SHL)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 Turbo (35) (A 16 LET)	discØ 296, POC J60	Gasolina	FWD	1598	132	180	01.09-06.13	■
1.8 (35) (A 18 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (35) (B 18 XER)	Rim 16, discØ 296, POC J60	Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (35) (A 20 NFT)	discØ 296, POC J60	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo (35) (A 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo 4x4 (35) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	162	220	07.08-06.11	■
2.0 Turbo (35) (A 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (35) (B 20 NHT)	discØ 296, POC J60	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (35) (A 20 NFT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (A 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (B 20 NHT)	discØ 296, POC J60	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.8 V6 Turbo 4x4 (35) (A 28 NET)	discØ 296, POC J60	Gasolina	4WD	2792	191	260	10.08-06.13	■
1.4 LPG (35) (A 14 NET)	discØ 296, POC J60, Rim 16	Gasol./G as (LPG)	FWD	1364	103	140	09.12-03.17	■
1.4 LPG (35) (B 14 NET)	discØ 296, POC J60, Rim 16	Gasol./G as (LPG)	FWD	1364	103	140	09.12-03.17	■
2.0 E85 Turbo (35) (A 20 NFT)	discØ 296, POC J60	Gasol./Et anol	FWD	1998	162	220	09.10-11.11	■
1.6 CDTi (35) (B 16 DTJ)	discØ 296, POC J60, Rim 16	Diesel	FWD	1598	88	120	07.15-01.17	■
1.6 CDTi (35) (B 16 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1598	100	136	07.15-12.16	■
2.0 CDTI (35) (A 20 DTC)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTL)	Rim 16, discØ 296, POC J60	Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTE)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	88	120	03.12-06.15	■
2.0 CDTI (35) (A 20 DT)	Syst. 16", discØ 296, POC J60	Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTJ)	Syst. 16", discØ 296, POC J60	Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTE)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	103	140	07.13-06.15	■
2.0 CDTI (35) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	118	160	07.08-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	118	160	06.10-06.15	■
2.0 CDTI (35) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	120	163	07.13-06.15	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI 4x4 (35) (A 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	120	163	07.13-06.15	■
2.0 CDTI (35) (B 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	125	170	11.14-12.16	■
2.0 CDTI 4x4 (35) (B 20 DTH)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	125	170	11.14-12.16	■
2.0 Biturbo CDTI (35) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI (35) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	FWD	1956	143	195	01.12-06.15	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)	discØ 296, POC J60, Rim 16	Diesel	4WD	1956	143	195	01.12-06.15	■
SAAB								
9-5 II (YS3G) 01.10-01.12					Saloon (Executive car-E Segment)			
1.6 i 16V 16"	01/10-	Gasolina	FWD	1595	85	116	01.10-	■
1.6 Turbo (A 16 LET)	discØ 296, Mexico, Canada, USA	Gasolina	FWD	1598	132	180	05.10-01.12	■
2.0 Turbo (A 20 NHT)	Rim 16, discØ 321, Canada, Mexico, USA   discØ 296	Gasolina	FWD	1998	162	220	05.10-01.12	■
2.0 Turbo XWD (A 20 NHT)	Rim 16, discØ 296, Mexico, USA, Canada	Gasolina	4WD	1998	162	220	05.10-01.12	■
2.0 (A 20 NFT)	discØ 296, discØ 321, Mexico, USA, Canada	Gasolina	FWD	1998	164	223	09.10-01.12	■
2.8 Turbo V6 XWD (A 28 NER)	Rim 16, discØ 321, Canada, Mexico, USA   discØ 296	Gasolina	4WD	2792	221	301	05.10-01.12	■
2.8 AWD (A28 NER)	discØ 296, discØ 321, Mexico, USA, Canada	Gasolina	4WD	2792	224	305	05.10-01.12	■
2.0 t Biopower (A 20 NFT)	Rim 16, discØ 296, Mexico, USA, Canada	Gasol./Etanol	FWD	1998	162	220	05.10-01.12	■
2.0 t BioPower XWD (A 20 NHT)	Rim 16, discØ 296, Mexico, USA, Canada	Gasol./Etanol	4WD	1998	162	220	05.10-01.12	■
2.0 TiD (A 20 DTH)	Rim 16, discØ 296, Mexico, USA, Canada	Diesel	FWD	1956	118	160	05.10-01.12	■
2.0 TTiD (A 20 DTR)	Rim 16, discØ 296, Mexico, USA, Canada	Diesel	FWD	1956	140	190	05.10-01.12	■
2.0 TTiD XWD (A 20 DTR)	Rim 16, discØ 296, Mexico, USA, Canada	Diesel	4WD	1956	140	190	05.10-01.12	■
VAUXHALL								
CASCADA (W13) 02.13-					Convertible (Large family car-D Segment)			
1.4	01/16-	Gasolina	FWD	1364	88	120	02.13-	■
1.4 (A 14 NET)	01/16-	Gasolina	FWD	1364	103	140	02.13-	■
1.4 (B 14 NET)	01/16-	Gasolina	FWD	1364	103	140	02.13-	■
1.6 (A 16 XHT)	01/16-	Gasolina	FWD	1598	125	170	02.13-	■
1.6 (B 16 SHL)	01/16-	Gasolina	FWD	1598	125	170	02.13-	■
1.6 (A 16 SHT)	01/16-	Gasolina	FWD	1598	147	200	11.13-	■
1.6 (B 16 SHT)	01/16-	Gasolina	FWD	1598	147	200	11.13-	■
2.0 CDTi (A 20 DTH)	01/16-	Diesel	FWD	1956	121	165	02.13-	■
2.0 CDTi (B 20 DTH)	01/16-	Diesel	FWD	1956	125	170	07.15-	■
2.0 CDTi (A 20 DTR)	01/16-	Diesel	FWD	1956	143	194	02.13-	■
INSIGNIA Mk I (A) (G09) 07.08-05.17					Hatchback (Executive car-E Segment)			
1.4 (68) (A 14 NET)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (68) (B 14 NET)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6 (A 16 XER)	POC J60, discØ 296, Syst. 16"	Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (68) (A 16 XHT)	POC J60, discØ 296, Rim 16	Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (68) (A 16 LET)	POC J60, Rim 16	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (68) (A 18 XER)	Rim 16, POC J60, discØ 296	Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (68) (B 18 XER)	Rim 16, POC J60, discØ 296	Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (68) (A 20 NFT)	POC J60, Rim 16	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	POC J60, Rim 16	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	POC J60, Rim 16	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1998	184	250	07.11-05.17	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo (68) (B 20 NHT)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.8 V6 Turbo 4x4 (68) (A 28 NET)	POC J60, Rim 16	Gasolina	4WD	2792	191	260	07.08-05.17	■
1.4 LPG (68) (A 14 NET)	POC J60, Rim 16, discØ 296	Gasol./G as (LPG)	FWD	1364	103	140	07.12-05.17	■
1.6 CDTi (68) (B 16 DTJ)	discØ 296	Diesel	FWD	1598	88	120	07.15-05.17	■
1.6 CDTi (68) (B 16 DTH)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTI (68) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTI (68) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTI (68) (A 20 DTE)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1956	88	120	03.12-03.16	■
2.0 CDTI (68) (A 20 DT)	Syst. 16", POC J60, discØ 296	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (68) (A 20 DTJ)	Syst. 16", POC J60, discØ 296	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (68) (A 20 DTE)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTI (68) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTI 4x4 (68) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTI (68) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTI (68) (B 20 DTH)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTI 4x4 (68) (B 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTI (68) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	140	190	10.08-05.17	■
2.0 CDTI 4x4 (68) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 Biturbo CDTI (68) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	143	195	03.12-05.17	■
<b>INSIGNIA Mk I (A) (G09) 07.08-05.17</b>					<b>Saloon (Executive car-E Segment)</b>			
1.4 (69) (A 14 NET)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6	Rim 16	Gasolina	FWD	1598	85	116	07.08-05.17	■
1.6 (A 16 XER)	POC J60, discØ 296, Syst. 16"	Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (69) (A 16 LET)	POC J60, Rim 16	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (69) (A 18 XER)	Rim 16, POC J60, discØ 296	Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (69) (A 20 NFT)	POC J60, Rim 16	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (69) (A 20 NHT)	POC J60, Rim 16	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J60, Rim 16	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (69) (A 20 NHT)	POC J60, discØ 296, Syst. 16"	Gasolina	FWD	1998	184	250	09.11-05.17	■
2.0 Turbo (69) (B 20 NHT)	POC J60, discØ 296, Syst. 16"	Gasolina	FWD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J60, discØ 296	Gasolina	4WD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (69) (B 20 NHT)	POC J60, discØ 296	Gasolina	4WD	1998	184	250	09.11-05.17	■
2.8 V6 Turbo 4x4 (69) (A 28 NET)	POC J60, Rim 16	Gasolina	4WD	2792	191	260	07.08-05.17	■
1.4 LPG (69) (A 14 NET)	POC J60, Rim 16, discØ 296	Gasol./G as (LPG)	FWD	1364	103	140	07.12-05.17	■
1.6 CDTi (69) (B 16 DTJ)	discØ 296	Diesel	FWD	1598	88	120	07.15-05.17	■
1.6 CDTi (69) (B 16 DTH)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTI (69)	Rim 16	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTI (69) (A 20 DT)	Rim 16, POC J60, discØ 296	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (69) (A 20 DTJ)	Rim 16, POC J60, discØ 296	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (69) (A 20 DTE)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTI (69) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)	Rim 16, POC J60, discØ 296	Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTI (69) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTI (69) (B 20 DTH)	Eq.V_ J60, discØ 296, Rim 16	Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTI (69) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	140	190	11.08-05.17	■
2.0 CDTI 4x4 (69) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	143	195	03.12-05.17	■



# LISTA DE APLICACIONES - BUYERS GUIDE

INSIGNIA Mk I (A) Country Tourer (G09) 07.08-05.17						Estate (Executive car-E Segment)				
1.6 Turbo (47) (A 16 XHT)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	07.13-05.17	■		
1.6 Turbo (47) (B 16 SHL)	discØ 296, POC J60, Rim 16	Gasolina	FWD	1598	125	170	07.13-05.17	■		
1.6 CDTi (47) (B 16 DTH)	discØ 296, POC J60, Rim 16	Diesel	FWD	1598	100	136	07.15-05.17	■		
2.0 CDTi (47) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	120	163	07.13-05.17	■		
2.0 CDTi (47) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	120	163	07.13-05.17	■		
2.0 CDTi (47) (B 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	125	170	11.14-05.17	■		
2.0 CDTi 4x4 (47) (B 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	125	170	11.14-05.17	■		
2.0 Biturbo CDTi 4x4 (47) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	143	195	09.13-05.17	■		
INSIGNIA Mk I (A) Sports Tourer (G09) 07.08-05.17						Estate (Executive car-E Segment)				
1.4 (35) (A 14 NET)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1364	103	140	04.11-05.17	■		
1.4 (35) (B 14 NET)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1364	103	140	04.11-05.17	■		
1.6 (A 16 XER)	POC J60, discØ 296, Syst. 16"	Gasolina	FWD	1598	85	116	07.08-07.12	■		
1.6 Turbo (35) (A 16 XHT)	POC J60, discØ 296, Rim 16	Gasolina	FWD	1598	125	170	07.13-05.17	■		
1.6 Turbo (35) (A 16 LET)	POC J60, Rim 16	Gasolina	FWD	1598	132	180	01.09-05.17	■		
1.8 (35) (A 18 XER)	Rim 16, POC J60, discØ 296	Gasolina	FWD	1796	103	140	07.08-05.17	■		
2.0 Turbo (35) (A 20 NFT)	POC J60, Rim 16	Gasolina	FWD	1998	162	220	07.08-05.17	■		
2.0 Turbo (35) (A 20 NHT)	POC J60, Rim 16	Gasolina	FWD	1998	162	220	07.08-05.17	■		
2.0 Turbo 4x4 (35) (A 20 NHT)	POC J60, Rim 16	Gasolina	4WD	1998	162	220	07.08-05.17	■		
2.0 Turbo (35) (A 20 NHT)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1998	184	250	07.11-05.17	■		
2.0 Turbo (35) (B 20 NHT)	POC J60, Rim 16, discØ 296	Gasolina	FWD	1998	184	250	07.11-05.17	■		
2.8 V6 Turbo (35) (A 28 NET)	POC J60, Rim 16	Gasolina	4WD	2792	191	260	08.08-05.17	■		
1.4 LPG (35) (A 14 NET)	POC J60, Rim 16, discØ 296	Gasol./G as (LPG)	FWD	1364	103	140	07.12-05.17	■		
1.6 CDTi (35) (B 16 DTH)	POC J60, discØ 296, Rim 16	Diesel	FWD	1598	100	136	07.15-05.17	■		
2.0 CDTi (35) (A 20 DTC)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	81	110	07.08-05.17	■		
2.0 CDTi (35) (A 20 DTE)	POC J60, discØ 296, Rim 16	Diesel	FWD	1956	88	120	03.12-03.16	■		
2.0 CDTi (35) (A 20 DT)	Rim 16, POC J60, discØ 296	Diesel	FWD	1956	96	130	07.08-12.14	■		
2.0 CDTi (35) (A 20 DTJ)	Rim 16, POC J60, discØ 296	Diesel	FWD	1956	96	130	07.08-12.14	■		
2.0 CDTi (35) (A 20 DTE)	POC J60, discØ 296, Rim 16	Diesel	FWD	1956	103	140	07.13-05.17	■		
2.0 CDTi (35) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	118	160	07.08-05.17	■		
2.0 CDTi 4x4 (35) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	118	160	07.08-05.17	■		
2.0 CDTi (35) (A 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	120	163	07.13-05.17	■		
2.0 CDTi (35) (B 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	125	170	11.14-05.17	■		
2.0 CDTi 4x4 (35) (B 20 DTH)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	125	170	11.14-05.17	■		
2.0 CDTi (35) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	140	190	11.08-05.17	■		
2.0 CDTi 4x4 (35) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	140	190	05.09-05.17	■		
2.0 Biturbo CDTi (35) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	FWD	1956	143	195	03.12-05.17	■		
2.0 Biturbo CDTi 4x4 (35) (A 20 DTR)	POC J60, Rim 16, discØ 296	Diesel	4WD	1956	143	195	03.12-05.17	■		