

LISTA DE APLICACIONES - BUYERS GUIDE

181927




8 424073 098726

Qty: 300

Weight: 2.650

O.E.M.	MAKE
13 237 752	VAUXHALL
16 05 202	SAAB



181927

E 9 90R-01111/2605



Trw

184.5x65.63x17.3

WVA	FMSI
24418	D1558-8770
24419	
24420	
MAKE	
BENTLEY	
OPEL	
SAAB	
VAUXHALL	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BENTLEY

FLYING SPUR (4W_) 03.13-

Saloon (Luxury car-F Segment)

Model	Eq.V_	Disc	Rad	Fuel	Trac.	CC	Kw	CV	Year	Front / Rear
4.0	Eq.V_ +17"/17	+	Rad	Gasolina	FWD	3993	389	529	09.14-	■
6.0 W12 (CVAA)	Eq.V_ +17"/17	+	Rad	Gasolina	4WD	5998	460	626	03.13-10.20	■
6.0 W12 (DBDB)	Eq.V_ +17"/17	+	Rad	Gasolina	4WD	5998	460	626	03.13-10.20	■
4.0 FLEX (CMMC)	Eq.V_ +17"/17	+	Rad	Gasol./Etanol	4WD	3993	373	507	03.13-	■
4.0 FLEX (CYCB)	Eq.V_ +17"/17	+	Rad	Gasol./Etanol	4WD	3993	373	507	03.13-	■
6.0 FLEX	Eq.V_ +17"/17	+	Rad	Gasol./Etanol	4WD	5998	453	616	03.13-	■

OPEL

INSIGNIA A (G09) 07.08-

Hatchback (Executive car-E Segment)

Model	Eq.V_	Disc	Rad	Fuel	Trac.	CC	Kw	CV	Year	Front / Rear
1.4 (68) (A 14 NET)				Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (68) (B 14 NET)				Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (68) (A 16 XER)				Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 SIDI (68) (A 16 XHT)				Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (68) (B 16 SHL)				Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 Turbo (68) (A 16 LET)				Gasolina	FWD	1598	132	180	07.08-03.17	■
1.8 (68) (A 18 XER)				Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (68) (B 18 XER)				Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)	POC J62, discØ 337, Rim 17			Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	POC J62, discØ 337, Rim 17			Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)	POC J62, discØ 337, Rim 17			Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (68) (B 20 NHT)	POC J62, discØ 337, Rim 17			Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	POC J62, discØ 337, Rim 17			Gasolina	4WD	1998	184	250	07.11-03.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo 4x4 (68) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (68) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.8 V6 Turbo 4x4 (68) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-03.17	■	
2.8 V6 Turbo OPC 4x4 (68) (A 28 NER)		Gasolina	4WD	2792	239	325	07.09-03.17	■	
2.8 V6 Turbo OPC 4x4 (68) (B 28 NER)		Gasolina	4WD	2792	239	325	07.09-03.17	■	
1.4 LPG (68) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
1.4 LPG (68) (B 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
2.0 E85 Turbo (68) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasol./Etanol	FWD	1998	162	220	10.10-03.17	■	
1.6 CDTi (68) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■	
1.6 CDTi (68) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■	
2.0 CDTI (68) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-03.17	■	
2.0 CDTI (68) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-03.17	■	
2.0 CDTI (68) (A 20 DTE)		Diesel	FWD	1956	88	120	03.12-03.17	■	
2.0 CDTI (68) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTI (68) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■	
2.0 CDTI (68) (A 20 DTE)		Diesel	FWD	1956	103	140	06.13-03.17	■	
2.0 CDTI (68) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-03.17	■	
2.0 CDTI 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-03.17	■	
2.0 CDTI (68) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-03.17	■	
2.0 CDTI 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-03.17	■	
2.0 CDTI (68) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■	
2.0 CDTI 4x4 (68) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■	
2.0 Biturbo CDTI (68) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-12.11	■	
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-12.11	■	
2.0 Biturbo CDTI (68) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-03.17	■	
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-03.17	■	
INSIGNIA A (G09) 07.08-							Saloon (Executive car-E Segment)		
1.4 (69) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.4 (69) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■	
1.6 (69) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-03.17	■	
1.6 SIDI (69) (A 16 XHT)		Gasolina	FWD	1598	125	170	03.13-03.17	■	
1.6 SIDI (69) (B 16 SHL)		Gasolina	FWD	1598	125	170	03.13-03.17	■	
1.6 Turbo (69) (A 16 LET)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1598	132	180	07.08-03.17	■	
1.8 (69) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■	
1.8 (69) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■	
2.0 Turbo (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-03.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	162	220	07.08-03.17	■	
2.0 Turbo (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo (69) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	04.14-03.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.0 Turbo 4x4 (69) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	07.11-03.17	■	
2.8 V6 Turbo 4x4 (69) (A 28 NET)	POC J62, discØ 337, Rim 17	Gasolina	4WD	2792	191	260	07.08-03.17	■	
2.8 V6 Turbo OPC 4x4 (69) (A 28 NER)		Gasolina	4WD	2792	239	325	07.09-03.17	■	
2.8 V6 Turbo OPC 4x4 (69) (B 28 NER)		Gasolina	4WD	2792	239	325	07.09-03.17	■	
1.4 LPG (69) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
1.4 LPG (69) (B 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■	
2.0 Turbo E85 (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasol./Etanol	FWD	1998	162	220	07.08-03.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 CDTi (69) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (69) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTI (69) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTE)		Diesel	FWD	1956	88	120	03.12-03.17	■
2.0 CDTI (69) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTE)		Diesel	FWD	1956	103	140	06.13-03.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTI (69) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-03.17	■
INSIGNIA A Country Tourer (G09) 07.08-03.17							Estate (Executive car-E Segment)	
1.6 SIDI (47) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.14-03.17	■
1.6 SIDI (47) (B 16 SHL)		Gasolina	FWD	1598	125	170	07.14-03.17	■
2.0 Turbo 4x4 (47) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.13-03.17	■
1.6 CDTi (47) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (47) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTi (47) (A 20 DTE)		Diesel	FWD	1956	88	120	03.12-03.17	■
2.0 CDTi (47) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (47) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	FWD	1956	120	163	07.14-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTH)		Diesel	4WD	1956	120	163	09.13-03.17	■
2.0 CDTi (47) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTR)		Diesel	4WD	1956	143	194	09.13-03.17	■
INSIGNIA A Sports Tourer (G09) 07.08-							Estate (Executive car-E Segment)	
1.4 (35) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (35) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (35) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-06.12	■
1.6 SIDI (35) (A 16 XHT)		Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 SIDI (35) (B 16 SHL)		Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 Turbo (35) (A 16 LET)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1598	132	180	01.09-06.13	■
1.8 (35) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (35) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (35) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo 4x4 (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	162	220	07.08-06.11	■
2.0 Turbo (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (35) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (35) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.11-03.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.8 V6 Turbo 4x4 (35) (A 28 NET)	POC J62, discØ 337, Rim 17	Gasolina	4WD	2792	191	260	10.08-06.13	■
2.8 V6 Turbo OPC 4x4 (35) (A 28 NER)		Gasolina	4WD	2792	239	325	07.09-03.17	■
2.8 V6 Turbo OPC 4x4 (35) (B 28 NER)		Gasolina	4WD	2792	239	325	07.09-03.17	■
1.4 LPG (35) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■
1.4 LPG (35) (B 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■
2.0 E85 Turbo (35) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasol./Etanol	FWD	1998	162	220	09.10-11.11	■
1.6 CDTi (35) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-01.17	■
1.6 CDTi (35) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-12.16	■
2.0 CDTI (35) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTE)		Diesel	FWD	1956	88	120	03.12-06.15	■
2.0 CDTI (35) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTE)		Diesel	FWD	1956	103	140	07.13-06.15	■
2.0 CDTI (35) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-06.15	■
2.0 CDTI (35) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-06.15	■
2.0 CDTI (35) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-12.16	■
2.0 CDTI 4x4 (35) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-12.16	■
2.0 Biturbo CDTI (35) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI (35) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-06.15	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-06.15	■

SAAB

9-5 II (YS3G) 01.10-01.12				Saloon (Executive car-E Segment)				
1.6 Turbo (A 16 LET)		Gasolina	FWD	1598	132	180	05.10-01.12	■
2.0 Turbo (A 20 NHT)	Eq.V_ 17"+	Gasolina	FWD	1998	162	220	05.10-01.12	■
2.0 Turbo XWD (A 20 NHT)	Eq.V_ 17"+	Gasolina	4WD	1998	162	220	05.10-01.12	■
2.8 Turbo V6 XWD (A 28 NER)	Eq.V_ 17"+	Gasolina	4WD	2792	221	301	05.10-01.12	■
2.0 t Biopower (A 20 NFT)	Eq.V_ 17"+	Gasol./Etanol	FWD	1998	162	220	05.10-01.12	■
2.0 t BioPower XWD (A 20 NHT)	Eq.V_ 17"+	Gasol./Etanol	4WD	1998	162	220	05.10-01.12	■
2.0 TiD (A 20 DTH)	Eq.V_ 17"+	Diesel	FWD	1956	118	160	05.10-01.12	■
2.0 TTiD (A 20 DTR)	Eq.V_ 17"+	Diesel	FWD	1956	140	190	05.10-01.12	■
2.0 TTiD XWD (A 20 DTR)	Eq.V_ 17"+	Diesel	4WD	1956	140	190	05.10-01.12	■

VAUXHALL

INSIGNIA Mk I (A) (G09) 07.08-05.17				Hatchback (Executive car-E Segment)				
1.4 (68) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (68) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6 (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (68) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (68) (A 16 LET)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (68) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (68) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (68) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo (68) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■	
2.0 Turbo 4x4 (68)		Gasolina	4WD	1998	184	250	09.11-05.17	■	
2.0 Turbo 4x4 (68)		Gasolina	4WD	1998	184	250	07.11-05.17	■	
2.8 V6 Turbo 4x4 (68) (A 28 NET)	POC J62, discØ 337, Rim 17	Gasolina	4WD	2792	191	260	07.08-05.17	■	
2.8 VXR (68) (A 28 NER)		Gasolina	4WD	2792	239	325	07.09-05.17	■	
2.8 VXR (68) (B 28 NER)		Gasolina	4WD	2792	239	325	07.09-05.17	■	
1.4 LPG (68) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■	
1.6 CDTi (68) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-05.17	■	
2.0 CDTI (68) (A 20 DTE)		Diesel	FWD	1956	88	120	03.12-03.16	■	
2.0 CDTI (68) (A 20 DT)		Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTI (68) (A 20 DTJ)		Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTI (68) (A 20 DTE)		Diesel	FWD	1956	103	140	07.13-05.17	■	
2.0 CDTI (68) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-05.17	■	
2.0 CDTI 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	118	160	07.08-05.17	■	
2.0 CDTI (68) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■	
2.0 CDTI (68) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■	
2.0 CDTI 4x4 (68) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■	
2.0 CDTI (68) (A 20 DTR)		Diesel	FWD	1956	140	190	10.08-05.17	■	
2.0 CDTI 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-05.17	■	
2.0 Biturbo CDTI (68) (A 20 DTR)		Diesel	FWD	1956	143	195	03.12-05.17	■	
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	143	195	03.12-05.17	■	
INSIGNIA Mk I (A) (G09) 07.08-05.17							Saloon (Executive car-E Segment)		
1.4 (69) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■	
1.6 (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-07.12	■	
1.6 Turbo (69) (A 16 LET)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1598	132	180	01.09-05.17	■	
1.8 (69) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-05.17	■	
2.0 Turbo (69) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-05.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	162	220	07.08-05.17	■	
2.0 Turbo (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	09.11-05.17	■	
2.0 Turbo (69) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	09.11-05.17	■	
2.0 Turbo 4x4 (69) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.11-05.17	■	
2.0 Turbo 4x4 (69) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	184	250	09.11-05.17	■	
2.8 V6 Turbo 4x4 (69) (A 28 NET)	POC J62, discØ 337, Rim 17	Gasolina	4WD	2792	191	260	07.08-05.17	■	
2.8 VXR (69) (A 28 NER)		Gasolina	4WD	2792	239	325	07.09-05.17	■	
1.4 LPG (69) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■	
1.6 CDTi (69) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-05.17	■	
2.0 CDTI (69) (A 20 DT)		Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTI (69) (A 20 DTJ)		Diesel	FWD	1956	96	130	07.08-12.14	■	
2.0 CDTI (69) (A 20 DTE)		Diesel	FWD	1956	103	140	07.13-05.17	■	
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-05.17	■	
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	118	160	07.08-05.17	■	
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■	
2.0 CDTI (69) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■	
2.0 CDTI 4x4 (69) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■	
2.0 CDTI (69) (A 20 DTR)		Diesel	FWD	1956	140	190	11.08-05.17	■	
2.0 CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-05.17	■	
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	143	195	03.12-05.17	■	
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	143	195	03.12-05.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

INSIGNIA Mk I (A) Country Tourer (G09) 07.08-05.17					Estate (Executive car-E Segment)			
1.6 Turbo (47) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (47) (B 16 SHL)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 CDTi (47) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-05.17	■
2.0 CDTi (47) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 Biturbo CDTi 4x4 (47) (A 20 DTR)		Diesel	4WD	1956	143	195	09.13-05.17	■
INSIGNIA Mk I (A) Sports Tourer (G09) 07.08-05.17					Estate (Executive car-E Segment)			
1.4 (35) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (35) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6 (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (35) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (35) (A 16 LET)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (35) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (35) (A 20 NFT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (35) (A 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (35) (B 20 NHT)	POC J62, discØ 337, Rim 17	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo 4x4 (35)		Gasolina	4WD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (35)		Gasolina	4WD	1998	184	250	07.11-05.17	■
2.8 V6 Turbo (35) (A 28 NET)	POC J62, discØ 337, Rim 17	Gasolina	4WD	2792	191	260	08.08-05.17	■
2.8 VXR (35) (A 28 NER)		Gasolina	4WD	2792	239	325	07.09-05.17	■
1.4 LPG (35) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■
1.6 CDTi (35) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTi (35) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (35) (A 20 DTE)		Diesel	FWD	1956	88	120	03.12-03.16	■
2.0 CDTi (35) (A 20 DT)		Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (35) (A 20 DTJ)		Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (35) (A 20 DTE)		Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTi (35) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTi 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTi (35) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (35) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (35) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTi (35) (A 20 DTR)		Diesel	FWD	1956	140	190	11.08-05.17	■
2.0 CDTi 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 Biturbo CDTi (35) (A 20 DTR)		Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTi 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	143	195	03.12-05.17	■