

LISTA DE APLICACIONES - BUYERS GUIDE


181942-202



Qty: 300

Weight: 1.935

O.E.M.	MAKE
13 301 207	VAUXHALL
13 356 286	OPEL
13 412 272	VAUXHALL
1337 4966	CHEVROLET
1341 2272	CHEVROLET
16 05 169	OPEL
16 05 261	OPEL
42793253	CHEVROLET
5 42 120	OPEL
95 516 191	OPEL
95 530 019	VAUXHALL



181942-202

E 9 90R-01111/2824



Bosch

148.1x60.4x18.8

WVA	FMSI
25031	D1522-8730
25032	
25033	

MAKE
BUICK (SGM)
CHEVROLET
CHEVROLET (SGM)
HOLDEN
NISSAN
OPEL
VAUXHALL



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BUICK (SGM)

EXCELLE GT (CP2) 06.10-							Saloon (Compact car-C Segment)		
1.6		Gasolina	FWD	1598	89	121	06.10-		■
1.8 T		Gasolina	FWD	1796	108	147	06.10-		■
EXCELLE XT (CP2) 01.10-12.15							Hatchback (Compact car-C Segment)		
1.6		Gasolina	FWD	1598	89	121	01.10-		■
1.8		Gasolina	FWD	1796	108	147	01.10-		■

CHEVROLET

AVEO II / SONIC (T300) 03.11-							Hatchback (Supermini car-B Segment)		
1.2 (LWD)	POC J93/J94, Rim 15	Gasolina	FWD	1229	51	69	03.11-		■
1.2 (LDC)	Rim 15	Gasolina	FWD	1229	63	86	03.11-		■
1.4 Turbo (LUJ)	Rim 15	Gasolina	FWD	1364	103	140	08.13-		■
1.4 (A 14 XER)	POC J93/J94, Rim 15	Gasolina	FWD	1398	74	101	03.11-		■
1.4 (LDD)	POC J93/J94, Rim 15	Gasolina	FWD	1398	74	101	03.11-		■
1.4 (LDD)		Gasolina	FWD	1398	74	101	01.12-12.14		■
1.6 (LDE)	POC J93/J94, Rim 15	Gasolina	FWD	1598	85	116	03.11-		■
1.6	Rim 15	Gasolina	FWD	1598	88	120	06.11-		■
1.8	Eq.V_ RS, Rim 15	Gasolina	FWD	1796	101	137	09.11-07.15		■
1.8	Rim 15	Gasolina	FWD	1796	103	140	07.15-12.18		■
1.2 LPG (LDC)	POC J93/J94, Rim 15	Gasol./Gas (LPG)	FWD	1229	63	86	11.12-12.15		■
1.6 Flex	Rim 15	Gasol./Etanol	FWD	1598	88	120	06.12-12.14		■
1.8 Flexfuel	Rim 15	Gasol./Etanol	FWD	1796	101	137	09.13-07.15		■

LISTA DE APLICACIONES - BUYERS GUIDE

1.8 Flexfuel	Rim 15	Gasol./Etanol	FWD	1796	103	140	07.15-12.18	■
1.3 D (LDV)	POC J93/J94, Rim 15	Diesel	FWD	1248	55	75	07.11-12.15	■
1.3 D (LSF)	POC J93/J94, Rim 15	Diesel	FWD	1248	70	95	07.11-12.15	■
AVEO II / SONIC (T300) 03.11-				Saloon (Supermini car-B Segment)				
1.2 (LWD)	POC J93/J94, Rim 15	Gasolina	FWD	1229	51	69	03.11-	■
1.2 (LDC)	Rim 15	Gasolina	FWD	1229	63	86	03.11-	■
1.4 (LUV)	Rim 15	Gasolina	FWD	1364	103	140	09.11-	■
1.4 (A 14 XER)	POC J93/J94, Rim 15	Gasolina	FWD	1398	74	100	07.11-	■
1.4 (LDD)	POC J93/J94, Rim 15	Gasolina	FWD	1398	74	100	07.11-	■
1.6 (LDE)	POC J93/J94, Rim 15	Gasolina	FWD	1598	85	116	03.11-	■
1.8	Eq.V_ RS, Rim 15	Gasolina	FWD	1796	101	137	09.11-07.15	■
1.8	Rim 15	Gasolina	FWD	1796	103	140	07.15-12.18	■
1.2 LPG (LDC)	POC J93/J94, Rim 15	Gasol./Gas (LPG)	FWD	1229	63	86	11.12-12.15	■
1.6 Flexfuel	Rim 15	Gasol./Etanol	FWD	1598	88	120	06.12-	■
1.8 Flexfuel (LUW,LWE)	Rim 15	Gasol./Etanol	FWD	1796	101	137	09.13-07.15	■
1.8 Flexfuel	Rim 15	Gasol./Etanol	FWD	1796	103	140	07.15-12.18	■
1.3 D (LDV)	POC J93/J94, Rim 15	Diesel	FWD	1248	55	75	07.11-12.15	■
1.3 D (LSF)	POC J93/J94, Rim 15	Diesel	FWD	1248	70	95	07.11-12.15	■
AVEO / KALOS (T250, T255) 06.06-				Hatchback (Supermini car-B Segment)				
1.4 Flexfuel (F14D3)	Rim 15	Gasol./Etanol	FWD	1399	69	94	07.11-03.13	■
CRUZE I (J305) 12.10-				Hatchback (Supermini car-B Segment)				
1.4 (A 14 NET)	POC J67, Rim 15	Gasolina	FWD	1364	103	140	06.12-	■
1.4 (LUJ)	POC J67, Rim 15	Gasolina	FWD	1364	103	140	06.12-	■
1.4 (LDD)	Rim 15, POC J67	Gasolina	FWD	1398	74	101	07.13-12.15	■
1.6 (LXT)	POC J67, Rim 15	Gasolina	FWD	1598	80	109	01.12-	■
1.6 (LDE)	Rim 15, POC J67	Gasolina	FWD	1598	86	117	12.12-	■
1.6	Rim 15	Gasolina	FWD	1598	89	121	12.12-	■
1.6 (LDE)	Rim 15, POC J67	Gasolina	FWD	1598	91	124	06.11-	■
1.6 T	Rim 15	Gasolina	FWD	1598	135	184	12.12-	■
1.8 (2H0)	Rim 15, POC J67	Gasolina	FWD	1796	103	140	10.11-	■
1.8 (2H0)	Rim 15, POC J67	Gasolina	FWD	1796	104	141	06.11-	■
1.8 Flex	Rim 15	Gasolina	FWD	1796	106	144	10.12-	■
1.8	Rim 15	Gasolina	FWD	1796	108	147	12.12-	■
1.8 LPG (2H0)	POC J67, Rim 15	Gasol./Gas (LPG)	FWD	1796	104	141	06.11-12.15	■
1.7 TD (LKR)	Rim 15, POC J67	Diesel	FWD	1686	81	110	08.13-12.15	■
1.7 D (LUD)	POC J67, Rim 15	Diesel	FWD	1686	96	131	01.12-12.15	■
2.0 CDI		Diesel	RWD	1991	110	150	01.12-	■
2.0 VCDi	Rim 15	Diesel	RWD	1998	110	150	12.10-	■
2.0 CDI (LNP)	Rim 15, POC J67	Diesel	FWD	1998	120	163	06.11-	■
CRUZE I (J300) 05.09-				Saloon (Supermini car-B Segment)				
1.4 (LUJ)	POC J67, Rim 15	Gasolina	FWD	1364	103	140	09.10-	■
1.4 (LDD)	Rim 15, POC J67	Gasolina	FWD	1398	74	101	07.13-	■
1.4	Rim 15	Gasolina	FWD	1398	103	140	10.13-	■
1.6 (LXT)	Rim 15, POC J93/J67	Gasolina	FWD	1598	80	109	05.09-	■
1.6 (LDE)	Rim 15, POC J67	Gasolina	FWD	1598	83	113	05.09-	■
1.6	Rim 15	Gasolina	FWD	1598	86	117	12.12-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 (LDE)	POC J67, Rim 15	Gasolina	FWD	1598	86	117	12.12-	■	
1.6	Rim 15	Gasolina	FWD	1598	89	121	12.12-	■	
1.6 (LDE)	Rim 15, POC J67	Gasolina	FWD	1598	91	124	05.09-	■	
1.6 T	Rim 15	Gasolina	FWD	1598	135	184	12.12-	■	
1.8 (LUW,LWE)	Rim 15	Gasolina	FWD	1796	101	137	05.09-	■	
1.8 (LUW)	Rim 15	Gasolina	FWD	1796	103	140	11.09-	■	
1.8 (LWE)	Rim 15	Gasolina	FWD	1796	103	140	11.09-	■	
1.8 (2H0)	Rim 15, POC J67	Gasolina	FWD	1796	104	141	05.09-	■	
1.8 Flex	Rim 15	Gasolina	FWD	1796	106	144	01.11-	■	
1.8	Rim 15	Gasolina	FWD	1796	108	147	12.12-	■	
1.8 LPG (2H0)	POC J67, Rim 15	Gasol./Gas (LPG)	FWD	1796	104	141	06.11-	■	
1.8 Flex (LUW)	Rim 15	Gasol./Etanol	FWD	1796	101	137	09.13-	■	
1.8 Flex (LUW)	Rim 15	Gasol./Etanol	FWD	1796	103	140	08.15-	■	
1.7 TD (LKR)	POC J67, Rim 15	Diesel	FWD	1686	81	110	11.13-	■	
1.7 D (LUD)	POC J67, Rim 15	Diesel	FWD	1686	96	131	01.12-	■	
2.0 CDI (LUZ)	Rim 15	Diesel	FWD	1956	110	150	09.13-	■	
2.0 CDI	Rim 15	Diesel	RWD	1956	113	154	09.13-12.15	■	
2.0 CDI		Diesel	FWD	1991	90	123	05.09-	■	
2.0 CDI (LLW)	Rim 15, POC J67	Diesel	FWD	1991	92	125	05.09-05.11	■	
2.0 CDI (LLW)	Rim 15, POC J67	Diesel	FWD	1991	110	150	05.09-	■	
2.0 CDI (LNP)	Rim 15, POC J67	Diesel	FWD	1998	120	163	08.10-	■	
2.0 VCDi (LNP)	Rim 15	Diesel	FWD	1998	122	166	03.12-11.18	■	
CRUZE I Station Wagon (J308) 08.12-					Estate (Supermini car-B Segment)				
1.4 (LUJ)	POC J67, Rim 15, -11/12	Gasolina	FWD	1364	103	140	08.12-	■	
1.4 (LDD)	Rim 15, POC J67	Gasolina	FWD	1398	74	101	07.13-12.15	■	
1.6 (LDE)	POC J67, Rim 15	Gasolina	FWD	1598	86	117	12.12-12.15	■	
1.6 (LDE)	POC J67, Rim 15, -11/12	Gasolina	FWD	1598	91	124	08.12-12.15	■	
1.8 (2H0)	POC J67, Rim 15, -11/12	Gasolina	FWD	1796	104	141	08.12-	■	
1.7 TD (LKR)	discØ 276, POC J67, Rim 15	Diesel	FWD	1686	81	110	11.13-12.15	■	
1.7 TD (LUD)	POC J67, Rim 15, -11/12	Diesel	FWD	1686	96	131	08.12-	■	
2.0 TD (LNP)	POC J67, Rim 15, -11/12	Diesel	FWD	1998	120	163	08.12-	■	
CRUZE II (J405) 01.17-					Hatchback (Supermini car-B Segment)				
1.4 Flex (LE2(85CUL4))	Rim 15	Gasol./Etanol	FWD	1399	113	153	01.17-12.23	■	
CHEVROLET (SGM)									
CRUZE (CP1) 09.13-					Hatchback (Supermini car-B Segment)				
1.6 (LDE)	Rim 15	Gasolina	FWD	1598	89	121	09.13-02.17	■	
1.6 (LLU)		Gasolina	FWD	1598	135	184	09.13-02.17	■	
CRUZE (CP1) 04.09-07.16					Saloon (Supermini car-B Segment)				
1.6	Rim 15	Gasolina	FWD	1598	86	117	04.09-	■	
1.6 (LDE)	Rim 15	Gasolina	FWD	1598	86	117	04.09-12.13	■	
1.8	Rim 15	Gasolina	FWD	1796	105	143	04.09-	■	
1.8 (2H0)	Rim 15	Gasolina	FWD	1796	105	143	04.09-12.11	■	
CRUZE II (CP3) 08.14-07.16					Saloon (Supermini car-B Segment)				
1.5		Gasolina	FWD	1485	80	109	03.14-	■	
HOLDEN									

LISTA DE APLICACIONES - BUYERS GUIDE

ASTRA (PJ) 12.14-					Hatchback (Compact car-C Segment)			
1.6 GTC Sport	discØ 276	Gasolina	FWD	1598	125	170	12.14-	■
1.6 GTC Sport	discØ 276	Gasolina	FWD	1598	147	200	12.14-	■
ASTRA (BL) 06.17-					Saloon (Compact car-C Segment)			
1.4 (B 14 XFT)	discØ 276	Gasolina	FWD	1399	110	150	06.17-	■
BARINA (TM) 11.11-					Hatchback (Supermini car-B Segment)			
1.4 Turbo		Gasolina	FWD	1364	103	140	07.13-	■
1.6 i	Rim 15	Gasolina	FWD	1598	85	116	11.11-	■
BARINA (TM) 12.12-					Saloon (Supermini car-B Segment)			
1.6 i	Rim 15	Gasolina	FWD	1598	85	116	12.12-	■
CRUZE II (JH) 06.12-					Estate (Supermini car-B Segment)			
1.8 i	Rim 15, Syst. J67	Gasolina	FWD	1796	104	141	06.12-	■
2.0 DTFi	Rim 15, Syst. J67	Diesel	RWD	1991	120	163	06.12-	■
CRUZE II (JH) 11.11-					Hatchback (Supermini car-B Segment)			
1.4 i Turbo	Rim 15	Gasolina	FWD	1364	103	140	11.11-	■
1.6 i	discØ 276	Gasolina	FWD	1598	132	180	04.13-	■
1.8 i	Rim 15	Gasolina	FWD	1796	104	141	11.11-	■
2.0 DTFi	Rim 15	Diesel	RWD	1991	120	163	11.11-	■
CRUZE II (JG) 06.09-03.11					Saloon (Supermini car-B Segment)			
1.4 i Turbo	Rim 15	Gasolina	FWD	1364	103	140	03.11-	■
1.6 i	Rim 15	Gasolina	FWD	1598	132	180	04.13-	■
1.8 i	Rim 15	Gasolina	FWD	1796	104	141	06.09-03.11	■
1.8 i (F18D)	Rim 15	Gasolina	FWD	1796	104	141	04.11-12.16	■
2.0 DTFi	Rim 15	Diesel	RWD	1991	110	150	06.09-03.11	■
2.0	Rim 15	Diesel	FWD	1991	120	163	03.11-07.12	■
2.0 DTFi	Rim 15	Diesel	RWD	1991	120	163	03.11-	■
NISSAN								
ROGUE 01.07-12.15					SUV (Compact SUV-J Segment)			
2.5	discØ 276	Gasolina	FWD	2488	124	169	01.10-11.13	■
2.5 AWD	discØ 276	Gasolina	4WD	2488	124	169	01.10-11.13	■
2.5	discØ 276	Gasolina	FWD	2488	125	170	01.10-11.13	■
2.5 AWD (QR25DE)	discØ 276	Gasolina	4WD	2488	125	170	01.10-11.13	■
OPEL								
ASTRA H CLASSIC (A04) 01.09-					Hatchback (Compact car-C Segment)			
1.8 (L48) (Z 18 XER)	Rim 15	Gasolina	FWD	1796	103	140	02.13-05.14	■
1.7 CDTI (L48) (A 17 DTR)	Rim 15	Diesel	FWD	1686	92	125	01.09-05.14	■
1.7 CDTI (L48) (Z 17 DTR)	Rim 15	Diesel	FWD	1686	92	125	01.09-05.14	■
ASTRA J (P10) 09.09-10.15					Estate Van (Compact car-C Segment)			
1.3 CDTI (35) (A 13 DTE)	discØ 276, POC J67	Diesel	FWD	1248	70	95	10.12-10.15	■
1.6 CDTi (35) (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	01.14-10.15	■
1.7 CDTI (35) (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	10.12-10.15	■
1.7 CDTI (35) (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	10.12-10.15	■
2.0 CDTI (35) (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	10.12-10.15	■
ASTRA J (P10) 09.09-10.15					Hatchback Van (Compact car-C Segment)			
1.3 CDTI (68) (A 13 DTE)	discØ 276, POC J67	Diesel	FWD	1248	70	95	05.13-10.15	■
1.6 CDTi (68) (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	01.14-10.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.7 CDTI (68) (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	05.13-10.15	■	
1.7 CDTI (68) (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	05.13-10.15	■	
ASTRA J (P10) 09.09-04.16							Hatchback (Compact car-C Segment)		
1.4 Turbo (68) (A 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	10.10-10.15	■	
1.4 Turbo (68) (B 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	10.10-10.15	■	
1.4 Turbo (68) (A 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 Turbo (68) (B 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 (68) (A 14 XEL)	discØ 276, POC J67	Gasolina	FWD	1398	64	87	12.09-10.15	■	
1.4 (68) (A 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	100	12.09-10.15	■	
1.4 (68) (B 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	100	12.09-10.15	■	
1.6 (68) (A 16 XER)	discØ 276, POC J67	Gasolina	FWD	1598	85	115	12.09-10.15	■	
1.6 (68) (B 16 XER)	discØ 276, POC J67	Gasolina	FWD	1598	85	115	12.09-10.15	■	
1.6 SIDI (68) (A 16 XHT)	discØ 276	Gasolina	FWD	1598	125	170	12.12-10.15	■	
1.6 SIDI (68) (B 16 SHL)	discØ 276	Gasolina	FWD	1598	125	170	12.12-10.15	■	
1.6 Turbo (68) (A 16 LET)	discØ 276	Gasolina	FWD	1598	132	180	12.09-10.15	■	
1.6 Turbo 4x4 (68) (A 16 LET)	discØ 276	Gasolina	4WD	1598	132	180	12.09-10.15	■	
1.4 LPG (68) (A 14 NET)	POC J67, discØ 276	Gasol./Gas (LPG)	FWD	1364	103	140	01.12-10.15	■	
1.3 CDTI (68) (A 13 DTE)	discØ 276, POC J67	Diesel	FWD	1248	70	95	12.09-10.15	■	
1.6 CDTi (68) (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	02.14-10.15	■	
1.6 CDTi (68) (B 16 DTH)	discØ 276	Diesel	FWD	1598	100	136	11.13-10.15	■	
1.7 CDTI (68)	discØ 276	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTI (68) (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	09.09-10.15	■	
1.7 CDTI (68) (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	09.09-10.15	■	
1.7 CDTI (68) (A 17 DTJ)	discØ 276	Diesel	FWD	1686	81	110	09.09-10.15	■	
1.7 CDTI (68) (A 17 DTR)	discØ 276	Diesel	FWD	1686	92	125	12.09-10.15	■	
1.7 CDTI (68) (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	07.11-10.15	■	
1.7 CDTI (68) (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	07.11-10.15	■	
2.0 CDTi (A 20 DTH)	discØ 276	Diesel	FWD	1956	96	131	10.14-10.15	■	
2.0 CDTI (68) (A 20 DTH)	discØ 276	Diesel	FWD	1956	118	160	09.09-10.15	■	
2.0 CDTI (68) (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	06.11-10.15	■	
2.0 Biturbo CDTI (68) (A 20 DTR)	discØ 276	Diesel	FWD	1956	143	194	09.12-10.15	■	
ASTRA J 06.12-							Saloon (Compact car-C Segment)		
1.4 Turbo (69) (A 14 NEL)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1364	88	120	06.12-10.15	■	
1.4 Turbo (69) (B 14 NEL)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1364	88	120	06.12-10.15	■	
1.4 Turbo (69) (A 14 NET)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1364	103	140	06.12-06.18	■	
1.4 Turbo (69) (B 14 NET)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1364	103	140	06.12-06.18	■	
1.4 (A 14 XEL)	discØ 276, POC J67	Gasolina	FWD	1398	64	87	01.14-10.15	■	
1.4 (69) (A 14 XER)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1398	74	101	06.12-10.15	■	
1.4 (69) (B 14 XER)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1398	74	101	06.12-10.15	■	
1.6 (69) (A 16 XER)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1598	85	116	06.12-06.18	■	
1.6 (69) (B 16 XER)	Rim 15, discØ 276, POC J67	Gasolina	FWD	1598	85	116	06.12-06.18	■	
1.6 SIDI (69) (A 16 XHT)	Rim 15, discØ 276	Gasolina	FWD	1598	125	170	06.12-10.15	■	
1.6 Turbo (69) (A 16 LET)	Rim 15, discØ 276	Gasolina	FWD	1598	132	180	06.12-10.13	■	
1.4 Turbo LPG (69) (A 14 NET)	POC J67, discØ 276	Gasol./Gas (LPG)	FWD	1364	103	140	07.14-06.18	■	
1.3 CDTI (69) (A 13 DTE)	Rim 15, discØ 276, POC J67	Diesel	FWD	1248	70	95	06.12-10.15	■	
1.6 CDTi (69) (B 16 DTL)	Rim 15, discØ 276	Diesel	FWD	1598	81	110	04.14-06.18	■	
1.6 CDTi (69) (B 16 DTH)	Rim 15, discØ 276	Diesel	FWD	1598	100	136	01.14-06.18	■	
1.7 CDTi	discØ 276	Diesel	FWD	1686	74	101	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTC)	Rim 15, discØ 276	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTE)	Rim 15, discØ 276	Diesel	FWD	1686	81	110	06.12-10.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.7 CDTI (69) (A 17 DTJ)	Rim 15, discØ 276	Diesel	FWD	1686	81	110	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTF)	Rim 15, discØ 276	Diesel	FWD	1686	96	131	06.12-10.15	■	
1.7 CDTI (69) (A 17 DTS)	Rim 15, discØ 276	Diesel	FWD	1686	96	131	06.12-10.15	■	
ASTRA J GTC 10.11-							Hatchback (Compact car-C Segment)		
1.4 (08) (A 14 NEL)	POC J67, discØ 276	Gasolina	FWD	1364	88	120	10.11-04.18	■	
1.4 (08) (B 14 NEL)	POC J67, discØ 276	Gasolina	FWD	1364	88	120	10.11-04.18	■	
1.4 Turbo (08) (A 14 NET)	POC J67, discØ 276	Gasolina	FWD	1364	103	140	10.11-04.18	■	
1.4 Turbo (08) (B 14 NET)	POC J67, discØ 276	Gasolina	FWD	1364	103	140	10.11-04.18	■	
1.4 (08) (A 14 XER)	POC J67, discØ 276	Gasolina	FWD	1398	74	101	10.11-11.13	■	
1.6 SIDI (08) (A 16 XHT)	discØ 276	Gasolina	FWD	1598	125	170	12.12-04.18	■	
1.6 SIDI (08) (B 16 SHL)	discØ 276	Gasolina	FWD	1598	125	170	12.12-04.18	■	
1.6 Turbo (08) (A 16 LET)	discØ 276	Gasolina	FWD	1598	132	180	10.11-06.13	■	
1.6 SIDI (08) (A 16 SHT)	discØ 276	Gasolina	FWD	1598	147	200	07.13-04.18	■	
1.6 SIDI (08) (B 16 SHT)	discØ 276	Gasolina	FWD	1598	147	200	07.13-04.18	■	
1.8 (08) (A 18 XER)	discØ 276	Gasolina	FWD	1796	103	140	10.11-10.13	■	
2.0 OPC Turbo (08) (A 20 NFT)		Gasolina	FWD	1998	206	280	04.12-04.18	■	
2.0 OPC Turbo (08) (B 20 NFT)		Gasolina	FWD	1998	206	280	04.12-04.18	■	
1.6 CDTI (08) (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	07.14-04.18	■	
1.6 CDTI (08) (B 16 DTH)	discØ 276	Diesel	FWD	1598	100	136	07.14-04.18	■	
1.7 CDTI (08) (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	03.12-10.13	■	
1.7 CDTI (08) (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	03.12-10.13	■	
1.7 CDTI (08) (A 17 DTJ)	discØ 276	Diesel	FWD	1686	81	110	03.12-10.13	■	
1.7 CDTI (08) (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	03.12-06.14	■	
1.7 CDTI (08) (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	03.12-06.14	■	
2.0 CDTI (08) (A 20 DTH)	discØ 276	Diesel	FWD	1956	96	131	01.12-10.15	■	
2.0 CDTI (08) (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	01.12-06.15	■	
2.0 BiTurbo CDTI (08) (A 20 DTR)	discØ 276	Diesel	FWD	1956	143	194	10.13-06.15	■	
ASTRA J Sports Tourer (P10) 10.10-							Estate (Compact car-C Segment)		
1.4 Turbo (35) (A 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	10.10-10.15	■	
1.4 Turbo (35) (B 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	10.10-10.15	■	
1.4 Turbo (35) (A 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	10.10-10.15	■	
1.4 Turbo (35) (B 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	10.10-10.15	■	
1.4 (35) (A 14 XEL)	POC J67, discØ 276	Gasolina	FWD	1398	64	87	10.10-10.15	■	
1.4 (35) (A 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.4 (35) (B 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.6 (35) (A 16 XER)	discØ 276, POC J67	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 (35) (B 16 XER)	discØ 276, POC J67	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 SIDI (35) (A 16 XHT)	discØ 276	Gasolina	FWD	1598	125	170	12.12-10.15	■	
1.6 SIDI (35) (B 16 SHL)	discØ 276	Gasolina	FWD	1598	125	170	12.12-10.15	■	
1.6 Turbo (35) (A 16 LET)	discØ 276	Gasolina	FWD	1598	132	180	10.10-10.15	■	
1.4 LPG (35) (A 14 NET)	POC J67, discØ 276	Gasol./G as (LPG)	FWD	1364	103	140	12.11-10.15	■	
1.3 CDTI (35) (A 13 DTE)	discØ 276, POC J67	Diesel	FWD	1248	70	95	10.10-10.14	■	
1.6 CDTi (35) (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	02.14-10.15	■	
1.6 CDTi (35) (B 16 DTH)	discØ 276	Diesel	FWD	1598	100	136	11.13-10.15	■	
1.7 CDTI (35) (A 17 DTL)	Syst. J67, discØ 276	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTN)	Syst. J67, discØ 276	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTJ)	discØ 276	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTR)	discØ 276	Diesel	FWD	1686	92	125	10.10-10.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1.7 CDTI (35) (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	10.10-10.15	■	
1.7 CDTI (35) (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	10.10-10.15	■	
2.0 CDTI (35)	discØ 276	Diesel	FWD	1956	96	131	01.14-10.15	■	
2.0 CDTI (35) (A 20 DTH)	discØ 276	Diesel	FWD	1956	118	160	10.10-10.15	■	
2.0 CDTI (35) (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	08.11-10.15	■	
2.0 Biturbo CDTI (35) (A 20 DTR)	discØ 276	Diesel	FWD	1956	143	194	09.12-10.15	■	
VAUXHALL									
ASTRA Mk VI (J) (P10) 10.10-						Estate (Compact car-C Segment)			
1.4 Turbo (A 14 NET)	POC J67, discØ 276	Gasolina	FWD	1364	103	140	10.10-10.15	■	
1.4 (A 14 XEL)	discØ 276, POC J67	Gasolina	FWD	1398	64	87	10.10-10.15	■	
1.4 (A 14 XER)	POC J67, discØ 276	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.4 (B 14 XER)	POC J67, discØ 276	Gasolina	FWD	1398	74	101	10.10-10.15	■	
1.6 (A 16 XER)	POC J67, discØ 276	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 (B 16 XER)	POC J67, discØ 276	Gasolina	FWD	1598	85	116	10.10-10.15	■	
1.6 Turbo (A 16 LET)	discØ 276	Gasolina	FWD	1598	132	180	10.10-10.15	■	
1.3 CDTi (A 13 DTE)	POC J67, discØ 276	Diesel	FWD	1248	70	95	10.10-10.15	■	
1.6 CDTi (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	01.14-10.15	■	
1.6 CDTi (B 16 DTH)	discØ 276	Diesel	FWD	1598	100	136	01.14-10.15	■	
1.7 CDTi		Diesel	RWD	1686	74	101	10.10-	■	
1.7 CDTi (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTi (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTi (A 17 DTJ)	discØ 276	Diesel	FWD	1686	81	110	10.10-10.15	■	
1.7 CDTi (A 17 DTR)	discØ 276	Diesel	FWD	1686	92	125	10.10-10.15	■	
1.7 CDTi (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	06.11-10.15	■	
1.7 CDTi (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	06.11-10.15	■	
2.0 CDTi (A 20 DTH)	discØ 276	Diesel	FWD	1956	118	160	10.10-06.11	■	
2.0 CDTi (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	08.11-10.15	■	
2.0 BiTurbo CDTi (A 20 DTR)	discØ 276	Diesel	FWD	1956	143	194	12.12-10.15	■	
ASTRA Mk VI (J) (P10) 12.09-						Hatchback (Compact car-C Segment)			
1.4 Turbo (A 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	08.10-10.15	■	
1.4 Turbo (A 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 Turbo (B 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 Turbo (D 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	12.09-10.15	■	
1.4 (A 14 XEL)	discØ 276, POC J67	Gasolina	FWD	1398	64	87	12.09-10.15	■	
1.4 (A 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	100	12.09-10.15	■	
1.4 (B 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	100	12.09-10.15	■	
1.6 (A 16 XER)	discØ 276, POC J67	Gasolina	FWD	1598	85	115	12.09-10.15	■	
1.6 (B 16 XER)	discØ 276, POC J67	Gasolina	FWD	1598	85	115	12.09-10.15	■	
1.6 Turbo (A 16 LET)	discØ 276	Gasolina	FWD	1598	132	180	12.09-10.15	■	
1.3 CDTi (A 13 DTE)	discØ 276, POC J67	Diesel	FWD	1248	70	95	12.09-10.15	■	
1.6 CDTi (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	11.13-10.15	■	
1.6 CDTi (B 16 DTH)	discØ 276	Diesel	FWD	1598	100	136	11.13-10.15	■	
1.7 CDTi		Diesel	RWD	1686	74	101	12.09-	■	
1.7 CDTi (A 17 DTL)	discØ 276	Diesel	FWD	1686	74	101	10.10-10.15	■	
1.7 CDTi (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	12.09-10.15	■	
1.7 CDTi (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	12.09-10.15	■	
1.7 CDTi (A 17 DTJ)	discØ 276	Diesel	FWD	1686	81	110	12.09-10.15	■	
1.7 CDTi (A 17 DTR)	discØ 276	Diesel	FWD	1686	92	125	12.09-10.15	■	
1.7 CDTi (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	06.11-10.15	■	
1.7 CDTi (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	06.11-10.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTi (A 20 DTH)	discØ 276	Diesel	FWD	1956	118	160	12.09-06.11	■
2.0 CDTi (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	08.11-10.15	■
2.0 BiTurbo CDTi (A 20 DTR)	discØ 276	Diesel	FWD	1956	143	194	12.12-10.15	■
ASTRA Mk VI (J) (P10) 06.12-				Saloon (Compact car-C Segment)				
1.4 Turbo (A 14 NET)	Rim 16, discØ 276, POC J67	Gasolina	FWD	1364	103	140	06.12-10.15	■
1.4 (A 14 XER)	Rim 16, discØ 276, POC J67	Gasolina	FWD	1398	74	101	06.12-10.15	■
1.6 (A 16 XER)	Rim 16, discØ 276, POC J67	Gasolina	FWD	1598	85	116	06.12-10.15	■
1.6 SIDI	Rim 16, discØ 276	Gasolina	FWD	1598	125	170	12.12-	■
1.6 Turbo (A 16 LET)	Rim 16, discØ 276	Gasolina	FWD	1598	132	180	06.12-10.15	■
1.3 CDTi (A 13 DTE)	Rim 16, discØ 276, POC J67	Diesel	FWD	1248	70	95	06.12-10.15	■
1.7 CDTi (A 17 DTC)	Rim 16, discØ 276	Diesel	FWD	1686	81	110	06.12-10.15	■
1.7 CDTi (A 17 DTE)	Rim 16, discØ 276	Diesel	FWD	1686	81	110	06.12-10.15	■
1.7 CDTi (A 17 DTJ)	Rim 16, discØ 276	Diesel	FWD	1686	81	110	06.12-10.15	■
1.7 CDTi (A 17 DTF)	Rim 16, discØ 276	Diesel	FWD	1686	96	131	06.12-10.15	■
1.7 CDTi (A 17 DTS)	Rim 16, discØ 276	Diesel	FWD	1686	96	131	06.12-10.15	■
2.0 BiTurbo CDTi	Rim 16, discØ 276	Diesel	FWD	1956	143	194	12.12-	■
ASTRA Mk VI (J) GTC (P10) 10.11-				Hatchback (Compact car-C Segment)				
1.4 (A 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	10.11-10.18	■
1.4 (B 14 NEL)	discØ 276, POC J67	Gasolina	FWD	1364	88	120	10.11-10.18	■
1.4 (A 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	10.11-04.18	■
1.4 (B 14 NET)	discØ 276, POC J67	Gasolina	FWD	1364	103	140	10.11-04.18	■
1.4 (A 14 XER)	discØ 276, POC J67	Gasolina	FWD	1398	74	101	10.11-10.18	■
1.6 (A 16 LET)	discØ 276	Gasolina	FWD	1598	132	180	10.11-10.18	■
1.6 SIDI (A 16 SHT)	discØ 276	Gasolina	FWD	1598	147	200	09.13-10.18	■
1.6 SIDI (B 16 SHT)	discØ 276	Gasolina	FWD	1598	147	200	09.13-10.18	■
2.0 VXR (A 20 NFT)	discØ 276	Gasolina	FWD	1998	206	280	04.12-10.18	■
2.0 VXR (B 20 NFT)	discØ 276	Gasolina	FWD	1998	206	280	04.12-10.18	■
1.6 CDTi (B 16 DTL)	discØ 276	Diesel	FWD	1598	81	110	07.14-10.18	■
1.6 CDTi (B 16 DTH)	discØ 276	Diesel	FWD	1598	100	136	07.14-10.18	■
1.7 CDTi (A 17 DTC)	discØ 276	Diesel	FWD	1686	81	110	10.11-10.18	■
1.7 CDTi (A 17 DTE)	discØ 276	Diesel	FWD	1686	81	110	10.11-10.18	■
1.7 CDTi (A 17 DTJ)	discØ 276	Diesel	FWD	1686	81	110	10.11-10.18	■
1.7 CDTi (A 17 DTF)	discØ 276	Diesel	FWD	1686	96	131	10.11-10.18	■
1.7 CDTi (A 17 DTS)	discØ 276	Diesel	FWD	1686	96	131	10.11-10.18	■
2.0 CDTi (A 20 DTH)	discØ 276	Diesel	FWD	1956	121	165	10.11-10.18	■
2.0 BiTurbo CDTi (A 20 DTR)	discØ 276	Diesel	FWD	1956	143	194	12.12-10.18	■