

LISTA DE APLICACIONES - BUYERS GUIDE

181961



Qty: 300

Weight: 2.800

O.E.M.	MAKE
34 11 2 449 268	BMW
34 11 6 775 318	BMW
34 11 6 775 322	BMW
34 11 6 793 021	BMW
34 11 6 851 269	BMW



181961

E 9 90R-01111/2870



Ate - Teves

192x79.4x20.2
192.9x79.4x20.2

WVA	FMSI
25045	D1409-8518
25046	
MAKE	
ALPINA	
BMW	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

ALPINA

B7 IV (F01, F02) 03.09-01.16							Saloon (Luxury car-F Segment)		
BITURBO (N63 B44 A)		Gasolina	RWD	4395	373	507	03.09-06.12	■	

BMW

5 Serie VI (F10) 01.09-10.16							Saloon (Executive car-E Segment)			
550i		Gasolina	FWD				09.12-	■		
550i		Gasolina	FWD				03.10-12.12	■		
550i		Gasolina	FWD		298	405	09.12-	■		
528i (N20 B20 A)	high-speed brake	Gasolina	RWD	1997	180	245	09.11-10.16	■		
528 i xDrive (N20 B20 A)		Gasolina	4WD	1997	180	245	09.11-10.16	■		
535i (N55 B30 A)		Gasolina	RWD	2979	225	306	01.10-10.16	■		
535 i xDrive (N55 B30 A)		Gasolina	4WD	2979	225	306	03.11-10.16	■		
535i (N55 B30 A)		Gasolina	RWD	2979	240	326	07.13-10.16	■		
535 i xDrive (N55 B30 A)		Gasolina	4WD	2979	240	326	07.13-10.16	■		
528i (N53 B30 A)	high-speed brake	Gasolina	RWD	2996	190	258	03.10-08.11	■		
530i (N52 B30 A)		Gasolina	RWD	2996	190	258	03.10-06.13	■		
530i (N52 B30 AF)		Gasolina	RWD	2996	190	258	03.10-06.13	■		
530i (N52 B30 BF)		Gasolina	RWD	2996	190	258	03.10-06.13	■		
530i (N53 B30 A)	high-speed brake	Gasolina	RWD	2996	200	272	05.11-06.13	■		
3.0 535i		Gasolina	FWD	2996	225	306	03.10-	■		
550i (N63 B44 A)		Gasolina	RWD	4395	300	408	03.10-12.13	■		
550 i xDrive (N63 B44 A)		Gasolina	4WD	4395	300	408	08.10-06.13	■		
550i (N63 B44 B)	not sports package	Gasolina	RWD	4395	330	449	07.13-10.16	■		
550 i xDrive (N63 B44 B)	not sports package	Gasolina	4WD	4395	330	449	07.13-10.16	■		

LISTA DE APLICACIONES - BUYERS GUIDE

ActiveHybrid (N55 B30 A)		Gasol./el éc.	RWD	2979	225	306	12.11-10.16	■
ActiveHybrid (N55 B30 A)		Gasol./el éc.	RWD	2979	250	340	12.11-10.16	■
520 d (B47 D20 A)		Diesel	RWD	1995	120	163	06.10-10.16	■
520 d (N47 D20 C)		Diesel	RWD	1995	120	163	06.10-10.16	■
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	120	163	07.13-10.16	■
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	07.14-10.16	■
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	07.14-10.16	■
520 d (B47 D20 A)		Diesel	RWD	1995	151	205	07.14-10.16	■
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	151	205	07.14-10.16	■
520 d (B47 D20 A)		Diesel	RWD	1995	155	211	10.13-10.16	■
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	155	211	10.13-10.16	■
525 d (N47 D20 D)		Diesel	RWD	1995	155	211	09.11-10.16	■
525 d xDrive (N47 D20 D)		Diesel	4WD	1995	155	211	09.11-10.16	■
525 d (N47 D20 D)	high-speed brake	Diesel	RWD	1995	160	218	09.11-10.16	■
525 d xDrive (N47 D20 D)		Diesel	4WD	1995	160	218	09.11-10.16	■
525 d (N57 D30 A)	high-speed brake	Diesel	RWD	2993	150	204	03.10-08.11	■
530 d (N57 D30 A)	high-speed brake	Diesel	RWD	2993	180	245	01.10-08.11	■
530 d (N57 D30 A)	high-speed brake	Diesel	RWD	2993	190	258	09.11-10.16	■
530 d xDrive (N57 D30 A)		Diesel	4WD	2993	190	258	03.11-10.16	■
530 d (N57 D30 A)		Diesel	RWD	2993	210	286	09.10-10.16	■
530 d xDrive (N57 D30 A)		Diesel	4WD	2993	210	286	03.11-10.16	■
535 d (N57 D30 B)		Diesel	RWD	2993	220	299	09.10-08.11	■
535 d (N57 D30 B)		Diesel	RWD	2993	230	313	09.11-10.16	■
535 d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	09.11-10.16	■
M 550 d xDrive (N57 D30 C)		Diesel	4WD	2993	280	381	03.12-10.16	■
5 Serie VI GRAN TURISMO (F07) 01.09-						Hatchback (Grand Tourer-S Segment)		
528i (N20 B20 A)		Gasolina	RWD	1997	180	245	07.13-02.17	■
535i (N55 B30 A)	-02/11	Gasolina	RWD	2979	225	306	01.09-02.17	■
535 i xDrive (N55 B30 A)	-02/11	Gasolina	4WD	2979	225	306	09.10-02.17	■
550i	USA	Gasolina	RWD	4395	298	405	10.09-06.12	■
550i	USA	Gasolina	FWD	4395	298	405	09.10-	■
550i (N63 B44 A)	01/10-	Gasolina	RWD	4395	300	408	08.09-06.12	■
550 i xDrive (N63 B44 A)	USA	Gasolina	4WD	4395	300	408	06.10-06.12	■
550i (N63 B44 A)	USA	Gasolina	RWD	4395	330	449	07.12-02.17	■
550i (N63 B44 B)	USA	Gasolina	RWD	4395	330	449	07.12-02.17	■
550 i xDrive (N63 B44 B)	USA	Gasolina	4WD	4395	330	449	07.12-02.17	■
520 d (N47 D20 C)		Diesel	RWD	1995	100	136	07.13-02.17	■
520 d (N47 D20 C)		Diesel	RWD	1995	120	163	07.12-06.13	■
520 d (N47 D20 C)		Diesel	RWD	1995	135	184	04.11-02.17	■
530 d (N57 D30 A)	-02/11	Diesel	RWD	2993	155	211	09.10-02.17	■
530 d (N57 D30 A)	-03/11	Diesel	RWD	2993	180	245	08.09-06.12	■
530 d xDrive (N57 D30 A)	-02/11	Diesel	4WD	2993	180	245	06.10-06.12	■
530 d (N57 D30 A)		Diesel	RWD	2993	190	258	07.12-02.17	■
530 d xDrive (N57 D30 A)		Diesel	4WD	2993	190	258	07.12-02.17	■
535 d (N57 D30 B)	-02/11	Diesel	RWD	2993	220	299	03.10-06.12	■
535 d xDrive (N57 D30 B)	-02/11	Diesel	4WD	2993	220	299	03.10-06.12	■
535 d (N57 D30 B)		Diesel	RWD	2993	230	313	07.12-02.17	■
535 d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	07.12-02.17	■
5 Serie VI Touring (F11) 11.09-						Estate (Executive car-E Segment)		
528i (N20 B20 A)		Gasolina	RWD	1997	180	245	09.11-02.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

528 i xDrive (N20 B20 A)		Gasolina	4WD	1997	180	245	09.11-02.17	■	
535i (N55 B30 A)	Type No EE.UU	Gasolina	RWD	2979	225	306	06.10-02.17	■	
535 i xDrive (N55 B30 A)		Gasolina	4WD	2979	225	306	09.11-02.17	■	
535i (N55 B30 A)		Gasolina	RWD	2979	240	326	07.13-02.17	■	
535 i xDrive (N55 B30 A)		Gasolina	4WD	2979	240	326	07.13-02.17	■	
528i (N53 B30 A)		Gasolina	RWD	2996	190	258	11.09-08.11	■	
530i (N52 B30 A)		Gasolina	RWD	2996	190	258	03.10-05.13	■	
530i (N52 B30 AF)		Gasolina	RWD	2996	190	258	03.10-05.13	■	
530i (N53 B30 A)		Gasolina	RWD	2996	200	272	07.11-06.13	■	
550i (N63 B44 A)	-09/11	Gasolina	RWD	4395	300	408	09.10-06.13	■	
550i (N63 B44 B)	not M technique	Gasolina	RWD	4395	330	449	07.13-02.17	■	
518 d (B47 D20 A)		Diesel	RWD	1995	110	150	07.14-02.17	■	
518 d (B47 D20 A)		Diesel	RWD	1995	120	163	07.14-02.17	■	
520 d (B47 D20 A)		Diesel	RWD	1995	120	163	06.10-02.17	■	
520 d (N47 D20 C)		Diesel	RWD	1995	120	163	06.10-02.17	■	
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	120	163	07.13-02.17	■	
520 d (B47 D20 A)		Diesel	RWD	1995	140	190	07.14-02.17	■	
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	140	190	07.14-02.17	■	
520 d (B47 D20 A)		Diesel	RWD	1995	151	205	07.14-02.17	■	
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	151	205	07.14-02.17	■	
520 d (B47 D20 A)		Diesel	RWD	1995	155	211	07.14-02.17	■	
520 d xDrive (B47 D20 A)		Diesel	4WD	1995	155	211	07.14-02.17	■	
525 d (N47 D20 D)		Diesel	RWD	1995	155	211	09.11-02.17	■	
525 d xDrive (N47 D20 D)		Diesel	4WD	1995	155	211	07.13-02.17	■	
525 d (N47 D20 D)	reinforced brakes	Diesel	RWD	1995	160	218	09.11-02.17	■	
525 d xDrive (N47 D20 D)	reinforced brakes	Diesel	4WD	1995	160	218	09.11-02.17	■	
525 d (N57 D30 A)		Diesel	RWD	2993	150	204	09.10-08.11	■	
530 d (N57 D30 A)		Diesel	RWD	2993	180	245	06.10-08.11	■	
530 d (N57 D30 A)	reinforced brakes	Diesel	RWD	2993	190	258	09.11-02.17	■	
530 d xDrive (N57 D30 A)	reinforced brakes	Diesel	4WD	2993	190	258	03.11-02.17	■	
530 d (N57 D30 A)		Diesel	RWD	2993	210	286	09.11-02.17	■	
530 d xDrive (N57 D30 A)		Diesel	4WD	2993	210	286	03.11-02.17	■	
535 d (N57 D30 B)		Diesel	RWD	2993	220	299	09.10-08.11	■	
535 d (N57 D30 B)		Diesel	RWD	2993	230	313	09.11-02.17	■	
535 d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	09.11-02.17	■	
M 550 d xDrive (N57 D30 C)		Diesel	4WD	2993	280	381	03.12-02.17	■	
6 Serie III (F12) 12.10-06.18					Convertible (Grand Tourer-S Segment)				
640 i (N55 B30 A)	Type No EE.UU	Gasolina	RWD	2979	235	320	09.11-06.18	■	
640 i xDrive (N55 B30 A)	M technique	Gasolina	4WD	2979	235	320	03.13-06.18	■	
650 i (N63 B44 A)	discØ 348, discØ 374	Gasolina	RWD	4395	298	405	09.11-12.12	■	
650 i (N63 B44 A)		Gasolina	RWD	4395	300	408	12.10-06.12	■	
650 i xDrive (N63 B44 A)		Gasolina	4WD	4395	300	407	09.11-06.12	■	
650 i (N63 B44 A)		Gasolina	RWD	4395	330	449	07.12-06.18	■	
650 i (N63 B44 B)		Gasolina	RWD	4395	330	449	07.12-06.18	■	
650 i xDrive (N63 B44 A)		Gasolina	4WD	4395	330	449	07.12-06.18	■	
650 i xDrive (N63 B44 B)		Gasolina	4WD	4395	330	449	07.12-06.18	■	
640 d (N57 D30 B)		Diesel	RWD	2993	230	313	09.11-06.18	■	
640 d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	03.12-06.18	■	
6 Serie III (F13) 07.11-10.17					Coupe (Grand Tourer-S Segment)				
640 i (N55 B30 A)	Type No EE.UU	Gasolina	RWD	2979	235	320	07.11-10.17	■	

LISTA DE APLICACIONES - BUYERS GUIDE

640 i (N55 B30 A)		Gasolina	RWD	2979	235	320	03.12-10.18	■	
640 i xDrive (N55 B30 A)	M technique	Gasolina	4WD	2979	235	320	03.13-10.17	■	
640 i xDrive (N55 B30 A)		Gasolina	4WD	2979	235	320	03.13-10.18	■	
650 i (N63 B44 A)	discØ 348, discØ 374	Gasolina	RWD	4395	298	405	09.11-12.12	■	
650 i (N63 B44 A)		Gasolina	RWD	4395	300	408	07.11-06.12	■	
650 i xDrive (N63 B44 A)		Gasolina	4WD	4395	300	408	09.11-02.15	■	
650 i (N63 B44 B)		Gasolina	RWD	4395	330	449	07.12-10.17	■	
650 i (N63 B44 B)		Gasolina	RWD	4395	330	449	07.12-10.18	■	
650 i xDrive (N63 B44 B)		Gasolina	4WD	4395	330	449	07.12-10.17	■	
650 i xDrive (N63 B44 B)		Gasolina	4WD	4395	330	449	07.12-10.18	■	
640 d (N57 D30 B)		Diesel	RWD	2993	230	313	09.11-10.17	■	
640 d (N57 D30 B)		Diesel	RWD	2993	230	313	03.12-10.18	■	
640 d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	03.12-10.17	■	
640 d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	03.13-10.18	■	
7 Serie V (F01, F02, F03, F04) 02.08-12.15							Saloon (Luxury car-F Segment)		
740 i, Li (N55 B30 A)		Gasolina	RWD	2979	235	320	07.12-12.15	■	
740 i, Li xDrive (N55 B30 A)		Gasolina	4WD	2979	235	320	07.12-12.15	■	
740 i, Li (N54 B30 A)	-02/10	Gasolina	RWD	2979	240	326	09.08-06.12	■	
730 i, Li (N52 B30 A)	-03/11	Gasolina	RWD	2996	190	258	09.09-06.15	■	
730 i, Li (N52 B30 AF)	-03/11	Gasolina	RWD	2996	190	258	09.09-06.15	■	
730 i, Li (N52 B30 BF)	-03/11	Gasolina	RWD	2996	190	258	09.09-06.15	■	
750 Li	Eq.V_ S5AEA, high-speed brake	Gasolina	FWD	3982	300	408	07.13-03.15	■	
750 i, Li (N63 B44 A)	-02/10, high-speed brake	Gasolina	RWD	4395	300	408	09.08-06.12	■	
750 i, Li xDrive (N63 B44 A)	-03/10, high-speed brake	Gasolina	4WD	4395	300	408	09.09-06.12	■	
750 i, Li (N63 B44 B)	high-speed brake	Gasolina	RWD	4395	330	449	07.12-06.15	■	
750 i, Li xDrive (N63 B44 B)	high-speed brake	Gasolina	4WD	4395	330	449	07.12-06.15	■	
ActiveHybrid 7 (N55 B30 A)		Gasol./el éc.	RWD	2979	235	320	08.12-06.15	■	
ActiveHybrid 7 (N55 B30 A)		Gasol./el éc.	RWD	2979	260	354	08.12-06.15	■	
ActiveHybrid 7 (N63 B44 A)	not reinforced brak., not high-speed brake	Gasol./el éc.	RWD	4395	330	449	04.10-06.12	■	
ActiveHybrid 7 (N63 B44 A)	not reinforced brak., high-speed brake	Gasol./el éc.	RWD	4395	342	465	04.10-06.12	■	
730 d (N57 D30 A)		Diesel	RWD	2993	155	211	02.08-05.15	■	
730 d xDrive (N57 D30 A)		Diesel	4WD	2993	155	211	11.11-05.15	■	
730 d (N57 D30 A)	-02/10	Diesel	RWD	2993	180	245	09.08-06.12	■	
730 d (N57 D30 A)		Diesel	RWD	2993	190	258	07.12-05.15	■	
730 d xDrive (N57 D30 A)		Diesel	4WD	2993	190	258	11.11-05.15	■	
740 d (N57 D30 B)	-02/10	Diesel	RWD	2993	225	306	09.09-06.12	■	
740d xDrive (N57 D30 B)		Diesel	4WD	2993	225	306	09.10-12.12	■	
740 d (N57 D30 B)		Diesel	RWD	2993	230	313	07.12-06.15	■	
740d xDrive (N57 D30 B)		Diesel	4WD	2993	230	313	07.12-06.15	■	
750 d xDrive (N57 D30 C)		Diesel	4WD	2993	280	381	07.12-12.15	■	