

LISTA DE APLICACIONES - BUYERS GUIDE

182002




8 424073 102874

Qty: 300

Weight: 1.860

O.E.M.	MAKE
34 11 2 449 269	BMW
34 11 6 775 310	BMW
34 11 6 796 844	BMW
34 11 6 856 591	BMW
34 11 6 858 047	BMW
34 11 6 860 242	BMW
34 11 6 872 632	BMW
34 11 8 847 064	BMW



182002



90R-02A0111/2753



Ate - Teves

154.5x63.4x20.3

155.1x63.6x20.3

WVA	FMSI
23794	D1504-8705
24697	
MAKE	
BMW	
BMW (BRILLIANCE)	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BMW

5 Serie VI (F10) 01.09-10.16

Saloon (Executive car-E Segment)

Model	Disc	Engine	Trac.	CC	Kw	CV	Period	Front	Rear
520 i (N20 B16 A)	discØ 330	Gasolina	RWD	1592	125	170	07.13-10.16	■	■
520 i (N20 B20 A)	discØ 330	Gasolina	RWD	1997	120	163	09.11-10.16	■	■
520 i (N20 B20 B)	discØ 330	Gasolina	RWD	1997	120	163	09.11-10.16	■	■
520 i (N20 B20 A)	discØ 330	Gasolina	RWD	1997	135	184	09.11-10.16	■	■
520 i (N20 B20 B)	discØ 330	Gasolina	RWD	1997	135	184	09.11-10.16	■	■
528i (N20 B20 A)	discØ 330, SA S212A	Gasolina	RWD	1997	180	245	09.11-10.16	■	■
528 i xDrive (N20 B20 A)	discØ 330, SA S212A	Gasolina	4WD	1997	180	245	09.11-10.16	■	■
523 i (N52 B25 A)		Gasolina	RWD	2497	150	204	01.10-08.11	■	■
523 i (N52 B25 AF)		Gasolina	RWD	2497	150	204	01.10-08.11	■	■
523 i (N52 B25 B)		Gasolina	RWD	2497	150	204	01.10-08.11	■	■
523 i (N52 B25 BF)		Gasolina	RWD	2497	150	204	01.10-08.11	■	■
523 i (N53 B30 A)		Gasolina	RWD	2996	150	204	06.09-08.11	■	■
523 i (N53 B30 A)		Gasolina	RWD	2996	155	211	01.10-08.11	■	■
528i (N52 B30 A)	not high-speed brake	Gasolina	RWD	2996	179	243	10.09-08.11	■	■
528i (N53 B30 A)	discØ 330	Gasolina	RWD	2996	190	258	03.10-08.11	■	■
530i (N52 B30 A)	discØ 330, SA S212A	Gasolina	RWD	2996	190	258	03.10-06.13	■	■
530i (N52 B30 AF)	discØ 330, SA S212A	Gasolina	RWD	2996	190	258	03.10-06.13	■	■
530i (N52 B30 BF)	discØ 330, SA S212A	Gasolina	RWD	2996	190	258	03.10-06.13	■	■
530i (N53 B30 A)	discØ 330	Gasolina	RWD	2996	200	272	05.11-06.13	■	■
550 i xDrive (N63 B44 A)		Gasolina	4WD	4395	300	408	08.10-06.13	■	■
518 d (N47 D20 C)		Diesel	RWD	1995	100	136	07.13-10.16	■	■
520 d (N47 D20 C)		Diesel	RWD	1995	100	136	01.13-06.14	■	■
520 d xDrive (N47 D20 C)		Diesel	4WD	1995	100	136	01.13-06.14	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

518 d (N47 D20 C)	not high-speed brake	Diesel	RWD	1995	105	143	07.13-06.14	■
518 d (B47 D20 A)		Diesel	RWD	1995	110	150	07.14-10.16	■
518 d (B47 D20 A)		Diesel	RWD	1995	120	163	10.13-10.16	■
520 d (B47 D20 A)	discØ 330	Diesel	RWD	1995	120	163	06.10-10.16	■
520 d (N47 D20 C)	discØ 330	Diesel	RWD	1995	120	163	06.10-10.16	■
520 d xDrive (B47 D20 A)	discØ 330	Diesel	4WD	1995	120	163	07.13-10.16	■
520 d (N47 D20 C)		Diesel	RWD	1995	135	184	06.10-06.14	■
520 d xDrive (N47 D20 C)	not high-speed brake	Diesel	4WD	1995	135	184	07.13-06.14	■
520 d (B47 D20 A)	discØ 330	Diesel	RWD	1995	140	190	07.14-10.16	■
520 d xDrive (B47 D20 A)	discØ 330	Diesel	4WD	1995	140	190	07.14-10.16	■
520 d (N47 D20 C)		Diesel	RWD	1995	147	200	06.10-06.14	■
520 d xDrive (N47 D20 C)		Diesel	4WD	1995	147	200	01.13-06.14	■
520 d (B47 D20 A)	discØ 330	Diesel	RWD	1995	151	205	07.14-10.16	■
520 d xDrive (B47 D20 A)	discØ 330, not M technique	Diesel	4WD	1995	151	205	07.14-10.16	■
520 d (B47 D20 A)	discØ 330	Diesel	RWD	1995	155	211	10.13-10.16	■
520 d xDrive (B47 D20 A)	discØ 330	Diesel	4WD	1995	155	211	10.13-10.16	■
525 d (N47 D20 D)	discØ 330	Diesel	RWD	1995	155	211	09.11-10.16	■
525 d xDrive (N47 D20 D)	discØ 330, Russia	Diesel	4WD	1995	155	211	09.11-10.16	■
525 d (N47 D20 D)	discØ 330	Diesel	RWD	1995	160	218	09.11-10.16	■
525 d xDrive (N47 D20 D)	discØ 330, Russia	Diesel	4WD	1995	160	218	09.11-10.16	■
525 d (N57 D30 A)	discØ 330	Diesel	RWD	2993	150	204	03.10-08.11	■
530 d (N57 D30 A)		Diesel	RWD	2993	180	245	01.10-08.11	■
530 d (N57 D30 A)		Diesel	RWD	2993	190	258	09.11-10.16	■
530 d xDrive (N57 D30 A)		Diesel	4WD	2993	190	258	03.11-10.16	■
5 Serie VI GRAN TURISMO (F07) 01.09-					Hatchback (Grand Tourer-S Segment)			
550i		Gasolina	RWD	4395	298	405	10.09-06.12	■
550i		Gasolina	FWD	4395	298	405	09.10-	■
550 i xDrive (N63 B44 A)		Gasolina	4WD	4395	300	408	06.10-06.12	■
550i (N63 B44 A)		Gasolina	RWD	4395	330	449	07.12-02.17	■
550i (N63 B44 B)		Gasolina	RWD	4395	330	449	07.12-02.17	■
550 i xDrive (N63 B44 B)		Gasolina	4WD	4395	330	449	07.12-02.17	■
5 Serie VI Touring (F11) 11.09-					Estate (Executive car-E Segment)			
520 i (N20 B20 A)		Gasolina	RWD	1997	120	163	09.11-02.17	■
520 i (N20 B20 B)		Gasolina	RWD	1997	120	163	09.11-02.17	■
520 i (N20 B20 A)		Gasolina	RWD	1997	135	184	10.10-02.17	■
520 i (N20 B20 B)		Gasolina	RWD	1997	135	184	10.10-02.17	■
528i (N20 B20 A)	discØ 330, SA S212A	Gasolina	RWD	1997	180	245	09.11-02.17	■
528 i xDrive (N20 B20 A)	discØ 330	Gasolina	4WD	1997	180	245	09.11-02.17	■
523 i (N52 B25 A)		Gasolina	RWD	2497	150	204	11.09-08.11	■
523 i (N52 B25 AF)		Gasolina	RWD	2497	150	204	11.09-08.11	■
523 i (N52 B25 B)		Gasolina	RWD	2497	150	204	11.09-08.11	■
523 i (N53 B30 A)		Gasolina	RWD	2996	150	204	11.09-08.11	■
528i (N53 B30 A)	discØ 330	Gasolina	RWD	2996	190	258	11.09-08.11	■
530i (N52 B30 A)	discØ 330, SA S212A	Gasolina	RWD	2996	190	258	03.10-05.13	■
530i (N52 B30 AF)	discØ 330, SA S212A	Gasolina	RWD	2996	190	258	03.10-05.13	■
530i (N53 B30 A)	discØ 330, SA S212A discØ 348, SA S5AEA	Gasolina	RWD	2996	200	272	07.11-06.13	■
550i (N63 B44 A)	01/11-	Gasolina	RWD	4395	300	408	09.10-06.13	■
518 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	100	136	07.13-02.17	■
518 d (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	RWD	1995	100	136	07.13-02.17	■
520 d (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	RWD	1995	100	136	06.10-06.14	■

LISTA DE APLICACIONES - BUYERS GUIDE

520 d xDrive (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	4WD	1995	100	136	07.13-06.14	■
518 d (N47 D20 C)	not reinforced brak., discØ 330	Diesel	RWD	1995	105	143	07.13-06.14	■
518 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	110	150	07.14-02.17	■
518 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	120	163	07.14-02.17	■
520 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	120	163	06.10-02.17	■
520 d (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	RWD	1995	120	163	06.10-02.17	■
520 d xDrive (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	4WD	1995	120	163	07.13-02.17	■
520 d (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	RWD	1995	135	184	06.10-06.14	■
520 d xDrive (N47 D20 C)	not reinforced brak., discØ 330	Diesel	4WD	1995	135	184	07.13-06.14	■
520 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	140	190	07.14-02.17	■
520 d xDrive (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	4WD	1995	140	190	07.14-02.17	■
520 d (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	RWD	1995	147	200	06.10-06.14	■
520 d xDrive (N47 D20 C)	discØ 330, not reinforced brak.	Diesel	4WD	1995	147	200	07.13-06.14	■
520 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	151	205	07.14-02.17	■
520 d xDrive (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	4WD	1995	151	205	07.14-02.17	■
520 d (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	RWD	1995	155	211	07.14-02.17	■
520 d xDrive (B47 D20 A)	discØ 330, not reinforced brak.	Diesel	4WD	1995	155	211	07.14-02.17	■
525 d (N47 D20 D)	discØ 330	Diesel	RWD	1995	155	211	09.11-02.17	■
525 d xDrive (N47 D20 D)	discØ 330	Diesel	4WD	1995	155	211	07.13-02.17	■
525 d (N47 D20 D)	discØ 330	Diesel	RWD	1995	160	218	09.11-02.17	■
525 d xDrive (N47 D20 D)	discØ 330	Diesel	4WD	1995	160	218	07.13-02.17	■
525 d (N57 D30 A)	discØ 330, not high-speed brake, reinforced brakes	Diesel	RWD	2993	150	204	09.10-08.11	■
530 d (N57 D30 A)		Diesel	RWD	2993	190	258	09.11-02.17	■
530 d xDrive (N57 D30 A)		Diesel	4WD	2993	190	258	03.11-02.17	■

BMW (BRILLIANCE)

5 SERIES VI (F10, F18) 08.10-					Saloon (Executive car-E Segment)			
520 Li (N20 B20 D)	Gasolina	RWD	1997	135	184	09.13-05.17	■	
525 Li (N20 B20 A,N20 B20 C)	Gasolina	RWD	1997	160	218	08.12-05.17		
528 Li	Gasolina	FWD	1997	180	245	05.14-		
528 Li xDrive (N20 B20 C)	Gasolina	4WD	1997	180	245	05.14-05.17		
2.5 520Li	Gasolina	FWD	2497	130	177	12.10-		
2.5 523Li	Gasolina	FWD	2497	150	204	08.10-		
3.0 528Li	Gasolina	FWD	2996	190	258	08.10-		
530 Li	Gasolina	FWD	2996	190	258	11.11-05.14		
530 Le Hybrid (N20 B20 C)	Gasol./el éc.	RWD	1997	160	218	01.15-05.17		