

# LISTA DE APLICACIONES - BUYERS GUIDE

182193




8 424073 109460

Qty: 300

Weight: 890

O.E.M.	MAKE
34 20 1 543 683	MINI
34 20 6 885 547	BMW
34 21 6 859 917	BMW
34 21 6 860 403	MINI



182193



90R-02A0111/3972



Ate - Teves

123.1x46.6x15.7

123.1x47.7x15.7

WVA	FMSI
21361	D1762-8993
25331	D2486-8993
25332	
MAKE	
BMW	
BMW (BRILLIANCE)	
MINI	
ZINORO	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

## BMW

### 1 Serie II (F52) 01.17-

### Saloon (Compact car-C Segment)

118 i (B38 A15 C)	Gasolina	FWD	1499	100	136	01.17-08.19	■
120 i	Gasolina	FWD	1998	141	192	06.18-	■

### 1 Serie III (F40) 07.19-

### Hatchback (Compact car-C Segment)

116 i (B38 A15 A)	M-sport package, discØ 280, Syst. Standard, discØ 300, Sport JWC brakes	Gasolina	FWD	1499	80	109	11.20-	■
118 i (B38 A15 A)	M-sport package, Syst. Standard, discØ 280, Sport JWC brakes	Gasolina	FWD	1499	100	136	11.20-	■
118 i (B38 A15 A)	Syst. Standard, discØ 280, discØ 300, Sport JWC brakes	Gasolina	FWD	1499	103	140	07.19-	■
120 i (B48 A20 A)	discØ 300	Gasolina	FWD	1998	131	178	11.20-	■
120 i (B48 A20 F)	discØ 300	Gasolina	FWD	1998	131	178	11.20-	■
128 ti (B48 A20 B)	discØ 300	Gasolina	FWD	1998	180	245	11.20-	■
128 ti (B48 A20 E)	discØ 300, Syst. Standard	Gasolina	FWD	1998	195	265	11.20-	■
116 d (B37 C15 A)	Syst. Standard, discØ 280, discØ 300, Sport JWC brakes	Diesel	FWD	1496	85	116	07.19-	■
118 d (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, Sport JWC brakes	Diesel	FWD	1995	100	136	07.19-	■
118 d (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, Sport JWC brakes	Diesel	FWD	1995	110	150	07.19-	■
120 d (B47 C20 B)	discØ 300	Diesel	FWD	1995	140	190	03.20-	■
120 d xDrive (B47 C20 B)	discØ 300	Diesel	4WD	1995	140	190	07.19-	■

### 2 Active Tourer (F45) 11.13-

### MPV (Compact car-C Segment)

216i (B38 A15 A)	Gasolina	FWD	1499	75	102	02.15-02.18	■
216i (B38 A15 A)	Gasolina	FWD	1499	80	109	03.18-10.21	■

# LISTA DE APLICACIONES - BUYERS GUIDE

218i (B38 A15 A)		Gasolina	FWD	1499	100	136	07.14-10.21	■
218i (B38 A15 A)		Gasolina	FWD	1499	103	140	03.18-10.21	■
220 i (B48 A20 A)		Gasolina	FWD	1998	120	163	03.14-10.21	■
220 i (B48 A20 A)	discØ 280	Gasolina	FWD	1998	131	178	11.20-10.21	■
220 i (B48 A20 F)	discØ 280	Gasolina	FWD	1998	131	178	11.20-10.21	■
220 i (B48 A20 A)		Gasolina	FWD	1998	141	192	03.14-10.21	■
220 i (B48 A20 F)		Gasolina	FWD	1998	141	192	03.14-10.21	■
220 i		Gasolina	FWD	1998	141	192	03.16-	■
225 i (B48 A20 B)		Gasolina	FWD	1998	170	231	11.13-12.19	■
225 i xDrive (B48 A20 B)		Gasolina	4WD	1998	170	231	03.14-10.21	■
220 i Flex (B48 A20 A,B48 A20 B)		Gasol./Etanol	FWD	1998	141	192	01.17-	■
225 xe Plug-in-Hybrid (B38 A15 A)	discØ 300	Gasol./eléc.	4WD	1499	92	125	11.20-	■
225 xe Plug-in-Hybrid (IA1)	discØ 300	Gasol./eléc.	4WD	1499	92	125	11.20-	■
225 xe Plug-in-Hybrid (B38 A15 A)		Gasol./eléc.	4WD	1499	100	136	11.14-	■
225 xe Plug-in-Hybrid (IA1)		Gasol./eléc.	4WD	1499	100	136	11.14-	■
225 xe Plug-in-Hybrid (B38 A15 A)	discØ 300	Gasol./eléc.	4WD	1499	162	220	11.20-10.21	■
225 xe Plug-in-Hybrid (IA1)	discØ 300	Gasol./eléc.	4WD	1499	162	220	11.20-10.21	■
225 xe Plug-in-Hybrid (B38 A15 A)		Gasol./eléc.	4WD	1499	165	224	11.14-10.21	■
225 xe Plug-in-Hybrid (IA1)		Gasol./eléc.	4WD	1499	165	224	11.14-10.21	■
214 d (B37 C15 A)		Diesel	FWD	1496	70	95	07.14-02.18	■
216 d (B37 C15 A)		Diesel	FWD	1496	85	116	03.14-10.21	■
218d (B47 C20 A)		Diesel	FWD	1995	100	136	11.13-10.21	■
218d (B47 C20 B)		Diesel	FWD	1995	100	136	11.13-10.21	■
218 d xDrive (B47 C20 A)		Diesel	4WD	1995	100	136	12.14-10.21	■
218 d xDrive (B47 C20 B)		Diesel	4WD	1995	100	136	12.14-10.21	■
218d (B47 C20 A)		Diesel	FWD	1995	110	150	11.13-10.21	■
218d (B47 C20 B)		Diesel	FWD	1995	110	150	11.13-10.21	■
218 d xDrive (B47 C20 A)		Diesel	4WD	1995	110	150	12.14-10.21	■
218 d xDrive (B47 C20 B)		Diesel	4WD	1995	110	150	12.14-10.21	■
220 D (B47 C20 A)		Diesel	FWD	1995	120	163	03.14-10.21	■
220 D (B47 C20 B)		Diesel	FWD	1995	120	163	03.14-10.21	■
220 d xDrive (B47 C20 A)		Diesel	4WD	1995	120	163	03.14-10.21	■
220 d xDrive (B47 C20 B)		Diesel	4WD	1995	120	163	03.14-10.21	■
220 D (B47 C20 A)		Diesel	FWD	1995	140	190	03.14-10.21	■
220 D (B47 C20 B)		Diesel	FWD	1995	140	190	03.14-10.21	■
220 d xDrive (B47 C20 A)		Diesel	4WD	1995	140	190	03.14-10.21	■
220 d xDrive (B47 C20 B)		Diesel	4WD	1995	140	190	03.14-10.21	■
<b>2 Active Tourer Van (F45) 11.13-</b>					<b>Box Body/MPV (Compact car-C Segment)</b>			
218i (B38 A15 A)		Gasolina	FWD	1499	103	140	03.18-10.21	■
218d (B47 C20 A)		Diesel	FWD	1995	110	150	07.14-10.21	■
218d (B47 C20 B)		Diesel	FWD	1995	110	150	07.14-10.21	■
220 D (B47 C20 A)		Diesel	FWD	1995	140	190	11.14-10.21	■
220 D (B47 C20 B)		Diesel	FWD	1995	140	190	11.14-10.21	■
<b>2 Gran Coupe (F44) 11.19-</b>					<b>Coupe (Compact car-C Segment)</b>			
218i (B38 A15 A)	discØ 280, Syst. Standard, M-sport package, Sport JWC brakes, M technique	Gasolina	FWD	1499	100	136	11.20-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

218i (B38 A15 A)	Syst. Standard, discØ 280, discØ 300, Sport JWC brakes, not M sport pak.	Gasolina	FWD	1499	103	140	11.19-	■
220 i (B48 A20 A)	discØ 300	Gasolina	FWD	1998	131	178	11.20-	■
220 i (B48 A20 F)	discØ 300	Gasolina	FWD	1998	131	178	11.20-	■
220 i xDrive	discØ 300	Gasolina	4WD	1998	131	178	03.21-	■
220 i (B48 A20 A,B48 A20 C,B48 A20 F)		Gasolina	FWD	1998	141	192	07.20-	■
228 i xDrive (B46 A20 B)	not M sport pak.	Gasolina	4WD	1998	170	231	11.19-	■
216 d (B37 C15 A)	discØ 280, not M sport pak.	Diesel	FWD	1496	85	116	03.20-	■
218d (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, M-sport package, Sport JWC brakes, not M sport pak.	Diesel	FWD	1995	100	136	11.19-	■
218d (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, M-sport package, Sport JWC brakes, not M sport pak.	Diesel	FWD	1995	110	150	07.20-	■
220 D (B47 C20 B)	not M sport pak.	Diesel	FWD	1995	120	163	11.19-	■
220 D (B47 C20 B)	not M sport pak.	Diesel	FWD	1995	140	190	11.19-	■
220 d xDrive (B47 C20 B)	discØ 300, not M sport pak.	Diesel	4WD	1995	140	190	07.20-	■
<b>2 Gran Tourer (F46) 07.14-</b>					<b>MPV (Compact car-C Segment)</b>			
216i (B38 A15 A)	discØ 280	Gasolina	FWD	1499	75	102	09.14-02.18	■
216i (B38 A15 A)	discØ 280	Gasolina	FWD	1499	80	109	03.18-	■
218i (B38 A15 A)	discØ 280, discØ 300	Gasolina	FWD	1499	100	136	03.15-	■
218i (B38 A15 A)	discØ 280, discØ 300	Gasolina	FWD	1499	103	140	04.17-	■
220 i (B48 A20 A)	discØ 280	Gasolina	FWD	1998	120	163	03.15-	■
220 i (B48 A20 A)	discØ 280	Gasolina	FWD	1998	131	178	11.20-	■
220 i (B48 A20 F)	discØ 280	Gasolina	FWD	1998	131	178	11.20-	■
220 i (B48 A20 A)	discØ 280	Gasolina	FWD	1998	141	192	03.15-	■
214 d (B37 C15 A)	discØ 280	Diesel	FWD	1496	70	95	07.15-02.18	■
216 d (B37 C15 A)	discØ 280	Diesel	FWD	1496	85	116	08.14-	■
218d (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	100	136	07.14-	■
218d (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	100	136	07.14-	■
218 d xDrive (B47 C20 A)	discØ 280, discØ 300	Diesel	4WD	1995	100	136	03.15-	■
218 d xDrive (B47 C20 B)	discØ 280, discØ 300	Diesel	4WD	1995	100	136	03.15-	■
218d (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.14-	■
218d (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.14-	■
218 d xDrive (B47 C20 A)	discØ 280, discØ 300	Diesel	4WD	1995	110	150	03.15-	■
218 d xDrive (B47 C20 B)	discØ 280, discØ 300	Diesel	4WD	1995	110	150	03.15-	■
220 D (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	120	163	09.14-	■
220 D (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	120	163	09.14-	■
220 d xDrive (B47 C20 A)	discØ 280, discØ 300	Diesel	4WD	1995	120	163	03.15-	■
220 d xDrive (B47 C20 B)	discØ 280, discØ 300	Diesel	4WD	1995	120	163	03.15-	■
220 D (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	140	190	09.14-	■
220 D (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	140	190	09.14-	■
220 d xDrive (B47 C20 A)	discØ 280, discØ 300	Diesel	4WD	1995	140	190	03.15-	■
220 d xDrive (B47 C20 B)	discØ 280, discØ 300	Diesel	4WD	1995	140	190	03.15-	■
<b>2 Gran Tourer Van (F46) 07.14-</b>					<b>Box Body/MPV (Compact car-C Segment)</b>			
218i (B38 A15 A)	discØ 280, discØ 300	Gasolina	FWD	1499	103	140	03.18-	■
218d (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.14-	■
218d (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.14-	■
220 D (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	140	190	07.14-	■
220 D (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	140	190	07.14-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2 Serie (F23) 03.14-					Convertible (Compact car-C Segment)			
225 i (B48 B20 A)		Gasolina	RWD	1998	135	184	10.17-06.21	■
i3 (I01) 08.13-					Hatchback (City car-A Segment)			
Range Extender (IB1P25B)		Gasol./el éc.	RWD	647	75	102	08.13-	■
Range Extender (W20K06A)		Gasol./el éc.	RWD	647	75	102	08.13-	■
s Range Extender (IB1P25B)		Gasol./el éc.	RWD	647	75	102	11.17-	■
s Range Extender (W20K06A)		Gasol./el éc.	RWD	647	75	102	11.17-	■
Range Extender (IB1P25B)		Gasol./el éc.	RWD	647	125	170	08.13-	■
Range Extender (W20K06A)		Gasol./el éc.	RWD	647	125	170	08.13-	■
s Range Extender (IB1P25B)		Gasol./el éc.	RWD	647	135	184	11.17-	■
s Range Extender (W20K06A)		Gasol./el éc.	RWD	647	135	184	11.17-	■
Electric (IB1P25B)		Eléctrico	RWD		75	102	08.13-	■
s Electric (IB1P25B)		Eléctrico	RWD		75	102	11.17-	■
Electric (IB1P25B)		Eléctrico	RWD		125	170	08.13-	■
s Electric (IB1P25B)		Eléctrico	RWD		135	184	11.17-	■
X1 II (F48) 11.14-					SUV (Compact SUV-J Segment)			
sDrive18i (B38 A15 A)	discØ 280, discØ 300	Gasolina	FWD	1499	100	136	11.15-06.22	■
sDrive18i (B38 A15 A)	discØ 280, discØ 300	Gasolina	FWD	1499	103	140	07.17-06.22	■
sDrive20i (B48 A20 A)	discØ 300	Gasolina	FWD	1998	131	178	11.20-06.22	■
sDrive20i (B48 A20 F)	discØ 300	Gasolina	FWD	1998	131	178	11.20-06.22	■
xDrive20i (B48 A20 A)	discØ 300	Gasolina	4WD	1998	131	178	11.20-06.22	■
xDrive20i (B48 A20 F)	discØ 300	Gasolina	4WD	1998	131	178	11.20-06.22	■
sDrive20i (B42 S20 A)	discØ 300	Gasolina	FWD	1998	141	192	07.15-06.22	■
sDrive20i (B48 A20 A)	discØ 300	Gasolina	FWD	1998	141	192	07.15-06.22	■
sDrive20i (B48 A20 F)	discØ 300	Gasolina	FWD	1998	141	192	07.15-06.22	■
xDrive20i (B48 A20 A)	discØ 300	Gasolina	4WD	1998	141	192	07.15-06.22	■
xDrive20i (B48 A20 B)	discØ 300	Gasolina	4WD	1998	141	192	07.15-06.22	■
xDrive20i (B48 A20 F)	discØ 300	Gasolina	4WD	1998	141	192	07.15-06.22	■
sDrive28i (B46 A20 B)		Gasolina	FWD	1998	170	231	11.14-	■
xDrive 25 i (B42 S20 A)	discØ 300	Gasolina	4WD	1998	170	231	07.15-10.21	■
xDrive 25 i (B46 A20 B)	discØ 300	Gasolina	4WD	1998	170	231	07.15-10.21	■
xDrive 25 i (B48 A20 B)	discØ 300	Gasolina	4WD	1998	170	231	07.15-10.21	■
sDrive 20 i ActiveFlex		Gasol./Et anol	FWD	1998	141	192	07.15-	■
xDrive 25 i ActiveFlex (B42 S20 A,B48 A20 B)		Gasol./Et anol	4WD	1998	170	231	03.16-01.18	■
xDrive 25 e Plug-in-Hybrid (B38 A15 A)	discØ 300	Gasol./el éc.	4WD	1499	92	125	03.20-	■
xDrive 25 e Plug-in-Hybrid (B38 A15 A)	discØ 300	Gasol./el éc.	4WD	1499	162	220	03.20-06.22	■
sDrive 16 d (B37 C15 A)	discØ 300, discØ 280	Diesel	FWD	1496	85	116	11.14-05.22	■
sDrive 18 d (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	100	136	07.15-06.22	■
xDrive 18 d (B47 C20 A)	discØ 300, discØ 280	Diesel	4WD	1995	100	136	11.14-06.22	■
sDrive 18 d (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.15-06.22	■
sDrive 18 d (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.15-06.22	■
xDrive 18 d (B47 C20 A)	discØ 280, discØ 300	Diesel	4WD	1995	110	150	11.14-06.22	■
xDrive 18 d (B47 C20 B)	discØ 280, discØ 300	Diesel	4WD	1995	110	150	11.14-06.22	■
sDrive 20 d (B47 C20 A)	discØ 300	Diesel	FWD	1995	120	163	11.15-05.22	■
sDrive 20 d (B47 C20 B)	discØ 300	Diesel	FWD	1995	120	163	11.15-05.22	■

# LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 20 d (B47 C20 A)	discØ 300	Diesel	4WD	1995	120	163	07.15-06.22	■
xDrive 20 d (B47 C20 B)	discØ 300	Diesel	4WD	1995	120	163	07.15-06.22	■
sDrive 20 d (B47 C20 A)	discØ 300	Diesel	FWD	1995	140	190	11.15-05.22	■
sDrive 20 d (B47 C20 B)	discØ 300	Diesel	FWD	1995	140	190	11.15-05.22	■
xDrive 20 d (B47 C20 A)	discØ 300	Diesel	4WD	1995	140	190	07.15-06.22	■
xDrive 20 d (B47 C20 B)	discØ 300	Diesel	4WD	1995	140	190	07.15-06.22	■
xDrive 25 d (B47 C20 B)	discØ 300	Diesel	4WD	1995	170	231	11.14-05.22	■
<b>X1 II Van (F48) 07.15-</b>					<b>SUV Van (Compact SUV-J Segment)</b>			
sDrive18i (B38 A15 A)	discØ 280, discØ 300	Gasolina	FWD	1499	103	140	07.17-06.22	■
sDrive20i (B48 A20 A)	discØ 280, discØ 300	Gasolina	FWD	1998	141	192	07.17-06.22	■
sDrive 18 d (B47 C20 A)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.15-06.22	■
sDrive 18 d (B47 C20 B)	discØ 280, discØ 300	Diesel	FWD	1995	110	150	07.15-06.22	■
sDrive 20 d (B47 C20 A)	discØ 300	Diesel	FWD	1995	140	190	11.15-05.22	■
sDrive 20 d (B47 C20 B)	discØ 300	Diesel	FWD	1995	140	190	11.15-05.22	■
xDrive 20 d (B47 C20 A)	discØ 300	Diesel	4WD	1995	140	190	07.15-06.22	■
xDrive 20 d (B47 C20 B)	discØ 300	Diesel	4WD	1995	140	190	07.15-06.22	■
<b>X2 (F39) 11.17-</b>					<b>SUV (Compact SUV-J Segment)</b>			
sDrive18i (B32 S15 A)		Gasolina	FWD	1499	100	136	03.18-10.23	■
sDrive18i (B38 A15 A)		Gasolina	FWD	1499	100	136	03.18-10.23	■
sDrive18i (B38 A15 A)		Gasolina	FWD	1499	103	140	03.18-10.23	■
sDrive20i (B48 A20 A)	discØ 300	Gasolina	FWD	1998	131	178	11.20-10.23	■
sDrive20i (B48 A20 F)	discØ 300	Gasolina	FWD	1998	131	178	11.20-10.23	■
xDrive20i (B48 A20 A)	discØ 300	Gasolina	4WD	1998	131	178	11.20-10.23	■
sDrive20i (B42 S20 A)		Gasolina	FWD	1998	141	192	11.17-10.23	■
sDrive20i (B48 A20 A)		Gasolina	FWD	1998	141	192	11.17-10.23	■
xDrive20i (B48 A20 A)		Gasolina	4WD	1998	141	192	03.18-10.23	■
sDrive28i (B46 A20 B)		Gasolina	FWD	1998	170	231	03.18-	■
xDrive28i (B46 A20 B)		Gasolina	4WD	1998	170	231	11.17-	■
sDrive 18 i ActiveFlex (B32 S15 A)		Gasol./Etanol	FWD	1499	100	136	07.18-	■
sDrive 20 i ActiveFlex (B42 S20 A)		Gasol./Etanol	FWD	1998	141	192	07.18-	■
xDrive 25 e Plug-in-Hybrid (B38 A15 A)	discØ 300	Gasol./eléc.	4WD	1499	92	125	03.20-	■
xDrive 25 e Plug-in-Hybrid (B38 A15 A)	discØ 300	Gasol./eléc.	4WD	1499	162	220	03.20-10.23	■
sDrive 16 d (B37 C15 A)		Diesel	FWD	1496	85	116	11.18-10.23	■
sDrive 18 d (B47 C20 A)		Diesel	FWD	1995	100	136	03.18-10.23	■
sDrive 18 d (B47 C20 B)		Diesel	FWD	1995	100	136	03.18-10.23	■
xDrive 18 d (B47 C20 B)		Diesel	4WD	1995	100	136	03.18-10.23	■
sDrive 18 d (B47 C20 A)		Diesel	FWD	1995	110	150	03.18-10.23	■
sDrive 18 d (B47 C20 B)		Diesel	FWD	1995	110	150	03.18-10.23	■
xDrive 18 d (B47 C20 B)		Diesel	4WD	1995	110	150	03.18-10.23	■
sDrive 20 d (B47 C20 A)	discØ 300	Diesel	FWD	1995	120	163	11.18-10.23	■
sDrive 20 d (B47 C20 B)	discØ 300	Diesel	FWD	1995	120	163	11.18-10.23	■
xDrive 20 d (B47 C20 A)		Diesel	4WD	1995	120	163	11.17-10.23	■
xDrive 20 d (B47 C20 B)		Diesel	4WD	1995	120	163	11.17-10.23	■
sDrive 20 d (B47 C20 A)	discØ 300	Diesel	FWD	1995	140	190	11.18-10.23	■
sDrive 20 d (B47 C20 B)	discØ 300	Diesel	FWD	1995	140	190	11.18-10.23	■
xDrive 20 d (B47 C20 A)		Diesel	4WD	1995	140	190	11.17-10.23	■
xDrive 20 d (B47 C20 B)		Diesel	4WD	1995	140	190	11.17-10.23	■
xDrive 25 d (B47 C20 B)		Diesel	4WD	1995	170	231	11.17-09.23	■
<b>BMW (BRILLIANCE)</b>								

# LISTA DE APLICACIONES - BUYERS GUIDE

1 SERIES (F52) 01.17-					Saloon (Compact car-C Segment)			
118 i (B38 A15 C)		Gasolina	FWD	1499	100	136	01.17-08.19	■
120 i (B38 A15 C)		Gasolina	FWD	1499	103	140	09.19-	■
125 i (B48 A20 C)		Gasolina	FWD	1998	141	192	10.19-	■
125 i (B48 A20 D)		Gasolina	FWD	1998	170	231	01.17-	■
120 i (B48 A20 B,B48 A20 C)		Gasolina	FWD	1998	192	141	01.17-	■
2 SERIES Active Tourer (F45) 03.16-					MPV (Compact car-C Segment)			
218i (B38 A15 A,B38 A15 C)		Gasolina	FWD	1488	100	136	03.16-	■
X1 II (F49) 05.16-					SUV (Compact SUV-J Segment)			
sDrive18 Li	discØ 280	Gasolina	FWD	1499	100	136	05.16-	■
sDrive20 Li (B38 A15 C)		Gasolina	FWD	1499	103	140	10.19-	■
sDrive20 Li	discØ 300	Gasolina	FWD	1998	141	192	05.16-	■
sDrive25 i (B48 A20 C)		Gasolina	FWD	1998	141	192	10.19-	■
sDrive25 Li (B48 A20 C)		Gasolina	FWD	1998	141	192	10.19-	■
xDrive20 Li	discØ 300	Gasolina	FWD	1998	141	192	05.16-	■
xDrive25 Le xDrive (B48 A20 C)		Gasolina	4WD	1998	141	192	10.19-	■
xDrive25 Li	discØ 300	Gasolina	FWD	1998	170	231	05.16-	■
xDrive25 Le (B38 A15 C)		Eléctrico	4WD	1499	100	136	09.16-	■
xDrive25 Le xDrive (B38 A15 C)		Eléctrico	4WD	1499	100	136	10.19-	■
xDrive25 Le (B38 A15 C, IA1XB2H)		Eléctrico	4WD	1499	170	231	09.16-	■
X2 (F39) 10.19-					SUV (Compact SUV-J Segment)			
sDrive20i (B38 A15 C)		Gasolina	FWD	1499	103	140	10.19-	■
xDrive25 i xDrive (B48 A20 C)		Gasolina	4WD	1998	141	192	10.19-	■
MINI								
MINI (F57) 11.14-					Convertible (Supermini car-B Segment)			
Cooper S (B48 A20 A)		Gasolina	FWD	1998	131	178	11.20-	■
Cooper S (B48 A20 F)		Gasolina	FWD	1998	131	178	11.20-	■
MINI (F55) 09.13-					Hatchback (Supermini car-B Segment)			
Cooper S (B48 A20 A)		Gasolina	FWD	1998	131	178	11.20-	■
Cooper S (B48 A20 F)		Gasolina	FWD	1998	131	178	11.20-	■
Cooper S (B48 A20 A)		Gasolina	FWD	1998	131	178	11.20-	■
Cooper S (B48 A20 F)		Gasolina	FWD	1998	131	178	11.20-	■
Cooper SE / Electric (IB1P25B)		Eléctrico	FWD		75	102	11.19-	■
Cooper SE / Electric (IB1P25B)		Eléctrico	FWD		135	184	11.19-	■
MINI CLUBMAN II (F54) 11.14-					Estate (Supermini car-B Segment)			
One (B38 A15 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Gasolina	FWD	1499	75	102	02.15-	■
Cooper (B36 A15 A)	01/16-, discØ 300, Syst. Standard, discØ 280, M-sport package, Sport JWC brakes, not M sport pak.	Gasolina	FWD	1499	100	136	12.14-	■
Cooper (B38 A15 A)	01/16-, discØ 300, Syst. Standard, discØ 280, M-sport package, Sport JWC brakes, not M sport pak.	Gasolina	FWD	1499	100	136	12.14-	■
Cooper ALL4 (B36 A15 A)		Gasolina	4WD	1499	100	136	08.16-	■
Cooper S (B48 A20 A)	discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	120	163	11.14-	■
Cooper S (B48 A20 F)	discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	120	163	11.14-	■
Cooper S ALL4 (B48 A20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Gasolina	4WD	1998	120	163	04.15-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

Cooper S (B46 A20 A)	discØ 300, Sport JWC brakes   discØ 280, Syst. Standard, M-sport package	Gasolina	FWD	1998	131	178	11.20-	■
Cooper S (B48 A20 F)	discØ 300, Sport JWC brakes   discØ 280, Syst. Standard, M-sport package	Gasolina	FWD	1998	131	178	11.20-	■
Cooper S ALL4 (B46 A20 A)	discØ 280, Syst. Standard	Gasolina	4WD	1998	131	178	11.20-	■
Cooper S ALL4 (B48 A20 F)	discØ 280, Syst. Standard	Gasolina	4WD	1998	131	178	11.20-	■
Cooper S (B46 A20 A)	01/17-, discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	141	192	11.14-	■
Cooper S (B48 A20 A)	01/17-, discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	141	192	11.14-	■
Cooper S (B48 A20 F)	01/17-, discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	141	192	11.14-	■
Cooper S ALL4 (B48 A20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Gasolina	4WD	1998	141	192	04.15-	■
Cooper S JCW (B46 A20 A)	discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	155	211	11.14-06.18	■
Cooper S JCW (B48 A20 A)	discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	155	211	11.14-06.18	■
Cooper S JCW (B48 A20 F)	discØ 280, discØ 300, M-sport package	Gasolina	FWD	1998	155	211	11.14-06.18	■
Cooper S JCW ALL4 (B48 A20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Gasolina	4WD	1998	155	211	11.14-	■
John Cooper Works (B48 A20 B)	discØ 300	Gasolina	4WD	1998	170	231	11.16-06.19	■
One D (B37 C15 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1496	85	116	02.15-	■
Cooper D (B47 C20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	100	136	12.14-02.18	■
Cooper D (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	100	136	12.14-02.18	■
Cooper D (B47 C20 A)	01/17-, Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	110	150	12.14-	■
Cooper D (B47 C20 B)	01/17-, Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	110	150	12.14-	■
Cooper SD (B47 C20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	120	163	02.15-02.18	■
Cooper SD (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	120	163	02.15-02.18	■
Cooper SD ALL4 (B47 C20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	4WD	1995	120	163	04.15-02.18	■
Cooper SD ALL4 (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	4WD	1995	120	163	04.15-02.18	■
Cooper SD (B47 C20 A)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	140	190	02.15-	■
Cooper SD (B47 C20 B)	Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	FWD	1995	140	190	02.15-	■
Cooper SD ALL4 (B47 C20 A)	01/17-, Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	4WD	1995	140	190	04.15-	■
Cooper SD ALL4 (B47 C20 B)	01/17-, Syst. Standard, discØ 280, discØ 300, M-sport package	Diesel	4WD	1995	140	190	04.15-	■
<b>MINI COUNTRYMAN II (F60) 10.16-</b>					<b>Estate (Supermini car-B Segment)</b>			
One (B38 A15 A)	discØ 280	Gasolina	FWD	1499	75	102	07.17-	■
Cooper (B36 A15 A)	discØ 280	Gasolina	FWD	1499	100	136	10.16-	■
Cooper (B38 A15 A)	discØ 280	Gasolina	FWD	1499	100	136	10.16-	■
Cooper (B38 A15 F)	discØ 280	Gasolina	FWD	1499	100	136	10.16-	■
Cooper ALL4 (B38 A15 A)	discØ 280	Gasolina	4WD	1499	100	136	10.16-	■
Cooper ALL4 (B38 A15 F)	discØ 280	Gasolina	4WD	1499	100	136	10.16-	■
Cooper S (B46 A20 A)	discØ 280	Gasolina	FWD	1998	120	163	10.16-	■
Cooper S (B48 A20 A)	discØ 280	Gasolina	FWD	1998	120	163	10.16-	■
Cooper S ALL4 (B46 A20 A)	discØ 280	Gasolina	4WD	1998	120	163	10.16-	■
Cooper S ALL4 (B48 A20 A)	discØ 280	Gasolina	4WD	1998	120	163	10.16-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

Cooper S (B46 A20 A)	discØ 280	Gasolina	FWD	1998	131	178	07.20-
Cooper S (B48 A20 A)	discØ 280	Gasolina	FWD	1998	131	178	07.20-
Cooper S (B48 A20 F)	discØ 280	Gasolina	FWD	1998	131	178	07.20-
Cooper S ALL4 (B46 A20 A)	discØ 280	Gasolina	4WD	1998	131	178	07.20-
Cooper S ALL4 (B48 A20 A)	discØ 280	Gasolina	4WD	1998	131	178	07.20-
Cooper S ALL4 (B48 A20 F)	discØ 280	Gasolina	4WD	1998	131	178	07.20-
Cooper S (B46 A20 A)	discØ 280	Gasolina	FWD	1998	141	192	10.16-
Cooper S (B48 A20 A)	discØ 280	Gasolina	FWD	1998	141	192	10.16-
Cooper S ALL4 (B46 A20 A)	discØ 280	Gasolina	4WD	1998	141	192	10.16-
Cooper S ALL4 (B48 A20 A)	discØ 280	Gasolina	4WD	1998	141	192	10.16-
John Cooper Works ALL4 (B48 A20 B)	discØ 300	Gasolina	4WD	1998	170	231	03.17-06.19
John Cooper Works ALL4 (B48 A20 E)		Gasolina	4WD	1998	200	272	11.19-
Cooper SE ALL4 (B38 A15 A)	discØ 300	Gasol./el éc.	4WD	1499	92	125	07.20-
Cooper SE ALL4 (IA1)	discØ 300	Gasol./el éc.	4WD	1499	92	125	07.20-
Cooper SE ALL4 (B38 A15 A)	discØ 300	Gasol./el éc.	4WD	1499	100	136	01.17-
Cooper SE ALL4 (IA1)	discØ 300	Gasol./el éc.	4WD	1499	100	136	01.17-
Cooper SE (B38 A15 A)	discØ 300	Gasol./el éc.	4WD	1499	162	220	07.20-
Cooper SE (IA1)	discØ 300	Gasol./el éc.	4WD	1499	162	220	07.20-
Cooper SE ALL4 (B38 A15 A)	discØ 300	Gasol./el éc.	4WD	1499	165	224	01.17-
Cooper SE ALL4 (IA1)	discØ 300	Gasol./el éc.	4WD	1499	165	224	01.17-
One D (B37 C15 A)	discØ 280	Diesel	FWD	1496	85	116	07.17-
Cooper D (B47 C20 A)	discØ 280	Diesel	FWD	1995	100	136	10.16-
Cooper D (B47 C20 B)	discØ 280	Diesel	FWD	1995	100	136	10.16-
Cooper D ALL4 (B47 C20 A)	discØ 280	Diesel	4WD	1995	100	136	10.16-
Cooper D ALL4 (B47 C20 B)	discØ 280	Diesel	4WD	1995	100	136	10.16-
Cooper D (B47 C20 A)	discØ 280	Diesel	FWD	1995	110	150	10.16-
Cooper D (B47 C20 B)	discØ 280	Diesel	FWD	1995	110	150	10.16-
Cooper D ALL4 (B47 C20 A)	discØ 280	Diesel	4WD	1995	110	150	10.16-
Cooper D ALL4 (B47 C20 B)	discØ 280	Diesel	4WD	1995	110	150	10.16-
Cooper SD (B47 C20 A)	discØ 280	Diesel	FWD	1995	120	163	10.16-
Cooper SD (B47 C20 B)	discØ 280	Diesel	FWD	1995	120	163	10.16-
Cooper SD ALL4 (B47 C20 A)	discØ 280	Diesel	4WD	1995	120	163	10.16-
Cooper SD ALL4 (B47 C20 B)	discØ 280	Diesel	4WD	1995	120	163	10.16-
Cooper SD (B47 C20 A)	discØ 280	Diesel	FWD	1995	140	190	10.16-
Cooper SD (B47 C20 B)	discØ 280	Diesel	FWD	1995	140	190	10.16-
Cooper SD ALL4 (B47 C20 A)	discØ 280	Diesel	4WD	1995	140	190	10.16-
Cooper SD ALL4 (B47 C20 B)	discØ 280	Diesel	4WD	1995	140	190	10.16-

## ZINORO

### 60H 07.16-

Hybrid (M13) (B38 A15 C, IA1XB2H)	Eléctrico	4WD	1499	100	136	07.16-
-----------------------------------	-----------	-----	------	-----	-----	--------

SUV ()