

# LISTA DE APLICACIONES - BUYERS GUIDE

**182221**




8 424073 110343

Qty: 300

Weight: 1.945

O.E.M.	MAKE
16 05 281	OPEL
39 122 150	VAUXHALL
95 517 029	VAUXHALL
95 524 973	VAUXHALL



1-Ref. 690362 E

**182221**



**90R-02A0111/4370**



Ate - Teves

155.15x61.9x18

155.15x68.1x18

**WVA**

22123

22124

22125

**MAKE**

BUICK (SGM)

CHEVROLET (SGM)

OPEL

VAUXHALL



Trac.

CC

Kw

CV



Front / Rear

## BUICK (SGM)

### GL6 (SK4) 10.17-

18T (LI6,LIY)	Gasolina	FWD	1349	120	163	10.17-	■
---------------	----------	-----	------	-----	-----	--------	---

MPV ( )

### VELITE 6 (SK5, SK6) 04.19-

PHEV (L2B)	Gasol./el éc.	FWD	1485	75	102	07.20-	■
PHEV	Gasol./el éc.	FWD	1485	135	184	07.20-	■
EV (TZ204XS85K02)	Eléctrico	FWD	0	85	116	04.19-	■
EV (TZ204XS105K04)	Eléctrico	FWD	0	110	150	10.19-	■

Hatchback (Compact car-C Segment)

## CHEVROLET (SGM)

### MENLO (SK0) 02.20-

EV (TX204XS105K04)	Eléctrico	FWD		110	150	02.20-	■
--------------------	-----------	-----	--	-----	-----	--------	---

Hatchback (Compact car-C Segment)

### ORLANDO (SK7) 09.18-

1.3 530T (LI6,LIY)	Gasolina	FWD	1349	120	163	09.18-	■
530T Mild Hybrid	Gasol./el éc.	FWD	1349	120	163	06.20-	■

Hatchback ( )

## OPEL

### ADAM (M13) 10.12-

1.0	Rim 15, discØ 284	Gasolina	FWD	996	50	68	07.13-	■
1.0 (B 10 XFL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	66	90	07.14-11.18	■
1.0 (D 10 XFL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	66	90	07.14-11.18	■
1.0 (B 10 XFT)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	85	115	07.14-11.18	■

Hatchback (City car-A Segment)

# LISTA DE APLICACIONES - BUYERS GUIDE

1.0 (D 10 XFT)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	85	115	07.14-11.18	■
1.2 (A 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	10.12-05.19	■
1.2 (B 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	10.12-05.19	■
1.2 (D 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	10.12-05.19	■
1.2	Rim 15, discØ 284	Gasolina	FWD	1242	69	94	07.13-	■
1.4 S (B 14 NEH)	Rim 15, discØ 284	Gasolina	FWD	1364	110	150	11.14-05.19	■
1.4 S (D 14 NEH)	Rim 15, discØ 284	Gasolina	FWD	1364	110	150	11.14-05.19	■
1.4 (A 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	64	87	10.12-05.19	■
1.4 (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	64	87	10.12-05.19	■
1.4 (D 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	64	87	10.12-05.19	■
1.4 (A 14 XER)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	74	101	10.12-05.19	■
1.4 (B 14 XER)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	74	101	10.12-05.19	■
1.4 (D 14 XER)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	74	101	10.12-05.19	■
1.4 LPG (A 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasol./G as (LPG)	FWD	1398	64	87	07.13-11.18	■
1.4 LPG (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasol./G as (LPG)	FWD	1398	64	87	07.13-11.18	■
1.4 LPG (D 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasol./G as (LPG)	FWD	1398	64	87	07.13-11.18	■
<b>CORSA E (X15) 09.14-</b>					<b>Hatchback Van (LCVs-N1 Segment)</b>			
1.2 (08) (B 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	01.15-	■
1.4 (08) (B 14 XEJ)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	55	75	09.14-	■
1.4 (08) (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	66	90	09.14-	■
1.3 CDTI (08) (B 13 DTC)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	55	75	01.15-	■
1.3 CDTI (08) (B 13 DTN)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	55	75	01.15-	■
1.3 CDTI (08) (B 13 DTE)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	70	95	09.14-	■
1.3 CDTI (08) (B 13 DTR)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	70	95	09.14-	■
<b>CORSA E (X15) 09.14-</b>					<b>Hatchback (Supermini car-B Segment)</b>			
1.0 (08, 68) (B 10 XFL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	66	90	09.14-	■
1.0 (08, 68) (D 10 XFL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	66	90	09.14-	■
1.0 (08, 68) (F 10 XFL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	66	90	09.14-	■
1.0 (08, 68) (B 10 XFT)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	85	115	09.14-	■
1.0 (08, 68) (D 10 XFT)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	85	115	09.14-	■
1.2 (08, 68) (B 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	09.14-	■
1.4 Turbo (08, 68) (B 14 NEJ)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1364	74	101	09.14-06.19	■
1.4 Turbo (08, 68) (D 14 NEJ)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1364	74	101	09.14-06.19	■
1.4 Turbo (08, 68) (B 14 NEH)	Rim 15, discØ 284, Syst. 15"	Gasolina	FWD	1364	110	150	03.15-	■
1.4 Turbo (08, 68) (D 14 NEH)	Rim 15, discØ 284, Syst. 15"	Gasolina	FWD	1364	110	150	03.15-	■
1.4 (08, 68) (B 14 XEJ)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	55	75	09.14-	■
1.4 (08, 68) (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	66	90	09.14-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1.4 (08, 68) (D 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	66	90	09.14-	■
1.6 Turbo (08, 68) (B 16 LER)	Rim 15, discØ 284	Gasolina	FWD	1598	152	207	03.15-	■
1.6 Turbo (08, 68) (B 16 LES)	Rim 15, discØ 284	Gasolina	FWD	1598	152	207	03.15-	■
1.4 LPG (08, 68) (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasol./G as (LPG)	FWD	1398	64	87	11.15-	■
1.4 LPG (08, 68) (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasol./G as (LPG)	FWD	1398	66	90	03.15-	■
1.3 CDTI (08, 68) (B 13 DTC)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	55	75	09.14-	■
1.3 CDTI (08, 68) (B 13 DTN)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	55	75	09.14-	■
1.3 CDTI (08, 68) (B 13 DTE)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	70	95	09.14-	■
1.3 CDTI (08, 68) (B 13 DTR)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Diesel	FWD	1248	70	95	09.14-	■
<b>VAUXHALL</b>								
<b>ADAM (M13) 10.12-</b>					<b>Hatchback (City car-A Segment)</b>			
1.0	Rim 15, discØ 284	Gasolina	FWD	998	66	90	07.14-	■
1.0 (B 10 XFT)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	85	116	07.14-11.18	■
1.0 (D 10 XFT)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	999	85	116	07.14-11.18	■
1.2 (A 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	10.12-04.19	■
1.2 (B 12 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1229	51	69	10.12-04.19	■
1.4 S (B 14 NEH)	Rim 15, discØ 284	Gasolina	FWD	1364	110	150	11.14-01.19	■
1.4 (A 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	64	87	10.12-02.19	■
1.4 (B 14 XEL)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	64	87	10.12-02.19	■
1.4 (A 14 XER)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	74	101	10.12-02.19	■
1.4 (B 14 XER)	Rim 15, discØ 284, POC J67,JQ8, Syst. 15"	Gasolina	FWD	1398	74	101	10.12-02.19	■
1.4 LPG	Rim 15, discØ 284	Gasol./G as (LPG)	FWD	1398	64	87	07.13-	■
<b>CORSA Mk IV (E) (X15) 08.14-</b>					<b>Hatchback (Supermini car-B Segment)</b>			
1.0 (B 10 XFL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	999	66	90	08.14-	■
1.0 (D 10 XFL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	999	66	90	08.14-	■
1.0 (F 10 XFL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	999	66	90	08.14-	■
1.0 (B 10 XFT)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	999	85	116	08.14-	■
1.0 (D 10 XFT)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	999	85	116	08.14-	■
1.2 (B 12 XEL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1229	51	69	08.14-	■
1.4 (B 14 NEJ)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1364	74	101	08.14-	■
1.4 (D 14 NEJ)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1364	74	101	08.14-	■
1.4 (B 14 NEH)	Syst. 15"	Gasolina	FWD	1364	110	150	07.15-	■
1.4 (B 14 XEJ)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1398	55	75	09.14-	■
1.4 (B 14 XEL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1398	66	90	08.14-	■
1.4 (D 14 XEL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1398	66	90	08.14-	■
1.6 VXR (B 16 LES)	Rim 15, discØ 284	Gasolina	FWD	1598	151	205	04.15-	■
1.4 LPG	Rim 15, discØ 284	Gasol./G as (LPG)	FWD	1398	66	90	08.14-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1.3 CDTi (B 13 DTC)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	55	75	08.14-	■
1.3 CDTi (B 13 DTN)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	55	75	08.14-	■
1.3 CDTi (B 13 DTE)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	70	95	08.14-	■
1.3 CDTi (B 13 DTR)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	70	95	08.14-	■
<b>CORSAVAN Mk IV (E) (X15) 10.14-</b>					<b>Hatchback Van (LCVs-N1 Segment)</b>			
1.2 (B 12 XEL)	Rim 15, discØ 284, POC J67, Syst. 15"	Gasolina	FWD	1229	51	69	10.14-	■
1.4	Rim 15, discØ 284	Gasolina	FWD	1398	55	75	10.14-	■
1.3 CDTi (B 13 DTC)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	55	75	10.14-	■
1.3 CDTi (B 13 DTN)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	55	75	10.14-	■
1.3 CDTi (B 13 DTE)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	70	95	10.14-	■
1.3 CDTi (B 13 DTR)	Rim 15, discØ 284, POC J67, Syst. 15"	Diesel	FWD	1248	70	95	10.14-	■