





# LISTA DE APLICACIONES - BUYERS GUIDE

## 182256-203




Qty: 300

Weight: 1.510



1-Ref. 690173 E



1-Ref. 690653 E

## 182256-203

E 9 90R-02A0111/5521



Trw

129.1x59x17.5

129.1x59.1x17.5

**WVA**

26265

26266

**FMSI**

D2364-9126

**MAKE**

AUDI

VW



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### AUDI

#### A4 V Allroad B9 (8WH, 8WJ) 01.16-

#### Estate (Compact executive car-D Segment)

Model	Trac.	CC	Kw	CV	Year	Icon
45 TFSI Mild hybrid quattro (DKNA)	4WD	1984	180	245	07.18-	■
45 TFSI Mild hybrid quattro (DMTA)	4WD	1984	195	265	08.20-	■
40 TDI Mild Hybrid quattro (DTPA)	4WD	1968	150	204	09.20-	■
50 TDI Mild Hybrid quattro	4WD	2967	210	286	08.20-	■
2.0 TDI quattro (DESA)	4WD	1968	140	190	01.16-	■
2.0 TDI quattro (DETA)	4WD	1968	140	190	01.16-	■
2.0 TDI quattro (DFVA)	4WD	1968	140	190	01.16-	■
40 TDI quattro (DETA)	4WD	1968	140	190	01.20-	■
45 TDI quattro (DCPE)	4WD	2967	170	231	07.18-	■
3.0 TDI quattro (DCPC)	4WD	2967	210	286	07.18-10.19	■
50 TDI quattro (DCPC)	4WD	2967	210	286	11.19-	■

#### A4 V B9 (8W2, 8WC) 05.15-

#### Saloon (Compact executive car-D Segment)

Model	Trac.	CC	Kw	CV	Year	Icon
2.0 TFSI (CVKB)	FWD	1984	140	190	05.15-	■
2.0 TFSI (DBPA)	FWD	1984	140	190	05.15-	■
2.0 TFSI quattro (CYMC)	4WD	1984	185	252	05.15-	■
2.0 TFSI quattro (CYRB)	4WD	1984	185	252	05.15-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

35 TFSI Mild Hybrid (DLVB)		Gasol./el éc.	FWD	1984	110	150	12.18-	■	
40 TFSI Mild Hybrid (DEMA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DKYA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DLVA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	150	204	06.20-	■	
40 TFSI Mild Hybrid quattro (DMSA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	4WD	1984	150	204	06.20-	■	
45 TFSI Mild hybrid quattro (DKNA)		Gasol./el éc.	4WD	1984	180	245	07.18-11.19	■	
45 TFSI Mild hybrid quattro (DMTA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	4WD	1984	195	265	08.20-	■	
30 TDI Mild Hybrid (DEZB)		Diesel/el éc.	FWD	1968	100	136	07.19-	■	
35 TDI Mild Hybrid (DEZE)		Diesel/el éc.	FWD	1968	120	163	03.19-	■	
40 TDI Mild Hybrid		Diesel/el éc.	FWD	1968	150	204	09.20-	■	
40 TDI Mild Hybrid quattro (DTPA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	1968	150	204	05.20-	■	
50 TDI Mild Hybrid quattro	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	210	286	08.20-	■	
S4 TDI Mild Hybrid quattro		Diesel/el éc.	4WD	2967	251	341	01.21-	■	
S4 TDI Mild Hybrid quattro (DEWB)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	255	347	05.19-	■	
2.0 TDI (CZHA)		Diesel	FWD	1968	110	150	05.15-11.19	■	
2.0 TDI (DEUA)		Diesel	FWD	1968	110	150	05.15-11.19	■	
35 TDI (DEUA)		Diesel	FWD	1968	110	150	08.15-	■	
2.0 TDI (DESA)		Diesel	FWD	1968	140	190	05.15-	■	
2.0 TDI (DETA)		Diesel	FWD	1968	140	190	05.15-	■	
2.0 TDI (DFVA)		Diesel	FWD	1968	140	190	05.15-	■	
2.0 TDI quattro (DESA)		Diesel	4WD	1968	140	190	09.15-11.19	■	
2.0 TDI quattro (DETA)		Diesel	4WD	1968	140	190	09.15-11.19	■	
2.0 TDI quattro (DFVA)		Diesel	4WD	1968	140	190	09.15-11.19	■	
40 TDI (DESA)		Diesel	FWD	1968	140	190	05.15-	■	
40 TDI (DETA)		Diesel	FWD	1968	140	190	05.15-	■	
40 TDI quattro (DETA)		Diesel	4WD	1968	140	190	09.15-11.19	■	
45 TDI quattro (DCPE)		Diesel	4WD	2967	170	231	07.18-	■	
50 TDI quattro (DCPC)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Diesel	4WD	2967	210	286	07.18-	■	
<b>A4 V B9 Avant (8W5, 8WD) 08.15-</b>					<b>Estate (Compact executive car-D Segment)</b>				
2.0 TFSI (CVKB)		Gasolina	FWD	1984	140	190	08.15-	■	
2.0 TFSI (DKYA)		Gasolina	FWD	1984	140	190	08.15-	■	
40 TFSI (DMSA)		Gasolina	FWD	1984	150	204	12.20-	■	
RS4 TFSi quattro (DECA)		Gasolina	4WD	2894	331	450	10.17-	■	
RS4 TFSi quattro		Gasolina	4WD	2894	346	471	07.24-12.24	■	
2.0 TFSI g-tron (CVLA)		Gasol./G as (CNG)	FWD	1984	125	170	11.16-10.19	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

40 TFSI g-tron (CVLA)		Gasol./Gas (CNG)	FWD	1984	125	170	11.16-	■	
35 TFSI Mild Hybrid (DLVB)		Gasol./eléc.	FWD	1984	110	150	12.18-	■	
35 TFSI Mild Hybrid (DMSB)		Gasol./eléc.	FWD	1984	110	150	12.18-	■	
40 TFSI Mild Hybrid (DEMA)		Gasol./eléc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DKYA)		Gasol./eléc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DLVA)		Gasol./eléc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DMSA)		Gasol./eléc.	FWD	1984	150	204	06.20-	■	
40 TFSI Mild Hybrid quattro (DMSA)		Gasol./eléc.	4WD	1984	150	204	06.20-	■	
45 TFSI Mild hybrid quattro (DKNA)		Gasol./eléc.	4WD	1984	180	245	07.18-10.19	■	
45 TFSI Mild hybrid quattro (DMTA)		Gasol./eléc.	4WD	1984	195	265	08.20-	■	
30 TDI Mild Hybrid (DEZB)		Diesel/eléc.	FWD	1968	100	136	07.19-	■	
35 TDI Mild Hybrid (DEZE)		Diesel/eléc.	FWD	1968	120	163	07.19-	■	
40 TDI Mild Hybrid		Diesel/eléc.	FWD	1968	150	204	09.20-	■	
40 TDI Mild Hybrid quattro (DTPA)		Diesel/eléc.	4WD	1968	150	204	05.20-	■	
50 TDI Mild Hybrid quattro		Diesel/eléc.	4WD	2967	210	286	08.20-	■	
S4 TDI Mild Hybrid quattro		Diesel/eléc.	4WD	2967	251	341	01.21-	■	
S4 TDI Mild Hybrid quattro (DEWB)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Diesel/eléc.	4WD	2967	255	347	05.19-	■	
2.0 TDI (DESA)		Diesel	FWD	1968	140	190	08.15-09.18	■	
2.0 TDI (DETA)		Diesel	FWD	1968	140	190	08.15-09.18	■	
2.0 TDI (DFVA)		Diesel	FWD	1968	140	190	08.15-09.18	■	
40 TDI (DESA)		Diesel	FWD	1968	140	190	10.18-08.20	■	
40 TDI (DETA)		Diesel	FWD	1968	140	190	10.18-08.20	■	
45 TDI quattro (DCPE)		Diesel	4WD	2967	170	231	07.18-	■	
<b>A5 II (F57, F5E) 11.16-</b>							<b>Convertible (Compact executive car-D Segment)</b>		
40 TFSI (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	FWD	1984	150	204	11.20-	■	
2.0 45 TFSI quattro (CYRB,DLHB)		Gasolina	4WD	1984	185	252	06.17-	■	
2.0 TFSI quattro (CYMC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	11.16-	■	
2.0 TFSI quattro (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	11.16-	■	
S5 TFSI quattro (CWGD)	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Gasolina	4WD	2995	260	354	03.17-	■	
35 TFSI Mild Hybrid (DMSB)		Gasol./eléc.	FWD	1984	110	150	06.20-	■	
40 TFSI Mild Hybrid (DEMA)	discØ 300	Gasol./eléc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DKYA)	discØ 300	Gasol./eléc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DLVA)	discØ 300	Gasol./eléc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DMSA)	discØ 300	Gasol./eléc.	FWD	1984	150	204	07.20-	■	
40 TFSI Mild Hybrid quattro (DMSA)	discØ 300	Gasol./eléc.	4WD	1984	150	204	06.20-	■	
45 TFSI Mild hybrid quattro (DKNA)	discØ 300	Gasol./eléc.	4WD	1984	180	245	07.18-12.19	■	
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./eléc.	4WD	1984	195	265	06.20-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

30 TDI Mild Hybrid		Diesel/el éc.	FWD	1968	100	136	07.18-	■
40 TDI Mild Hybrid	discØ 300	Diesel/el éc.	FWD	1968	150	204	09.20-	■
40 TDI Mild Hybrid quattro	discØ 300	Diesel/el éc.	4WD	1968	150	204	09.20-	■
35 TDI (DEZE)	discØ 300	Diesel	FWD	1968	120	163	10.19-	■
2.0 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	11.16-12.19	■
2.0 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	03.17-	■
40 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	11.16-12.19	■
40 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	03.17-	■
3.0 TDI quattro (DCPC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Diesel	4WD	2967	210	286	11.16-12.19	■
50 TDI quattro (DCPC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Diesel	4WD	2967	210	286	11.16-12.19	■
<b>A5 II (F53, F5P) 06.16-</b>						<b>Coupe (Compact executive car-D Segment)</b>		
35 TFSI	PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1LJ, PR 1KK, PR 1KU, PR 2EJ	Gasolina	FWD	1984	110	150	03.20-	■
40 TFSI (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	FWD	1984	150	204	11.20-	■
2.0 TFSI quattro (CYRC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	183	249	06.16-02.20	■
2.0 45 TFSI quattro (CYRB,DLHB)		Gasolina	4WD	1984	185	252	06.17-	■
2.0 TFSI (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	FWD	1984	185	252	11.16-02.20	■
2.0 TFSI quattro (CYMC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	06.16-	■
2.0 TFSI quattro (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	06.16-	■
RS5 TFSI quattro (DECA)	PR 1KP, PR 1KQ, PR 1KR, PR 1KY, discØ 330	Gasolina	4WD	2894	331	450	04.17-	■
RS5 TFSI quattro		Gasolina	4WD	2894	346	471	07.24-	■
S5 TFSI quattro (CWGD)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Gasolina	4WD	2995	260	354	07.16-	■
35 TFSI Mild Hybrid (DLVB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	02.19-	■
35 TFSI Mild Hybrid (DMSB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	02.19-	■
40 TFSI Mild Hybrid (DEMA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DHDA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DKYA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DLVA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid	discØ 300	Gasol./el éc.	FWD	1984	150	204	07.20-	■
40 TFSI Mild Hybrid quattro	discØ 300	Gasol./el éc.	4WD	1984	150	204	07.20-	■
45 TFSI Mild Hybrid (DKNA)		Gasol./el éc.	FWD	1984	180	245	07.18-08.20	■
45 TFSI Mild hybrid quattro (DKNA)	discØ 300	Gasol./el éc.	4WD	1984	180	245	07.18-08.20	■
2.0 TFSI Mild Hybrid (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	FWD	1984	185	252	05.17-02.20	■
2.0 TFSI Mild Hybrid quattro (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■
2.0 TFSI Mild Hybrid quattro (DLHB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KK, PR 1KU, PR 2EJ, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	10.19-	■
30 TDI Mild Hybrid (DEZB)	discØ 300	Diesel/el éc.	FWD	1968	100	136	10.19-	■
40 TDI Mild Hybrid	PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1LJ, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	FWD	1968	150	204	09.20-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

40 TDI Mild Hybrid quattro	discØ 300	Diesel/el éc.	4WD	1968	150	204	09.20-	■	
50 TDI Mild Hybrid quattro	discØ 330, PR 1KF, PR 1KJ, PR 1KU	Diesel/el éc.	4WD	2967	210	286	08.20-	■	
S5 TDI Mild Hybrid quattro	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	251	341	01.21-	■	
S5 TDI Mild Hybrid quattro (DEWB)	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	255	347	12.18-02.20	■	
35 TDI (DEZE)	discØ 300	Diesel	FWD	1968	120	163	08.19-	■	
2.0 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	07.16-	■	
2.0 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	07.16-	■	
2.0 TDI quattro (DESA)	discØ 300	Diesel	4WD	1968	140	190	10.16-	■	
2.0 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	10.16-	■	
40 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	06.16-	■	
40 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	06.16-	■	
40 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	10.16-	■	
45 TDI quattro (DCPE)	discØ 300	Diesel	4WD	2967	170	231	07.18-02.20	■	
3.0 TDI quattro (DCPC)	discØ 330, PR 1KF, PR 1KJ, PR 1KU	Diesel	4WD	2967	210	286	01.17-02.20	■	
50 TDI quattro (DCPC)	discØ 330, PR 1KF, PR 1KJ, PR 1KU	Diesel	4WD	2967	210	286	01.17-02.20	■	
<b>A5 II Sportback (F5A, F5F) 06.16-</b>							<b>Hatchback (Compact executive car- D Segment)</b>		
40 TFSI (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	FWD	1984	150	204	11.20-	■	
40 TFSI quattro (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	4WD	1984	150	204	11.20-	■	
2.0 TFSI quattro (CYRC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	183	249	09.16-02.20	■	
2.0 TFSI (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	FWD	1984	185	252	11.16-02.20	■	
2.0 TFSI quattro (CYMC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	09.16-	■	
2.0 TFSI quattro (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	09.16-	■	
45 TFSI (CYRB)		Gasolina	FWD	1984	185	250	06.17-02.20	■	
45 TFSI quattro (CYRB,DLHB)		Gasolina	4WD	1984	185	252	06.17-	■	
RS5 TFSI quattro (DECA)	PR 1KP, PR 1KQ, PR 1KR, PR 1KY, discØ 330	Gasolina	4WD	2894	331	450	06.18-	■	
RS5 TFSI quattro		Gasolina	4WD	2894	346	471	07.24-	■	
S5 TFSI quattro (CWGD)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Gasolina	4WD	2995	260	354	09.16-	■	
2.0 TFSI g-tron (CVLA)		Gasol./G as (CNG)	FWD	1984	125	170	02.17-02.20	■	
40 TFSI g-tron (CVLA)		Gasol./G as (CNG)	FWD	1984	125	170	02.17-	■	
35 TFSI Mild Hybrid (DLVB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	08.18-	■	
35 TFSI Mild Hybrid (DMSB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	08.18-	■	
40 TFSI Mild Hybrid (DEMA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DHDA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DKYA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DLVA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■	
40 TFSI Mild Hybrid (DMSA)	discØ 300	Gasol./el éc.	FWD	1984	150	204	06.20-	■	
40 TFSI Mild Hybrid quattro (DMSA)	discØ 300	Gasol./el éc.	4WD	1984	150	204	06.20-	■	
45 TFSI Mild hybrid quattro (DKNA)	discØ 300	Gasol./el éc.	4WD	1984	180	245	02.19-02.20	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TFSI Mild Hybrid (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	FWD	1984	185	252	05.17-02.20	■	
2.0 TFSI Mild Hybrid quattro (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■	
2.0 TFSI Mild Hybrid quattro (DLHB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■	
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KK, PR 1KU, PR 2EJ, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	10.19-	■	
30 TDI Mild Hybrid (DEZB)	discØ 300	Diesel/el éc.	FWD	1968	100	136	10.19-	■	
40 TDI Mild Hybrid	discØ 300, PR 1KF, PR 1KJ, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	FWD	1968	150	204	09.20-	■	
40 TDI Mild Hybrid quattro	discØ 300	Diesel/el éc.	4WD	1968	150	204	09.20-	■	
50 TDI Mild Hybrid quattro (DMGA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ, discØ 330, PR 1KU	Diesel/el éc.	4WD	2967	210	286	08.20-	■	
S5 TDI Mild Hybrid quattro	discØ 330, PR 1KK, PR 1KU, PR 2EJ, PR 1KF, PR 1KJ	Diesel/el éc.	4WD	2967	251	341	01.21-	■	
S5 TDI Mild Hybrid quattro (DEWB)	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	255	347	12.18-02.20	■	
35 TDI (DEZE)	discØ 300	Diesel	FWD	1968	120	163	08.19-	■	
2.0 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	09.16-	■	
2.0 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	09.16-	■	
2.0 TDI quattro (DESA)	discØ 300	Diesel	4WD	1968	140	190	10.16-	■	
2.0 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	10.16-	■	
40 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	09.16-	■	
40 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	09.16-	■	
40 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	08.16-	■	
45 TDI quattro (DCPE)	discØ 300	Diesel	4WD	2967	170	231	07.18-02.20	■	
3.0 TDI quattro (DCPC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Diesel	4WD	2967	210	286	01.17-02.20	■	
50 TDI quattro (DCPC)	PR 1KJ, PR 1KK, PR 1KU, PR 2EJ, PR 1KF, discØ 330	Diesel	4WD	2967	210	286	01.17-02.20	■	
<b>A5 Avant (FU5) 07.24-</b>							<b>Estate (Compact executive car-D Segment)</b>		
S5 TFSI Mild Hybrid quattro		Gasol./el éc.	4WD	2995	270	367	07.24-	■	
<b>A6 V C8 Avant (4A5) 05.18-</b>							<b>Estate (Executive car-E Segment)</b>		
40 TFSI 12V	PR 1KJ	Gasolina	FWD	1984	140	190	04.20-	■	
40 TFSI (DMTC)	PR 1KF, PR 1KJ, discØ 330	Gasolina	FWD	1984	150	204	09.20-	■	
45 TFSI	PR 1KJ	Gasolina	FWD	1984	180	245	04.20-	■	
40 TFSI Mild Hybrid	PR 1KJ, 11/19-	Gasol./el éc.	FWD	1984	140	190	02.19-	■	
40 TFSI Mild Hybrid	PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	150	204	01.21-	■	
45 TFSI Mild Hybrid (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■	
45 TFSI Mild Hybrid (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■	
45 TFSI Mild hybrid quattro (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■	
45 TFSI Mild hybrid quattro (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■	
45 TFSI Mild Hybrid (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	195	265	05.20-	■	
45 TFSI Mild hybrid quattro (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	195	265	05.20-	■	
55 TFSI e quattro		Gasol./el éc.	4WD	1984	195	265	02.21-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

50 TFSI e quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	02.21-	■	
50 TFSI e quattro		Gasol./el éc.	4WD	1984	220	299	02.21-	■	
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	270	367	04.20-	■	
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	270	367	02.21-	■	
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	05.18-	■	
30 TDI Mild Hybrid (DEZF)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	100	136	01.19-	■	
35 TDI Mild Hybrid (DEZD)	PR 1KF, PR 1KJ, 11/19-, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	120	163	03.19-	■	
35 TDI Mild Hybrid	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	FWD	1968	120	163	10.20-	■	
35 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	1968	120	163	10.20-	■	
40 TDI Mild Hybrid	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Diesel/el éc.	FWD	1968	140	190	02.19-	■	
40 TDI Mild Hybrid (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	150	204	05.18-	■	
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	07.18-	■	
45 TDI Mild Hybrid quattro (DDVF)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	155	211	07.18-	■	
45 TDI Mild Hybrid quattro (DDVE)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	05.18-	■	
45 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-	■	
50 TDI Mild Hybrid quattro (DDVB)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	05.18-	■	
S6 TDI Mild Hybrid quattro	PR 1KJ	Diesel/el éc.	4WD	2967	253	344	11.20-	■	
S6 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-	Diesel/el éc.	4WD	2967	257	349	03.19-	■	
45 TDI quattro	PR 1KD, not ceramic brakes	Diesel	4WD	2967	183	249	07.19-	■	
<b>A6 V Allroad C8 (4AH) 11.18-</b>							<b>Estate (Executive car-E Segment)</b>		
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	11.19-	■	
40 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	09.20-	■	
45 TDI Mild Hybrid quattro (DDVE)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	11.18-	■	
45 TDI Mild Hybrid quattro	PR 1KF, PR 2EF, discØ 330, PR 1KJ, PR 2EW, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-	■	
50 TDI Mild Hybrid quattro (DDVB)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	11.18-	■	
55 TDI Mild Hybrid quattro	PR 1KJ, PR 2EW, PR 1KF, PR 2EF, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	253	344	11.20-	■	
55 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	257	349	03.19-	■	
45 TDI quattro	PR 1KJ	Diesel	4WD	2967	183	249	08.19-	■	
<b>A6 V C8 (4A2) 02.18-</b>							<b>Saloon (Executive car-E Segment)</b>		
40 TFSI (DMTC)	PR 1KF, PR 1KJ, discØ 330	Gasolina	FWD	1984	150	204	09.20-	■	
45 TFSI quattro (DLHB)	PR 1KJ	Gasolina	4WD	1984	185	252	11.19-	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

40 TFSI Mild Hybrid	PR 1KJ, 11/19-	Gasol./el éc.	FWD	1984	140	190	02.19-	■
45 TFSI Mild Hybrid (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■
45 TFSI Mild Hybrid (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■
45 TFSI Mild hybrid quattro (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■
45 TFSI Mild hybrid quattro (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330	Gasol./el éc.	4WD	1984	185	252	11.19-	■
45 TFSI Mild Hybrid (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	195	265	05.20-	■
45 TFSI Mild hybrid quattro (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	195	265	05.20-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330	Gasol./el éc.	4WD	1984	220	299	11.19-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	11.19-	■
50 TFSI e quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	02.21-	■
55 TFSI e quattro (DLGA)	discØ 330, PR 1KJ, PR 2EW, PR 1KF, PR 2EF	Gasol./el éc.	4WD	1984	270	367	11.19-	■
55 TFSI e quattro		Gasol./el éc.	4WD	1984	270	367	02.21-	■
S6 TFSI Mild Hybrid quattro	PR 1KJ	Gasol./el éc.	4WD	2894	331	450	01.20-	■
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Gasol./el éc.	4WD	2995	250	340	02.18-	■
30 TDI Mild Hybrid (DEZF)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	100	136	01.19-	■
35 TDI Mild Hybrid (DEZD)	PR 1KF, PR 1KJ, 11/19-, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	120	163	03.19-	■
35 TDI Mild Hybrid	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	FWD	1968	120	163	11.20-	■
35 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	1968	120	163	11.20-	■
40 TDI Mild Hybrid (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	150	204	07.18-	■
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Diesel/el éc.	4WD	1968	150	204	07.18-	■
40 TDI Mild Hybrid quattro	PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	07.18-	■
45 TDI Mild Hybrid quattro (DDVF)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	155	211	07.18-	■
45 TDI Mild Hybrid quattro (DDVE)	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Diesel/el éc.	4WD	2967	170	231	07.18-	■
45 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-	■
50 TDI Mild Hybrid quattro (DDVB)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	02.18-	■
S6 TDI Mild Hybrid quattro	PR 1KJ	Diesel/el éc.	4WD	2967	253	344	01.21-	■
S6 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-	Diesel/el éc.	4WD	2967	257	349	03.19-	■
40 TDI	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel	FWD	1968	140	190	02.19-	■
45 TDI quattro	PR 1KD, not ceramic brakes	Diesel	4WD	2967	183	249	07.19-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>A6 e-tron (GHA) 07.24-</b>						<b>Hatchback (Executive car-E Segment)</b>			
Performance		Eléctrico	RWD		280	381	07.24-		■
S6 quattro		Eléctrico	4WD		405	551	07.24-		■
<b>A7 II Sportback (4KA) 10.17-</b>						<b>Hatchback (Executive car-E Segment)</b>			
40 TFSI 12V (DKYA)	not ceramic disc, PR 1KJ, PR 2EW	Gasolina	FWD	1984	140	190	11.19-		■
45 TFSI (DLHA)	not ceramic disc, PR 1KJ, PR 2EW	Gasolina	FWD	1984	180	245	11.19-		■
40 TFSI Mild Hybrid	PR 1KD, PR 1KF, PR 1KJ, PR 2EF, PR 2EW, not ceramic brakes	Gasol./el éc.	FWD	1984	140	190	08.20-		■
40 TFSI Mild Hybrid	not ceramic brakes	Gasol./el éc.	FWD	1984	150	204	08.20-		■
45 TFSI Mild Hybrid (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	07.18-		■
45 TFSI Mild Hybrid (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	07.18-		■
45 TFSI Mild hybrid quattro (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	07.18-		■
45 TFSI Mild hybrid quattro (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	07.18-		■
45 TFSI Mild Hybrid	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, not ceramic disc, not ceramic brakes	Gasol./el éc.	FWD	1984	195	265	05.20-		■
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	1984	195	265	05.20-		■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	11.19-		■
50 TFSI e quattro	not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	02.21-		■
55 TFSI e quattro	not ceramic disc, PR 1KF, PR 1KJ, PR 2EW, discØ 330	Gasol./el éc.	4WD	1984	270	367	07.19-		■
55 TFSI e quattro	PR 1KF, PR 1KJ, discØ 330, not ceramic brakes	Gasol./el éc.	4WD	1984	270	367	07.19-		■
55 TFSI e quattro	not ceramic brakes	Gasol./el éc.	4WD	1984	270	367	02.21-		■
S7 TFSI Mild Hybrid quattro	not ceramic disc, PR 2EW, PR 2KJ	Gasol./el éc.	4WD	2894	331	450	01.20-		■
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	10.17-		■
40 TDI Mild Hybrid (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	FWD	1968	150	204	09.18-		■
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	09.18-		■
45 TDI Mild Hybrid quattro (DDVF)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	155	211	04.18-		■
45 TDI Mild Hybrid quattro (DDVE)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	06.18-		■
45 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-		■
50 TDI Mild Hybrid quattro (DDVB)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	10.17-		■
S7 TDI Mild Hybrid quattro	not ceramic brakes	Diesel/el éc.	4WD	2967	253	344	11.20-		■
S7 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	257	349	03.19-		■
45 TDI quattro		Diesel	4WD	2967	183	249	09.19-		■
<b>A8 IV D5 (4N2, 4N8, 4NC, 4NL, 4NX) 06.17-</b>						<b>Saloon (Luxury car-F Segment)</b>			
50 TFSI Mild Hybrid quattro (4N8) (CZSA)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Gasol./el éc.	4WD	2995	210	286	07.18-		■

# LISTA DE APLICACIONES - BUYERS GUIDE

55 TFSI Mild Hybrid quattro (CZSE)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Gasol./el éc.	4WD	2995	250	340	06.17-	■	
60 TFSI e quattro (CZSE)	discØ 330, PR 1KF, PR 2ED, PR 2EF, PR 1KJ, PR 2EE, PR 2EJ	Gasol./el éc.	4WD	2995	250	340	10.19-	■	
60 TFSI e quattro (CZSE)	PR 1KJ, PR 2EE, 11/19-	Gasol./el éc.	4WD	2995	330	449	10.19-	■	
60 TFSI e quattro	PR 1KF, PR 1KJ, PR 2ED, PR 2EE, PR 2EF, PR 2EJ, not ceramic brakes	Gasol./el éc.	4WD	2995	340	462	11.21-	■	
60 TFSI Mild Hybrid quattro (CXYA)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Gasol./el éc.	4WD	3996	338	460	05.18-	■	
S8 TFSI Mild Hybrid quattro (CWWB)	PR 1KJ, PR 2EE, 11/19-	Gasol./el éc.	4WD	3996	420	571	02.19-	■	
50 TDI Mild Hybrid quattro (DDVC)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Diesel/el éc.	4WD	2967	210	286	06.17-	■	
60 TDI Mild Hybrid quattro (CVXB)	PR 1KJ, PR 2EE	Diesel/el éc.	4WD	3956	320	435	11.19-	■	
45 TDI quattro (CVMD)	PR 1KJ, PR 2EE, 11/19-	Diesel	4WD	2967	183	249	01.19-	■	
<b>Q5 II (FYB, FYG) 05.16-</b>					<b>SUV Van (Luxury Crossover SUV-J Segment)</b>				
3.0 SQ5 TDI Mild Hybrid quattro	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	255	347	02.19-11.20	■	
3.0 TDI quattro	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	210	286	07.17-11.20	■	
<b>Q5 II (FYB, FYG) 05.16-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>				
2.0 TFSI quattro	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	180	245	08.18-	■	
2.0 TFSI quattro (DAXC)	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	183	249	01.17-11.20	■	
2.0 TFSI quattro (DAXB)	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	185	252	06.16-11.20	■	
2.0 TFSI quattro (DAYB)	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	185	252	06.16-11.20	■	
SQ5 TFSI quattro (CWGD)	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Gasolina	4WD	2995	260	354	11.16-	■	
40 TFSI Mild Hybrid quattro		Gasol./el éc.	4WD	1984	150	204	10.21-	■	
45 TFSI Mild hybrid quattro (DGKB)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	180	245	12.18-	■	
45 TFSI Mild hybrid quattro (DNNTA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	180	245	12.18-	■	
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	185	252	04.19-11.20	■	
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	185	252	08.19-11.20	■	
45 TFSI Mild hybrid quattro (DPUA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	08.20-	■	
45 TFSI Mild hybrid quattro (DPVA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	08.20-	■	
55 TFSI e quattro		Gasol./el éc.	4WD	1984	195	265	02.21-	■	
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	220	299	04.19-	■	
50 TFSI e quattro	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	220	299	02.21-	■	
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KK, PR 1KW, PR 2EJ, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	270	367	08.19-	■	
55 TFSI e quattro		Gasol./el éc.	4WD	1984	270	367	02.21-	■	
30 TDI Mild Hybrid (DEZB)		Diesel/el éc.	FWD	1968	100	136	09.19-	■	
35 TDI Mild Hybrid (DEZE)	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	FWD	1968	120	163	09.19-	■	
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	1968	150	204	09.19-	■	
50 TDI Mild Hybrid quattro (DMGA)	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	2967	210	286	06.20-	■	
SQ5 TDI Mild Hybrid quattro	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	251	341	01.21-	■	
SQ5 TDI Mild Hybrid quattro (DEWB)	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	255	347	02.19-09.20	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TDI (DEUB)		Diesel	FWD	1968	100	136	01.17-11.20	■	
2.0 TDI (DEUA)		Diesel	FWD	1968	110	150	01.17-11.20	■	
2.0 TDI quattro (DETB)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	120	163	06.16-08.18	■	
35 TDI	PR 1KF, PR 1KK, PR 2EJ	Diesel	FWD	1968	120	163	10.21-	■	
35 TDI quattro (DETB)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	120	163	08.18-11.20	■	
2.0 TDI quattro (DESA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	06.16-08.18	■	
2.0 TDI quattro (DETA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	06.16-08.18	■	
40 TDI quattro (DESA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	10.18-	■	
40 TDI quattro (DETA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	10.18-	■	
45 TDI quattro (DCPE)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	170	231	08.18-11.20	■	
3.0 TDI quattro (DCPC)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	210	286	07.17-11.20	■	
50 TDI quattro (DCPC)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	210	286	03.19-11.20	■	
<b>Q5 II Sportback (FYT) 11.20-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>				
40 TFSI Mild Hybrid quattro		Gasol./el éc.	4WD	1984	150	204	10.21-	■	
45 TFSI Mild hybrid quattro	discØ 330, PR 1KF, PR 1KJ	Gasol./el éc.	4WD	1984	195	265	11.20-	■	
50 TFSI e quattro	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	220	299	02.21-	■	
2.0 55 TFSI e quattro		Gasol./el éc.	4WD	1984	270	367	07.21-	■	
55 TFSI e quattro	PR 1KF, discØ 330, PR 1KD, PR 1KE, PR 1KJ, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	4WD	1984	270	367	06.21-	■	
35 TDI Mild Hybrid	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	FWD	1968	120	163	04.21-	■	
40 TDI Mild Hybrid quattro	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	4WD	1968	150	204	11.20-	■	
50 TDI Mild Hybrid quattro	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	4WD	2967	210	286	02.21-	■	
SQ5 TDI Mild Hybrid quattro	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	251	341	02.21-	■	
<b>Q5 III (GUB) 01.25-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>				
2.0 TFSI		Gasol./el éc.	FWD	1984	150	204	01.25-	■	
2.0 TFSI quattro		Gasol./el éc.	4WD	1984	150	204	01.25-	■	
SQ5 TFSI quattro		Gasol./el éc.	4WD	2995	270	367	01.25-	■	
2.0 TDI quattro		Diesel/el éc.	4WD	1968	150	204	01.25-	■	
<b>Q7 II (4MB, 4MG) 01.15-</b>					<b>SUV Van (Luxury Crossover SUV-J Segment)</b>				
3.0 45 TDI Mild Hybrid quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	07.18-12.19	■	
3.0 50 TDI Mild Hybrid quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	07.18-12.19	■	
3.0 TDI quattro	not ceramic disc, 11/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic brakes	Diesel	4WD	2967	160	218	08.15-12.19	■	
3.0 TDI quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	200	272	01.15-12.19	■	
4.0 SQ7 TDI quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	3956	320	435	04.16-	■	
<b>Q7 II (4MB, 4MG, 4MQ) 01.15-</b>					<b>SUV (Luxury Crossover SUV-J Segment)</b>				
45 TFSI quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	1984	180	245	03.20-	■	
2.0 TFSI quattro (CYMC)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Gasolina	4WD	1984	185	252	08.15-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TFSI quattro (CYRB)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Gasolina	4WD	1984	185	252	08.15-	■	
45 TFSI quattro	PR 2ED, PR 2EH, not ceramic brakes	Gasolina	4WD	1984	195	265	11.22-	■	
3.0 TFSI quattro (CREC)	not ceramic disc, 11/19-, not ceramic brakes	Gasolina	4WD	2995	245	333	01.15-12.19	■	
55 TFSI quattro (DCBD)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	2995	250	340	03.20-	■	
SQ7 quattro (DCUE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	3996	373	507	02.20-	■	
SQ7 quattro (DCUE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	3996	373	507	02.20-	■	
2.0 TFSI e-tron quattro (CVJA)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc	Gasol./el éc.	4WD	1984	270	367	02.16-12.19	■	
55 TFSI Mild Hybrid quattro (DCBD)	PR 2ED, PR 2EE, PR 2EJ, 11/19-, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	07.19-	■	
60 TFSI e quattro (DCBE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc	Gasol./el éc.	4WD	2995	250	340	11.19-	■	
55 TFSI e quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic brakes	Gasol./el éc.	4WD	2995	280	381	11.19-	■	
55 TFSI e quattro		Gasol./el éc.	4WD	2995	290	394	04.24-	■	
60 TFSI e quattro (DCBE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	2995	335	455	11.19-	■	
60 TFSI e quattro	PR 2ED, PR 2EH, not ceramic brakes	Gasol./el éc.	4WD	2995	340	462	10.20-	■	
60 TFSI e quattro		Gasol./el éc.	4WD	2995	360	489	04.24-	■	
45 TDI Mild Hybrid quattro (DHXC)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	07.18-	■	
50 TDI Mild Hybrid quattro (DHXA)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	07.18-	■	
3.0 TDI e-tron quattro (CVZA)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	275	374	08.15-12.19	■	
3.0 TDI quattro (CZZB)	not ceramic disc, 11/19-, not ceramic brakes	Diesel	4WD	2967	155	211	08.15-12.19	■	
3.0 TDI quattro (CRTE)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	160	218	06.15-12.19	■	
3.0 TDI quattro (CZZA)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	160	218	06.15-12.19	■	
3.0 TDI quattro (CVMD)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	183	249	06.15-12.19	■	
45 TDI quattro	not ceramic brakes	Diesel	4WD	2967	183	249	07.19-	■	
3.0 TDI quattro (CUEA)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	190	258	08.15-12.19	■	
3.0 TDI quattro (CRTC)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	200	272	01.15-12.19	■	
SQ7 TDI quattro (CZAC)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	3956	320	435	04.16-	■	
<b>VW</b>									
<b>TOUAREG III (CR7, RC8) 11.17-</b>						<b>SUV (Luxury Crossover SUV-J Segment)</b>			
2.0 TSI 4motion	12/19-, PR 2EE	Gasolina	4WD	1984	180	245	08.18-11.22	■	
2.0 TFSI 4motion (CYRC)	12/19-, PR 2EE	Gasolina	4WD	1984	183	249	05.18-11.23	■	
2.0 TSI 4motion	12/19-, PR 2EE	Gasolina	4WD	1984	185	252	09.18-11.23	■	
3.0 TSI 4motion (DCBE)	12/19-, PR 2EE	Gasolina	4WD	2995	250	340	03.18-	■	
eHybrid 4motion (DFKA)	PR 2ED, PR 2EE	Gasol./el éc.	4WD	1984	185	252	11.20-	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

eHybrid 4motion (DFKA)	PR 2ED, PR 2EE	Gasol./el éc.	4WD	1984	270	367	11.20-06.22	■
3.0 eHybrid 4motion	PR 2ED, PR 2EE	Gasol./el éc.	4WD	2995	280	381	11.20-	■
3.0 R 4motion	PR 2ED, PR 2EE	Gasol./el éc.	4WD	2995	340	462	09.20-	■
3.0 TDI 4motion (DEND)	12/19-, PR 2EE	Diesel	4WD	2967	170	231	05.18-	■
3.0 TDI 4motion (CVMD)	12/19-, PR 2EE	Diesel	4WD	2967	183	249	01.18-11.23	■
3.0 TDI 4motion	12/19-, PR 2EE	Diesel	4WD	2967	190	258	11.17-	■
3.0 TDI 4motion (DENA)	12/19-, PR 2EE	Diesel	4WD	2967	210	286	11.17-	■
4.0 V8 TDI 4motion (DMVB)	12/19-, PR 2EE	Diesel	4WD	3956	310	421	06.19-11.21	■