

LISTA DE APLICACIONES - BUYERS GUIDE


182266



8 424073 149954

Qty: 300

Weight: 2.760



182266

E 9 90R-02A0111/4522



Ate - Teves

180.1x71.9x19

181.3x72x19

O.E.M.	MAKE
3 144 598 5	VOLVO
3 144 598 6	VOLVO
31423314	VOLVO

WVA	FMSI
22386	D1866-9095
22387	
MAKE	
VOLVO	
VOLVO ASIA	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

VOLVO

XC60 (156) 05.08-							SUV (Compact SUV-J Segment)			
2.0 T5 Flexfuel	01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	1969	162	220	09.14-	■		
T5 (B 4204 T11)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	FWD	1969	180	245	10.13-02.17	■		
T5 (B 4204 T41)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	FWD	1969	180	245	10.13-02.17	■		
T5 AWD (B 4204 T11)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	1969	180	245	10.15-02.17	■		
T5 AWD (B 4204 T41)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	1969	180	245	10.15-02.17	■		
T6 (B 4204 T9)	01/16-, Eq.V_ RC02, ch- 785804, RC01,RE0A, Fist-type Caliper	Gasolina	FWD	1969	225	306	10.13-02.17	■		
T6 AWD (B 4204 T9)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	1969	225	306	10.13-12.17	■		
2.0 T (B 4204 T6)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	1999	149	203	12.09-12.12	■		
T5 (B 4204 T7)	01/16-, RC02, RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	1999	177	241	09.10-02.17	■		
T5 AWD (B 5254 T12)	01/16-, RC02, RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	4WD	2497	183	249	04.14-02.17	■		
T5 AWD (B 5254 T12)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	2497	187	254	04.14-02.17	■		
T6 AWD (B 6304 T2)	Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	2953	210	286	05.08-12.10	■		

LISTA DE APLICACIONES - BUYERS GUIDE

T6 (B 6304 T4)	01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	2953	224	304	07.14-02.17	■
T6 AWD (B 6304 T4)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	2953	224	304	03.10-02.17	■
T6 AWD (B 6304 T3)	Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	2953	242	329	04.14-12.15	■
T6 AWD (B 6304 T4)	Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	2953	242	329	04.14-12.15	■
3.2 (B 6324 S)	01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	3192	168	228	09.09-12.10	■
3.2 AWD (B 6324 S2)	01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	4WD	3192	168	228	09.09-12.10	■
3.2 (B 6324 S4)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	3192	171	233	09.11-12.14	■
3.2 AWD (B 6324 S4)	01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	4WD	3192	171	233	09.10-12.15	■
3.2	01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	3192	175	238	09.09-12.10	■
3.2 AWD (B 6324 S)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	4WD	3192	175	238	07.09-12.10	■
3.2 (B 6324 S5)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Gasolina	FWD	3192	179	243	09.11-12.14	■
3.2 AWD (B 6324 S5)	Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Gasolina	4WD	3192	179	243	03.10-12.15	■
D3 (D 4204 T4)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	FWD	1969	110	150	03.15-04.17	■
D4 (D 4204 T5)	RC02, RC01,RE0A	Diesel	FWD	1969	133	181	10.13-12.15	■
D4 (D 4204 T14)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	FWD	1969	140	190	03.15-02.17	■
D3 (D 5204 T7)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	FWD	1984	100	136	04.12-12.15	■
D3 / D4 (D 5204 T2)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	FWD	1984	120	163	03.10-12.14	■
D3 / D4 (D 5204 T3)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	FWD	1984	120	163	03.10-12.14	■
2.4 D / D3 / D4 AWD (D 5244 T16)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	4WD	2400	120	163	05.08-02.17	■
2.4 D / D3 / D4 AWD (D 5244 T17)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	4WD	2400	120	163	05.08-02.17	■
2.4 D / D3 / D4 AWD (D 5244 T5)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	4WD	2400	120	163	05.08-02.17	■
2.4 D (D 5244 T14)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	FWD	2400	129	175	04.09-12.10	■
D4 AWD (D 5244 T12)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	4WD	2400	133	181	10.13-12.15	■
D5 AWD (D 5244 T4)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	4WD	2400	136	185	05.08-12.09	■
D4 AWD (D 5244 T21)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	4WD	2400	140	190	03.15-02.17	■
D5 AWD (D 5244 T10)	RC02 RC01,RE0A, Fist-type Caliper, ch- 785804	Diesel	4WD	2400	151	205	07.09-06.11	■
D5 (D 5244 T11)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	FWD	2400	158	215	06.11-02.17	■
D5 (D 5244 T15)	01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	FWD	2400	158	215	06.11-02.17	■
D5 AWD (D 5244 T11)	Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	4WD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)	Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper	Diesel	4WD	2400	158	215	04.11-12.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

D5 AWD (D 5244 T20)	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper	Diesel	4WD	2400	162	220	03.15-02.17	■	
D5 AWD (D 5244 T22)	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper	Diesel	4WD	2400	162	220	03.15-02.17	■	
D5 AWD (D 5244 T23)	ch- 775001, RC02, RC01, RE0A, Fist-type Caliper, ch- 785804	Diesel	4WD	2400	169	230	04.14-12.15	■	
XC60 II (246) 03.17-					SUV (Compact SUV-J Segment)				
T5 AWD (B 4204 T23)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Gasolina	4WD	1969	187	254	03.17-12.21	■	
T6 AWD (B 4204 T27)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Gasolina	4WD	1969	235	320	03.17-12.21	■	
T8 Hybrid AWD (B 4204 T34)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Gasol./el éc.	4WD	1969	287	390	02.18-12.22	■	
T8 Hybrid AWD (B 4204 T35)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Gasol./el éc.	4WD	1969	299	407	03.17-12.22	■	
D3 (D 4204 T4)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Diesel	FWD	1969	110	150	03.17-12.21	■	
D4 (D 4204 T14)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Diesel	FWD	1969	140	190	03.17-12.21	■	
D4 AWD (D 4204 T14)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Diesel	4WD	1969	140	190	03.17-12.21	■	
D5 AWD (D 4204 T23)	Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01	Diesel	4WD	1969	173	235	03.17-12.22	■	
XC60 VAN (156) 05.08-12.17					SUV Van (Compact SUV-J Segment)				
D3	RC02, RC01, RE0A, Fist-type Caliper, ch- 785804	Diesel	FWD	1984	100	136	09.13-12.15	■	
D4	01/16-, RC02, RC01, RE0A, Fist-type Caliper, ch- 785804	Diesel	FWD	1984	120	163	09.13-02.17	■	
D4 AWD	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper	Diesel	4WD	2400	120	163	09.13-02.17	■	
D5 AWD	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper	Diesel	4WD	2400	158	215	09.13-02.17	■	
VOLVO ASIA									
XC60 11.14-					SUV (Compact SUV-J Segment)				
2.0 T5	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, Fist-type Caliper	Gasolina	FWD	1969	180	245	11.14-	■	
2.0 T5 AWD (B 4204 T11)	01/16-, RC02, RC01, Fist-type Caliper, ch- 785804	Gasolina	4WD	1969	180	245	11.14-12.17	■	
2.0 T5	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, Fist-type Caliper	Gasolina	FWD	1984	157	214	11.14-	■	
2.5 T6	01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01	Gasolina	FWD	2497	187	254	11.14-	■	