

LISTA DE APLICACIONES - BUYERS GUIDE

182266




8 424073 149954

Qty: 300

Weight: 2.760

| O.E.M. | MAKE |
|-------------|-------|
| 3 144 598 5 | VOLVO |
| 3 144 598 6 | VOLVO |



182266



90R-02A0111/4522

Ate - Teves

180.1x71.9x19

181.3x72x19

| WVA | FMSI |
|------------|------------|
| 22386 | D1866-9095 |
| 22387 | |
| MAKE | |
| VOLVO | |
| VOLVO ASIA | |



| Trac. | CC | Kw | CV |
|-------|----|----|----|
|-------|----|----|----|



Front / Rear

VOLVO

XC60 (156) 05.08-

SUV (Compact SUV-J Segment)

| | | | | | | | | |
|---------------------|--|----------|-----|------|-----|-----|-------------|---|
| 2.0 T5 Flexfuel | 01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 1969 | 162 | 220 | 09.14- | ■ |
| T5 (B 4204 T11) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | FWD | 1969 | 180 | 245 | 10.13-02.17 | ■ |
| T5 (B 4204 T41) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | FWD | 1969 | 180 | 245 | 10.13-02.17 | ■ |
| T5 AWD (B 4204 T11) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 1969 | 180 | 245 | 10.15-02.17 | ■ |
| T5 AWD (B 4204 T41) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 1969 | 180 | 245 | 10.15-02.17 | ■ |
| T6 (B 4204 T9) | 01/16-, Eq.V_ RC02, ch- 785804, RC01,RE0A, Fist-type Caliper | Gasolina | FWD | 1969 | 225 | 306 | 10.13-02.17 | ■ |
| T6 AWD (B 4204 T9) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 1969 | 225 | 306 | 10.13-12.17 | ■ |
| 2.0 T (B 4204 T6) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 1999 | 149 | 203 | 12.09-12.12 | ■ |
| T5 (B 4204 T7) | 01/16-, RC02, RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 1999 | 177 | 241 | 09.10-02.17 | ■ |
| T5 AWD (B 5254 T12) | 01/16-, RC02, RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | 4WD | 2497 | 183 | 249 | 04.14-02.17 | ■ |
| T5 AWD (B 5254 T12) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 2497 | 187 | 254 | 04.14-02.17 | ■ |
| T6 AWD (B 6304 T2) | Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 2953 | 210 | 286 | 05.08-12.10 | ■ |

LISTA DE APLICACIONES - BUYERS GUIDE

| | | | | | | | | |
|----------------------------------|--|----------|-----|------|-----|-----|-------------|---|
| T6 (B 6304 T4) | 01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 2953 | 224 | 304 | 07.14-02.17 | ■ |
| T6 AWD (B 6304 T4) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 2953 | 224 | 304 | 03.10-02.17 | ■ |
| T6 AWD (B 6304 T3) | Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 2953 | 242 | 329 | 04.14-12.15 | ■ |
| T6 AWD (B 6304 T4) | Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 2953 | 242 | 329 | 04.14-12.15 | ■ |
| 3.2 (B 6324 S) | 01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 3192 | 168 | 228 | 09.09-12.10 | ■ |
| 3.2 AWD (B 6324 S2) | 01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | 4WD | 3192 | 168 | 228 | 09.09-12.10 | ■ |
| 3.2 (B 6324 S4) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 3192 | 171 | 233 | 09.11-12.14 | ■ |
| 3.2 AWD (B 6324 S4) | 01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | 4WD | 3192 | 171 | 233 | 09.10-12.15 | ■ |
| 3.2 | 01/16-, RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 3192 | 175 | 238 | 09.09-12.10 | ■ |
| 3.2 AWD (B 6324 S) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | 4WD | 3192 | 175 | 238 | 07.09-12.10 | ■ |
| 3.2 (B 6324 S5) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Gasolina | FWD | 3192 | 179 | 243 | 09.11-12.14 | ■ |
| 3.2 AWD (B 6324 S5) | Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Gasolina | 4WD | 3192 | 179 | 243 | 03.10-12.15 | ■ |
| D3 (D 4204 T4) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | FWD | 1969 | 110 | 150 | 03.15-04.17 | ■ |
| D4 (D 4204 T5) | RC02, RC01,RE0A | Diesel | FWD | 1969 | 133 | 181 | 10.13-12.15 | ■ |
| D4 (D 4204 T14) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | FWD | 1969 | 140 | 190 | 03.15-02.17 | ■ |
| D3 (D 5204 T7) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | FWD | 1984 | 100 | 136 | 04.12-12.15 | ■ |
| D3 / D4 (D 5204 T2) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | FWD | 1984 | 120 | 163 | 03.10-12.14 | ■ |
| D3 / D4 (D 5204 T3) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | FWD | 1984 | 120 | 163 | 03.10-12.14 | ■ |
| 2.4 D / D3 / D4 AWD (D 5244 T16) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 120 | 163 | 05.08-02.17 | ■ |
| 2.4 D / D3 / D4 AWD (D 5244 T17) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 120 | 163 | 05.08-02.17 | ■ |
| 2.4 D / D3 / D4 AWD (D 5244 T5) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 120 | 163 | 05.08-02.17 | ■ |
| 2.4 D (D 5244 T14) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | FWD | 2400 | 129 | 175 | 04.09-12.10 | ■ |
| D4 AWD (D 5244 T12) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | 4WD | 2400 | 133 | 181 | 10.13-12.15 | ■ |
| D5 AWD (D 5244 T4) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | 4WD | 2400 | 136 | 185 | 05.08-12.09 | ■ |
| D4 AWD (D 5244 T21) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 140 | 190 | 03.15-02.17 | ■ |
| D5 AWD (D 5244 T10) | RC02 RC01,RE0A, Fist-type Caliper, ch- 785804 | Diesel | 4WD | 2400 | 151 | 205 | 07.09-06.11 | ■ |
| D5 (D 5244 T11) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | FWD | 2400 | 158 | 215 | 06.11-02.17 | ■ |
| D5 (D 5244 T15) | 01/16-, Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | FWD | 2400 | 158 | 215 | 06.11-02.17 | ■ |
| D5 AWD (D 5244 T11) | Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 158 | 215 | 04.11-12.15 | ■ |
| D5 AWD (D 5244 T15) | Eq.V_ RC02, ch- 785804, Eq.V_ RC01,RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 158 | 215 | 04.11-12.15 | ■ |

LISTA DE APLICACIONES - BUYERS GUIDE

| | | | | | | | | |
|-----------------------------------|--|---------------|-----|------|--|-----|-------------|---|
| D5 AWD (D 5244 T20) | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 162 | 220 | 03.15-02.17 | ■ |
| D5 AWD (D 5244 T22) | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 162 | 220 | 03.15-02.17 | ■ |
| D5 AWD (D 5244 T23) | ch- 775001, RC02, RC01, RE0A, Fist-type Caliper, ch- 785804 | Diesel | 4WD | 2400 | 169 | 230 | 04.14-12.15 | ■ |
| XC60 II (246) 03.17- | | | | | SUV (Compact SUV-J Segment) | | | |
| T5 AWD (B 4204 T23) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Gasolina | 4WD | 1969 | 187 | 254 | 03.17-12.21 | ■ |
| T6 AWD (B 4204 T27) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Gasolina | 4WD | 1969 | 235 | 320 | 03.17-12.21 | ■ |
| T8 Hybrid AWD (B 4204 T34) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Gasol./el éc. | 4WD | 1969 | 287 | 390 | 02.18-12.22 | ■ |
| T8 Hybrid AWD (B 4204 T35) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Gasol./el éc. | 4WD | 1969 | 299 | 407 | 03.17-12.22 | ■ |
| D3 (D 4204 T4) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Diesel | FWD | 1969 | 110 | 150 | 03.17-12.21 | ■ |
| D4 (D 4204 T14) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Diesel | FWD | 1969 | 140 | 190 | 03.17-12.21 | ■ |
| D4 AWD (D 4204 T14) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Diesel | 4WD | 1969 | 140 | 190 | 03.17-12.21 | ■ |
| D5 AWD (D 4204 T23) | Eq.V_ RC02, Rim 17, ch-785804, Eq.V_ RC01 | Diesel | 4WD | 1969 | 173 | 235 | 03.17-12.22 | ■ |
| XC60 VAN (156) 05.08-12.17 | | | | | SUV Van (Compact SUV-J Segment) | | | |
| D3 | RC02, RC01, RE0A, Fist-type Caliper, ch- 785804 | Diesel | FWD | 1984 | 100 | 136 | 09.13-12.15 | ■ |
| D4 | 01/16-, RC02, RC01, RE0A, Fist-type Caliper, ch- 785804 | Diesel | FWD | 1984 | 120 | 163 | 09.13-02.17 | ■ |
| D4 AWD | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 120 | 163 | 09.13-02.17 | ■ |
| D5 AWD | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, RE0A, Fist-type Caliper | Diesel | 4WD | 2400 | 158 | 215 | 09.13-02.17 | ■ |
| VOLVO ASIA | | | | | | | | |
| XC60 11.14- | | | | | SUV (Compact SUV-J Segment) | | | |
| 2.0 T5 | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, Fist-type Caliper | Gasolina | FWD | 1969 | 180 | 245 | 11.14- | ■ |
| 2.0 T5 AWD (B 4204 T11) | 01/16-, RC02, RC01, Fist-type Caliper, ch- 785804 | Gasolina | 4WD | 1969 | 180 | 245 | 11.14-12.17 | ■ |
| 2.0 T5 | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01, Fist-type Caliper | Gasolina | FWD | 1984 | 157 | 214 | 11.14- | ■ |
| 2.5 T6 | 01/16-, Eq.V_ RC02, ch-785804, Eq.V_ RC01 | Gasolina | FWD | 2497 | 187 | 254 | 11.14- | ■ |