

LISTA DE APLICACIONES - BUYERS GUIDE

182280




8 424073 169532

Qty: 300

Weight: 3.765

O.E.M.	MAKE
04464-WAA04	TOYOTA
04465-WAA01	TOYOTA
34 11 6 872 750	BMW
34 11 6 874 430	BMW
34 11 6 880 734	BMW
34 11 6 880 735	BMW
34 11 6 888 457	BMW
34 11 6 888 458	BMW
34 11 6 889 570	BMW



182280

E 9 90R-02A0111/4963



Brembo

125.9x94.8x19.9

WVA	FMSI
22425	D1867-9097
MAKE	
ALPINA	
BMW	
BMW (BRILLIANCE)	
TOYOTA	



Trac.	CC	Kw	CV		
					Front / Rear

ALPINA

B3 VII (G20) 09.19-						Saloon (Compact executive car-D Segment)			
BITURBO A las 4 ruedas		Gasolina	4WD	2993		340	462	09.19-	■
B3 VII Touring (G21) 09.19-						Estate (Compact executive car-D Segment)			
BITURBO A las 4 ruedas		Gasolina	4WD	2993		340	462	09.19-	■
D3 III (G20) 05.20-						Saloon (Compact executive car-D Segment)			
S (B57 D30 B)		Diesel/el éc.	4WD	2993		261	355	05.20-	■
D3 III Touring (G21) 05.20-						Estate (Compact executive car-D Segment)			
S (B57 D30 B)		Diesel/el éc.	4WD	2993		261	355	05.20-	■
XD3 (G01) 07.18-						SUV (Luxury Crossover SUV-J Segment)			
BITURBO Mild-Hybrid A las 4 ruedas		Diesel/el éc.	4WD	2993		261	355	11.20-	■
BITURBO A las 4 ruedas (B57 D30 A)		Diesel	4WD	2993		245	333	11.18-10.20	■
BITURBO A las 4 ruedas (B57 D30 A)		Diesel	4WD	2993		285	388	07.18-	■
XD4 (G02) 07.18-						SUV (Luxury Crossover SUV-J Segment)			
BITURBO A las 4 ruedas (B57 D30 A)		discØ 348	Diesel	4WD	2993	285	388	07.18-	■

BMW

2 Serie II (G42, G87) 08.21-						Coupe (Compact car-C Segment)			
220 i		discØ 348, M-sport package	Gasolina	RWD	1998	135	184	08.21-	■
M240 i xDrive		discØ 348	Gasolina	4WD	2998	275	374	08.21-	■
220 d Mild-Hybrid		discØ 348, M-sport package	Diesel/el éc.	RWD	1995	140	190	08.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3 Serie VII (G20, G80, G28) 11.18-					Saloon (Compact executive car-D Segment)			
320 i 1.6 (B48 B16 A)	M-sport package, discØ 348	Gasolina	RWD	1597	125	170	03.19-	■
318i (B48 B20 A)	sports package, M-sport package, discØ 348	Gasolina	RWD	1998	115	156	03.20-	■
320i (B48 B20 A)	M-sport package	Gasolina	RWD	1998	135	184	03.19-	■
320i (B48 B20 B)	M-sport package	Gasolina	RWD	1998	135	184	03.19-	■
320 i xDrive (B48 B20 A)	sports chassis, M-sport package, discØ 348	Gasolina	4WD	1998	135	184	07.19-	■
330i (B46 B20 B)	sports package, M-sport package, discØ 348	Gasolina	RWD	1998	190	258	11.18-	■
330i (B48 B20 B)	sports package, M-sport package, discØ 348	Gasolina	RWD	1998	190	258	11.18-	■
330 i xDrive (B46 B20 B)	sports chassis, M-sport package, discØ 348, Europe, USA	Gasolina	4WD	1998	190	258	11.18-	■
330 i xDrive (B48 B20 B)	sports chassis, M-sport package, discØ 348, Europe, USA	Gasolina	4WD	1998	190	258	11.18-	■
M 340 i xDrive (B58 B30 B)	discØ 348, not sports package	Gasolina	4WD	2998	275	374	07.19-	■
M 340 i	not M sport pak.	Gasolina	RWD	2998	285	387	03.19-	■
M 340 i xDrive (B58 B30 B)	discØ 348, not sports package	Gasolina	4WD	2998	285	387	03.19-	■
320 e Plug-in-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-	■
320 e Plug-in-Hybrid (GC1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-	■
330 e Plug-in-Hybrid (B46 B20 B)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (B48 B20 A)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (GC1)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)	reinforced brakes, discØ 348	Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	reinforced brakes, discØ 348	Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	reinforced brakes, discØ 348	Gasol./el éc.	4WD	1998	135	184	07.20-	■
320 e Plug-in-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid (GC1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	150	204	07.20-	■
330 e Plug-in-Hybrid (B46 B20 B)	sports chassis, M-sport package	Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B48 B20 A)	sports chassis, M-sport package	Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B48 B20 B)	sports chassis, M-sport package	Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (GC1)	sports chassis, M-sport package	Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)	reinforced brakes, discØ 348	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	reinforced brakes, discØ 348	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	reinforced brakes, discØ 348	Gasol./el éc.	4WD	1998	215	292	07.20-	■
M 340 i Mild-Hybrid xDrive (B58 B30 B)	discØ 348	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 340 i Mild-Hybrid xDrive (JA1)	discØ 348	Gasol./el éc.	4WD	2998	275	374	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

316 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	90	122	08.20-	■
316 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	90	122	08.20-	■
318 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	100	136	04.20-	■
318 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	100	136	04.20-	■
318 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	110	150	04.20-	■
318 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	110	150	04.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	03.20-	■
330 d Mild-Hybrid (B57 D30 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	210	286	11.20-	■
M340 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak., discØ 348	Diesel/el éc.	4WD	2993	250	340	04.20-	■
M340 d Mild-Hybrid xDrive (JA1)	not M sport pak., discØ 348	Diesel/el éc.	4WD	2993	250	340	04.20-	■
316 d (B47 D20 B)	discØ 348, M-sport package	Diesel	RWD	1995	85	116	11.20-	■
316 d (B47 D20 B)	reinforced brakes, discØ 348, M-sport package	Diesel	RWD	1995	90	122	03.20-	■
318 d (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	RWD	1995	100	136	03.19-03.20	■
318 d (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	RWD	1995	110	150	03.19-03.20	■
320 d (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	RWD	1995	120	163	11.18-02.20	■
320 d xDrive (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	4WD	1995	120	163	11.18-02.20	■
320 d (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	RWD	1995	140	190	11.18-	■
320 d xDrive (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	4WD	1995	140	190	11.18-02.20	■
330 d (B57 D30 A)	M-sport package, discØ 348	Diesel	RWD	2993	195	265	03.19-	■
330 d xDrive (B57 D30 A)	sports chassis, M-sport package, discØ 348	Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring (G21, G81) 07.19-					Estate (Compact executive car-D Segment)			
318i (B48 B20 A)	M-sport package, discØ 348	Gasolina	RWD	1998	115	156	03.20-	■
320i (B46 B20 B)	M-sport package, discØ 348	Gasolina	RWD	1998	135	184	11.19-	■
320i (B48 B20 A)	M-sport package, discØ 348	Gasolina	RWD	1998	135	184	11.19-	■
330i		Gasolina	RWD	1998	180	245	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330i (B48 B20 B)	sports package, M-sport package, discØ 348	Gasolina	RWD	1998	190	258	07.19-	■
330 i xDrive (B48 B20 B)	sports chassis, M-sport package, discØ 348	Gasolina	4WD	1998	190	258	07.19-	■
M 340 i xDrive (B58 B30 B)	discØ 348, Syst. Standard	Gasolina	4WD	2998	275	374	11.19-	■
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	285	387	11.19-	■
320 e Plug-in-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-	■
320 e Plug-in-Hybrid (GC1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-	■
320 e Plug-in-Hybrid xDrive	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	120	163	03.21-	■
330 e Plug-in-Hybrid (B48 B20 A)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid (GC1)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	135	184	07.20-	■
320 e Plug-in-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid (GC1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid xDrive	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	150	204	03.21-	■
330 e Plug-in-Hybrid (B48 B20 A)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid (GC1)	sports chassis, M-sport package, discØ 348	Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	M-sport package	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	M-sport package	Gasol./el éc.	4WD	1998	215	292	07.20-	■
M 340 i Mild-Hybrid xDrive (B58 B30 B)	Syst. Standard	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 340 i Mild-Hybrid xDrive (JA1)	Syst. Standard	Gasol./el éc.	4WD	2998	275	374	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	90	122	07.20-	■
316 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	90	122	07.20-	■
318 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	100	136	08.20-	■
318 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	100	136	08.20-	■
318 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	110	150	08.20-	■
318 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	110	150	08.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	03.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330 d Mild-Hybrid (B57 D30 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	210	286	11.20-	■
M340 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak., discØ 348	Diesel/el éc.	4WD	2993	250	340	04.20-	■
M340 d Mild-Hybrid xDrive (JA1)	not M sport pak., discØ 348	Diesel/el éc.	4WD	2993	250	340	04.20-	■
316 d (B47 D20 B)	discØ 348, M-sport package	Diesel	RWD	1995	85	116	11.20-	■
316 d (B47 D20 B)	discØ 348, M-sport package	Diesel	RWD	1995	90	122	11.20-	■
318 d (B47 D20 B)	sports package, M-sport package, discØ 348, Blue Caliper	Diesel	RWD	1995	100	136	11.19-07.20	■
318 d (B47 D20 B)	sports package, M-sport package, discØ 348, Blue Caliper	Diesel	RWD	1995	110	150	11.19-07.20	■
320 d (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	RWD	1995	120	163	07.19-02.20	■
320 d xDrive (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	4WD	1995	120	163	07.19-02.20	■
320 d (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	RWD	1995	140	190	07.19-02.20	■
320 d xDrive (B47 D20 B)	sports package, M-sport package, discØ 348	Diesel	4WD	1995	140	190	07.19-02.20	■
330 d (B57 D30 A)	M technique, M-sport package, discØ 348	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)	sports chassis, M-sport package, discØ 348	Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring Van (G21) 07.19-					Estate Van (Compact executive car-D Segment)			
320i (B46 B20 B)	reinforced brakes, discØ 348	Gasolina	RWD	1998	135	184	11.19-	■
320i (B48 B20 A)	reinforced brakes, discØ 348	Gasolina	RWD	1998	135	184	11.19-	■
330i (B48 B20 B)	sports package, reinforced brakes, discØ 348	Gasolina	RWD	1998	190	258	07.19-	■
M 340 i xDrive (B58 B30 B)	not M sport pak., discØ 348, Syst. Standard	Gasolina	4WD	2998	275	374	11.19-	■
320 d Mild-Hybrid (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique, reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d (B47 D20 B)	sports package, reinforced brakes, discØ 348	Diesel	RWD	1995	140	190	07.19-02.20	■
320 d xDrive (B47 D20 B)	sports package, reinforced brakes, discØ 348	Diesel	4WD	1995	140	190	07.19-02.20	■
330 d (B57 D30 A)	M technique, reinforced brakes, discØ 348	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)	sports chassis, reinforced brakes, discØ 348	Diesel	4WD	2993	195	265	11.19-	■
4 Serie II (G23, G83) 11.20-					Convertible (Compact executive car-D Segment)			
420 i (B48 B20 A)	M technique, M-sport package, discØ 348	Gasolina	RWD	1998	135	184	11.20-	■
430 i	discØ 348, M-sport package	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	discØ 348, M-sport package	Gasolina	4WD	1998	180	245	07.21-	■
430 i (B46 B20 B)	M technique, M-sport package, discØ 348	Gasolina	RWD	1998	190	258	11.20-	■
430 i (B48 B20 B)	M technique, M-sport package, discØ 348	Gasolina	RWD	1998	190	258	11.20-	■
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	07.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

M440 i Mild-Hybrid xDrive (B58 B30 B)	discØ 348, M-sport package	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid xDrive (JA1)	discØ 348, M-sport package	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	M-sport package, discØ 348	Gasol./el éc.	4WD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (JA1)	M-sport package, discØ 348	Gasol./el éc.	4WD	2998	285	387	11.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique, discØ 348, M-sport package	Diesel/el éc.	RWD	1995	120	163	11.20-	■
420 d Mild-Hybrid (JA1)	M technique, discØ 348, M-sport package	Diesel/el éc.	RWD	1995	120	163	11.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique, M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	11.20-	■
420 d Mild-Hybrid (JA1)	M technique, M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	11.20-	■
430 d Mild-Hybrid (B57 D30 B)	M technique, discØ 348, M-sport package	Diesel/el éc.	RWD	2993	210	286	07.21-	■
430 d Mild-Hybrid (JA1)	M technique, discØ 348, M-sport package	Diesel/el éc.	RWD	2993	210	286	07.21-	■
M440 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak., discØ 348	Diesel/el éc.	4WD	2993	250	340	11.21-	■
M440 d Mild-Hybrid xDrive (JA1)	not M sport pak., discØ 348	Diesel/el éc.	4WD	2993	250	340	11.21-	■
4 Serie II (G22, G82) 07.20-					Coupe (Compact executive car-D Segment)			
420 i 1.6 (B48 B16 A)	discØ 348, M-sport package	Gasolina	RWD	1597	125	170	11.20-	■
420 i (B46 B20 B)	M technique, Performance M, discØ 348	Gasolina	RWD	1998	135	184	07.20-	■
420 i (B48 B20 A)	M technique, Performance M, discØ 348	Gasolina	RWD	1998	135	184	07.20-	■
420 i	M technique, Performance M, discØ 348, M-sport package	Gasolina	RWD	1998	135	184	07.21-	■
420 i xDrive	discØ 348, M-sport package	Gasolina	4WD	1998	135	184	07.21-	■
430 i	discØ 348, Performance M	Gasolina	RWD	1998	180	245	07.21-	■
430 i	M technique, M-sport package, discØ 348	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	discØ 348, M-sport package	Gasolina	4WD	1998	180	245	07.21-	■
430 i (B46 B20 B)	M technique, Performance M, discØ 348	Gasolina	RWD	1998	190	258	07.20-	■
430 i (B48 B20 B)	M technique, Performance M, discØ 348	Gasolina	RWD	1998	190	258	07.20-	■
430 i xDrive (B46 B20 B)	M-sport package, discØ 348	Gasolina	4WD	1998	190	258	07.21-	■
M440 i Mild-Hybrid	discØ 348	Gasol./el éc.	RWD	2998	275	374	07.21-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	discØ 348	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid xDrive	discØ 348, M-sport package	Gasol./el éc.	4WD	2998	275	374	07.21-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	discØ 348	Gasol./el éc.	4WD	2998	285	387	07.20-	■
M440 i Mild-Hybrid xDrive (JA1)	discØ 348	Gasol./el éc.	4WD	2998	285	387	07.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique, Performance M, discØ 348	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid (JA1)	M technique, Performance M, discØ 348	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid xDrive (B47 D20 B)	M technique, Performance M, discØ 348	Diesel/el éc.	4WD	1995	120	163	07.20-	■
420 d Mild-Hybrid xDrive (JA1)	M technique, Performance M, discØ 348	Diesel/el éc.	4WD	1995	120	163	07.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique, Performance M, discØ 348	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid (JA1)	M technique, Performance M, discØ 348	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid	M technique, M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	07.21-	■
420 d Mild-Hybrid xDrive (B47 D20 B)	M technique, Performance M, discØ 348	Diesel/el éc.	4WD	1995	140	190	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

420 d Mild-Hybrid xDrive (JA1)	M technique, Performance M, discØ 348	Diesel/el éc.	4WD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive	M technique, M-sport package, discØ 348	Diesel/el éc.	4WD	1995	140	190	07.21-	■
430 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	210	286	03.21-	■
430 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	210	286	03.21-	■
M440 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	250	340	03.21-	■
M440 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	250	340	03.21-	■
5 Serie VII (G30, F90) 09.16-					Saloon (Executive car-E Segment)			
520 i (B48 B16 A)	M-sport package, discØ 348	Gasolina	RWD	1597	125	170	07.17-06.23	■
520 i (B48 B20 A)	M-sport package, discØ 348	Gasolina	RWD	1998	120	163	07.17-06.20	■
520 i (B48 B20 B)	M-sport package, discØ 348	Gasolina	RWD	1998	120	163	07.17-06.20	■
520 i (B48 B20 A)	M-sport package, discØ 348	Gasolina	RWD	1998	135	184	07.17-	■
520 i (B48 B20 B)	M-sport package, discØ 348	Gasolina	RWD	1998	135	184	07.17-	■
520 i (B48 B20 A)	M-sport package, discØ 348	Gasolina	RWD	1998	155	211	07.17-06.20	■
520 i (B48 B20 B)	M-sport package, discØ 348	Gasolina	RWD	1998	155	211	07.17-06.20	■
530i	M-sport package, discØ 348	Gasolina	RWD	1998	180	245	05.22-06.23	■
530 i xDrive	M-sport package, discØ 348	Gasolina	4WD	1998	180	245	05.22-06.23	■
530 i xDrive (B48 B20 B)	M-sport package, not Performance brak, discØ 348	Gasolina	4WD	1998	183	249	09.16-06.23	■
530i (B46 B20 B)	sports chassis, M-sport package, not Performance brak, discØ 348	Gasolina	RWD	1998	185	252	09.16-06.20	■
530i (B48 B20 B)	sports chassis, M-sport package, not Performance brak, discØ 348	Gasolina	RWD	1998	185	252	09.16-06.20	■
530 i xDrive (B46 B20 B)	sports chassis, M-sport package, not Performance brak, discØ 348	Gasolina	4WD	1998	185	252	09.16-06.20	■
530 i xDrive (B48 B20 B)	sports chassis, M-sport package, not Performance brak, discØ 348	Gasolina	4WD	1998	185	252	09.16-06.20	■
540 i (B58 B30 A)	sports chassis, discØ 348	Gasolina	RWD	2998	250	340	09.16-06.20	■
540 i (B58 B30 C)	sports chassis, discØ 348	Gasolina	RWD	2998	250	340	09.16-06.20	■
540 i xDrive (B58 B30 A)	sports chassis, discØ 348	Gasolina	4WD	2998	250	340	09.16-06.20	■
540 i (B58 B30 A)	sports chassis, discØ 348	Gasolina	RWD	2998	265	360	09.16-06.20	■
540 i xDrive (B58 B30 A)	sports chassis, discØ 348	Gasolina	4WD	2998	265	360	09.16-06.20	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	■
520 i Mild-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-06.23	■
520 i Mild-Hybrid (JA1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	reinforced brakes, not Performance brak, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid (GC1)	reinforced brakes, not Performance brak, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid xDrive (GC1)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	120	163	07.19-	■
520 i Mild-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
520 i Mild-Hybrid (JA1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	M-sport package, not Performance brak, discØ 348	Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid (B48 B20 A)	M-sport package, not Performance brak, discØ 348	Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid (GC1)	M-sport package, not Performance brak, discØ 348	Gasol./el éc.	RWD	1998	135	184	03.17-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 e Plug-in-Hybrid xDrive (B46 B20 B)	M-sport package, not Performance brak, discØ 348	Gasol./el éc.	4WD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M-sport package, not Performance brak, discØ 348	Gasol./el éc.	4WD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (GC1)	M-sport package, not Performance brak, discØ 348	Gasol./el éc.	4WD	1998	135	184	03.17-	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 e Plug-in-Hybrid (B48 B20 A)	not Performance brak	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid (GC1)	not Performance brak	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	05.22-06.23	■
530 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	1998	180	245	05.22-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	M-sport package, not Performance brak	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid (B48 B20 A)	M-sport package, not Performance brak	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid (GC1)	M-sport package, not Performance brak	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 i Mild-Hybrid (B48 B20 B)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid (JA1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (B48 B20 B)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (JA1)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
545 e Plug-in-Hybrid xDrive (B58 B30 C)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	2998	210	286	11.20-	■
545 e Plug-in-Hybrid xDrive (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	2998	210	286	11.20-	■
540 i Mild-Hybrid (B58 B30 C)	discØ 348	Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid (JA1)	discØ 348	Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid xDrive (B58 B30 C)	discØ 348	Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

540 i Mild-Hybrid xDrive (JA1)	discØ 348	Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
545 e Plug-in-Hybrid xDrive (B58 B30 C)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	2998	290	394	11.20-06.23	■
545 e Plug-in-Hybrid xDrive (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	2998	290	394	11.20-06.23	■
518 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	100	136	07.20-06.23	■
518 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	100	136	07.20-06.23	■
518 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	110	150	07.20-06.23	■
518 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	110	150	07.20-06.23	■
520 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	120	163	11.19-06.23	■
520 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	120	163	11.19-06.23	■
520 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	11.19-06.23	■
520 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	11.19-06.23	■
520 d Mild-Hybrid xDrive (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	4WD	1995	140	190	11.19-06.23	■
520 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 348	Diesel/el éc.	4WD	1995	140	190	11.19-06.23	■
530 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	not Performance brak, Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	not Performance brak, Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
540 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	250	340	07.20-06.23	■
540 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	250	340	07.20-06.23	■
518 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	100	136	07.18-06.20	■
518 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	110	150	07.18-06.20	■
520 d (B47 D20 A)	M-sport package, discØ 348	Diesel	RWD	1995	120	163	09.16-06.23	■
520 d xDrive (B47 D20 A)	M-sport package, discØ 348	Diesel	4WD	1995	120	163	09.16-06.23	■
520 d (B47 D20 A)	M-sport package, discØ 348	Diesel	RWD	1995	140	190	09.16-06.23	■
520 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	140	190	09.16-06.23	■
520 d xDrive (B47 D20 A)	M-sport package, discØ 348	Diesel	4WD	1995	140	190	09.16-06.23	■
525 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	170	231	07.17-06.19	■
530 d xDrive (B57 D30 A)	M-sport package, not Performance brak, discØ 348	Diesel	4WD	2993	183	249	09.16-06.20	■
530 d (B57 D30 A)	sports chassis, M-sport package, not Performance brak, discØ 348	Diesel	RWD	2993	195	265	09.16-06.20	■
530 d xDrive (B57 D30 A)	sports chassis, M-sport package, not Performance brak, discØ 348	Diesel	4WD	2993	195	265	09.16-06.20	■
540 d xDrive (B57 D30 A)	discØ 348	Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (B57 D30 B)	discØ 348	Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (G4NA)	discØ 348	Diesel	4WD	2993	235	320	07.17-06.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

M 550 d xDrive (B57 D30 C)		Diesel	4WD	2993	294	400	06.17-06.20	■
5 Serie VII Touring (G31) 03.17-					Estate (Executive car-E Segment)			
530i	M-sport package, discØ 348	Gasolina	RWD	1998	180	245	05.22-	■
530 i xDrive	M-sport package, discØ 348	Gasolina	4WD	1998	180	245	05.22-	■
530i (B48 B20 B)	M-sport package, discØ 348	Gasolina	RWD	1998	185	252	03.17-06.20	■
530 i xDrive (B48 B20 B)	M-sport package, discØ 348	Gasolina	4WD	1998	185	252	07.17-06.20	■
540 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	250	340	03.17-06.20	■
540 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	265	360	03.17-06.20	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	■
520 i Mild-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-	■
520 i Mild-Hybrid (JA1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	120	163	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	120	163	11.20-	■
520 i Mild-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.20-	■
520 i Mild-Hybrid (JA1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	135	184	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	135	184	11.20-	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 i Mild-Hybrid (B48 B20 B)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	180	245	07.22-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	180	245	07.22-	■
530 i Mild-Hybrid (B48 B20 B)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid (JA1)	M-sport package, discØ 348	Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (JA1)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 348, M-sport package	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, M-sport package	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	11.20-	■
540 i Mild-Hybrid xDrive (B58 B30 C)	discØ 348	Gasol./el éc.	4WD	2998	245	333	07.20-	■
540 i Mild-Hybrid xDrive (JA1)	discØ 348	Gasol./el éc.	4WD	2998	245	333	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

518 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	100	136	07.20-	■
518 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	100	136	07.20-	■
518 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	110	150	07.20-	■
518 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	110	150	07.20-	■
520 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	120	163	11.19-	■
520 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	120	163	11.19-	■
520 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	11.19-	■
520 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	RWD	1995	140	190	11.19-	■
520 d Mild-Hybrid xDrive (B47 D20 B)	reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	11.19-	■
520 d Mild-Hybrid xDrive (JA1)	reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	11.19-	■
530 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-	■
530 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-	■
530 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
540 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	250	340	07.20-	■
540 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	250	340	07.20-	■
520 d (B47 D20 A)	M-sport package, discØ 348	Diesel	RWD	1995	120	163	03.17-	■
520 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	120	163	03.17-	■
520 d xDrive (B47 D20 A)	reinforced brakes, discØ 348, M-sport package	Diesel	4WD	1995	120	163	07.17-	■
520 d xDrive (B47 D20 B)	reinforced brakes, discØ 348, M-sport package	Diesel	4WD	1995	120	163	07.17-	■
520 d (B47 D20 A)	M-sport package, discØ 348	Diesel	RWD	1995	140	190	03.17-	■
520 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	140	190	03.17-	■
520 d xDrive (B47 D20 A)	reinforced brakes, discØ 348, M-sport package	Diesel	4WD	1995	140	190	07.17-	■
520 d xDrive (B47 D20 B)	reinforced brakes, discØ 348, M-sport package	Diesel	4WD	1995	140	190	07.17-	■
525 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	170	231	07.17-06.19	■
530 d (B57 D30 A)	M-sport package, discØ 348	Diesel	RWD	2993	195	265	03.17-06.20	■
530 d xDrive (B57 D30 A)	M-sport package, discØ 348	Diesel	4WD	2993	195	265	03.17-06.20	■
540 d xDrive (B57 D30 B)	discØ 348	Diesel	4WD	2993	235	320	07.17-06.20	■
5 Serie VII Touring Van (G31) 03.17-					Estate Van (Executive car-E Segment)			
520 i (B48 B20 A)	M-sport package, discØ 348	Gasolina	RWD	1998	135	184	07.17-	■
530i (B48 B20 B)	sports chassis, M-sport package, discØ 348	Gasolina	RWD	1998	185	252	03.17-	■
530 i xDrive (B48 B20 B)	sports chassis, M-sport package, discØ 348	Gasolina	4WD	1998	185	252	07.17-	■
540 i xDrive (B58 B30 A)	sports chassis, discØ 348	Gasolina	4WD	2998	250	340	03.17-	■
520 d (B47 D20 A)	M-sport package, discØ 348	Diesel	RWD	1995	140	190	03.17-11.19	■

LISTA DE APLICACIONES - BUYERS GUIDE

520 d (B47 D20 B)	M-sport package, discØ 348	Diesel	RWD	1995	140	190	03.17-11.19	■
520 d xDrive (B47 D20 A)	reinforced brakes, discØ 348	Diesel	4WD	1995	140	190	07.17-11.19	■
520 d xDrive (B47 D20 B)	reinforced brakes, discØ 348	Diesel	4WD	1995	140	190	07.17-11.19	■
530 d (B57 D30 A)	M-sport package, discØ 348	Diesel	RWD	2993	195	265	03.17-	■
530 d xDrive (B57 D30 A)	M-sport package, discØ 348	Diesel	4WD	2993	195	265	03.17-	■
540 d xDrive (B57 D30 B)	discØ 348	Diesel	4WD	2993	235	320	07.17-	■
6 Serie IV GRAN TURISMO (G32) 06.17-					Hatchback (Grand Tourer-S Segment)			
630 i (B48 B20 B)	discØ 348	Gasolina	RWD	1998	183	249	06.17-06.20	■
630 i (B48 B20 B)	discØ 348	Gasolina	RWD	1998	190	258	07.17-06.20	■
640 i (B58 B30 A)	discØ 348	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i (B58 B30 C)	discØ 348	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 C)	discØ 348	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i (B58 B30 A)	discØ 348	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i (B58 B30 C)	discØ 348	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 C)	discØ 348	Gasolina	4WD	2998	265	360	06.17-06.20	■
630 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	07.20-	■
630 i Mild-Hybrid (B48 B20 B)	discØ 348	Gasol./el éc.	RWD	1998	190	258	07.20-	■
630 i Mild-Hybrid (JA1)	discØ 348	Gasol./el éc.	RWD	1998	190	258	07.20-	■
640 i Mild-Hybrid (B58 B30 C)	discØ 348	Gasol./el éc.	RWD	2998	245	333	07.20-	■
640 i Mild-Hybrid (JA1)	discØ 348	Gasol./el éc.	RWD	2998	245	333	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-	■
630 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
640 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	07.20-	■
640 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	07.20-	■
630 d (B57 D30 A)	discØ 348	Diesel	RWD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	discØ 348	Diesel	4WD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	discØ 348	Diesel	4WD	2993	183	249	06.17-06.20	■
630 d (B57 D30 A)	discØ 348	Diesel	RWD	2993	195	265	06.17-06.20	■
630 d xDrive (B57 D30 A)	discØ 348	Diesel	4WD	2993	195	265	06.17-06.20	■
640 d xDrive (B57 D30 B)	discØ 348	Diesel	4WD	2993	235	320	11.17-06.20	■
7 Serie VI (G11, G12) 07.15-					Saloon (Luxury car-F Segment)			
730 i (B48 B20 B)	discØ 348	Gasolina	RWD	1998	183	249	11.15-06.22	■
730 i, Li (B48 B20 B)	-11/16, noSA S212A, discØ 348	Gasolina	RWD	1998	190	258	11.15-02.19	■
730 i, Li (B48 B20 B)	noSA S212A, discØ 348	Gasolina	RWD	1998	195	265	03.19-06.22	■
740 i,Li (B58 B30 A)	-11/16, M technique, discØ 348	Gasolina	RWD	2998	240	326	07.15-02.19	■
740 Li xDrive (B58 B30 A)	-11/16, M technique, discØ 348	Gasolina	4WD	2998	240	326	03.16-02.19	■
740 i,Li		Gasolina	RWD	2998	245	333	03.19-06.22	■
740 Li xDrive		Gasolina	4WD	2998	245	333	03.19-06.22	■

LISTA DE APLICACIONES - BUYERS GUIDE

740 i,Li (B58 B30 C)	discØ 348	Gasolina	RWD	2998	250	340	03.19-06.22	■
740 Li xDrive (B58 B30 C)	discØ 348	Gasolina	4WD	2998	250	340	03.19-06.22	■
740 e, Le (B48 B20 B)	not sports package	Gasol./el éc.	RWD	1998	190	258	07.16-02.19	■
740 Le xDrive (B48 B20 B)	not sports package	Gasol./el éc.	4WD	1998	190	258	07.16-02.19	■
740 e, Le (B48 B20 B)	not sports package	Gasol./el éc.	RWD	1998	240	326	07.16-02.19	■
740 Le xDrive (B48 B20 B)	not sports package	Gasol./el éc.	4WD	1998	240	326	07.16-02.19	■
730 d Mild-Hybrid xDrive (B57 D30 B)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	■
730 d Mild-Hybrid xDrive (JA1)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (JA1)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	■
730 d, Ld Mild-Hybrid (B57 D30 B)	Syst. Standard, discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	■
730 d, Ld Mild-Hybrid (JA1)	Syst. Standard, discØ 348	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	■
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (JA1)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	■
740 d, Ld Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	■
740 d, Ld Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	■
730 d (B57 D30 A)	noSA S212A, discØ 348	Diesel	RWD	2993	155	211	07.15-06.20	■
730 d xDrive (B57 D30 A)	noSA S212A, discØ 348	Diesel	4WD	2993	155	211	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	discØ 348	Diesel	4WD	2993	183	249	09.15-06.20	■
730 d, Ld (B57 D30 A)	noSA S212A, discØ 348	Diesel	RWD	2993	195	265	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	sports package, noSA S212A, discØ 348	Diesel	4WD	2993	195	265	09.15-06.20	■
740 d, Ld xDrive (B57 D30 B)	discØ 348	Diesel	4WD	2993	235	320	11.15-06.20	■
8 Serie II (G14, F91) 11.18-					Convertible (Grand Tourer-S Segment)			
840 i	discØ 348, Syst. Standard	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	discØ 348, Syst. Standard	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	discØ 348	Gasolina	RWD	2998	250	340	07.19-	■
840 i xDrive (B58 B30 C)	discØ 348	Gasolina	4WD	2998	250	340	07.19-10.20	■
840 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	Eq.V_ S2NHA, sports chassis, discØ 348	Diesel	4WD	2993	235	320	11.18-10.20	■
8 Serie II (G15, F92) 07.18-					Coupe (Grand Tourer-S Segment)			
840 i	discØ 348, Syst. Standard	Gasolina	RWD	2998	245	333	11.20-	■
840 i	discØ 348, Syst. Standard	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	discØ 348, Syst. Standard	Gasolina	4WD	2998	245	333	11.20-	■
840 i xDrive	discØ 348, Syst. Standard	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	discØ 348	Gasolina	RWD	2998	250	340	07.19-	■
840 i (B58 B30 C)	discØ 348	Gasolina	RWD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	discØ 348	Gasolina	4WD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	discØ 348	Gasolina	4WD	2998	250	340	07.19-	■
840 d xDrive (B57 D30 B)	Eq.V_ S2NHA, sports chassis, discØ 348	Diesel	4WD	2993	235	320	07.18-10.20	■
840 d xDrive (B57 D30 B)	Eq.V_ S2NHA, sports chassis	Diesel	4WD	2993	235	320	07.19-10.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

i4 (G26) 11.21-					Coupe (Compact executive car-D Segment)			
eDrive40	discØ 348, M-sport package	Eléctrico	RWD		250	340	11.21-	■
M50 A las 4 ruedas	discØ 348	Eléctrico	4WD		400	544	11.21-	■
ix (I20) 07.21-					SUV (Luxury Crossover CUV-J Segment)			
xDrive40	Rim 20, discØ 348	Eléctrico	4WD		240	326	07.21-	■
xDrive 50	Rim 20, discØ 348	Eléctrico	4WD		385	523	07.21-	■
xDrive M60		Eléctrico	4WD		455	619	01.22-	■
X3 III (G01, F97, G08) 07.17-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 20 i 1.6 (B48 B16 A)	M-sport package	Gasolina	RWD	1597	125	170	12.17-	■
sDrive20i (B48 B20 A)	M-sport package	Gasolina	RWD	1998	135	184	12.17-	■
sDrive20i (K20A9)	M-sport package	Gasolina	RWD	1998	135	184	12.17-	■
xDrive20i (B48 B20 A)	M-sport package	Gasolina	4WD	1998	135	184	12.17-	■
xDrive20i (B48 B20 B)	M-sport package	Gasolina	4WD	1998	135	184	12.17-	■
xDrive 30 i (B48 B20 B)	M-sport package, discØ 348	Gasolina	4WD	1998	183	249	08.17-	■
sDrive 30 i		Gasolina	RWD	1998	185	248	04.18-	■
xDrive 30 i (B46 B20 B)	M-sport package	Gasolina	4WD	1998	185	252	08.17-	■
xDrive 30 i (B48 B20 B)	M-sport package	Gasolina	4WD	1998	185	252	08.17-	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	260	354	09.18-08.19	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	08.17-	■
xDrive M40 i (B58 B30 B)	discØ 348	Gasolina	4WD	2998	285	387	09.19-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	120	163	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	120	163	12.19-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	135	184	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	M-sport package, discØ 348	Gasol./el éc.	4WD	1998	135	184	12.19-	■
xDrive 30 i Mild Hybrid		Gasol./el éc.	4WD	1998	180	245	08.21-	■
xDrive 30e Plug-in-Hybrid		Gasol./el éc.	4WD	1998	200	272	01.23-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	M-sport package	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	M-sport package	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive M40 i Mild Hybrid		Gasol./el éc.	4WD	2998	265	360	08.21-	■
sDrive 18 d Mild-Hybrid (B47 D20 B)	M technique, discØ 348, M-sport package	Diesel/el éc.	RWD	1995	100	136	07.20-	■
sDrive 18 d Mild-Hybrid (JA1)	M technique, discØ 348, M-sport package	Diesel/el éc.	RWD	1995	100	136	07.20-	■
sDrive 18 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	110	150	07.20-	■
sDrive 18 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	RWD	1995	110	150	07.20-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	discØ 348, M-sport package	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	183	249	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348, M-sport package	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive M40 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	250	340	08.18-	■
xDrive M40 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	250	340	08.18-	■
sDrive 18 d (B47 D20 A)	M-sport package	Diesel	RWD	1995	100	136	04.18-06.20	■
sDrive 18 d (B47 D20 B)	M-sport package	Diesel	RWD	1995	100	136	04.18-06.20	■
sDrive 18 d (B47 D20 A)	M-sport package	Diesel	RWD	1995	110	150	04.18-06.20	■
sDrive 18 d (B47 D20 B)	M-sport package	Diesel	RWD	1995	110	150	04.18-06.20	■
xDrive 20 d (B47 D20 A)	M-sport package	Diesel	4WD	1995	120	163	08.17-03.20	■
xDrive 20 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	120	163	08.17-03.20	■
xDrive 20 d (B47 D20 A)	M-sport package	Diesel	4WD	1995	140	190	08.17-03.20	■
xDrive 20 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	140	190	08.17-03.20	■
xDrive 25 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	155	211	04.18-	■
xDrive 25 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	170	231	04.18-	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	183	249	12.17-06.20	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	195	265	08.17-06.20	■
xDrive M40 d (B57 D30 B)		Diesel	4WD	2993	240	326	08.18-06.20	■
X3 III Van (G01) 07.17-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive20i (B48 B20 A)	M-sport package	Gasolina	4WD	1998	135	184	12.17-	■
xDrive20i (B48 B20 B)	M-sport package	Gasolina	4WD	1998	135	184	12.17-	■
xDrive 30 i (B48 B20 B)	M-sport package	Gasolina	4WD	1998	185	252	08.17-	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	08.17-08.19	■
xDrive M40 i (B58 B30 B)	discØ 348	Gasolina	4WD	2998	285	387	09.19-	■
sDrive 18 d (B47 D20 A)	M-sport package	Diesel	RWD	1995	110	150	04.18-	■
sDrive 18 d (B47 D20 B)	M-sport package	Diesel	RWD	1995	110	150	04.18-	■
xDrive 20 d (B47 D20 A)	M-sport package	Diesel	4WD	1995	140	190	08.17-	■
xDrive 20 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	140	190	08.17-	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	195	265	08.17-	■
X4 II (G02, F98) 04.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive20i (B48 B20 A)	M-sport package, discØ 348	Gasolina	4WD	1998	135	184	04.18-	■
xDrive 30 i (B48 B20 B)	M-sport package, discØ 348	Gasolina	4WD	1998	183	249	04.18-	■
xDrive 30 i (B46 B20 B)	M-sport package, discØ 348	Gasolina	4WD	1998	185	252	04.18-	■
xDrive 30 i (B48 B20 B)	M-sport package, discØ 348	Gasolina	4WD	1998	185	252	04.18-	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	260	354	04.18-08.19	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	04.18-	■
xDrive M40 i (B58 B30 B)	discØ 348	Gasolina	4WD	2998	285	387	09.19-	■
xDrive 20 i Mild Hybrid		Gasol./el éc.	4WD	1998	135	184	08.21-	■
xDrive 30 i Mild Hybrid		Gasol./el éc.	4WD	1998	180	245	07.21-	■
xDrive M40 i Mild Hybrid		Gasol./el éc.	4WD	2998	265	360	08.21-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	reinforced brakes, discØ 348	Diesel/el éc.	4WD	1995	140	190	04.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d Mild-Hybrid (B57 D30 B)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	M-sport package, discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive M40 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	250	340	07.20-	■
xDrive M40 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	250	340	07.20-	■
xDrive 20 d (B47 D20 A)	M-sport package	Diesel	4WD	1995	120	163	04.18-03.20	■
xDrive 20 d (B47 D20 A)	M-sport package	Diesel	4WD	1995	140	190	04.18-03.20	■
xDrive 25 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	155	211	04.18-	■
xDrive 25 d (B47 D20 B)	M-sport package	Diesel	4WD	1995	170	231	04.18-	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	183	249	09.18-06.20	■
xDrive 30 d (B57 D30 A)	M technique, M-sport package	Diesel	4WD	2993	195	265	04.18-06.20	■
xDrive M40 d (B57 D30 B)		Diesel	4WD	2993	240	326	04.18-06.20	■
X5 IV (G05) 11.19-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	Long Wheelbase, Syst. Standard	Gasolina	4WD	2998	250	340	11.19-03.23	■
xDrive 30 d (B57 D30 A)	Syst. Standard	Diesel	4WD	2993	195	265	11.19-03.23	■
X5 IV (G05, F95) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 40 i		Gasolina	RWD	2998	250	340	08.19-03.23	■
xDrive 40 i (B58 B30 C)	Long Wheelbase	Gasolina	4WD	2998	250	340	08.18-03.23	■
xDrive 40 i Mild-Hybrid	discØ 348, Syst. Standard	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.18-07.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.18-07.20	■
X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	discØ 348	Gasolina	4WD	2998	250	340	08.19-03.23	■
xDrive 40 i Mild-Hybrid	discØ 348, Syst. Standard	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
X7 (G07) 03.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	SA S212A, not M sport pak., discØ 348	Gasolina	4WD	2998	250	340	03.19-	■
xDrive 40 i Mild-Hybrid	SA S212A, discØ 348	Gasol./el éc.	4WD	2998	245	333	12.20-	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	155	211	03.19-08.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	03.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	03.19-	■
Z4 III (G29) 11.18-					Convertible (Sports car-S Segment)			
sDrive20i (B46 B20 B)	M-sport package	Gasolina	RWD	1998	120	163	11.18-	■
sDrive20i (B48 B20 B)	M-sport package	Gasolina	RWD	1998	120	163	11.18-	■
sDrive20i (B46 B20 B)	M-sport package	Gasolina	RWD	1998	145	197	11.18-	■
sDrive20i (B48 B20 B)	M-sport package	Gasolina	RWD	1998	145	197	11.18-	■
sDrive 30 i (B46 B20 B)	M-sport package	Gasolina	RWD	1998	190	258	11.18-	■
sDrive 30 i (B48 B20 B)	M-sport package	Gasolina	RWD	1998	190	258	11.18-	■
M40 i (B58 B30 C)		Gasolina	RWD	2998	250	340	11.18-	■
M40 i		Gasolina	RWD	2998	285	387	03.19-	■
BMW (BRILLIANCE)								
3 SERIES VII (G28, G20) 06.19-					Saloon (Compact executive car-D Segment)			
320i	M technique	Gasolina	RWD	1998	115	156	11.19-	■
330 Li	M technique	Gasolina	RWD	1998	115	156	11.19-	■
325i		Gasolina	RWD	1998	135	184	06.19-	■
330i	M technique	Gasolina	RWD	1998	190	258	11.19-	■
330 Li xDrive	M technique	Gasolina	4WD	1998	190	258	11.19-	■
5 SERIES VII (G38) 06.17-					Saloon (Executive car-E Segment)			
540 Li		Gasolina	RWD	2998	250	340	06.17-	■
TOYOTA								
SUPRA V (DB_) 03.19-					Coupe (Grand Tourer-S Segment)			
2.0 (DB82, DB81, DB86) (B48L)	Red Caliper	Gasolina	RWD	1998	145	197	06.19-	■
2.0 (DB21, DB22, DB23, DB26) (B46H)	Red Caliper	Gasolina	RWD	1998	190	258	06.19-	■
2.0 (DB21, DB22, DB23, DB26) (B48H)	Red Caliper	Gasolina	RWD	1998	190	258	06.19-	■
3.0 GR (DB41, DB42, DB43, DB45, DB46) (B58)	Red Caliper	Gasolina	RWD	2998	250	340	03.19-	■
3.0 GR (DB41, DB42, DB43, DB45, DB46) (B58 B30 C)	Red Caliper	Gasolina	RWD	2998	250	340	03.19-	■