

LISTA DE APLICACIONES - BUYERS GUIDE

182326






8 424073 185044

Qty: 300

Weight: 1.045

O.E.M.	MAKE
13 517 515	VAUXHALL
13 527 902	BUICK
1359 5651	CHEVROLET
85127903	CHEVROLET



Ref. 651985

1-Ref. 690394 E

182326



90R-02A0111/5379



Trw

106.55x46.5x16.7

WVA	FMSI
22835	D1915-9085
22923	
22924	
22925	
26193	
MAKE	
BUICK	
BUICK (SGM)	
CHEVROLET	
CHEVROLET (SGM)	
HOLDEN	
OPEL	
VAUXHALL	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BUICK

REGAL V (U.S.A.) 09.10-						Saloon (Large family car-D Segment)		
2.4	01/18-, -12/29	Gasolina	FWD		136	185	09.10-	■
2.4 FLEX	01/18-, -12/19	Gasolina	FWD		136	185	09.11-	■

BUICK (SGM)

ENVISION (CP4) 10.14-						Closed Off-Road Vehicle (Compact SUV-J Segment)		
20T 1.5		Gasolina	FWD	1490	124	169	04.15-	■
2.0 Alas 4 ruedas		Gasolina	FWD	1998	191	260	10.14-	■

LACROSSE IV (EG6) 03.16-						Saloon (Executive car-E Segment)		
1.5 20T		Gasolina	FWD	1490	125	170	03.16-	■
2.0 28T		Gasolina	FWD	1998	192	261	03.16-	■

REGAL III (EG7) 07.17-						Saloon (Large family car-D Segment)		
20t	discØ 292	Gasolina	FWD	1490	125	170	07.17-	■
28T	Eq.V_ J17, discØ 292	Gasolina	FWD	10998	192	261	07.17-	■
30 H	Eq.V_ J17, discØ 292	Gasol./el éc.	FWD	1796	94	128	07.17-	■

CHEVROLET

EQUINOX III 03.17-						SUV (Compact SUV-J Segment)		
1.5 (LYX)		Gasolina	FWD	1490	127	173	07.17-12.22	■
1.5 AWD (LYX)		Gasolina	4WD	1490	127	173	07.17-12.22	■
2.0		Gasolina	FWD	1998	188	256	03.17-	■
2.0 AWD (LTG)		Gasolina	4WD	1998	188	256	03.17-	■
2.0 LT AWD		Gasolina	4WD	1998	193	262	03.17-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 TD		Diesel	FWD	1598	102	139	03.17-	■
1.6 TD AWD		Diesel	4WD	1598	102	139	03.17-	■
MALIBU IX 09.15-					Saloon (Executive car-E Segment)			
1.5 T (LFV)		Gasolina	FWD	1490	119	162	03.16-	■
1.5 T (LFV)		Gasolina	FWD	1490	122	166	09.15-	■
2.0 (LTG)		Gasolina	FWD	1998	186	253	09.15-	■
2.5		Gasolina	FWD	2457	137	186	09.15-	■
1.8 Hybrid		Gasol./el éc.	FWD	1796	91	124	01.16-	■
MALIBU VIII (V300) 01.12-					Saloon (Executive car-E Segment)			
1.6 T	01/16-	Gasolina	FWD	1598	135	184	12.12-	■
2.0 LPG	01/16-	Gasolina	FWD	1998	101	137	02.12-	■
2.0	01/16-	Gasolina	FWD	1998	104	141	02.12-	■
2.0	01/16-	Gasolina	FWD	1998	108	147	12.12-	■
2.4 (LE9(145CUL4))	01/16-	Gasolina	FWD	2384	123	167	01.12-	■
2.4 (LE9(145CUL4))	01/16-	Gasolina	FWD	2384	125	170	01.12-	■
2.4	01/16-	Gasolina	FWD	2384	137	186	01.12-	■
3.0 (LFW)	01/16-	Gasolina	FWD	2997	196	267	04.13-	■
2.0 D (LBS)	01/16-	Diesel	FWD	1956	118	160	04.12-	■
CHEVROLET (SGM)								
EQUINOX (CP8) 04.17-					Closed Off-Road Vehicle (Compact SUV-J Segment)			
535 T		Gasolina	FWD	1490	124	169	07.19-	■
1.5 T		Gasolina	FWD	1490	132	180	04.17-	■
1.5 T AWD		Gasolina	4WD	1490	132	180	04.17-	■
2.0 T AWD		Gasolina	4WD	1998	191	260	04.17-	■
MALIBU II (EG5) 02.16-					Saloon (Executive car-E Segment)			
1.5 XL		Gasolina	FWD	1490	125	170	02.16-	■
2.5 XL		Gasolina	FWD	2457	147	200	02.16-	■
HOLDEN								
COMMODORE (ZB) 10.17-					Estate (Executive car-E Segment)			
2.0	discØ 292	Gasolina	FWD	1998	191	260	10.17-	■
3.6 V6	discØ 292	Gasolina	FWD	3640	235	320	10.17-	■
COMMODORE (ZB) 10.17-					Hatchback (Executive car-E Segment)			
2.0	discØ 292	Gasolina	FWD	1998	191	260	10.17-	■
3.6 V6	discØ 292	Gasolina	FWD	3640	235	320	10.17-	■
2.0 D	discØ 292	Diesel	FWD	1956	125	170	10.17-	■
2.0 D	discØ 292	Diesel	FWD	1956	125	170	10.17-	■
OPEL								
INSIGNIA B Country Tourer (Z18) 06.17-					Estate (Executive car-E Segment)			
1.5 (47) (B 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	06.17-	■
1.5 (47) (D 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	06.17-	■
1.6 Turbo (47) (D 16 SHT)	discØ 292	Gasolina	FWD	1598	147	200	06.18-	■
2.0 4x4 (47) (B 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	06.17-	■
2.0 4x4 (47) (D 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	06.17-	■
2.0 CDTi (47) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	06.17-	■
2.0 CDTi 4x4 (47) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	125	170	06.17-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 GSi 4x4 (47) (D 20 DTR)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	154	210	01.18-	■
INSIGNIA B Grand Sport (Z18) 03.17-					Hatchback (Executive car-E Segment)			
1.4 Turbo (68) (F 14 SHL)	discØ 292	Gasolina	FWD	1342	107	145	04.20-	■
1.4 Turbo (68) (F 14 SHT)	discØ 292	Gasolina	FWD	1342	107	145	04.20-	■
1.5 (68) (B 15 SFL)	Rim 16, discØ 292, Eq.V_ RPO J17/J60	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (68) (D 15 SFL)	Rim 16, discØ 292, Eq.V_ RPO J17/J60	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (68) (B 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-	■
1.5 (68) (D 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-	■
1.6 Turbo (68) (D 16 SHT)	discØ 292	Gasolina	FWD	1598	147	200	06.18-	■
2.0 Turbo	Rim 16, POC J17,J60	Gasolina	FWD	1998	125	170	04.21-	■
2.0 (68)	discØ 292, Rim 16	Gasolina	FWD	1998	147	200	04.20-	■
2.0 GSi 4x4 (68)	discØ 292	Gasolina	4WD	1998	169	230	04.20-	■
2.0 4x4 (68) (B 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	03.17-	■
2.0 4x4 (68) (D 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	03.17-	■
1.5 CDTi (68) (F 15 DVH)	discØ 292	Diesel	FWD	1496	90	122	02.20-	■
1.6 CDTi (68) (B 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (68) (D 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (68) (D 16 DTN)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (68) (B 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-	■
1.6 CDTi (68) (D 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-	■
2.0 CDTi (68) (B 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-	■
2.0 CDTi (68) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-	■
2.0 CDTi 4x4 (68) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	125	170	03.17-	■
2.0 CDTi (68)	discØ 292, Rim 16	Diesel	FWD	1956	128	174	04.20-	■
2.0 CDTi 4x4 (68)	discØ 292, Rim 16	Diesel	4WD	1956	128	174	04.20-	■
2.0 GSi 4x4 (68) (D 20 DTR)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	154	210	03.17-	■
2.0 CDTi	Rim 16, POC J17,J60	Diesel	FWD	1995	128	174	04.21-	■
2.0 CDTi 4x4	Rim 16, POC J17,J160	Diesel	4WD	1995	128	174	04.21-	■
INSIGNIA B Sports Tourer (Z18) 03.17-					Estate (Executive car-E Segment)			
1.5 (35) (B 15 SFL)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (35) (D 15 SFL)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (35) (B 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-	■
1.5 (35) (D 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-	■
1.6 Turbo (35) (D 16 SHT)	discØ 292	Gasolina	FWD	1598	147	200	06.18-	■
2.0 (35)	Rim 16	Gasolina	FWD	1998	125	170	08.21-	■
2.0 (35)	discØ 292, Rim 16	Gasolina	FWD	1998	147	200	04.20-	■
2.0 4x4 (35)	discØ 292	Gasolina	4WD	1998	169	230	04.20-	■
2.0 4x4 (35) (B 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	03.17-	■
2.0 4x4 (35) (D 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	03.17-	■
1.5 CDTi (35) (F 15 DVH)	discØ 292	Diesel	FWD	1496	90	122	02.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 CDTi (35) (B 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (35) (D 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (35) (D 16 DTN)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (35) (B 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-	■
1.6 CDTi (35) (D 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-	■
2.0 CDTi (35) (B 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-	■
2.0 CDTi (35) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-	■
2.0 CDTi 4x4 (35) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	125	170	03.17-	■
2.0 GSi 4x4 (35) (D 20 DTR)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	154	210	03.17-	■
2.0 CDTi (35)	discØ 292, Rim 16	Diesel	FWD	1995	128	174	04.20-	■
2.0 CDTi 4x4 (35)	Rim 16	Diesel	4WD	1995	128	174	11.20-	■
INSIGNIA B Sports Tourer Combi Van (Z18) 03.17-					Estate Van (Executive car-E Segment)			
CDTi ECOTEC (B 16 DTH)	discØ 292	Diesel	FWD	1598	100	136	03.17-	■
CDTi ECOTEC (D 16 DTH)	discØ 292	Diesel	FWD	1598	100	136	03.17-	■
VAUXHALL								
ASTRAVAN Mk IV (G) (T98) 01.93-08.06					Estate Van (Compact car-C Segment)			
1.6 Dualfuel (Z 16 XE)		Gasol./Gas (LPG)	FWD	1598	74	101	07.00-08.05	■
INSIGNIA Mk II (B) (Z18) 03.17-					Hatchback (Executive car-E Segment)			
1.5 (68) (B 15 SFL)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (68) (D 15 SFL)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (68) (B 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-	■
1.5 (68) (D 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-	■
1.6 Turbo (68) (D 16 SHT)		Gasolina	FWD	1598	147	200	06.18-	■
2.0 T	Rim 16	Gasolina	FWD	1998	147	200	04.20-	■
2.0 4x4 (68) (B 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	03.17-	■
1.5 CDTi (F 15 DVH)	Rim 16, POC J17/J60	Diesel	FWD	1496	90	122	02.20-	■
1.6 D (68) (B 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 D (68) (D 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 D (68) (D 16 DTN)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-	■
1.6 D (68) (B 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-	■
1.6 D (68) (D 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-	■
2.0 D (68) (B 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-	■
2.0 D (68) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-	■
2.0 D A las 4 ruedas (68)	Rim 16, Eq.V_ RPO J17/J60	Diesel	4WD	1956	125	170	03.17-	■
2.0 GSi 4x4 (68) (D 20 DTR)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	154	209	07.17-	■
2.0 D (68)	Rim 16	Diesel	FWD	1995	128	174	02.20-	■
2.0 D 4x4 (68)	Rim 16	Diesel	4WD	1995	128	174	02.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

INSIGNIA Mk II (B) Country Tourer (Z18) 03.17-						Estate (Executive car-E Segment)			
2.0 D (47) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-		■
2.0 D 4x4 (47) (B 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	125	170	09.17-		■
2.0 D 4x4 (47) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	125	170	09.17-		■
2.0 GSi 4x4 (47) (D 20 DTR)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	154	209	07.17-		■
INSIGNIA Mk II (B) Sports Tourer (Z18) 03.17-						Estate (Executive car-E Segment)			
1.5 (35) (B 15 SFL)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	103	140	03.17-		■
1.5 (35) (D 15 SFL)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	103	140	03.17-		■
1.5 (35) (B 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-		■
1.5 (35) (D 15 SFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	FWD	1490	121	165	03.17-		■
1.6 Turbo (35) (D 16 SHT)		Gasolina	FWD	1598	147	200	06.18-		■
2.0 4x4 (35) (B 20 NFT)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Gasolina	4WD	1998	191	260	03.17-		■
1.6 D (35) (B 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-		■
1.6 D (35) (D 16 DTE)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-		■
1.6 D (35) (D 16 DTN)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	81	110	03.17-		■
1.6 D (35) (B 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-		■
1.6 D (35) (D 16 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1598	100	136	03.17-		■
2.0 D (35) (B 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-		■
2.0 D (35) (D 20 DTH)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	FWD	1956	125	170	03.17-		■
2.0 D 4x4 (35)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	125	170	06.17-		■
2.0 GSi 4x4 (35) (D 20 DTR)	Rim 16, Eq.V_ RPO J17/J60, discØ 292	Diesel	4WD	1956	154	209	07.17-		■