

# LISTA DE APLICACIONES - BUYERS GUIDE


## 182344






Qty: 300

Weight: 1.130

O.E.M.	MAKE
13 517 694	VAUXHALL
1351 7693	CADILLAC
8463 7108	CADILLAC



Loose Shim



1-Ref. 690509 E

## 182344

**E 9 90R-02A0111/5355**



Trw

106.4x49x17.6

WVA	FMSI
22953	D2189-9433
22954	
22955	

MAKE
BUICK (SGM)
CADILLAC
HOLDEN
OPEL
VAUXHALL



Trac.	CC	Kw	CV



Front / Rear

### BUICK (SGM)

REGAL III (EG7) 07.17-							Saloon (Large family car-D Segment)		
20t	discØ 315	Gasolina	FWD	1490	125	170	07.17-		
28T	discØ 315	Gasolina	FWD	10998	192	261	07.17-		
30 H	discØ 315	Gasol./el éc.	FWD	1796	94	128	07.17-		

### CADILLAC

XT4 03.18-							SUV (Luxury Crossover SUV-J Segment)		
2.0 (LSY)		Gasolina	FWD	1998	177	241	03.18-		
2.0 AWD (LSY)		Gasolina	4WD	1998	177	241	03.18-		

### HOLDEN

COMMODORE (ZB) 10.17-							Estate (Executive car-E Segment)		
2.0	discØ 315	Gasolina	FWD	1998	191	260	10.17-		
3.6 V6	discØ 315	Gasolina	FWD	3640	235	320	10.17-		
COMMODORE (ZB) 10.17-							Hatchback (Executive car-E Segment)		
2.0	discØ 315	Gasolina	FWD	1998	191	260	10.17-		
3.6 V6	discØ 315	Gasolina	FWD	3640	235	320	10.17-		
2.0 D	discØ 315	Diesel	FWD	1956	125	170	10.17-		
2.0 D	discØ 315	Diesel	FWD	1956	125	170	10.17-		

### OPEL

INSIGNIA B Country Tourer (Z18) 06.17-							Estate (Executive car-E Segment)		
1.5 (47) (B 15 SFT)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Gasolina	FWD	1490	121	165	06.17-		

# LISTA DE APLICACIONES - BUYERS GUIDE

1.5 (47) (D 15 SFT)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Gasolina	FWD	1490	121	165	06.17-	■
1.6 Turbo (47) (D 16 SHT)	discØ 315	Gasolina	FWD	1598	147	200	06.18-	■
2.0 4x4 (47) (B 20 NFT)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Gasolina	4WD	1998	191	260	06.17-	■
2.0 4x4 (47) (D 20 NFT)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Gasolina	4WD	1998	191	260	06.17-	■
2.0 CDTi (47) (D 20 DTH)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Diesel	FWD	1956	125	170	06.17-	■
2.0 CDTi 4x4 (47) (D 20 DTH)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Diesel	4WD	1956	125	170	06.17-	■
2.0 BiTurbo Diesel 4x4 (68) (D 20 DTR)	Rim 17, Rim 18, Eq.V_ RPO J17/J60	Diesel	4WD	1956	154	210	01.18-	■
<b>INSIGNIA B Grand Sport (Z18) 03.17-</b>				<b>Hatchback (Executive car-E Segment)</b>				
1.4 Turbo (68) (F 14 SHL)	discØ 315	Gasolina	FWD	1342	107	145	04.20-	■
1.4 Turbo (68) (F 14 SHT)	discØ 315	Gasolina	FWD	1342	107	145	04.20-	■
1.5 (68) (B 15 SFL)	Rim 17, Rim 18, Eq.V_ J61, discØ 315	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (68) (D 15 SFL)	Rim 17, Rim 18, Eq.V_ J61, discØ 315	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (68) (B 15 SFT)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Gasolina	FWD	1490	121	165	03.17-	■
1.5 (68) (D 15 SFT)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Gasolina	FWD	1490	121	165	03.17-	■
1.6 Turbo (68) (D 16 SHT)	discØ 315	Gasolina	FWD	1598	147	200	06.18-	■
2.0 Turbo	Rim 17, POC J61	Gasolina	FWD	1998	125	170	08.20-	■
2.0 (68)	discØ 315, Rim 17	Gasolina	FWD	1998	147	200	04.20-	■
2.0 GSi 4x4 (68)	discØ 315, Rim 17	Gasolina	4WD	1998	169	230	04.20-	■
2.0 4x4 (68) (B 20 NFT)	discØ 315	Gasolina	4WD	1998	191	260	03.17-	■
2.0 4x4 (68) (D 20 NFT)	discØ 315	Gasolina	4WD	1998	191	260	03.17-	■
1.5 CDTi (68) (F 15 DVH)	discØ 315	Diesel	FWD	1496	90	122	02.20-	■
1.6 CDTi (68) (B 16 DTE)	Rim 17, Rim 18, Eq.V_ J61, discØ 315	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (68) (D 16 DTE)	Rim 17, Rim 18, Eq.V_ J61, discØ 315	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (68) (D 16 DTN)	Rim 17, Rim 18, Eq.V_ J61, discØ 315	Diesel	FWD	1598	81	110	03.17-	■
1.6 CDTi (68) (B 16 DTH)	discØ 315	Diesel	FWD	1598	100	136	03.17-	■
1.6 CDTi (68) (D 16 DTH)	discØ 315	Diesel	FWD	1598	100	136	03.17-	■
2.0 CDTi (68) (B 20 DTH)	discØ 315	Diesel	FWD	1956	125	170	03.17-	■
2.0 CDTi (68) (D 20 DTH)	discØ 315	Diesel	FWD	1956	125	170	03.17-	■
2.0 CDTi 4x4 (68) (D 20 DTH)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Diesel	4WD	1956	125	170	03.17-	■
2.0 CDTi (68)	discØ 315, Rim 17	Diesel	FWD	1956	128	174	04.20-	■
2.0 CDTi 4x4 (68)	discØ 315, Rim 17	Diesel	4WD	1956	128	174	04.20-	■
2.0 BiTurbo Diesel 4x4 (68) (D 20 DTR)	discØ 315	Diesel	4WD	1956	154	210	03.17-	■
2.0 CDTi	Rim 17, POC J61	Diesel	FWD	1995	128	174	04.21-	■
2.0 CDTi 4x4	Rim 17, POC J61	Diesel	4WD	1995	128	174	04.21-	■
<b>INSIGNIA B Sports Tourer (Z18) 03.17-</b>				<b>Estate (Executive car-E Segment)</b>				
1.5 (35) (B 15 SFL)	discØ 315	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (35) (D 15 SFL)	discØ 315	Gasolina	FWD	1490	103	140	03.17-	■
1.5 (35) (B 15 SFT)	discØ 315	Gasolina	FWD	1490	121	165	03.17-	■
1.5 (35) (D 15 SFT)	discØ 315	Gasolina	FWD	1490	121	165	03.17-	■
1.6 Turbo (35) (D 16 SHT)	discØ 315	Gasolina	FWD	1598	147	200	06.18-	■
2.0 (35)	Rim 17	Gasolina	FWD	1998	125	170	11.20-	■
2.0 (35)	discØ 315, Rim 17	Gasolina	FWD	1998	147	200	04.20-	■
2.0 4x4 (35)	discØ 315, Rim 17	Gasolina	4WD	1998	169	230	04.20-	■
2.0 4x4 (35) (B 20 NFT)	discØ 315	Gasolina	4WD	1998	191	260	03.17-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.0 4x4 (35) (D 20 NFT)	discØ 315	Gasolina	4WD	1998	191	260	03.17-	■	
1.5 CDTi (35) (F 15 DVH)	discØ 315	Diesel	FWD	1496	90	122	02.20-	■	
1.6 CDTi (35) (B 16 DTE)	discØ 315	Diesel	FWD	1598	81	110	03.17-	■	
1.6 CDTi (35) (D 16 DTE)	discØ 315	Diesel	FWD	1598	81	110	03.17-	■	
1.6 CDTi (35) (D 16 DTN)	discØ 315	Diesel	FWD	1598	81	110	03.17-	■	
1.6 CDTi (35) (B 16 DTH)	discØ 315	Diesel	FWD	1598	100	136	03.17-	■	
1.6 CDTi (35) (D 16 DTH)	discØ 315	Diesel	FWD	1598	100	136	03.17-	■	
2.0 CDTi (35) (B 20 DTH)	discØ 315	Diesel	FWD	1956	125	170	03.17-	■	
2.0 CDTi (35) (D 20 DTH)	discØ 315	Diesel	FWD	1956	125	170	03.17-	■	
2.0 CDTi 4x4 (35) (D 20 DTH)	Rim 17, Rim 18, Eq.V_ RPO J17/J60, discØ 315	Diesel	4WD	1956	125	170	03.17-	■	
2.0 BiTurbo Diesel 4x4 (68) (D 20 DTR)	discØ 315	Diesel	4WD	1956	154	210	03.17-	■	
2.0 CDTi 4x4 (35)		Diesel	4WD	1956	154	210	04.20-	■	
2.0 CDTi (35)	discØ 315, Rim 17	Diesel	FWD	1995	128	174	04.20-	■	
2.0 CDTi 4x4 (35)	Rim 17	Diesel	4WD	1995	128	174	11.20-	■	
<b>INSIGNIA B Sports Tourer Combi Van (Z18) 03.17-</b>					<b>Estate Van (Executive car-E Segment)</b>				
CDTi ECOTEC (B 16 DTH)		Diesel	FWD	1598	100	136	03.17-	■	
CDTi ECOTEC (D 16 DTH)		Diesel	FWD	1598	100	136	03.17-	■	
<b>VAUXHALL</b>									
<b>INSIGNIA Mk II (B) (Z18) 03.17-</b>					<b>Hatchback (Executive car-E Segment)</b>				
1.5 (68) (B 15 SFL)	Rim 17	Gasolina	FWD	1490	103	140	03.17-	■	
1.5 (68) (D 15 SFL)	Rim 17	Gasolina	FWD	1490	103	140	03.17-	■	
1.5 (68) (B 15 SFT)	Rim 17	Gasolina	FWD	1490	121	165	03.17-	■	
1.5 (68) (D 15 SFT)	Rim 17	Gasolina	FWD	1490	121	165	03.17-	■	
1.6 Turbo (68) (D 16 SHT)	Rim 17	Gasolina	FWD	1598	147	200	06.18-	■	
2.0 T	Rim 17	Gasolina	FWD	1998	147	200	04.20-	■	
2.0 GSi 4x4	Rim 17	Gasolina	4WD	1998	169	230	04.20-	■	
2.0 4x4 (68) (B 20 NFT)	Rim 17	Gasolina	4WD	1998	191	260	03.17-	■	
1.5 CDTi (F 15 DVH)	Rim 17, POC J61	Diesel	FWD	1496	90	122	02.20-	■	
1.6 D (68) (B 16 DTE)	Rim 17	Diesel	FWD	1598	81	110	03.17-	■	
1.6 D (68) (D 16 DTE)	Rim 17	Diesel	FWD	1598	81	110	03.17-	■	
1.6 D (68) (D 16 DTN)	Rim 17	Diesel	FWD	1598	81	110	03.17-	■	
1.6 D (68) (B 16 DTH)	Rim 17	Diesel	FWD	1598	100	136	03.17-	■	
1.6 D (68) (D 16 DTH)	Rim 17	Diesel	FWD	1598	100	136	03.17-	■	
2.0 D (68) (B 20 DTH)	Rim 17	Diesel	FWD	1956	125	170	03.17-	■	
2.0 D (68) (D 20 DTH)	Rim 17	Diesel	FWD	1956	125	170	03.17-	■	
2.0 D A las 4 ruedas (68)		Diesel	4WD	1956	125	170	03.17-	■	
2.0 GSi 4x4 (68) (D 20 DTR)	Rim 17	Diesel	4WD	1956	154	209	07.17-	■	
2.0 D (68)	Rim 17	Diesel	FWD	1995	128	174	02.20-	■	
2.0 D 4x4 (68)	Rim 17	Diesel	4WD	1995	128	174	02.20-	■	
<b>INSIGNIA Mk II (B) Country Tourer (Z18) 03.17-</b>					<b>Estate (Executive car-E Segment)</b>				
2.0 D (47) (D 20 DTH)	Eq.V_ J61	Diesel	FWD	1956	125	170	03.17-	■	
2.0 D 4x4 (47) (B 20 DTH)	Eq.V_ J61	Diesel	4WD	1956	125	170	09.17-	■	
2.0 D 4x4 (47) (D 20 DTH)	Eq.V_ J61	Diesel	4WD	1956	125	170	09.17-	■	
2.0 GSi 4x4 (47) (D 20 DTR)	Eq.V_ J61	Diesel	4WD	1956	154	209	07.17-	■	
<b>INSIGNIA Mk II (B) Sports Tourer (Z18) 03.17-</b>					<b>Estate (Executive car-E Segment)</b>				
1.5 (35) (B 15 SFL)	Rim 17	Gasolina	FWD	1490	103	140	03.17-	■	
1.5 (35) (D 15 SFL)	Rim 17	Gasolina	FWD	1490	103	140	03.17-	■	
1.5 (35) (B 15 SFT)	Rim 17	Gasolina	FWD	1490	121	165	03.17-	■	
1.5 (35) (D 15 SFT)	Rim 17	Gasolina	FWD	1490	121	165	03.17-	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

1.6 Turbo (35) (D 16 SHT)	Rim 17	Gasolina	FWD	1598	147	200	06.18-	■
2.0 4x4 (35) (B 20 NFT)	Rim 17	Gasolina	4WD	1998	191	260	03.17-	■
1.6 D (35) (B 16 DTE)	Rim 17	Diesel	FWD	1598	81	110	03.17-	■
1.6 D (35) (D 16 DTE)	Rim 17	Diesel	FWD	1598	81	110	03.17-	■
1.6 D (35) (D 16 DTN)	Rim 17	Diesel	FWD	1598	81	110	03.17-	■
1.6 D (35) (B 16 DTH)	Rim 17	Diesel	FWD	1598	100	136	03.17-	■
1.6 D (35) (D 16 DTH)	Rim 17	Diesel	FWD	1598	100	136	03.17-	■
2.0 D (35) (B 20 DTH)	Rim 17	Diesel	FWD	1956	125	170	03.17-	■
2.0 D (35) (D 20 DTH)	Rim 17	Diesel	FWD	1956	125	170	03.17-	■
2.0 D 4x4 (35)		Diesel	4WD	1956	125	170	06.17-	■
2.0 GSi 4x4 (35) (D 20 DTR)		Diesel	4WD	1956	154	209	07.17-	■