






# LISTA DE APLICACIONES - BUYERS GUIDE

<div>21 7795 00</div> <div>   8 424073 029850         </div> <div>           Qty: 850      Weight: 6.800         </div>	<div>  </div>	<div>21 7795 00</div> <div>   143x18/17.9x173.7/217.1- Ø410         </div> <div> <div>WVA</div> <div>17795</div> <div>17796</div> </div> <div> <div>MAKE</div> <div>MERCEDES-BENZ</div> </div>
--	---	---



Trac.	CC	Kw	CV		
					
				Front / Rear	

## MERCEDES-BENZ

O 303 10.74-09.92								Bus
O 303 (OM 401.907)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.907)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.908)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.908)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)		Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-01.89	■

# LISTA DE APLICACIONES - BUYERS GUIDE

O 303 (OM 421.908)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.951)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 421.951)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 441.950)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 441.950)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 441.950)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 441.950)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 441.953)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 441.953)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 402.907)		Diesel		12763	188	256	03.75-06.83	■
O 303 (OM 402.907)		Diesel		12763	188	256	03.75-06.83	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.951)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 422.951)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 422.963)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 422.963)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 442.954)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.954)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.955)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.955)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.960)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.960)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.961)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.961)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.910)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.910)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.911)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.911)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.918)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.918)	-12/91	Diesel		15078	213	290	09.87-09.92	■

## LISTA DE APLICACIONES - BUYERS GUIDE

O 303	(OM 442.939)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303	(OM 442.939)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303	(OM 403.918)		Diesel		15950	235	320	07.75-06.83	■
O 303	(OM 403.918)		Diesel		15950	235	320	07.75-06.83	■