




# LISTA DE APLICACIONES - BUYERS GUIDE

<div>21 7992 00</div> <div>   8 424073 070715         </div> <div>           Qty: 850      Weight: 5.700         </div>	<div>  </div>	<div>21 7992 00</div> <div>   125x18x178- Ø410         </div> <div> <div>WVA</div> <div>17992</div> <div>MAKE</div> <div>VOLVO</div> </div>
--	---	--



Trac.	CC	Kw	CV		
					 Front / Rear

VOLVO									
<b>F12 01.76-12.95</b>									
F12	01/86-, Auxiliary Axle	Diesel		11995			01.76-		■
F12	01/86-, Auxiliary Axle	Diesel		11995			01.76-		■
<b>F12 01.76-12.95</b>					<b>Platform/Chassis</b>				
F 12/320 (TD 121 G)		Diesel		11980	235	320	01.87-12.87		■
F 12/320,F 12/330 (TD 120 G)		Diesel		11980	235	320	08.77-12.86		■
F 12/320,F 12/330 (TD 121 G)		Diesel		11980	235	320	08.77-12.86		■
F 12/320,F 12/330 (TD 121 GD)		Diesel		11980	235	320	08.77-12.86		■
F 12/360 (TD 122 F)		Diesel		11980	262	356	01.88-12.90		■
F 12/360 (TD 122 FH)		Diesel		11980	262	356	01.88-12.90		■
F 12/360 (TD 122 F)		Diesel		11980	262	356	12.90-12.94		■
F 12/360 (TD 122 FH)		Diesel		11980	262	356	12.90-12.94		■
F 12/370 (TD 121 F)		Diesel		11980	272	370	08.77-12.86		■
F 12/370 (TD 121 F)		Diesel		11980	272	370	01.87-12.87		■
F 12/400 (TD 122 FL)		Diesel		11980	291	396	01.88-12.90		■
F 12/400 (TD 122 FS)		Diesel		11980	291	396	01.88-12.90		■
F 12/400,F 12/410 (TD 122 FL)		Diesel		11980	291	396	12.90-12.94		■
F 12/400,F 12/410 (TD 122 FS)		Diesel		11980	291	396	12.90-12.94		■
F 12/400,F 12/410 (TD 123 ES)		Diesel		11980	291	396	12.90-12.94		■
<b>F12 01.76-12.95</b>					<b>Truck Tractor</b>				
F 12/320 (TD 121 G)		Diesel		11980	235	320	01.87-12.87		■
F 12/320,F 12/330 (TD 120 G)		Diesel		11980	235	320	08.77-12.86		■
F 12/320,F 12/330 (TD 121 G)		Diesel		11980	235	320	08.77-12.86		■

# LISTA DE APLICACIONES - BUYERS GUIDE

F 12/320,F 12/330 (TD 121 GD)	Diesel		11980	235	320	08.77-12.86	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	12.90-12.94	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	08.77-12.86	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	01.87-12.87	■
F 12/400 (TD 122 FL)	Diesel		11980	291	396	12.90-12.94	■
F 12/400 (TD 122 FS)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 122 FL)	Diesel		11980	291	396	01.88-12.94	■
F 12/400,F 12/410 (TD 122 FS)	Diesel		11980	291	396	01.88-12.94	■
F 12/400,F 12/410 (TD 123 ES)	Diesel		11980	291	396	01.88-12.94	■
<b>F16 01.87-12.95</b>				<b>Platform/Chassis</b>			
F 16/470 (TD 162 F)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FJ)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FL)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FS)	Diesel		16123	342	465	01.88-12.89	■
F 16/485 (TD 162 F)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FJ)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FL)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FS)	Diesel		16123	357	486	01.90-12.92	■
F 16/500 (TD 163 ES)	Diesel		16123	368	500	01.92-12.94	■
<b>F16 01.87-12.95</b>				<b>Truck Tractor</b>			
F 16/485 (TD 162 F)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FJ)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FL)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FS)	Diesel		16123	357	486	01.90-12.92	■
F 16/500 (TD 163 ES)	Diesel		16123	368	500	01.92-12.94	■
<b>FH12 08.93-</b>				<b>Platform/Chassis</b>			
FH 12/340 (D12A340)	Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)	Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)	Diesel		12130	250	340	08.93-	■
FH 12/340 (D12A340)	Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)	Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)	Diesel		12130	250	340	08.93-	■
FH 12/380 (D12A380)	Diesel		12130	279	379	08.93-	■
FH 12/380 (D12C380)	Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)	Diesel		12130	279	379	08.93-	■
FH 12/380 (D12A380)	Diesel		12130	279	379	08.93-	■
FH 12/380 (D12C380)	Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)	Diesel		12130	279	379	08.93-	■
FH 12/420 (D12A420)	Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)	Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)	Diesel		12130	309	420	08.93-	■
FH 12/420 (D12A420)	Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)	Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)	Diesel		12130	309	420	08.93-	■
FH 12/460 (D12C460)	Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)	Diesel		12130	338	460	08.98-	■
FH 12/460 (D12C460)	Diesel		12130	338	460	08.98-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FH 12/460 (D12D460)	Diesel	12130	338	460	08.98-	■
<b>FH12 08.93-</b>			<b>Truck Tractor</b>			
FH 12/340 (D12A340)	Diesel	12130	250	340	01.95-	■
FH 12/340 (D12C340)	Diesel	12130	250	340	01.95-	■
FH 12/340 (D12D340)	Diesel	12130	250	340	01.95-	■
FH 12/340 (D12A340)	Diesel	12130	250	340	08.93-	■
FH 12/340 (D12C340)	Diesel	12130	250	340	08.93-	■
FH 12/340 (D12D340)	Diesel	12130	250	340	08.93-	■
FH 12/380 (D12A380)	Diesel	12130	279	379	01.95-	■
FH 12/380 (D12C380)	Diesel	12130	279	379	01.95-	■
FH 12/380 (D12D380)	Diesel	12130	279	379	01.95-	■
FH 12/380 (D12A380)	Diesel	12130	279	379	08.93-	■
FH 12/380 (D12C380)	Diesel	12130	279	379	08.93-	■
FH 12/380 (D12D380)	Diesel	12130	279	379	08.93-	■
FH 12/420 (D12A420)	Diesel	12130	309	420	01.95-	■
FH 12/420 (D12C420)	Diesel	12130	309	420	01.95-	■
FH 12/420 (D12D420)	Diesel	12130	309	420	01.95-	■
FH 12/420 (D12A420)	Diesel	12130	309	420	08.93-	■
FH 12/420 (D12C420)	Diesel	12130	309	420	08.93-	■
FH 12/420 (D12D420)	Diesel	12130	309	420	08.93-	■
FH 12/460 (D12C460)	Diesel	12130	338	460	08.98-	■
FH 12/460 (D12D460)	Diesel	12130	338	460	08.98-	■
FH 12/460 (D12C460)	Diesel	12130	338	460	08.98-	■
FH 12/460 (D12D460)	Diesel	12130	338	460	08.98-	■
<b>FH16 08.93-</b>			<b>Platform/Chassis</b>			
FH 16/470 (D16A470)	Diesel	16120	346	470	08.93-12.99	■
FH 16/520 (D16A520)	Diesel	16120	382	520	08.93-12.02	■
FH 16/520 (D16B520)	Diesel	16120	382	520	08.93-12.02	■
FH 16/520 (D16A520)	Diesel	16120	382	520	01.95-	■
FH 16/520 (D16B520)	Diesel	16120	382	520	01.95-	■
<b>FH16 08.93-</b>			<b>Truck Tractor</b>			
FH 16/520 (D16A520)	Diesel	16120	382	520	08.93-12.02	■
FH 16/520 (D16B520)	Diesel	16120	382	520	08.93-12.02	■
<b>FL10 09.85-09.98</b>			<b>Platform/Chassis</b>			
FL 10/280 (TD 101 G)	Diesel	9600	202	275	09.85-12.90	■
FL 10/320 (D10A320)	Diesel	9600	235	320	12.95-09.98	■
FL 10/320 (D10A320)	Diesel	9600	235	320	12.95-09.98	■
FL 10/360 (D10A360)	Diesel	9600	265	360	12.95-09.98	■
FL 10/360 (D10A360)	Diesel	9600	265	360	12.95-09.98	■
<b>FL10 09.85-09.98</b>			<b>Truck Tractor</b>			
FL 10/320 (D10A320)	Diesel	9600	235	320	12.95-09.98	■
FL 10/360 (D10A360)	Diesel	9600	265	360	12.95-09.98	■
<b>FL7 09.85-10.99</b>			<b>Dump Truck</b>			
FL 7/230 (D7B230)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 71 F)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 71 FQ)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 73 E)	Diesel	6725	169	230	09.85-09.98	■
FL 7/260 (D7B260)	Diesel	6725	191	260	11.91-09.98	■
FL 7/260 (TD 73 ES)	Diesel	6725	191	260	11.91-09.98	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FL 7/290 (D7A285)	Diesel	6725	210	286	10.93-09.98	■
<b>FL7 09.85-10.99</b>			<b>Platform/Chassis</b>			
FL 7/230 (D7B230)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 71 F)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 71 FQ)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 73 E)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (D7B230)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 71 F)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 71 FQ)	Diesel	6725	169	230	09.85-09.98	■
FL 7/230 (TD 73 E)	Diesel	6725	169	230	09.85-09.98	■
FL 7/260 (D7B260)	Diesel	6725	191	260	11.91-09.98	■
FL 7/260 (TD 73 ES)	Diesel	6725	191	260	11.91-09.98	■
FL 7/260 (D7B260)	Diesel	6725	191	260	11.91-09.98	■
FL 7/260 (TD 73 ES)	Diesel	6725	191	260	11.91-09.98	■
FL 7/290 (D7A285)	Diesel	6725	210	286	10.93-09.98	■
FL 7/290 (D7A285)	Diesel	6725	210	286	10.93-09.98	■
<b>FM12 08.98-11.08</b>			<b>Platform/Chassis</b>			
FM 12/340 (D12C340)	Diesel	12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)	Diesel	12130	250	340	08.98-09.05	■
FM 12/340 (D12C340)	Diesel	12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)	Diesel	12130	250	340	08.98-09.05	■
FM 12/340 (D12C340)	Diesel	12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)	Diesel	12130	250	340	08.98-09.05	■
FM 12/380 (D12C380)	Diesel	12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)	Diesel	12130	279	379	08.98-09.05	■
FM 12/380 (D12C380)	Diesel	12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)	Diesel	12130	279	379	08.98-09.05	■
FM 12/380 (D12C380)	Diesel	12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)	Diesel	12130	279	379	08.98-09.05	■
FM 12/420 (D12C420)	Diesel	12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)	Diesel	12130	309	420	08.98-09.05	■
FM 12/420 (D12C420)	Diesel	12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)	Diesel	12130	309	420	08.98-09.05	■
FM 12/420 (D12C420)	Diesel	12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)	Diesel	12130	309	420	08.98-09.05	■