


# LISTA DE APLICACIONES - BUYERS GUIDE


## 21 9049 00




8 424073 072146

Qty: 850      Weight: 6.400

O.E.M.	MAKE
5001 859 276	RENAULT TRUCKS



## 21 9049 00



150x13x285.9/347- Ø414

WVA
19049
19199

MAKE
CAZENAVE
COLAERT
FRUEHAUF
RENAULT TRUCKS



Trac.	CC	Kw	CV		 Front / Rear
-------	----	----	----	---	--

### CAZENAVE

Eje/Axle					Trailer Axle		
150x414	01/73-				01.53-		■
150x414	01/73-				01.53-		■

### COLAERT

Eje/Axle					Trailer Axle		
150x414	01/73-				01.53-		■
150x414	01/73-				01.53-		■

### FRUEHAUF

Eje/Axle					Trailer Axle		
150x414 FOU 5 DF	01/73-				01.53-		■
150x414 FOU 5 DF	01/73-				01.53-		■

### RENAULT TRUCKS

C Series 10.82-10.98					Concrete Mixer				
C 260.26 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■	
C 260.26 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■	
C 290.26,C 300.26 (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	05.86-10.98	■	
C 290.26,C 300.26 (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	05.86-10.98	■	
C 290.26,C 300.26 (MIDR 06.20.45 D3)	-12/88	Diesel		9839	214	291	05.86-10.98	■	
C 290.26,C 300.26 (MIDR 06.20.45 D3)	-12/88	Diesel		9839	214	291	05.86-10.98	■	
C Series 10.82-10.98					Dump Truck				
C 260.19 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■	
C 260.19 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

C 290.19,C 300.19 (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	10.82-10.98	■
C 290.19,C 300.19 (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	10.82-10.98	■
C 290.19,C 300.19 (MIDR 06.20.45 D3)	-12/88	Diesel		9839	214	291	10.82-10.98	■
C 290.19,C 300.19 (MIDR 06.20.45 D3)	-12/88	Diesel		9839	214	291	10.82-10.98	■
<b>C Series 10.82-10.98</b>					<b>Platform/Chassis</b>			
C 210.19 (MIDS 06.20.30 N)	-12/88	Diesel		8820	153	208	12.83-05.91	■
C 210.19 (MIDS 06.20.30 N)	-12/88	Diesel		8820	153	208	12.83-05.91	■
C 210.19 (MIDS 06.20.30 N)	-12/88	Diesel		8820	153	208	12.83-05.91	■
C 210.19 (MIDS 06.20.30 N)	-12/88	Diesel		8820	153	208	12.83-05.91	■
C 260.19 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■
C 260.19 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■
C 260.19,C 280.19 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-10.98	■
C 260.19,C 280.19 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-10.98	■
C 260.26 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■
C 260.26 (MIDS 06.20.45 B)	-12/88	Diesel		9839	192	261	10.82-05.91	■
C 290.26,C 300.26 (MIDR 06.20.45 D)	-12/87	Diesel		9839	214	291	10.82-10.98	■
C 290.26,C 300.26 (MIDR 06.20.45 D)	-12/87	Diesel		9839	214	291	10.82-10.98	■
C 290.26,C 300.26 (MIDR 06.20.45 D3)	-12/87	Diesel		9839	214	291	10.82-10.98	■
C 290.26,C 300.26 (MIDR 06.20.45 D3)	-12/87	Diesel		9839	214	291	10.82-10.98	■
<b>C Series 10.82-10.98</b>					<b>Truck Tractor</b>			
C 290.19/T (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	05.86-05.91	■
C 290.19/T (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	05.86-05.91	■
C 290.19/T (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	05.86-05.91	■
C 290.19/T (MIDR 06.20.45 D)	-12/88	Diesel		9839	214	291	05.86-05.91	■
<b>G Series 10.82-03.93</b>					<b>Dump Truck</b>			
G 230.17 (MIDS 06.20.30 P)	-12/86	Diesel		8821	169	230	01.85-05.90	■
G 230.17 (MIDS 06.20.30 P)	-12/86	Diesel		8821	169	230	01.85-05.90	■
G 260.17 (MIDS 06.20.45)	-12/86	Diesel		9839	192	261	10.82-05.90	■
G 260.17 (MIDS 06.20.45)	-12/86	Diesel		9839	192	261	10.82-05.90	■
G 260.19 (MIDS 06.20.45)	-12/86	Diesel		9839	192	261	10.82-05.90	■
G 260.19 (MIDS 06.20.45)	-12/86	Diesel		9839	192	261	10.82-05.90	■
<b>G Series 10.82-03.93</b>					<b>Municipal Vehicle</b>			
G 210.17 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.18 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.18 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.18 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.18 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.19 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.19 BOM (MIDS 06.20.30 N)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.19 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
G 210.19 BOM (MIDS 06.20.30 N1)	-12/86	Diesel		8820	153	208	11.83-02.90	■
<b>G Series 10.82-03.93</b>					<b>Platform/Chassis</b>			
G 170.11 (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	05.83-02.90	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

G 260.22/T (MIDS 06.20.45)	-12/86	Diesel		9839	192	261	10.82-05.90	■
<b>Midliner 10.82-01.00</b>					<b>Dump Truck</b>			
S 170.14TI (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-05.89	■
S 170.14TI (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-05.89	■
<b>Midliner 10.82-01.00</b>					<b>Municipal Vehicle</b>			
S 170.13TI (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-03.93	■
S 170.13TI (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-03.93	■
S 170.13TI,S 170 SP (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-03.93	■
S 170.13TI,S 170 SP (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-03.93	■
S 170.15TI (MIDR 06.02.12 D)	01/83-	Diesel		5490	127	173	10.82-09.93	■
S 170.15TI (MIDR 06.02.12 D)	01/83-	Diesel		5490	127	173	10.82-09.93	■
<b>Midliner 10.82-01.00</b>					<b>Platform/Chassis</b>			
S 170.11TI (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.11TI (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.13TI,S 170.13TI/R (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-05.89	■
S 170.13TI,S 170.13TI/R (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-05.89	■
S 170.14TI (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-05.89	■
S 170.14TI (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.83-05.89	■
S 170.14TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
S 170.14TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89	■
<b>Midliner 10.82-01.00</b>					<b>Truck Tractor</b>			
S 170.13TI/T (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.84-05.89	■
S 170.13TI/T (MIDR 06.02.12 D)	-12/86	Diesel		5490	127	173	10.84-05.89	■
<b>SM Series 01.73-</b>					<b>Platform/Chassis</b>			
Saviem SM 21.180	01/74-	Diesel			132	180	01.73-	■
Saviem SM 21.180	01/74-	Diesel			132	180	01.73-	■
Saviem SM 21.240	01/74-	Diesel			176	240	01.73-	■
Saviem SM 21.240	01/74-	Diesel			176	240	01.73-	■
Saviem SM 21.260	01/74-	Diesel			191	260	01.73-	■
Saviem SM 21.260	01/74-	Diesel			191	260	01.73-	■