

LISTA DE APLICACIONES - BUYERS GUIDE


21 9487 00



8 424073 073303

Qty: 850

Weight: 8.600



21 9487 00

E1 90R-01167/072



183x17x178- Ø410

WVA

19487

MAKE

MAN

MERCEDES-BENZ

RENAULT TRUCKS



Trac.

CC

Kw

CV



Front / Rear

MAN

15 T Series 01.82-

15.220	01/82-	Diesel			162	220	01.82-	■
15.240	01/82-	Diesel			176	240	01.82-	■

16 T Series 01.79-

16.240	01/79-	Diesel			176	240	01.79-	■
16.280	01/79-	Diesel			206	280	01.79-	■
16.291	01/79-	Diesel			229	311	01.79-	■
16.332	01/86-	Diesel			244	332	01.79-	■
16.360	01/79-	Diesel			265	360	01.79-	■
16.362	01/86-	Diesel			266	362	01.79-	■

17 T Series 01.79-

17.136	01/79-	Diesel			100	136	01.79-	■
17.170	01/79-	Diesel			125	170	01.79-	■
17.192	01/79-	Diesel			141	192	01.79-	■
17.220	01/79-	Diesel			162	220	01.79-	■
17.232	01/79-	Diesel			169	230	01.79-	■
17.240	01/79-	Diesel			176	240	01.79-	■

20 T Series 01.78-

20.280	01/78-	Diesel			206	280	01.78-	■
--------	--------	--------	--	--	-----	-----	--------	---

22 T Series 01.78-

22.331	01/78-	Diesel			243	331	01.78-	■
--------	--------	--------	--	--	-----	-----	--------	---

LISTA DE APLICACIONES - BUYERS GUIDE

24 T Series 01.80-								
24.192	01/80-	Diesel			141	192	01.80-	■
24.192	01/89-	Diesel			141	192	01.80-	■
24.220	01/80-	Diesel			162	220	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
30 T Series 01.84-								
30.291	01/84-	Diesel			214	291	01.84-	■
30.331	01/84-	Diesel			243	331	01.84-	■
32 T Series 01.79-								
32.240	01/79-	Diesel			176	240	01.79-	■
32.281	01/79-	Diesel			206	280	01.79-	■
32.290	01/79-	Diesel			213	290	01.79-	■
32.321	01/79-	Diesel			235	320	01.79-	■
32.331	01/79-	Diesel			243	330	01.79-	■
32.361	01/79-	Diesel			265	360	01.79-	■
33 T Series 01.82-								
33.291	01/82-	Diesel			214	291	01.82-	■
33.331	01/82-	Diesel			243	330	01.82-	■
41 T Series 01.82-								
41.361	01/82-	Diesel			265	361	01.82-	■
F90 06.86-12.97								
19.262F/FL/FLL	01/88-	Diesel		10000	191	260	06.86-	■
19.262FK	01/88-	Diesel		10000	191	260	06.86-	■
19.262FS/FLS/FL	01/88-	Diesel		10000	191	260	06.86-	■
24.262DF	01/88-	Diesel		10000	191	260	06.86-	■
24.262DFK	01/88-	Diesel		10000	191	260	06.86-	■
24.262DFS/DFLS	01/88-	Diesel		10000	191	260	06.86-	■
24.262FNL/FNLL	01/88-	Diesel		10000	191	260	06.86-	■
32.262VF	01/89-	Diesel		10000	191	260	06.86-	■
32.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
32.262VFTM	01/89-	Diesel		10000	191	260	06.86-	■
33.262 DF	01/88-	Diesel		10000	191	260	06.86-	■
33.262DFK	01/88-	Diesel		10000	191	260	06.86-	■
35.262VF	01/89-	Diesel		10000	191	260	06.86-	■
35.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
35.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
41.262VF	01/89-	Diesel		10000	191	260	06.86-	■
41.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
19.272F/FL/FLL	01/90-	Diesel		10000	198	269	06.86-	■
19.272FK	01/90-	Diesel		10000	198	269	06.86-	■
19.272FS/FLS/FL	01/90-	Diesel		10000	198	269	06.86-	■
24.272DF	01/90-	Diesel		10000	198	269	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

24.272DFK	01/90-	Diesel		10000	198	269	06.86-	■
24.272DFS/DFLS	01/90-	Diesel		10000	198	269	06.86-	■
24.272FNL/FNLL	01/90-	Diesel		10000	198	269	06.86-	■
24.272FNL/FNLL	01/90-	Diesel		10000	198	269	06.86-	■
25.272DF	01/90-	Diesel		10000	198	269	06.86-	■
25.272DFK	01/90-	Diesel		10000	198	269	06.86-	■
25.272DFS/DFLS	01/90-	Diesel		10000	198	269	06.86-	■
25.272FNL/FNLL	01/90-	Diesel		10000	198	269	06.86-	■
26.272FNLS/FVLS	01/90-	Diesel		10000	198	269	06.86-	■
32.272VF	01/90-	Diesel		10000	198	269	06.86-	■
32.272VFK	01/90-	Diesel		10000	198	269	06.86-	■
33.272 DF	01/92-	Diesel		10000	198	269	06.86-	■
35.272VF	01/90-	Diesel		10000	198	269	06.86-	■
35.272VFK	01/90-	Diesel		10000	198	269	06.86-	■
41.272VF	01/90-	Diesel		10000	198	269	06.86-	■
19.322F/FL/FLL	01/90-	Diesel		10000	235	320	06.86-	■
19.322FK	01/90-	Diesel		10000	235	320	06.86-	■
19.322FS/FLS/FL	01/90-	Diesel		10000	235	320	06.86-	■
19.322U/ULL	01/90-	Diesel		10000	235	320	06.86-	■
24.322DF	01/90-	Diesel		10000	235	320	06.86-	■
24.322DFK	01/90-	Diesel		10000	235	320	06.86-	■
24.322DFS/DFLS	01/90-	Diesel		10000	235	320	06.86-	■
24.322FNL/FNLL	01/90-	Diesel		10000	235	320	06.86-	■
24.322FNL/FNLL	01/90-	Diesel		10000	235	320	06.86-	■
24.322UNL/UNLL	01/90-	Diesel		10000	235	320	06.86-	■
25.322DF	01/90-	Diesel		10000	235	320	06.86-	■
25.322DFK	01/90-	Diesel		10000	235	320	06.86-	■
25.322DFS/DFLS	01/90-	Diesel		10000	235	320	06.86-	■
25.322FNL/FNLL	01/90-	Diesel		10000	235	320	06.86-	■
25.322FNLS/FVLS	01/90-	Diesel		10000	235	320	06.86-	■
25.322UNL/UNLL	01/90-	Diesel		10000	235	320	06.86-	■
26.322FNL/FNLL	01/91-	Diesel		10000	235	320	06.86-	■
26.322FNLS/FVLS	01/90-	Diesel		10000	235	320	06.86-	■
32.322VF	01/90-	Diesel		10000	235	320	06.86-	■
32.322VFK	01/90-	Diesel		10000	235	320	06.86-	■
33.322 DF	01/91-	Diesel		10000	235	320	06.86-	■
35.322VF	01/90-	Diesel		10000	235	320	06.86-	■
35.322VFK	01/90-	Diesel		10000	235	320	06.86-	■
35.322VFKK	01/90-	Diesel		10000	235	320	06.86-	■
41.322VF	01/90-	Diesel		10000	235	320	06.86-	■
33.332 DF	01/87-	Diesel		10000	243	330	06.86-	■
19.372FS/FLS/FL	01/90-	Diesel		10000	249	339	06.86-	■
19.372FS/FLS/FL	01/90-	Diesel		10000	272	370	06.86-	■
19.422FS/FLS/FL	01/90-	Diesel		10000	309	420	06.86-	■
19.242F/FL/FLL	01/88-	Diesel		11995	177	241	06.86-	■
19.242FK	01/88-	Diesel		11995	177	241	06.86-	■
19.242FS/FLS/FL	01/88-	Diesel		11995	177	241	06.86-	■
24.242DF	01/88-	Diesel		11995	177	241	06.86-	■
24.242DFK	01/88-	Diesel		11995	177	241	06.86-	■
24.242DFS	01/88-	Diesel		11995	177	241	06.86-	■
24.242FNL/FNLL	01/88-	Diesel		11995	177	241	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

33.242DFK	01/88-	Diesel		11995	177	241	06.86-	■
19.292F/FL/FLL	01/86-	Diesel		11995	213	290	06.86-	■
19.292FK	01/86-	Diesel		11995	213	290	06.86-	■
19.292FS/FLS/FL	01/86-	Diesel		11995	213	290	06.86-	■
24.292DF	01/87-	Diesel		11995	213	290	06.86-	■
24.292DFK	01/87-	Diesel		11995	213	290	06.86-	■
24.292DFS/DFLS	01/87-	Diesel		11995	213	290	06.86-	■
24.292FNL/FNLL	01/86-	Diesel		11995	213	290	06.86-	■
24.292FNL/FNLL 6	01/86-	Diesel		11995	213	290	06.86-	■
32.292VF	01/88-	Diesel		11995	213	290	06.86-	■
32.292VFK	01/88-	Diesel		11995	213	290	06.86-	■
33.292 DF	01/87-	Diesel		11995	213	290	06.86-	■
33.292DFK	01/87-	Diesel		11995	213	290	06.86-	■
33.292DFS	01/87-	Diesel		11995	213	290	06.86-	■
35.292VF	01/88-	Diesel		11995	213	290	06.86-	■
35.292VFK	01/88-	Diesel		11995	213	290	06.86-	■
41.292VF	01/88-	Diesel		11995	213	290	06.86-	■
41.292VFK	01/88-	Diesel		11995	213	290	06.86-	■
48.292VF	01/89-	Diesel		11995	213	290	06.86-	■
24.302DF	01/90-	Diesel		11995	220	299	06.86-	■
24.302DFK	01/90-	Diesel		11995	220	299	06.86-	■
24.302DFS/DFLS	01/90-	Diesel		11995	220	299	06.86-	■
24.302FNL/FNLL	01/90-	Diesel		11995	220	299	06.86-	■
25.302DF	01/90-	Diesel		11995	220	299	06.86-	■
25.302DFK	01/90-	Diesel		11995	220	299	06.86-	■
25.302DFS/DFLS	01/90-	Diesel		11995	220	299	06.86-	■
25.302FNL/FNLL	01/90-	Diesel		11995	220	299	06.86-	■
25.302FNLS/FVLS	01/90-	Diesel		11995	220	299	06.86-	■
26.302FNL/FNLL	01/91-	Diesel		11995	220	299	06.86-	■
26.302FNLS/FVLS	01/90-	Diesel		11995	220	299	06.86-	■
32.302VF	01/90-	Diesel		11995	220	299	06.86-	■
32.302VFK	01/90-	Diesel		11995	220	299	06.86-	■
35.302VF	01/90-	Diesel		11995	220	299	06.86-	■
35.302VF	01/90-	Diesel		11995	220	299	06.86-	■
35.302VFK	01/90-	Diesel		11995	220	299	06.86-	■
35.302VFK	01/90-	Diesel		11995	220	299	06.86-	■
19.332F/FL/FLL	01/86-	Diesel		11995	243	330	06.86-	■
19.332FK	01/86-	Diesel		11995	243	330	06.86-	■
19.332FS/FLS/FL	01/86-	Diesel		11995	243	330	06.86-	■
19.332U/ULL	01/86-	Diesel		11995	243	330	06.86-	■
24.332DF	01/87-	Diesel		11995	243	330	06.86-	■
24.332DFK	01/87-	Diesel		11995	243	330	06.86-	■
24.332DFS/DFLS	01/87-	Diesel		11995	243	330	06.86-	■
24.332FNL/FNLL	01/86-	Diesel		11995	243	330	06.86-	■
24.332FNL/FNLL	01/86-	Diesel		11995	243	330	06.86-	■
24.332UNL/UNLL	01/86-	Diesel		11995	243	330	06.86-	■
32.332VF	01/88-	Diesel		11995	243	330	06.86-	■
32.332VFK	01/88-	Diesel		11995	243	330	06.86-	■
33.332DFK	01/87-	Diesel		11995	243	330	06.86-	■
33.332DFS	01/87-	Diesel		11995	243	330	06.86-	■
35.332VF	01/88-	Diesel		11995	243	330	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.332VFK	01/88-	Diesel		11995	243	330	06.86-	■
41.332VF	01/88-	Diesel		11995	243	330	06.86-	■
41.332VFK	01/88-	Diesel		11995	243	330	06.86-	■
48.332VF	01/89-	Diesel		11995	243	330	06.86-	■
19.372F/FL/FLL	01/90-	Diesel		11995	249	339	06.86-	■
19.372FK	01/90-	Diesel		11995	249	339	06.86-	■
24.372DF	01/90-	Diesel		11995	249	339	06.86-	■
24.372DFK	01/90-	Diesel		11995	249	339	06.86-	■
24.372DFS	01/90-	Diesel		11995	249	339	06.86-	■
24.372FVL	01/90-	Diesel		11995	249	339	06.86-	■
24.372FVLS	01/90-	Diesel		11995	249	339	06.86-	■
25.372DF	01/90-	Diesel		11995	249	339	06.86-	■
25.372DFK	01/90-	Diesel		11995	249	339	06.86-	■
25.372DFS	01/90-	Diesel		11995	249	339	06.86-	■
25.372FVLS	01/90-	Diesel		11995	249	339	06.86-	■
32.372VF	01/90-	Diesel		11995	249	339	06.86-	■
32.372VFK	01/90-	Diesel		11995	249	339	06.86-	■
35.372VF	01/90-	Diesel		11995	249	339	06.86-	■
35.372VFK	01/90-	Diesel		11995	249	339	06.86-	■
19.362F/FL/FLL	01/86-	Diesel		11995	265	360	06.86-	■
19.362FK	01/86-	Diesel		11995	265	360	06.86-	■
19.362FS/FLS/FL	01/86-	Diesel		11995	265	360	06.86-	■
19.362U/ULL	01/86-	Diesel		11995	265	360	06.86-	■
24.362DF	01/87-	Diesel		11995	265	360	06.86-	■
24.362DFK	01/87-	Diesel		11995	265	360	06.86-	■
24.362DFS/DFLS	01/87-	Diesel		11995	265	360	06.86-	■
24.362FNL/FNLL	01/86-	Diesel		11995	265	360	06.86-	■
24.362FNL/FNLL	01/86-	Diesel		11995	265	360	06.86-	■
24.362UNL/UNLL	01/86-	Diesel		11995	265	360	06.86-	■
32.362VF	01/88-	Diesel		11995	265	360	06.86-	■
32.362VFK	01/88-	Diesel		11995	265	360	06.86-	■
33.362 DF	01/87-	Diesel		11995	265	360	06.86-	■
33.362DFK	01/87-	Diesel		11995	265	360	06.86-	■
33.362DFS	01/87-	Diesel		11995	265	360	06.86-	■
35.362VF	01/88-	Diesel		11995	265	360	06.86-	■
35.362VFK	01/88-	Diesel		11995	265	360	06.86-	■
41.362VF	01/88-	Diesel		11995	265	360	06.86-	■
41.362VFK	01/88-	Diesel		11995	265	360	06.86-	■
48.362VF	01/89-	Diesel		11995	265	360	06.86-	■
19.372F/FL/FLL	01/90-	Diesel		11995	272	370	06.86-	■
19.372FK	01/90-	Diesel		11995	272	370	06.86-	■
19.372U/ULL	01/90-	Diesel		11995	272	370	06.86-	■
24.372DF	01/90-	Diesel		11995	272	370	06.86-	■
24.372DFK	01/90-	Diesel		11995	272	370	06.86-	■
24.372DFS/DFLS	01/90-	Diesel		11995	272	370	06.86-	■
24.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-	■
24.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-	■
24.372UNL/UNLL	01/90-	Diesel		11995	272	370	06.86-	■
25.372DF	01/90-	Diesel		11995	272	370	06.86-	■
25.372DFK	01/90-	Diesel		11995	272	370	06.86-	■
25.372DFS/DFLS	01/90-	Diesel		11995	272	370	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

25.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-	■
25.372FNLS/FVLS	01/90-	Diesel		11995	272	370	06.86-	■
25.372UNL/UNLL	01/90-	Diesel		11995	272	370	06.86-	■
26.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-	■
26.372FNLS/FVLS	01/92-	Diesel		11995	272	370	06.86-	■
32.372VF	01/90-	Diesel		11995	272	370	06.86-	■
32.372VFK	01/90-	Diesel		11995	272	370	06.86-	■
33.372 DF	01/91-	Diesel		11995	272	370	06.86-	■
33.372DFK	01/91-	Diesel		11995	272	370	06.86-	■
33.372DFS	01/91-	Diesel		11995	272	370	06.86-	■
35.372VF	01/90-	Diesel		11995	272	370	06.86-	■
35.372VF	01/90-	Diesel		11995	272	370	06.86-	■
35.372VFK	01/90-	Diesel		11995	272	370	06.86-	■
35.372VFK	01/90-	Diesel		11995	272	370	06.86-	■
40.372DF	01/91-	Diesel		11995	272	370	06.86-	■
41.372VF	01/90-	Diesel		11995	272	370	06.86-	■
19.422F/FL/FLL	01/90-	Diesel		11995	309	420	06.86-	■
19.422FK	01/90-	Diesel		11995	309	420	06.86-	■
19.422U/ULL	01/90-	Diesel		11995	309	420	06.86-	■
24.422DF	01/90-	Diesel		11995	309	420	06.86-	■
24.422DFK	01/90-	Diesel		11995	309	420	06.86-	■
24.422DFS/DFLS	01/90-	Diesel		11995	309	420	06.86-	■
24.422FNL/FNLL	01/90-	Diesel		11995	309	420	06.86-	■
24.422UNL/UNLL	01/90-	Diesel		11995	309	420	06.86-	■
25.4222UNL/UNLL	01/90-	Diesel		11995	309	420	06.86-	■
25.422DF	01/90-	Diesel		11995	309	420	06.86-	■
25.422DFK	01/90-	Diesel		11995	309	420	06.86-	■
25.422DFS/DFLS	01/90-	Diesel		11995	309	420	06.86-	■
25.422FNL/FNLL	01/90-	Diesel		11995	309	420	06.86-	■
25.422FNLS/FVLS	01/90-	Diesel		11995	309	420	06.86-	■
26.402FNLS/FVLS	01/92-	Diesel		11995	309	420	06.86-	■
26.422FNL/FNLL	01/90-	Diesel		11995	309	420	06.86-	■
32.422VF	01/90-	Diesel		11995	309	420	06.86-	■
32.422VFK	01/90-	Diesel		11995	309	420	06.86-	■
33.422 DF	01/91-	Diesel		11995	309	420	06.86-	■
35.422VF	01/90-	Diesel		11995	309	420	06.86-	■
35.422VF	01/90-	Diesel		11995	309	420	06.86-	■
35.422VF	01/90-	Diesel		11995	309	420	06.86-	■
35.422VFK	01/90-	Diesel		11995	309	420	06.86-	■
40.422DF	01/91-	Diesel		11995	309	420	06.86-	■
41.422VF	01/90-	Diesel		11995	309	420	06.86-	■
48.462VF	01/89-	Diesel		11995	338	460	06.86-	■
48.502VF	01/89-	Diesel		18195	368	500	06.86-	■
19.462F/FL	01/87-	Diesel		18295	338	460	06.86-	■
19.462FK	01/87-	Diesel		18295	338	460	06.86-	■
19.462FS/FLS/FL	01/87-	Diesel		18295	338	460	06.86-	■
24.462DF	01/89-	Diesel		18295	338	460	06.86-	■
24.462DFS/DFLS	01/89-	Diesel		18295	338	460	06.86-	■
24.462FNL	01/89-	Diesel		18295	338	460	06.86-	■
24.462FVLS	01/87-	Diesel		18295	338	460	06.86-	■
33.462 DF	01/89-	Diesel		18295	338	460	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

40.462DF	01/89-	Diesel		18295	338	460	06.86-	■
25.502FNL	01/90-	Diesel		18295	368	500	06.86-	■
F90 06.86-12.97					Dump Truck			
24.502 DFK (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
F90 06.86-12.97					Platform/Chassis			
19.502 F,19.502 FL,19.502 FLL (D 2840 LF01)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 F,19.502 FL,19.502 FLL (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 F,19.502 FL,19.502 FLL (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
24.502 DF (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
24.502 FNL (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
25.502 DF (D 2840 LF01)	-12/91	Diesel		18273	368	500	09.90-12.92	■
25.502 DF (D 2840 LF04)	-12/91	Diesel		18273	368	500	09.90-12.92	■
26.502 FNL,26.502 FNLL (D 2840 LF01)	-12/93	Diesel		18273	368	500	09.91-06.96	■
26.502 FNL,26.502 FNLL (D 2840 LF04)	-12/93	Diesel		18273	368	500	09.91-06.96	■
26.502 FNL,26.502 FNLL (D 2840 LF06)	-12/93	Diesel		18273	368	500	09.91-06.96	■
33.502 DF (D 2840 LF01)	-12/93	Diesel		18273	368	500	09.91-06.96	■
33.502 DF (D 2840 LF04)	-12/93	Diesel		18273	368	500	09.91-06.96	■
33.502 DF (D 2840 LF06)	-12/93	Diesel		18273	368	500	09.91-06.96	■
F90 06.86-12.97					Truck Tractor			
19.502 FS,19.502 FLS,19.502 FLLS (D 2840 LF01)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 FS,19.502 FLS,19.502 FLLS (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 FS,19.502 FLS,19.502 FLLS (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
24.502 DFS (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
25.502 DFS (D 2840 LF01)	-12/91	Diesel		18273	368	500	09.90-12.92	■
25.502 DFS (D 2840 LF04)	-12/91	Diesel		18273	368	500	09.90-12.92	■
LOW Chassis 01.86-								
24.332U/UL	01/86-	Diesel					01.86-	■
24.362U/UL	01/86-	Diesel					01.86-	■
14.272U	01/89-	Diesel			198	269	01.86-	■
19.322U/UL	01/89-	Diesel			235	320	01.86-	■
26.322U/UL	01/86-	Diesel			235	320	01.86-	■
19.372U/UL	01/89-	Diesel			272	370	01.86-	■
19.422U/UL	01/89-	Diesel			309	420	01.86-	■
26.372U/UL	01/90-	Diesel		11995	272	370	01.86-	■
26.422U/UL	01/90-	Diesel		11995	309	420	01.86-	■
M90 08.88-12.98								
192	01/84-	Diesel			141	192	08.88-	■
14.220	01/78-, Auxiliary Axle	Diesel			162	220	08.88-	■
14.240	01/78-, Auxiliary Axle	Diesel			176	240	08.88-	■
18.192F/FL/FLL	01/90-	Diesel		6895	140	190	08.88-	■
18.192FK	01/90-	Diesel		6895	140	190	08.88-	■
24.192FNL/FNLL	01/89-	Diesel		6895	140	190	08.88-	■
24.232FNL	01/90-	Diesel		6895	160	218	08.88-	■
18.232F/FL/FLL	01/90-	Diesel		6895	169	230	08.88-	■
18.232FK	01/90-	Diesel		6895	169	230	08.88-	■
24.232FNL/FNLL	01/89-	Diesel		6895	169	230	08.88-	■
18.272F/FL/FLL	01/92-	Diesel		6895	198	269	08.88-	■
18.272FK	01/92-	Diesel		6895	198	269	08.88-	■

LISTA DE APLICACIONES - BUYERS GUIDE

24.272FNL/FNLL	01/92-	Diesel		6895	198	269	08.88-	■
18.272F/FL/FLL	01/91-	Diesel		10000	198	269	08.88-	■
18.272FK	01/91-	Diesel		10000	198	269	08.88-	■
24.272FNL/FNLL	01/91-	Diesel		10000	198	269	08.88-	■
MERCEDES-BENZ								
MK 12.87-12.05					Platform/Chassis			
1717/L	01/89-	Diesel		5995	129	175	12.87-	■
1717K	01/89-	Diesel		5995	129	175	12.87-	■
1720/L	01/90-	Diesel		5995	150	204	12.87-	■
1722L	01/88-	Diesel		5995	150	204	12.87-	■
2420/L	01/90-	Diesel		5995	150	204	12.87-	■
1720S	01/90-	Diesel		5995	155	211	12.87-	■
1820/L	01/91-	Diesel		5995	155	211	12.87-	■
1820s	01/91-	Diesel		5995	155	211	12.87-	■
1824 (OM 401.975)	-12/93	Diesel		9570	180	245	08.92-09.96	■
2431 (OM 401.972)	-12/93	Diesel		9570	230	313	12.87-09.96	■
2431 (OM 401.979)	-12/93	Diesel		9570	230	313	12.87-09.96	■
2431 (OM 401.993)	-12/93	Diesel		9570	230	313	12.87-09.96	■
2024	01/93-	Diesel		9595	180	245	12.87-	■
2024AK	01/93-	Diesel		9595	180	245	12.87-	■
2024K	01/93-	Diesel		9595	180	245	12.87-	■
2524	01/92-	Diesel		9595	180	245	12.87-	■ ■
2524/L	01/92-	Diesel		9595	180	245	12.87-	■
2524/L	01/92-, Auxiliary Axle	Diesel		9595	180	245	12.87-	■
2524K	01/92-	Diesel		9595	180	245	12.87-	■ ■
1726/L	01/88-	Diesel		9595	200	272	12.87-	■
1827/L	01/90-	Diesel		9595	200	272	12.87-	■
1827S/LS	01/90-	Diesel		9595	200	272	12.87-	■
2426/L	01/90-	Diesel		9595	200	272	12.87-	■
2527/L	01/92-	Diesel		9595	200	272	12.87-	■
2527/L	01/92-, Auxiliary Axle	Diesel		9595	200	272	12.87-	■
2527B	01/91-	Diesel		9595	200	272	12.87-	■ ■
1722K	01/88-	Diesel		9595	230	313	12.87-	■
1831/L	01/90-	Diesel		9595	230	313	12.87-	■
1831S/LS	01/90-	Diesel		9595	230	313	12.87-	■
2031	01/92-	Diesel		9595	230	313	12.87-	■
2031A	01/92-	Diesel		9595	230	313	12.87-	■
2031AS	01/92-	Diesel		9595	230	313	12.87-	■
2031S	01/92-	Diesel		9595	230	313	12.87-	■
2531/L	01/90-	Diesel		9595	230	313	12.87-	■
2531/L	01/90-, Auxiliary Axle	Diesel		9595	230	313	12.87-	■
2629K	01/88-	Diesel		9595	230	313	12.87-	■ ■
2631	01/92-	Diesel		9595	230	313	12.87-	■ ■
2631A	01/92-	Diesel		9595	230	313	12.87-	■
2631AK	01/92-	Diesel		9595	230	313	12.87-	■
2631AS	01/92-	Diesel		9595	230	313	12.87-	■
2631B	01/92-	Diesel		9595	230	313	12.87-	■ ■
2631S	01/92-	Diesel		9595	230	313	12.87-	■ ■
2631	01/92-	Diesel		10995	230	313	12.87-	■ ■
2631S	01/92-	Diesel		10995	230	313	12.87-	■ ■
1733/L	01/89-	Diesel		10995	243	330	12.87-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1733S/LS	01/89-	Diesel		10995	243	330	12.87-	■	
2433/L	01/89-	Diesel		10995	243	330	12.87-	■	
2433S/LS	01/89-	Diesel		10995	243	330	12.87-	■	
1726/L	01/88-	Diesel		10995	250	340	12.87-	■	
1834/L	01/91-	Diesel		10995	250	340	12.87-	■	
1834S/LS	01/91-	Diesel		10995	250	340	12.87-	■	
2426/L	01/90-	Diesel		10995	250	340	12.87-	■	
2534/L	01/91-	Diesel		10995	250	340	12.87-	■	
2534K	01/91-	Diesel		10995	250	340	12.87-	■	■
2534S/LS	01/91-	Diesel		10995	250	340	12.87-	■	
2534S/LS	01/91-, Auxiliary Axle	Diesel		10995	250	340	12.87-		■
3233B	01/90-	Diesel		10995	250	340	12.87-	■	■
3233K	01/90-	Diesel		10995	250	340	12.87-	■	■
3234B	01/92-	Diesel		10995	250	340	12.87-	■	■
3234K	01/92-	Diesel		10995	250	340	12.87-	■	■
1735S/LS	01/88-	Diesel		10995	260	354	12.87-	■	
1748S/LS	01/88-	Diesel		10995	353	480	12.87-	■	
1722/L	01/88-	Diesel		11295	151	205	12.87-	■	
1722K	01/88-	Diesel		11295	153	208	12.87-	■	
1722S	01/88-	Diesel		11295	153	208	12.87-	■	
2422/L	01/89-	Diesel		11295	153	208	12.87-	■	
1922	01/89-	Diesel		11295	160	218	12.87-	■	
1922K	01/89-	Diesel		11295	160	218	12.87-	■	
1922S	01/89-	Diesel		11295	160	218	12.87-	■	
2629A	01/88-	Diesel		12795	269	366	12.87-		■
1838/L	01/90-	Diesel		12795	280	381	12.87-	■	
1838S/LS	01/90-	Diesel		12795	280	381	12.87-	■	
1840LS	01/91-	Diesel		12795	280	381	12.87-	■	
2031A	01/92-	Diesel		12795	280	381	12.87-		■
2038	01/91-	Diesel		12795	280	381	12.87-		■
2038AS	01/92-	Diesel		12795	280	381	12.87-		■
2038S	01/91-	Diesel		12795	280	381	12.87-		■
2538	01/91-	Diesel		12795	280	381	12.87-	■	
2538/L	01/91-	Diesel		12795	280	381	12.87-	■	
2538K	01/91-	Diesel		12795	280	381	12.87-	■	■
2538S/LS	01/91-	Diesel		12795	280	381	12.87-	■	
2538S/LS	01/91-, Auxiliary Axle	Diesel		12795	280	381	12.87-		■
2629A	01/88-	Diesel		12795	280	381	12.87-		■
2635K	01/91-	Diesel		12795	280	381	12.87-	■	■
2638	01/91-	Diesel		12795	280	381	12.87-	■	■
2638AK	01/92-	Diesel		12795	280	381	12.87-		■
2638AS	01/92-	Diesel		12795	280	381	12.87-		■
2638K	01/91-	Diesel		12795	280	381	12.87-	■	■
3238	01/90-	Diesel		12795	280	381	12.87-	■	■
3535AK	01/91-	Diesel		12795	280	381	12.87-	■	■
3535K	01/91-	Diesel		12795	280	381	12.87-	■	■
3538AK	01/91-	Diesel		12795	280	381	12.87-	■	■
3538K	01/91-	Diesel		12795	280	381	12.87-	■	■
2031A	01/92-	Diesel		12795	320	435	12.87-		■
2629A	01/88-	Diesel		12795	362	492	12.87-		■
2435S/LS	01/88-	Diesel		14595	191	260	12.87-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2635AK	01/90-	Diesel		14595	250	340	12.87-		■
2635AS	01/92-	Diesel		14595	250	340	12.87-		■
2635K	01/88-	Diesel		14595	250	340	12.87-	■	■
2635S	01/88-	Diesel		14595	250	340	12.87-	■	■
2435/L	01/88-	Diesel		14595	260	354	12.87-	■	
2635	01/88-	Diesel		14595	260	354	12.87-	■	■
2635A	01/90-	Diesel		14595	260	354	12.87-		■
3235	01/88-	Diesel		14595	260	354	12.87-	■	■
3235K	01/87-	Diesel		14595	260	354	12.87-	■	■
2635AS	01/90-	Diesel		14595	266	362	12.87-		■
3535AK	01/90-	Diesel		14595	266	362	12.87-	■	■
1935	01/89-	Diesel		14595	269	366	12.87-	■	
1935K	01/89-	Diesel		14595	269	366	12.87-	■	
1935S	01/89-	Diesel		14595	269	366	12.87-	■	
2629	01/88-	Diesel		14595	269	366	12.87-	■	■
2629AK	01/88-	Diesel		14595	269	366	12.87-		■
3535B	01/88-	Diesel		14595	269	366	12.87-	■	■
3535K	01/88-	Diesel		14595	269	366	12.87-	■	■
2638	01/91-	Diesel		14595	280	381	12.87-	■	■
2638K	01/91-	Diesel		14595	280	381	12.87-	■	■
1838/L	01/90-	Diesel		14595	320	435	12.87-	■	
1838S/LS	01/90-	Diesel		14595	320	435	12.87-	■	
1844/L	01/91-	Diesel		14595	320	435	12.87-	■	
1844S/LS	01/91-	Diesel		14595	320	435	12.87-	■	
20344S	01/92-	Diesel		14595	320	435	12.87-		■
2038AS	01/92-	Diesel		14595	320	435	12.87-		■
2044	01/92-	Diesel		14595	320	435	12.87-		■
2538	01/91-	Diesel		14595	320	435	12.87-	■	■
2538/L	01/91-	Diesel		14595	320	435	12.87-	■	
2538K	01/91-	Diesel		14595	320	435	12.87-	■	■
2538S/LS	01/91-	Diesel		14595	320	435	12.87-	■	
2538S/LS	01/91-, Auxiliary Axle	Diesel		14595	320	435	12.87-		■
2544/L	01/92-	Diesel		14595	320	435	12.87-	■	
2544S	01/92-	Diesel		14595	320	435	12.87-	■	
2629A	01/88-	Diesel		14595	320	435	12.87-		■
2629AK	01/88-	Diesel		14595	320	435	12.87-		■
2635A	01/91-	Diesel		14595	320	435	12.87-		■
2635K	01/91-	Diesel		14595	320	435	12.87-	■	■
2638	01/91-	Diesel		14595	320	435	12.87-	■	■
2638AK	01/92-	Diesel		14595	320	435	12.87-		■
2638AS	01/92-	Diesel		14595	320	435	12.87-		■
2638K	01/91-	Diesel		14595	320	435	12.87-	■	■
2638S	01/91-	Diesel		14595	320	435	12.87-	■	■
2644	01/92-	Diesel		14595	320	435	12.87-	■	■
2644S	01/92-	Diesel		14595	320	435	12.87-	■	■
3238	01/90-	Diesel		14595	320	435	12.87-	■	■
3538AK	01/91-	Diesel		14595	320	435	12.87-	■	■
3538K	01/91-	Diesel		14595	320	435	12.87-	■	■
2648S	01/88-	Diesel		14595	329	447	12.87-	■	■
1938	01/88-	Diesel		14595	353	480	12.87-	■	
2448/L	01/89-	Diesel		14595	353	480	12.87-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2448LS	01/88-	Diesel		14595	353	480	12.87-	■	
2648S	01/88-	Diesel		14595	353	480	12.87-	■	■
1850/L	01/90-	Diesel		14595	362	492	12.87-	■	
1850S/LS	01/90-	Diesel		14595	362	492	12.87-	■	
2050	01/91-	Diesel		14595	362	492	12.87-		■
2050S	01/91-	Diesel		14595	362	492	12.87-		■
2538K	01/91-	Diesel		14595	362	492	12.87-	■	■
2629AK	01/88-	Diesel		14595	362	492	12.87-		■
2629AS	01/88-	Diesel		14595	362	492	12.87-		■
2629K	01/88-	Diesel		14595	362	492	12.87-	■	■
2635AK	01/90-	Diesel		14595	362	492	12.87-		■
2635K	01/88-	Diesel		14595	362	492	12.87-	■	■
2635S	01/88-	Diesel		14595	362	492	12.87-	■	■
2638K	01/91-	Diesel		14595	362	492	12.87-	■	■
3238	01/90-	Diesel		14595	362	492	12.87-	■	■
3535B	01/88-	Diesel		14595	362	492	12.87-	■	■
3535K	01/88-	Diesel		14595	362	492	12.87-	■	■
3538K	01/91-	Diesel		14595	362	492	12.87-	■	■
3550S	01/92-	Diesel		14595	362	492	12.87-	■	■
2538	01/91-	Diesel		14595	370	503	12.87-	■	
2538	01/91-	Diesel		14595	370	503	12.87-	■	■
2538S	01/91-	Diesel		14595	370	503	12.87-	■	
2538S	01/91-, Auxiliary Axle	Diesel		14595	370	503	12.87-		■
2550/L	01/91-	Diesel		14595	370	503	12.87-	■	
2550S	01/91-	Diesel		14595	370	503	12.87-	■	■
2635	01/91-	Diesel		14595	370	503	12.87-	■	■
2638	01/91-	Diesel		14595	370	503	12.87-	■	■
2638AK	01/91-	Diesel		14595	370	503	12.87-		■
2638AS	01/92-	Diesel		14595	370	503	12.87-		■
2638K	01/91-	Diesel		14595	370	503	12.87-	■	■
2638S	01/91-	Diesel		14595	370	503	12.87-	■	■
2650	01/92-	Diesel		14595	370	503	12.87-	■	■
2650S	01/92-	Diesel		14595	370	503	12.87-	■	■
3538AK	01/91-	Diesel		14595	370	503	12.87-	■	■
1735L	01/88-	Diesel		14695	218	296	12.87-	■	
1735K	01/88-	Diesel		14695	250	340	12.87-	■	
1735/L	01/88-	Diesel		14695	260	354	12.87-	■	
1748/L	01/88-	Diesel		14695	353	480	12.87-	■	
1926 (OM 442.914)	01/88-	Diesel		15078	195	265	12.87-09.96	■	
1926 (OM 442.922)	01/88-	Diesel		15078	195	265	12.87-09.96	■	
1926 (OM 442.932)	01/88-	Diesel		15078	195	265	12.87-09.96	■	
1729 (OM 442.906)	01/88-	Diesel		15078	210	286	12.87-09.96	■	
1729 (OM 442.907)	01/88-	Diesel		15078	210	286	12.87-09.96	■	
1729 (OM 442.923)	01/88-	Diesel		15078	210	286	12.87-09.96	■	
2429 (OM 442.906)	-12/93	Diesel		15078	210	286	12.87-09.96	■	
2429 (OM 442.907)	-12/93	Diesel		15078	210	286	12.87-09.96	■	
2429 (OM 442.909)	-12/93	Diesel		15078	210	286	12.87-09.96	■	
2429 (OM 442.923)	-12/93	Diesel		15078	210	286	12.87-09.96	■	
1726/L	01/88-	Diesel		15095	195	265	12.87-	■	
1726K	01/88-	Diesel		15095	195	265	12.87-	■	
1726S/LS	01/88-	Diesel		15095	195	265	12.87-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2426/L	01/90-	Diesel		15095	195	265	12.87-	■	
2527/L	01/91-	Diesel		15095	195	265	12.87-	■	
2527/L	01/91-, Auxiliary Axle	Diesel		15095	195	265	12.87-		■
1729S/LS	01/88-	Diesel		15095	210	286	12.87-	■	
1929/L	01/88-	Diesel		15095	210	286	12.87-	■	
1929K	01/88-	Diesel		15095	210	286	12.87-	■	
1929S	01/88-	Diesel		15095	210	286	12.87-	■	
2635	01/88-	Diesel		15095	210	286	12.87-	■	■
1729K	01/88-	Diesel		15095	213	290	12.87-	■	
2426S/LS	01/88-	Diesel		15095	213	290	12.87-	■	
2429/L	01/88-	Diesel		15095	213	290	12.87-	■	
2629	01/88-	Diesel		15095	213	290	12.87-	■	■
2629A	01/88-	Diesel		15095	213	290	12.87-		■
2629AK	01/88-	Diesel		15095	213	290	12.87-		■
2629AS	01/88-	Diesel		15095	213	290	12.87-		■
2629K	01/88-	Diesel		15095	213	290	12.87-	■	■
2629S	01/88-	Diesel		15095	213	290	12.87-	■	■
26329B	01/88-	Diesel		15095	213	290	12.87-	■	■
3229	01/89-	Diesel		15095	213	290	12.87-	■	■
3229B	01/89-	Diesel		15095	213	290	12.87-	■	■
3229K	01/89-	Diesel		15095	213	290	12.87-	■	■
1722	01/88-	Diesel		15095	218	296	12.87-	■	
2629A	01/88-	Diesel		18295	340	462	12.87-		■
NG 08.73-03.98									
2220/L	01/85-	Diesel		5995	150	204	08.73-		■
1922AK	01/81-	Diesel		10995	141	192	08.73-		■
1922K	01/81-	Diesel		10995	141	192	08.73-		■
1922S	01/81-	Diesel		10995	141	192	08.73-		■
1922	01/81-	Diesel		10995	159	216	08.73-		■
1625/L	01/80-	Diesel		14595	184	250	08.73-		■
1625K	01/80-	Diesel		14595	184	250	08.73-		■
1625S/LS	01/80-	Diesel		14595	184	250	08.73-		■
2025S	01/83-	Diesel		14595	184	250	08.73-		■
1628/L	01/80-	Diesel		14595	206	280	08.73-		■
1628A	01/80-	Diesel		14595	206	280	08.73-		■
1628A	01/80-	Diesel		14595	206	280	08.73-		■
1628S/LS	01/80-	Diesel		14595	206	280	08.73-		■
1928/L	01/80-	Diesel		14595	206	280	08.73-		■
1928A	01/80-	Diesel		14595	206	280	08.73-		■
1928AK	01/80-	Diesel		14595	206	280	08.73-		■
1928AS	01/80-	Diesel		14595	206	280	08.73-		■
1928K	01/80-	Diesel		14595	206	280	08.73-		■
1928S/LS	01/80-	Diesel		14595	206	280	08.73-		■
2028LS	01/80-	Diesel		14595	206	280	08.73-		■
2228/L	01/79-	Diesel		14595	206	280	08.73-		■
1633/L	01/80-	Diesel		14595	243	330	08.73-		■
1633S/LS	01/80-	Diesel		14595	243	330	08.73-		■
1933	01/80-	Diesel		14595	243	330	08.73-		■
1933S/LS	01/80-	Diesel		14595	243	330	08.73-		■
2033LS	01/81-	Diesel		14595	243	330	08.73-		■
2232/L	01/79-	Diesel		14595	243	330	08.73-		■

LISTA DE APLICACIONES - BUYERS GUIDE

2233/L	01/80-	Diesel		14595	243	330	08.73-		■
1635/L	01/86-	Diesel		14595	260	354	08.73-		■
1635K	01/86-	Diesel		14595	260	354	08.73-		■
1635S/LS	01/86-	Diesel		14595	260	354	08.73-		■
1935	01/86-	Diesel		14595	260	354	08.73-		■
1935AK	01/87-	Diesel		14595	260	354	08.73-		■
1935S/LS	01/86-	Diesel		14595	260	354	08.73-		■
2035S/LS	01/86-	Diesel		14595	260	354	08.73-		■
2235/L	01/86-	Diesel		14595	260	354	08.73-		■
2235S/LS	01/86-	Diesel		14595	260	354	08.73-		■
3535K	01/87-	Diesel		14595	260	354	08.73-	■	■
3535K	01/87-	Diesel		14595	260	354	08.73-	■	■
3235K	01/89-	Diesel		14595	269	366	08.73-	■	■
1638	01/80-	Diesel		14595	276	375	08.73-		■
1638S/LS	01/80-	Diesel		14595	276	375	08.73-		■
1938	01/80-	Diesel		14595	276	375	08.73-		■
1938S/LS	01/80-	Diesel		14595	276	375	08.73-		■
2238/L	01/81-	Diesel		14595	276	375	08.73-		■
3038S	01/89-	Diesel		14595	276	375	08.73-	■	■
1644	01/86-	Diesel		14595	320	435	08.73-		■
1644S/LS	01/86-	Diesel		14595	320	435	08.73-		■
1944	01/85-	Diesel		14595	320	435	08.73-		■
1944S/LS	01/85-	Diesel		14595	320	435	08.73-		■
2244/L	01/85-	Diesel		14595	320	435	08.73-		■
2036LS	01/84-	Diesel		18295	243	330	08.73-		■
1636/L	01/83-	Diesel		18295	261	355	08.73-		■
1636S/LS	01/83-	Diesel		18295	261	355	08.73-		■
1936	01/81-	Diesel		18295	261	355	08.73-		■
1936AK	01/81-	Diesel		18295	261	355	08.73-		■
1936AS	01/81-	Diesel		18295	261	355	08.73-		■
1936K	01/81-	Diesel		18295	261	355	08.73-		■
1936S/LS	01/81-	Diesel		18295	261	355	08.73-		■
2236	01/82-	Diesel		18295	261	355	08.73-		■
3850A	01/85-	Diesel		18295	357	486	08.73-	■	■
3250AF	01/85-	Diesel		18295	368	500	08.73-		■
SK-Class 07.87-09.96					Platform/Chassis				
3248 (OM 442.984)	-12/93	Diesel		14618	353	480	07.87-09.96	■	■
3248 (OM 442.985)	-12/93	Diesel		14618	353	480	07.87-09.96	■	■
RENAULT TRUCKS									
PR Series 01.79-					Bus				
Saviem PR 40, T, V8, VT	01/79-	Diesel					01.79-		■
PS Series 01.79-					Bus				
Saviem PS 30, T, V2, VT	01/79-	Diesel					01.79-		■