

# LISTA DE APLICACIONES - BUYERS GUIDE


## 21 9488 00



8 424073 073365

Qty: 850

Weight: 10.300



## 21 9488 00



E1 90R-01167/073

223x17x178- Ø410

**WVA**  
19488

**MAKE**

MAN

MERCEDES-BENZ



Trac.

CC

Kw

CV



Front / Rear

**MAN**

### 15 T Series 01.82-

15.220	01/82-	Diesel			162	220	01.82-	■
15.240	01/82-	Diesel			176	240	01.82-	■

### 16 T Series 01.79-

16.240	01/79-	Diesel			176	240	01.79-	■
16.280	01/79-	Diesel			206	280	01.79-	■
16.291	01/79-	Diesel			229	311	01.79-	■
16.331	01/81-	Diesel			244	332	01.79-	■
16.332	01/86-	Diesel			244	332	01.79-	■
16.360	01/79-	Diesel			265	360	01.79-	■
16.362	01/86-	Diesel			266	362	01.79-	■

### 17 T Series 01.79-

17.136	01/79-	Diesel			100	136	01.79-	■
17.152	01/87-	Diesel			112	152	01.79-	■
17.170	01/79-	Diesel			125	170	01.79-	■
17.182	01/87-	Diesel			134	182	01.79-	■
17.192	01/79-	Diesel			141	192	01.79-	■
17.220	01/79-	Diesel			162	220	01.79-	■
17.222	01/87-	Diesel			163	222	01.79-	■
17.232	01/79-	Diesel			169	230	01.79-	■
17.240	01/79-	Diesel			176	240	01.79-	■

### 19 T Series 01.79-

19240	01/79-	Diesel			176	240	01.79-	■
-------	--------	--------	--	--	-----	-----	--------	---

# LISTA DE APLICACIONES - BUYERS GUIDE

19.281	01/79-	Diesel			207	281	01.79-	■
19.291	01/79-	Diesel			214	291	01.79-	■
19.321	01/79-	Diesel			236	321	01.79-	■
19.331	01/79-	Diesel			243	331	01.79-	■
19.361	01/79-	Diesel			265	361	01.79-	■
<b>20 T Series 01.78-</b>								
20.280	01/78-	Diesel			206	280	01.78-	■
<b>22 T Series 01.78-</b>								
22.331	01/78-	Diesel			243	331	01.78-	■
<b>24 T Series 01.80-</b>								
24.192	01/80-	Diesel			141	192	01.80-	■
24.220	01/80-	Diesel			162	220	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
<b>30 T Series 01.84-</b>								
30.291	01/84-	Diesel			214	291	01.84-	■
30.331	01/84-	Diesel			243	331	01.84-	■
<b>32 T Series 01.79-</b>								
32.240	01/79-	Diesel			176	240	01.79-	■
32.281	01/79-	Diesel			206	280	01.79-	■
32.290	01/79-	Diesel			213	290	01.79-	■
32.321	01/79-	Diesel			235	320	01.79-	■
32.331	01/79-	Diesel			243	330	01.79-	■
32.361	01/79-	Diesel			265	360	01.79-	■
<b>33 T Series 01.82-</b>								
33.291	01/82-	Diesel			214	291	01.82-	■
33.331	01/82-	Diesel			243	330	01.82-	■
<b>40 T Series 01.82-</b>								
40.365	01/82-	Diesel			268	365	01.82-	■
40.400	01/82-	Diesel			294	400	01.82-	■
40.400	01/82-	Diesel			323	440	01.82-	■
<b>41 T Series 01.82-</b>								
41.361	01/82-	Diesel			265	361	01.82-	■
<b>EL 01.93-02.01</b>					<b>Bus</b>			
EL 202,EL 222 (D 0826 LUH 03)	-12/93	Diesel		6871	157	214	01.93-06.97	■
EL 202,EL 222 (D 0826 LUH 05)	-12/93	Diesel		6871	157	214	01.93-06.97	■
EL 202,EL 222 (D 0826 LUH 12)	-12/93	Diesel		6871	157	214	01.93-06.97	■
<b>F90 06.86-12.97</b>								
27.272 DF/DFA	01/89-	Diesel			198	270	06.86-	■
27.272 DFK/DFAK	01/89-	Diesel			198	270	06.86-	■
27.272 DFS/DFAS	01/89-	Diesel			198	270	06.86-	■
27.422 DF/DFA	01/89-	Diesel			198	270	06.86-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

27.422 DFK/DFAK	01/89-	Diesel			198	270	06.86-
27.422 DFS/DFAS	01/89-	Diesel			198	270	06.86-
27.322 DF/DFA	01/89-	Diesel			235	320	06.86-
27.322 DFK/DFAK	01/89-	Diesel			235	320	06.86-
27.322 DFS/DFAS	01/89-	Diesel			235	320	06.86-
27.372 DF/DFA	01/89-	Diesel			272	370	06.86-
27.372 DFK/DFAK	01/89-	Diesel			272	370	06.86-
27.372 DFS/DFAS	01/89-	Diesel			272	370	06.86-
27.502 DFA	01/89-	Diesel			368	500	06.86-
27.502 DFAS	01/89-	Diesel			368	500	06.86-
24.262FNL/FNLL	01/95-	Diesel		6895	191	260	06.86-
19.262F/FL/FLL	01/88-	Diesel		10000	191	260	06.86-
19.262FA	01/89-	Diesel		10000	191	260	06.86-
19.262FAK	01/89-	Diesel		10000	191	260	06.86-
19.262FAS	01/89-	Diesel		10000	191	260	06.86-
19.262FK	01/88-	Diesel		10000	191	260	06.86-
19.262FS/FLS/FL	01/88-	Diesel		10000	191	260	06.86-
24.262DF	01/88-	Diesel		10000	191	260	06.86-
24.262DFK	01/88-	Diesel		10000	191	260	06.86-
24.262DFS/DFLS	01/88-	Diesel		10000	191	260	06.86-
24.262FNL/FNLL	01/88-	Diesel		10000	191	260	06.86-
26.262DF	01/88-	Diesel		10000	191	260	06.86-
26.262DFA	01/89-	Diesel		10000	191	260	06.86-
26.262DFAK	01/89-	Diesel		10000	191	260	06.86-
26.262DFAS	01/89-	Diesel		10000	191	260	06.86-
26.262DFK	01/88-	Diesel		10000	191	260	06.86-
26.262DFS	01/88-	Diesel		10000	191	260	06.86-
32.262VF	01/89-	Diesel		10000	191	260	06.86-
32.262VFK	01/89-	Diesel		10000	191	260	06.86-
32.262VFTM	01/89-	Diesel		10000	191	260	06.86-
33.262 DF	01/88-	Diesel		10000	191	260	06.86-
33.262DFAK	01/89-	Diesel		10000	191	260	06.86-
33.262DFK	01/88-	Diesel		10000	191	260	06.86-
35.262VF	01/89-	Diesel		10000	191	260	06.86-
35.262VF	01/89-	Diesel		10000	191	260	06.86-
35.262VFA	01/89-	Diesel		10000	191	260	06.86-
35.262VFK	01/89-	Diesel		10000	191	260	06.86-
35.262VFK	01/89-	Diesel		10000	191	260	06.86-
35.262VFK	01/89-	Diesel		10000	191	260	06.86-
35.262VFK	01/89-	Diesel		10000	191	260	06.86-
41.262VF	01/89-	Diesel		10000	191	260	06.86-
41.262VF	01/89-	Diesel		10000	191	260	06.86-
41.262VFAK	01/89-	Diesel		10000	191	260	06.86-
41.262VFK	01/89-	Diesel		10000	191	260	06.86-
41.262VFK	01/89-	Diesel		10000	191	260	06.86-
19.272F/FL/FLL	01/90-	Diesel		10000	198	269	06.86-
19.272FA	01/90-	Diesel		10000	198	269	06.86-
19.272FAK	01/90-	Diesel		10000	198	269	06.86-
19.272FAS	01/90-	Diesel		10000	198	269	06.86-
19.272FK	01/90-	Diesel		10000	198	269	06.86-
19.272FS/FLS/FL	01/90-	Diesel		10000	198	269	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

24.272DF	01/90-	Diesel		10000	198	269	06.86-
24.272DFK	01/90-	Diesel		10000	198	269	06.86-
24.272DFS/DFLS	01/90-	Diesel		10000	198	269	06.86-
24.272FNL/FNLL	01/90-	Diesel		10000	198	269	06.86-
24.272FNL/FNLL	01/90-	Diesel		10000	198	269	06.86-
25.272DF	01/90-	Diesel		10000	198	269	06.86-
25.272DFK	01/90-	Diesel		10000	198	269	06.86-
25.272DFS/DFLS	01/90-	Diesel		10000	198	269	06.86-
25.272FNL/FNLL	01/90-	Diesel		10000	198	269	06.86-
26.272DF	01/90-	Diesel		10000	198	269	06.86-
26.272DFA	01/90-	Diesel		10000	198	269	06.86-
26.272DFAK	01/90-	Diesel		10000	198	269	06.86-
26.272DFAS	01/90-	Diesel		10000	198	269	06.86-
26.272DFK	01/90-	Diesel		10000	198	269	06.86-
26.272DFS/DFLS	01/90-	Diesel		10000	198	269	06.86-
26.272FNLS/FVLS	01/90-	Diesel		10000	198	269	06.86-
32.272VF	01/90-	Diesel		10000	198	269	06.86-
32.272VFK	01/90-	Diesel		10000	198	269	06.86-
33.272 DF	01/92-	Diesel		10000	198	269	06.86-
33.272DFA	01/92-	Diesel		10000	198	269	06.86-
35.272VF	01/90-	Diesel		10000	198	269	06.86-
35.272VF	01/90-	Diesel		10000	198	269	06.86-
35.272VFK	01/90-	Diesel		10000	198	269	06.86-
35.272VFK	01/90-	Diesel		10000	198	269	06.86-
41.272VF	01/90-	Diesel		10000	198	269	06.86-
41.272VF	01/90-	Diesel		10000	198	269	06.86-
19.322F/FL/FLL	01/90-	Diesel		10000	235	320	06.86-
19.322FA	01/90-	Diesel		10000	235	320	06.86-
19.322FAK	01/90-	Diesel		10000	235	320	06.86-
19.322FAS	01/90-	Diesel		10000	235	320	06.86-
19.322FK	01/90-	Diesel		10000	235	320	06.86-
19.322FS/FLS/FL	01/90-	Diesel		10000	235	320	06.86-
19.322U/ULL	01/90-	Diesel		10000	235	320	06.86-
24.322DF	01/90-	Diesel		10000	235	320	06.86-
24.322DFK	01/90-	Diesel		10000	235	320	06.86-
24.322DFS/DFLS	01/90-	Diesel		10000	235	320	06.86-
24.322FNL/FNLL	01/90-	Diesel		10000	235	320	06.86-
24.322FNL/FNLL	01/90-	Diesel		10000	235	320	06.86-
24.322UNL/UNLL	01/90-	Diesel		10000	235	320	06.86-
25.322DF	01/90-	Diesel		10000	235	320	06.86-
25.322DFK	01/90-	Diesel		10000	235	320	06.86-
25.322DFS/DFLS	01/90-	Diesel		10000	235	320	06.86-
25.322FNL/FNLL	01/90-	Diesel		10000	235	320	06.86-
25.322FNLS/FVLS	01/90-	Diesel		10000	235	320	06.86-
25.322UNL/UNLL	01/90-	Diesel		10000	235	320	06.86-
26.322DF	01/90-	Diesel		10000	235	320	06.86-
26.322DFA	01/90-	Diesel		10000	235	320	06.86-
26.322DFAS	01/90-	Diesel		10000	235	320	06.86-
26.322DFK	01/92-	Diesel		10000	235	320	06.86-
26.322DFS/DFLS	01/90-	Diesel		10000	235	320	06.86-
26.322FNL/FNLL	01/91-	Diesel		10000	235	320	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

26.322FNLS/FVLS	01/90-	Diesel		10000	235	320	06.86-
26.322UNL/UNLL	01/90-	Diesel		10000	235	320	06.86-
26.332DFAK	01/90-	Diesel		10000	235	320	06.86-
32.322VF	01/90-	Diesel		10000	235	320	06.86-
32.322VFK	01/90-	Diesel		10000	235	320	06.86-
33.322 DF	01/91-	Diesel		10000	235	320	06.86-
33.322DFA	01/91-	Diesel		10000	235	320	06.86-
35.322VF	01/90-	Diesel		10000	235	320	06.86-
35.322VF	01/90-	Diesel		10000	235	320	06.86-
35.322VFAK	01/90-	Diesel		10000	235	320	06.86-
35.322VFK	01/90-	Diesel		10000	235	320	06.86-
35.322VFK	01/90-	Diesel		10000	235	320	06.86-
35.322VFKK	01/90-	Diesel		10000	235	320	06.86-
35.322VFKK	01/90-	Diesel		10000	235	320	06.86-
41.322VF	01/90-	Diesel		10000	235	320	06.86-
41.322VF	01/90-	Diesel		10000	235	320	06.86-
33.332 DF	01/87-	Diesel		10000	243	330	06.86-
19.372FS/FLS/FL	01/90-	Diesel		10000	249	339	06.86-
19.372FS/FLS/FL	01/90-	Diesel		10000	272	370	06.86-
19.422FS/FLS/FL	01/90-	Diesel		10000	309	420	06.86-
19.242F/FL/FLL	01/88-	Diesel		11995	177	241	06.86-
19.242FK	01/88-	Diesel		11995	177	241	06.86-
19.242FS/FLS/FL	01/88-	Diesel		11995	177	241	06.86-
24.242DF	01/88-	Diesel		11995	177	241	06.86-
24.242DFK	01/88-	Diesel		11995	177	241	06.86-
24.242DFS	01/88-	Diesel		11995	177	241	06.86-
24.242FNL/FNLL	01/88-	Diesel		11995	177	241	06.86-
26.242DF	01/88-	Diesel		11995	177	241	06.86-
26.242DFAK	01/89-	Diesel		11995	177	241	06.86-
26.242DFK	01/88-	Diesel		11995	177	241	06.86-
26.242DFS	01/88-	Diesel		11995	177	241	06.86-
33.242DFAK	01/88-	Diesel		11995	177	241	06.86-
33.242DFK	01/88-	Diesel		11995	177	241	06.86-
19.292F/FL/FLL	01/86-	Diesel		11995	213	290	06.86-
19.292FA	01/88-	Diesel		11995	213	290	06.86-
19.292FAK	01/88-	Diesel		11995	213	290	06.86-
19.292FAS	01/88-	Diesel		11995	213	290	06.86-
19.292FK	01/86-	Diesel		11995	213	290	06.86-
19.292FS/FLS/FL	01/86-	Diesel		11995	213	290	06.86-
24.292DF	01/87-	Diesel		11995	213	290	06.86-
24.292DFK	01/87-	Diesel		11995	213	290	06.86-
24.292DFS/DFLS	01/87-	Diesel		11995	213	290	06.86-
24.292FNL/FNLL	01/86-	Diesel		11995	213	290	06.86-
24.292FNL/FNLL 6	01/86-	Diesel		11995	213	290	06.86-
26.292DF	01/87-	Diesel		11995	213	290	06.86-
26.292DFA	01/88-	Diesel		11995	213	290	06.86-
26.292DFAK	01/88-	Diesel		11995	213	290	06.86-
26.292DFAS	01/89-	Diesel		11995	213	290	06.86-
26.292DFK	01/87-	Diesel		11995	213	290	06.86-
26.292DFS	01/87-	Diesel		11995	213	290	06.86-
32.292VF	01/88-	Diesel		11995	213	290	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

32.292VFK	01/88-	Diesel		11995	213	290	06.86-
33.292 DF	01/87-	Diesel		11995	213	290	06.86-
33.292DFA	01/88-	Diesel		11995	213	290	06.86-
33.292DFAK	01/88-	Diesel		11995	213	290	06.86-
33.292DFAS	01/88-	Diesel		11995	213	290	06.86-
33.292DFK	01/87-	Diesel		11995	213	290	06.86-
33.292DFS	01/87-	Diesel		11995	213	290	06.86-
35.292VF	01/88-	Diesel		11995	213	290	06.86-
35.292VF	01/88-	Diesel		11995	213	290	06.86-
35.292VFK	01/88-	Diesel		11995	213	290	06.86-
35.292VFK	01/88-	Diesel		11995	213	290	06.86-
41.292VF	01/88-	Diesel		11995	213	290	06.86-
41.292VF	01/88-	Diesel		11995	213	290	06.86-
41.292VFAK	01/89-	Diesel		11995	213	290	06.86-
41.292VFK	01/88-	Diesel		11995	213	290	06.86-
41.292VFK	01/88-	Diesel		11995	213	290	06.86-
48.292VF	01/89-	Diesel		11995	213	290	06.86-
48.292VFAK	01/89-	Diesel		11995	213	290	06.86-
24.302DF	01/90-	Diesel		11995	220	299	06.86-
24.302DFK	01/90-	Diesel		11995	220	299	06.86-
24.302DFS/DFLS	01/90-	Diesel		11995	220	299	06.86-
24.302FNL/FNLL	01/90-	Diesel		11995	220	299	06.86-
25.302DF	01/90-	Diesel		11995	220	299	06.86-
25.302DFK	01/90-	Diesel		11995	220	299	06.86-
25.302DFS/DFLS	01/90-	Diesel		11995	220	299	06.86-
25.302FNL/FNLL	01/90-	Diesel		11995	220	299	06.86-
25.302FNLS/FVLS	01/90-	Diesel		11995	220	299	06.86-
26.302DF	01/90-	Diesel		11995	220	299	06.86-
26.302DFA	01/90-	Diesel		11995	220	299	06.86-
26.302DFAK	01/90-	Diesel		11995	220	299	06.86-
26.302DFAS	01/90-	Diesel		11995	220	299	06.86-
26.302DFK	01/90-	Diesel		11995	220	299	06.86-
26.302DFS	01/90-	Diesel		11995	220	299	06.86-
26.302FNL/FNLL	01/91-	Diesel		11995	220	299	06.86-
26.302FNLS/FVLS	01/90-	Diesel		11995	220	299	06.86-
32.302VF	01/90-	Diesel		11995	220	299	06.86-
32.302VFK	01/90-	Diesel		11995	220	299	06.86-
35.302VF	01/90-	Diesel		11995	220	299	06.86-
35.302VF	01/90-	Diesel		11995	220	299	06.86-
35.302VF	01/90-	Diesel		11995	220	299	06.86-
35.302VF	01/90-	Diesel		11995	220	299	06.86-
35.302VFA	01/90-	Diesel		11995	220	299	06.86-
35.302VFAK	01/90-	Diesel		11995	220	299	06.86-
35.302VFK	01/90-	Diesel		11995	220	299	06.86-
35.302VFK	01/90-	Diesel		11995	220	299	06.86-
35.302VFK	01/90-	Diesel		11995	220	299	06.86-
35.302VFK	01/90-	Diesel		11995	220	299	06.86-
41.322VFAK	01/89-	Diesel		11995	235	320	06.86-
19.332F/FL/FLL	01/86-	Diesel		11995	243	330	06.86-
19.332FA	01/88-	Diesel		11995	243	330	06.86-
19.332FAK	01/88-	Diesel		11995	243	330	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

19.332FAS	01/88-	Diesel		11995	243	330	06.86-
19.332FK	01/86-	Diesel		11995	243	330	06.86-
19.332FS/FLS/FL	01/86-	Diesel		11995	243	330	06.86-
19.332U/ULL	01/86-	Diesel		11995	243	330	06.86-
24.332DF	01/87-	Diesel		11995	243	330	06.86-
24.332DFK	01/87-	Diesel		11995	243	330	06.86-
24.332DFS/DFLS	01/87-	Diesel		11995	243	330	06.86-
24.332FNL/FNLL	01/86-	Diesel		11995	243	330	06.86-
24.332FNL/FNLL	01/86-	Diesel		11995	243	330	06.86-
24.332UNL/UNLL	01/86-	Diesel		11995	243	330	06.86-
26.322DF	01/87-	Diesel		11995	243	330	06.86-
26.322DFK	01/87-	Diesel		11995	243	330	06.86-
26.332DFA	01/88-	Diesel		11995	243	330	06.86-
26.332DFAK	01/88-	Diesel		11995	243	330	06.86-
26.332DFAS	01/88-	Diesel		11995	243	330	06.86-
26.332DFS	01/87-	Diesel		11995	243	330	06.86-
32.332VF	01/88-	Diesel		11995	243	330	06.86-
32.332VFK	01/88-	Diesel		11995	243	330	06.86-
33.332DFA	01/88-	Diesel		11995	243	330	06.86-
33.332DFAK	01/89-	Diesel		11995	243	330	06.86-
33.332DFAS	01/88-	Diesel		11995	243	330	06.86-
33.332DFK	01/87-	Diesel		11995	243	330	06.86-
33.332DFS	01/87-	Diesel		11995	243	330	06.86-
35.332VF	01/88-	Diesel		11995	243	330	06.86-
35.332VF	01/88-	Diesel		11995	243	330	06.86-
35.332VFK	01/88-	Diesel		11995	243	330	06.86-
35.332VFK	01/88-	Diesel		11995	243	330	06.86-
41.332VF	01/88-	Diesel		11995	243	330	06.86-
41.332VF	01/88-	Diesel		11995	243	330	06.86-
41.332VFAK	01/89-	Diesel		11995	243	330	06.86-
41.332VFK	01/88-	Diesel		11995	243	330	06.86-
41.332VFK	01/88-	Diesel		11995	243	330	06.86-
48.332VF	01/89-	Diesel		11995	243	330	06.86-
48.332VFA	01/89-	Diesel		11995	243	330	06.86-
48.332VFAK	01/89-	Diesel		11995	243	330	06.86-
19.372F/FL/FLL	01/90-	Diesel		11995	249	339	06.86-
19.372FK	01/90-	Diesel		11995	249	339	06.86-
24.372DF	01/90-	Diesel		11995	249	339	06.86-
24.372DFK	01/90-	Diesel		11995	249	339	06.86-
24.372DFS	01/90-	Diesel		11995	249	339	06.86-
24.372FVL	01/90-	Diesel		11995	249	339	06.86-
24.372FVLS	01/90-	Diesel		11995	249	339	06.86-
25.372DF	01/90-	Diesel		11995	249	339	06.86-
25.372DFK	01/90-	Diesel		11995	249	339	06.86-
25.372DFS	01/90-	Diesel		11995	249	339	06.86-
25.372FVLS	01/90-	Diesel		11995	249	339	06.86-
32.372VF	01/90-	Diesel		11995	249	339	06.86-
32.372VFK	01/90-	Diesel		11995	249	339	06.86-
35.372VF	01/90-	Diesel		11995	249	339	06.86-
35.372VF	01/90-	Diesel		11995	249	339	06.86-
35.372VFK	01/90-	Diesel		11995	249	339	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

35.372VFK	01/90-	Diesel		11995	249	339	06.86-
19.362F/FL/FLL	01/86-	Diesel		11995	265	360	06.86-
19.362FA	01/88-	Diesel		11995	265	360	06.86-
19.362FAK	01/88-	Diesel		11995	265	360	06.86-
19.362FAS	01/88-	Diesel		11995	265	360	06.86-
19.362FK	01/86-	Diesel		11995	265	360	06.86-
19.362FS/FLS/FL	01/86-	Diesel		11995	265	360	06.86-
19.362U/ULL	01/86-	Diesel		11995	265	360	06.86-
24.362DF	01/87-	Diesel		11995	265	360	06.86-
24.362DFK	01/87-	Diesel		11995	265	360	06.86-
24.362DFS/DFLS	01/87-	Diesel		11995	265	360	06.86-
24.362FNL/FNLL	01/86-	Diesel		11995	265	360	06.86-
24.362FNL/FNLL	01/86-	Diesel		11995	265	360	06.86-
24.362UNL/UNLL	01/86-	Diesel		11995	265	360	06.86-
26.362DF/DFL	01/87-	Diesel		11995	265	360	06.86-
26.362DFA	01/88-	Diesel		11995	265	360	06.86-
26.362DFAK	01/88-	Diesel		11995	265	360	06.86-
26.362DFAS	01/88-	Diesel		11995	265	360	06.86-
26.362DFK	01/87-	Diesel		11995	265	360	06.86-
26.362DFS	01/87-	Diesel		11995	265	360	06.86-
32.362VF	01/88-	Diesel		11995	265	360	06.86-
32.362VFK	01/88-	Diesel		11995	265	360	06.86-
33.362 DF	01/87-	Diesel		11995	265	360	06.86-
33.362DFA	01/88-	Diesel		11995	265	360	06.86-
33.362DFAK	01/88-	Diesel		11995	265	360	06.86-
33.362DFAS	01/88-	Diesel		11995	265	360	06.86-
33.362DFK	01/87-	Diesel		11995	265	360	06.86-
33.362DFS	01/87-	Diesel		11995	265	360	06.86-
35.362VF	01/88-	Diesel		11995	265	360	06.86-
35.362VF	01/88-	Diesel		11995	265	360	06.86-
35.362VFK	01/88-	Diesel		11995	265	360	06.86-
35.362VFK	01/88-	Diesel		11995	265	360	06.86-
41.362VF	01/88-	Diesel		11995	265	360	06.86-
41.362VF	01/88-	Diesel		11995	265	360	06.86-
41.362VFAK	01/89-	Diesel		11995	265	360	06.86-
41.362VFK	01/88-	Diesel		11995	265	360	06.86-
41.362VFK	01/88-	Diesel		11995	265	360	06.86-
48.362VF	01/89-	Diesel		11995	265	360	06.86-
48.362VFA	01/89-	Diesel		11995	265	360	06.86-
48.362VFAK	01/89-	Diesel		11995	265	360	06.86-
19.372F/FL/FLL	01/90-	Diesel		11995	272	370	06.86-
19.372FA	01/90-	Diesel		11995	272	370	06.86-
19.372FAK	01/90-	Diesel		11995	272	370	06.86-
19.372FAS	01/90-	Diesel		11995	272	370	06.86-
19.372FK	01/90-	Diesel		11995	272	370	06.86-
19.372U/ULL	01/90-	Diesel		11995	272	370	06.86-
24.372DF	01/90-	Diesel		11995	272	370	06.86-
24.372DFK	01/90-	Diesel		11995	272	370	06.86-
24.372DFS/DFLS	01/90-	Diesel		11995	272	370	06.86-
24.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-
24.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-



# LISTA DE APLICACIONES - BUYERS GUIDE

24.372UNL/UNLL	01/90-	Diesel		11995	272	370	06.86-
25.372DF	01/90-	Diesel		11995	272	370	06.86-
25.372DFK	01/90-	Diesel		11995	272	370	06.86-
25.372DFS/DFLS	01/90-	Diesel		11995	272	370	06.86-
25.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-
25.372FNLS/FVLS	01/90-	Diesel		11995	272	370	06.86-
25.372UNL/UNLL	01/90-	Diesel		11995	272	370	06.86-
26.372DF/DFL	01/90-	Diesel		11995	272	370	06.86-
26.372DFA	01/90-	Diesel		11995	272	370	06.86-
26.372DFAK	01/92-	Diesel		11995	272	370	06.86-
26.372DFAS	01/90-	Diesel		11995	272	370	06.86-
26.372DFK	01/92-	Diesel		11995	272	370	06.86-
26.372DFS	01/90-	Diesel		11995	272	370	06.86-
26.372FNL/FNLL	01/90-	Diesel		11995	272	370	06.86-
26.372FNLS/FVLS	01/92-	Diesel		11995	272	370	06.86-
32.372VF	01/90-	Diesel		11995	272	370	06.86-
32.372VFK	01/90-	Diesel		11995	272	370	06.86-
33.372 DF	01/91-	Diesel		11995	272	370	06.86-
33.372DFA	01/91-	Diesel		11995	272	370	06.86-
33.372DFAK	01/91-	Diesel		11995	272	370	06.86-
33.372DFK	01/91-	Diesel		11995	272	370	06.86-
33.372DFS	01/91-	Diesel		11995	272	370	06.86-
35.372VF	01/90-	Diesel		11995	272	370	06.86-
35.372VF	01/90-	Diesel		11995	272	370	06.86-
35.372VF	01/90-	Diesel		11995	272	370	06.86-
35.372VF	01/90-	Diesel		11995	272	370	06.86-
35.372VFK	01/90-	Diesel		11995	272	370	06.86-
35.372VFK	01/90-	Diesel		11995	272	370	06.86-
35.372VFK	01/90-	Diesel		11995	272	370	06.86-
35.372VFK	01/90-	Diesel		11995	272	370	06.86-
35.372VFK	01/90-	Diesel		11995	272	370	06.86-
40.372DF	01/91-	Diesel		11995	272	370	06.86-
40.372DFA	01/91-	Diesel		11995	272	370	06.86-
41.372VF	01/90-	Diesel		11995	272	370	06.86-
41.372VF	01/90-	Diesel		11995	272	370	06.86-
41.372VFAK	01/89-	Diesel		11995	272	370	06.86-
19.422F/FL/FLL	01/90-	Diesel		11995	309	420	06.86-
19.422FA	01/90-	Diesel		11995	309	420	06.86-
19.422FAK	01/90-	Diesel		11995	309	420	06.86-
19.422FAS	01/90-	Diesel		11995	309	420	06.86-
19.422FK	01/90-	Diesel		11995	309	420	06.86-
19.422U/ULL	01/90-	Diesel		11995	309	420	06.86-
24.422DF	01/90-	Diesel		11995	309	420	06.86-
24.422DFK	01/90-	Diesel		11995	309	420	06.86-
24.422DFS/DFLS	01/90-	Diesel		11995	309	420	06.86-
24.422FNL/FNLL	01/90-	Diesel		11995	309	420	06.86-
24.422UNL/UNLL	01/90-	Diesel		11995	309	420	06.86-
25.4222UNL/UNLL	01/90-	Diesel		11995	309	420	06.86-
25.422DF	01/90-	Diesel		11995	309	420	06.86-
25.422DFK	01/90-	Diesel		11995	309	420	06.86-
25.422DFS/DFLS	01/90-	Diesel		11995	309	420	06.86-
25.422FNL/FNLL	01/90-	Diesel		11995	309	420	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

25.422FNLS/FVLS	01/90-	Diesel		11995	309	420	06.86-
26.402FNLS/FVLS	01/92-	Diesel		11995	309	420	06.86-
26.422DF/DFL	01/90-	Diesel		11995	309	420	06.86-
26.422DFA	01/90-	Diesel		11995	309	420	06.86-
26.422DFAK	01/90-	Diesel		11995	309	420	06.86-
26.422DFAS	01/90-	Diesel		11995	309	420	06.86-
26.422DFK	01/90-	Diesel		11995	309	420	06.86-
26.422DFS	01/90-	Diesel		11995	309	420	06.86-
26.422FNL/FNLL	01/90-	Diesel		11995	309	420	06.86-
32.422VF	01/90-	Diesel		11995	309	420	06.86-
32.422VFK	01/90-	Diesel		11995	309	420	06.86-
33.422 DF	01/91-	Diesel		11995	309	420	06.86-
33.422DFA	01/91-	Diesel		11995	309	420	06.86-
35.422VF	01/90-	Diesel		11995	309	420	06.86-
35.422VF	01/90-	Diesel		11995	309	420	06.86-
35.422VF	01/90-	Diesel		11995	309	420	06.86-
35.422VF	01/90-	Diesel		11995	309	420	06.86-
35.422VF	01/90-	Diesel		11995	309	420	06.86-
35.422VF	01/90-	Diesel		11995	309	420	06.86-
35.422VFK	01/90-	Diesel		11995	309	420	06.86-
35.422VFK	01/90-	Diesel		11995	309	420	06.86-
40.422DF	01/91-	Diesel		11995	309	420	06.86-
40.422DFA	01/91-	Diesel		11995	309	420	06.86-
41.422VF	01/90-	Diesel		11995	309	420	06.86-
41.422VF	01/90-	Diesel		11995	309	420	06.86-
41.422VFAK	01/89-	Diesel		11995	309	420	06.86-
48.462VF	01/89-	Diesel		11995	338	460	06.86-
48.502VFA	01/89-	Diesel		11995	368	500	06.86-
48.502VFAK	01/89-	Diesel		11995	368	500	06.86-
27.502 DF/DFS	01/89-	Diesel		18195	368	500	06.86-
27.502 DF/DFS	01/89-	Diesel		18195	368	500	06.86-
48.502VF	01/89-	Diesel		18195	368	500	06.86-
48.502VF	01/89-	Diesel		18195	368	500	06.86-
48.502VF	01/89-	Diesel		18195	368	500	06.86-
19.462F/FL	01/87-	Diesel		18295	338	460	06.86-
19.462FK	01/87-	Diesel		18295	338	460	06.86-
19.462FS/FLS/FL	01/87-	Diesel		18295	338	460	06.86-
24.462DF	01/89-	Diesel		18295	338	460	06.86-
24.462DFS/DFLS	01/89-	Diesel		18295	338	460	06.86-
24.462FNL	01/89-	Diesel		18295	338	460	06.86-
24.462FVLS	01/87-	Diesel		18295	338	460	06.86-
26.462DF	01/89-	Diesel		18295	338	460	06.86-
26.462DFA	01/89-	Diesel		18295	338	460	06.86-
26.462DFAS	01/89-	Diesel		18295	338	460	06.86-
26.462DFS	01/89-	Diesel		18295	338	460	06.86-
33.462 DF	01/89-	Diesel		18295	338	460	06.86-
33.462DFA	01/89-	Diesel		18295	338	460	06.86-
40.462DF	01/89-	Diesel		18295	338	460	06.86-
40.462DFA	01/89-	Diesel		18295	338	460	06.86-
25.502FNL	01/90-	Diesel		18295	368	500	06.86-
33.502DFA	01/91-	Diesel		18295	368	500	06.86-

# LISTA DE APLICACIONES - BUYERS GUIDE

40.502DFA	01/90-	Diesel		18295	368	500	06.86-	■
<b>F90 06.86-12.97</b>					<b>Dump Truck</b>			
24.502 DFK (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
<b>F90 06.86-12.97</b>					<b>Platform/Chassis</b>			
19.502 F,19.502 FL,19.502 FLL (D 2840 LF01)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 F,19.502 FL,19.502 FLL (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 F,19.502 FL,19.502 FLL (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
24.502 DF (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
24.502 FNL (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
25.502 DF (D 2840 LF01)	-12/91	Diesel		18273	368	500	09.90-12.92	■
25.502 DF (D 2840 LF04)	-12/91	Diesel		18273	368	500	09.90-12.92	■
26.502 DF (D 2840 LF01)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 DF (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 DF (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 FNL,26.502 FNLL (D 2840 LF01)	-12/93	Diesel		18273	368	500	09.91-06.96	■
26.502 FNL,26.502 FNLL (D 2840 LF04)	-12/93	Diesel		18273	368	500	09.91-06.96	■
26.502 FNL,26.502 FNLL (D 2840 LF06)	-12/93	Diesel		18273	368	500	09.91-06.96	■
33.502 DF (D 2840 LF01)	-12/93	Diesel		18273	368	500	09.91-06.96	■
33.502 DF (D 2840 LF04)	-12/93	Diesel		18273	368	500	09.91-06.96	■
33.502 DF (D 2840 LF06)	-12/93	Diesel		18273	368	500	09.91-06.96	■
<b>F90 06.86-12.97</b>					<b>Truck Tractor</b>			
19.502 FS,19.502 FLS,19.502 FLLS (D 2840 LF01)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 FS,19.502 FLS,19.502 FLLS (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
19.502 FS,19.502 FLS,19.502 FLLS (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
24.502 DFS (D 2840 LF01)		Diesel		18273	368	500	02.90-12.90	■
25.502 DFS (D 2840 LF01)	-12/91	Diesel		18273	368	500	09.90-12.92	■
25.502 DFS (D 2840 LF04)	-12/91	Diesel		18273	368	500	09.90-12.92	■
26.502 DFS,26.502 DFLS (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 DFS,26.502 DFLS (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
<b>LOW Chassis 01.86-</b>								
24.332U/UL	01/86-	Diesel					01.86-	■
24.362U/UL	01/86-	Diesel					01.86-	■
14.272U	01/89-	Diesel			198	269	01.86-	■
19.322U/UL	01/89-	Diesel			235	320	01.86-	■
26.322U/UL	01/86-	Diesel			235	320	01.86-	■
19.372U/UL	01/89-	Diesel			272	370	01.86-	■
19.422U/UL	01/89-	Diesel			309	420	01.86-	■
26.372U/UL	01/90-	Diesel		11995	272	370	01.86-	■
26.422U/UL	01/90-	Diesel		11995	309	420	01.86-	■
<b>M90 08.88-12.98</b>								
14.220	01/78-, Auxiliary Axle	Diesel			162	220	08.88-	■
14.240	01/78-, Auxiliary Axle	Diesel			176	240	08.88-	■
17.192F/FL	01/88-	Diesel		6595	137	186	08.88-	■
17.192FA	01/89-	Diesel		6595	137	186	08.88-	■
17.192FAK	01/89-	Diesel		6595	137	186	08.88-	■
17.192FK	01/88-	Diesel		6595	137	186	08.88-	■
17.192FS/FLS	01/88-	Diesel		6595	137	186	08.88-	■
17.192F/FL	01/90-	Diesel		6895	140	190	08.88-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

17.192FA	01/90-	Diesel		6895	140	190	08.88-	■
17.192FAK	01/90-	Diesel		6895	140	190	08.88-	■
17.192FK	01/90-	Diesel		6895	140	190	08.88-	■
17.192FS/FLS	01/90-	Diesel		6895	140	190	08.88-	■
17.232F/FL	01/90-	Diesel		6895	160	218	08.88-	■
17.232FA	01/90-	Diesel		6895	160	218	08.88-	■
17.232FAK	01/90-	Diesel		6895	160	218	08.88-	■
17.232FK	01/90-	Diesel		6895	160	218	08.88-	■
17.232FS/FLS	01/90-	Diesel		6895	160	218	08.88-	■
17.192FS/FLS	01/88-	Diesel		6895	169	230	08.88-	■
17.232F/FL	01/88-	Diesel		6895	169	230	08.88-	■
17.232FA	01/89-	Diesel		6895	169	230	08.88-	■
17.232FAK	01/89-	Diesel		6895	169	230	08.88-	■
17.232FK	01/88-	Diesel		6895	169	230	08.88-	■
17.272FLS	01/92-	Diesel		6895	198	269	08.88-	■
17.272FLS	01/91-	Diesel		10000	198	269	08.88-	■
<b>SD 04.74-04.94</b>					<b>Bus</b>			
SD 200 (D 2556 MXUH/175)		Diesel		11045	129	175	04.74-09.75	■
SD 200 (D 2556 MXUH/192)		Diesel		11045	141	192	04.74-09.75	■
SD 200 (D 2566 MUH/175)		Diesel		11413	128	174	10.75-04.80	■
SD 200 (D 2566 MUH/192)		Diesel		11413	141	192	10.75-11.86	■
SD 200 (D 2566 MUH/200)		Diesel		11413	141	192	10.75-11.86	■
SD 200 (D 2566 MUH/220)		Diesel		11413	162	220	06.79-12.86	■
<b>SG 09.72-</b>					<b>Bus</b>			
SG 220 (D 2566 MUM/200)		Diesel		11413	147	200	05.80-01.85	■
SG 220 (D 2566 MUM/220)		Diesel		11413	162	220	07.76-04.80	■
SG 220,SG 240 HÜ,SG 242 H (D 2566 MUH/240)		Diesel		11413	177	241	05.80-01.86	■
SG 240 HÜ (D 2566 MTUH)		Diesel		11413	206	280	09.81-01.86	■
<b>SL 06.72-04.87</b>					<b>Bus</b>			
SL 200 (D 2566 MUH/200)		Diesel		11413	147	200	05.80-04.87	■
SL 200 (D 2566 UH/205)		Diesel		11413	147	200	05.80-04.87	■
SL 200 (D 2566 MUH/240)		Diesel		11413	177	241	05.80-01.86	■
SL 200 (D 2866 UH/240)		Diesel		11967	177	241	01.86-04.87	■
<b>SR 02.75-08.94</b>					<b>Bus</b>			
SR 240 (D 2566 MUH/240)		Diesel		11413	177	241	10.75-06.83	■
SR 280,SR 280 H (D 2566 MTUH)		Diesel		11413	206	280	01.77-11.86	■
<b>SÜ 10.75-</b>					<b>Bus</b>			
SÜ 240 (D 2566 MUH/200)		Diesel		11413	147	200	05.80-09.89	■
SÜ 240 (D 2566 UH/205)		Diesel		11413	147	200	05.80-09.89	■
SÜ 240 (D 2566 MUH/240)		Diesel		11413	177	241	10.75-01.86	■
SÜ 240 (D 2566 MTUH)		Diesel		11413	206	280	11.82-01.86	■
<b>MERCEDES-BENZ</b>								
<b>MK 12.87-12.05</b>					<b>Dump Truck</b>			
1827 K (OM 445.926)		Diesel		10964	200	272	01.94-09.96	■
<b>MK 12.87-12.05</b>					<b>Municipal Vehicle</b>			
1231 AF (OM 401.986)	-12/92	Diesel		9570	230	313	01.92-09.96	■
1227 AF, 1227 LAF (OM 445.933)		Diesel		10964	200	272	01.92-07.92	■

# LISTA DE APLICACIONES - BUYERS GUIDE

MK 12.87-12.05					Platform/Chassis			
1717/L	01/89-	Diesel		5995	129	175	12.87-	■
1717AK	01/89-	Diesel		5995	129	175	12.87-	■
1717K	01/89-	Diesel		5995	129	175	12.87-	■
1720/L	01/90-	Diesel		5995	150	204	12.87-	■
1722L	01/88-	Diesel		5995	150	204	12.87-	■
2420/L	01/90-	Diesel		5995	150	204	12.87-	■
1720S	01/90-	Diesel		5995	155	211	12.87-	■
1820/L	01/91-	Diesel		5995	155	211	12.87-	■
1820AK	01/93-	Diesel		5995	155	211	12.87-	■
1820K	01/92-	Diesel		5995	155	211	12.87-	■
1820s	01/91-	Diesel		5995	155	211	12.87-	■
1722AK	01/89-	Diesel		5995	177	241	12.87-	■
1824 (OM 401.975)	-12/93	Diesel		9570	180	245	08.92-09.96	■
2431 (OM 401.972)	-12/93	Diesel		9570	230	313	12.87-09.96	■
2431 (OM 401.979)	-12/93	Diesel		9570	230	313	12.87-09.96	■
2431 (OM 401.993)	-12/93	Diesel		9570	230	313	12.87-09.96	■
1824AK	01/92-	Diesel		9595	180	245	12.87-	■
1824K	01/92-	Diesel		9595	180	245	12.87-	■
2524/L	01/92-	Diesel		9595	180	245	12.87-	■
1722AK	01/88-	Diesel		9595	200	272	12.87-	■
1726/L	01/88-	Diesel		9595	200	272	12.87-	■
1827/L	01/90-	Diesel		9595	200	272	12.87-	■
1827S/LS	01/90-	Diesel		9595	200	272	12.87-	■
2426/L	01/90-	Diesel		9595	200	272	12.87-	■
2527/L	01/92-	Diesel		9595	200	272	12.87-	■
1722K	01/88-	Diesel		9595	230	313	12.87-	■
1831/L	01/90-	Diesel		9595	230	313	12.87-	■
1831AK	01/91-	Diesel		9595	230	313	12.87-	■
1831K	01/92-	Diesel		9595	230	313	12.87-	■
1831S/LS	01/90-	Diesel		9595	230	313	12.87-	■
2531/L	01/90-	Diesel		9595	230	313	12.87-	■
1831K	01/92-	Diesel		10995	230	313	12.87-	■
1733/L	01/89-	Diesel		10995	243	330	12.87-	■
1733S/LS	01/89-	Diesel		10995	243	330	12.87-	■
2433/L	01/89-	Diesel		10995	243	330	12.87-	■
2433S/LS	01/89-	Diesel		10995	243	330	12.87-	■
1726/L	01/88-	Diesel		10995	250	340	12.87-	■
1834/L	01/91-	Diesel		10995	250	340	12.87-	■
1834S/LS	01/91-	Diesel		10995	250	340	12.87-	■
2426/L	01/90-	Diesel		10995	250	340	12.87-	■
2534/L	01/91-	Diesel		10995	250	340	12.87-	■
2534S/LS	01/91-	Diesel		10995	250	340	12.87-	■
1735S/LS	01/88-	Diesel		10995	260	354	12.87-	■
1748S/LS	01/88-	Diesel		10995	353	480	12.87-	■
1722/L	01/88-	Diesel		11295	151	205	12.87-	■
1722AK	01/89-	Diesel		11295	151	205	12.87-	■
1722K	01/88-	Diesel		11295	153	208	12.87-	■
1722S	01/88-	Diesel		11295	153	208	12.87-	■
2422/L	01/89-	Diesel		11295	153	208	12.87-	■
1922	01/89-	Diesel		11295	160	218	12.87-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1922AK	01/89-	Diesel		11295	160	218	12.87-
1922K	01/89-	Diesel		11295	160	218	12.87-
1922S	01/89-	Diesel		11295	160	218	12.87-
1838/L	01/90-	Diesel		12795	280	381	12.87-
1838AK	01/92-	Diesel		12795	280	381	12.87-
1838K	01/90-	Diesel		12795	280	381	12.87-
1838S/LS	01/90-	Diesel		12795	280	381	12.87-
1840LS	01/91-	Diesel		12795	280	381	12.87-
2538	01/91-	Diesel		12795	280	381	12.87-
2538/L	01/91-	Diesel		12795	280	381	12.87-
2538S/LS	01/91-	Diesel		12795	280	381	12.87-
2435S/LS	01/88-	Diesel		14595	191	260	12.87-
1935AK	01/89-	Diesel		14595	250	340	12.87-
1935AS	01/89-	Diesel		14595	250	340	12.87-
1735AK	01/89-	Diesel		14595	260	354	12.87-
2435/L	01/88-	Diesel		14595	260	354	12.87-
1935	01/89-	Diesel		14595	269	366	12.87-
1935K	01/89-	Diesel		14595	269	366	12.87-
1935S	01/89-	Diesel		14595	269	366	12.87-
1838/L	01/90-	Diesel		14595	320	435	12.87-
1838AK	01/92-	Diesel		14595	320	435	12.87-
1838S/LS	01/90-	Diesel		14595	320	435	12.87-
1844/L	01/91-	Diesel		14595	320	435	12.87-
1844S/LS	01/91-	Diesel		14595	320	435	12.87-
2538/L	01/91-	Diesel		14595	320	435	12.87-
2538S/LS	01/91-	Diesel		14595	320	435	12.87-
2544/L	01/92-	Diesel		14595	320	435	12.87-
2544S	01/92-	Diesel		14595	320	435	12.87-
1938	01/88-	Diesel		14595	353	480	12.87-
2448/L	01/89-	Diesel		14595	353	480	12.87-
2448LS	01/88-	Diesel		14595	353	480	12.87-
1850/L	01/90-	Diesel		14595	362	492	12.87-
1850S/LS	01/90-	Diesel		14595	362	492	12.87-
1838AK	01/92-	Diesel		14595	370	503	12.87-
2538	01/91-	Diesel		14595	370	503	12.87-
2538S	01/91-	Diesel		14595	370	503	12.87-
2550/L	01/91-	Diesel		14595	370	503	12.87-
1735L	01/88-	Diesel		14695	218	296	12.87-
1735K	01/88-	Diesel		14695	250	340	12.87-
1735/L	01/88-	Diesel		14695	260	354	12.87-
1748/L	01/88-	Diesel		14695	353	480	12.87-
1926 (OM 442.914)	01/88-	Diesel		15078	195	265	12.87-09.96
1926 (OM 442.922)	01/88-	Diesel		15078	195	265	12.87-09.96
1926 (OM 442.932)	01/88-	Diesel		15078	195	265	12.87-09.96
1729 (OM 442.906)	01/88-	Diesel		15078	210	286	12.87-09.96
1729 (OM 442.907)	01/88-	Diesel		15078	210	286	12.87-09.96
1729 (OM 442.923)	01/88-	Diesel		15078	210	286	12.87-09.96
2429 (OM 442.906)	-12/93	Diesel		15078	210	286	12.87-09.96
2429 (OM 442.907)	-12/93	Diesel		15078	210	286	12.87-09.96
2429 (OM 442.909)	-12/93	Diesel		15078	210	286	12.87-09.96
2429 (OM 442.923)	-12/93	Diesel		15078	210	286	12.87-09.96

# LISTA DE APLICACIONES - BUYERS GUIDE

1726/L	01/88-	Diesel		15095	195	265	12.87-
1726AK	01/89-	Diesel		15095	195	265	12.87-
1726K	01/88-	Diesel		15095	195	265	12.87-
1726S/LS	01/88-	Diesel		15095	195	265	12.87-
2426/L	01/90-	Diesel		15095	195	265	12.87-
2527/L	01/91-	Diesel		15095	195	265	12.87-
1729S/LS	01/88-	Diesel		15095	210	286	12.87-
1929/L	01/88-	Diesel		15095	210	286	12.87-
1929A	01/88-	Diesel		15095	210	286	12.87-
1929AK	01/88-	Diesel		15095	210	286	12.87-
1929K	01/88-	Diesel		15095	210	286	12.87-
1929S	01/88-	Diesel		15095	210	286	12.87-
1729AK	01/88-	Diesel		15095	213	290	12.87-
1729K	01/88-	Diesel		15095	213	290	12.87-
1929AS	01/88-	Diesel		15095	213	290	12.87-
2426S/LS	01/88-	Diesel		15095	213	290	12.87-
2429/L	01/88-	Diesel		15095	213	290	12.87-
1722	01/88-	Diesel		15095	218	296	12.87-
1929A	01/88-	Diesel		15095	269	366	12.87-
1929A	01/88-	Diesel		18295	340	462	12.87-

