


# LISTA DE APLICACIONES - BUYERS GUIDE

**21 9581 00**



Qty: 850

Weight: 11.800



**21 9581 00**



222.7x18/17.9x173.7/217.1- Ø410

**WVA**

19581

19582

**MAKE**

BOVA

MAN

MERCEDES-BENZ

NEOPLAN



Trac.

CC

Kw

CV



Front / Rear

## BOVA

### Futura 09.84-

### Bus

FHD 10	01/83-	Diesel			213	290	09.84-	■
FHD 10	01/83-	Diesel			213	290	09.84-	■
FHD 10	01/83-	Diesel			213	290	09.84-	■
FHD 10	01/83-	Diesel			213	290	09.84-	■
FHD 12	01/83-, Eq.V_ Eje Mercedes	Diesel			213	290	09.84-	■
FHD 12	01/83-, Eq.V_ Eje Mercedes	Diesel			213	290	09.84-	■
FHD 12	01/83-, Eq.V_ Eje Mercedes	Diesel			213	290	09.84-	■
FHD 12	01/83-, Eq.V_ Eje Mercedes	Diesel			213	290	09.84-	■
FHD 10	01/83-, Eq.V_ Eje Mercedes	Diesel			220	300	09.84-	■
FHD 10	01/83-, Eq.V_ Eje Mercedes	Diesel			220	300	09.84-	■
FHD 10	01/83-, Eq.V_ Eje Mercedes	Diesel			220	300	09.84-	■
FHD 10	01/83-, Eq.V_ Eje Mercedes	Diesel			220	300	09.84-	■
FHD 12	01/83-, Eq.V_ Eje Mercedes	Diesel			265	360	09.84-	■
FHD 12	01/83-, Eq.V_ Eje Mercedes	Diesel			265	360	09.84-	■

## MAN

### NG 08.92-

### Bus

NG 262/NG272	01/92-	Diesel		6895	198	269	08.92-	■
NG 262/NG272	01/92-	Diesel		6895	198	269	08.92-	■
NG 262	01/97-	Diesel		10000	191	260	08.92-	■
NG 262	01/97-	Diesel		10000	191	260	08.92-	■
NG 312	01/95-	Diesel		10000	228	310	08.92-	■
NG 312	01/95-	Diesel		10000	228	310	08.92-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

NL 09.88-					Bus			
NL 202	01/89-	Diesel		6895	157	214	09.88-	■
NL 202	01/89-	Diesel		6895	157	214	09.88-	■
NL 202/NL 262/NL 263	01/91-	Diesel		6895	198	269	09.88-	■
NL 202/NL 262/NL 263	01/91-	Diesel		6895	198	269	09.88-	■
NL 313	01/98-	Diesel		11995	228	310	09.88-	■
NL 313	01/98-	Diesel		11995	228	310	09.88-	■
SD 04.74-04.94					Bus			
SD 202 (D 2566 UH)		Diesel		11413	155	211	10.85-04.94	■
SD 202 (D 2566 UH)		Diesel		11413	155	211	10.85-04.94	■
SG 09.72-					Bus			
SG 240 H,SG 242,SG 242 H (D 2866 UH/240)		Diesel		11967	177	241	09.85-04.94	■
SG 240 H,SG 242,SG 242 H (D 2866 UH/240)		Diesel		11967	177	241	09.85-04.94	■
SL II 04.84-05.14					Bus			
SL 283 (D 0836 LOH 55)		Diesel		6871	206	280	07.05-10.06	■
SL 283 (D 0836 LOH 55)		Diesel		6871	206	280	07.05-10.06	■
SL 353 (D 2066 LOH 12)		Diesel		10518	257	350	01.06-10.09	■
SL 353 (D 2066 LOH 12)		Diesel		10518	257	350	01.06-10.09	■
SL 353 (D 2066 LOH 13)		Diesel		10518	257	350	01.06-10.09	■
SL 353 (D 2066 LOH 13)		Diesel		10518	257	350	01.06-10.09	■
SL 363 (D 2066 LOH 27)		Diesel		10518	264	360	05.07-05.14	■
SL 363 (D 2066 LOH 27)		Diesel		10518	264	360	05.07-05.14	■
SL 202 (D 2566 UH)		Diesel		11413	147	200	06.84-04.93	■
SL 202 (D 2566 UH)		Diesel		11413	147	200	06.84-04.93	■
SL 202 (D 2866 UH/240)		Diesel		11967	177	241	06.84-04.94	■
SL 202 (D 2866 UH/240)		Diesel		11967	177	241	06.84-04.94	■
SR II 01.86-								
SR 240	01/86-	Diesel			177	241	01.86-	■
SR 240	01/86-	Diesel			177	241	01.86-	■
SR 280	01/86-	Diesel			206	280	01.86-	■
SR 280	01/86-	Diesel			206	280	01.86-	■
SÜ 10.75-					Bus			
SÜ 272 (D 2865 LUH02)		Diesel		9973	198	270	04.93-05.95	■
SÜ 272 (D 2865 LUH02)		Diesel		9973	198	270	04.93-05.95	■
SÜ 322 (D 2865 LUH08)		Diesel		9973	235	320	05.95-06.97	■
SÜ 322 (D 2865 LUH08)		Diesel		9973	235	320	05.95-06.97	■
SÜ 240 (D 2866 UH/240)		Diesel		11967	177	241	01.86-09.89	■
SÜ 240 (D 2866 UH/240)		Diesel		11967	177	241	01.86-09.89	■
SÜ 242 (D 2866 UH/240)		Diesel		11967	177	240	01.87-04.93	■
SÜ 242 (D 2866 UH/240)		Diesel		11967	177	240	01.87-04.93	■
SÜ 240 (D 2866 TOH/290)		Diesel		11967	213	290	01.86-09.89	■
SÜ 240 (D 2866 TOH/290)		Diesel		11967	213	290	01.86-09.89	■
SÜ 292 (D 2866 TOH/310)		Diesel		11967	229	311	04.92-04.93	■
SÜ 292 (D 2866 TOH/310)		Diesel		11967	229	311	04.92-04.93	■
ÜL 09.89-					Bus			
ÜL 272 (D 2865 LUH02)		Diesel		9973	198	270	03.93-	■
ÜL 272 (D 2865 LUH02)		Diesel		9973	198	270	03.93-	■
ÜL 272 (D 2865 LUH05)		Diesel		9973	198	270	03.93-	■
ÜL 272 (D 2865 LUH05)		Diesel		9973	198	270	03.93-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

ÜL 312,ÜL 322 (D 2865 LUH07)	Diesel		9973	228	310	04.92-09.96	■
ÜL 312,ÜL 322 (D 2865 LUH07)	Diesel		9973	228	310	04.92-09.96	■
ÜL 312,ÜL 322 (D 2865 LUH08)	Diesel		9973	228	310	04.92-09.96	■
ÜL 312,ÜL 322 (D 2865 LUH08)	Diesel		9973	228	310	04.92-09.96	■
ÜL 242 (D 2866 UH/240)	Diesel		11967	177	241	09.89-03.93	■
ÜL 242 (D 2866 UH/240)	Diesel		11967	177	241	09.89-03.93	■
ÜL 292 (D 2866 TUH 01)	Diesel		11967	213	290	09.89-03.93	■
ÜL 292 (D 2866 TUH 01)	Diesel		11967	213	290	09.89-03.93	■
<b>MERCEDES-BENZ</b>							
<b>O 303 10.74-09.92</b>					<b>Bus</b>		
O 303 (OM 401.907)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.907)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.908)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.908)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83	■
O 303 (OM 402.907)	Diesel		12763	188	256	03.75-06.83	■
O 303 (OM 402.907)	Diesel		12763	188	256	03.75-06.83	■
O 303 (OM 403.918)	Diesel		15950	235	320	07.75-06.83	■
O 303 (OM 403.918)	Diesel		15950	235	320	07.75-06.83	■
<b>O 345 CONECTO (O 345) 11.01-</b>					<b>Bus</b>		
CONECTO C, H, UE (OM 906.960)	Diesel		6374	205	279	11.01-	■
CONECTO C, H, UE (OM 906.960)	Diesel		6374	205	279	11.01-	■
CONECTO C, H, M, UE (OM 457.942)	Diesel		11967	185	252	11.01-	■
CONECTO C, H, M, UE (OM 457.942)	Diesel		11967	185	252	11.01-	■
CONECTO C, H, M, UE (OM 457.942)	Diesel		11967	220	299	11.01-	■
CONECTO C, H, M, UE (OM 457.942)	Diesel		11967	220	299	11.01-	■
CONECTO C, H, M, UE (OM 457.942)	Diesel		11967	260	354	11.01-	■
CONECTO C, H, M, UE (OM 457.942)	Diesel		11967	260	354	11.01-	■
<b>O 405 01.84-</b>					<b>Bus</b>		
O 405 ST,O 405 N (OM 427.905)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 427.905)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.905)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.905)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.911)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.911)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.913)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.913)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.914)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.914)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.970)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.970)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.973)	Diesel		11967	150	204	12.84-	■
O 405 ST,O 405 N (OM 447.973)	Diesel		11967	150	204	12.84-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 427.911)	Diesel		11967	177	241	11.85-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.979)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.979)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.980)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.980)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.984)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.984)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.998)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.998)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.999)		Diesel		11967	220	299	09.91-	■
O 405 G,O 405 GN,O 405 GTD,O 405 GNTD,O 405 GNDE (OM 447.999)		Diesel		11967	220	299	09.91-	■
O 405 ST,O 405 N (OM 447.972)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.972)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.975)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.975)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.980)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.980)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.981)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.981)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.986)		Diesel		11967	220	299	11.91-	■
O 405 ST,O 405 N (OM 447.986)		Diesel		11967	220	299	11.91-	■
NEOPLAN								
Cityliner 01.74-						Bus		
N 116	01/74-, Eq.V_ Eje Mercedes	Diesel			158	215	01.74-	■
N 116	01/74-, Eq.V_ Eje Mercedes	Diesel			158	215	01.74-	■
N 116/3	01/74-, Eq.V_ Eje Mercedes	Diesel			188	256	01.74-	■
N 116/3	01/74-, Eq.V_ Eje Mercedes	Diesel			188	256	01.74-	■
Jetliner 01.74-						Bus		
N 138	01/75-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 138	01/75-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 214	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 214	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 216	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 216	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 218	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 218	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 314	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 314	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 316	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 316	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 414	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 414	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 416	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■
N 416	01/74-, Eq.V_ Eje Mercedes	Diesel					01.74-	■