

# LISTA DE APLICACIONES - BUYERS GUIDE

## 21 9931 00




8 424073 075291

Qty: 850

Weight: 7.400

O.E.M.	MAKE
1 109 002	SCANIA
1 535 248	SCANIA
5 511 23	SCANIA
5 511 37	SCANIA
5 511 61	SCANIA
5 511 79	SCANIA
5 521 12	SCANIA



## 21 9931 00



178x19.1x235- Ø413

**WVA**  
19931

**MAKE**  
SCANIA



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### SCANIA

#### 2 Series 05.80-03.98

CN 112	01/87-	Diesel					05.80-	■	
CR 112	01/87-	Diesel					05.80-	■	
G 92 M	01/88-	Diesel					05.80-	■	
G 92 M, MD	01/88-	Diesel					05.80-	■	
N 112 AL	01/88-	Diesel					05.80-	■	
N 112 CLB	01/87-	Diesel					05.80-	■	■
P 112 E,H	01/88-	Diesel					05.80-	■	
P 112 E,H,M	01/88-	Diesel					05.80-	■	
P 112 H	01/88-	Diesel					05.80-	■	
P 112 H	01/88-	Diesel					05.80-	■	
P 112 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
P 82 H	01/88-	Diesel					05.80-	■	
P 82 H	01/88-	Diesel					05.80-	■	
P 82 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
P 92 H	01/88-	Diesel					05.80-	■	
P 92 H	01/88-	Diesel					05.80-	■	
P 92 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
P 92 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
P 92 M	01/88-	Diesel					05.80-	■	
P 92 M,MA	01/88-	Diesel					05.80-	■	
R 112 E,H	01/88-	Diesel					05.80-	■	
R 112 H	01/88-	Diesel					05.80-	■	
R 112 H	01/88-, Auxiliary Axle	Diesel					05.80-		■

# LISTA DE APLICACIONES - BUYERS GUIDE

R 142 H	01/88-	Diesel					05.80-	■	
R 142 H	01/88-	Diesel					05.80-	■	
R 142 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
T 112 E,H	01/88-	Diesel					05.80-	■	
T 112 E,H	01/88-	Diesel					05.80-	■	
T 112 H	01/88-	Diesel					05.80-	■	
T 112 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
T 142 E	01/88-	Diesel					05.80-	■	
T 142 E,H,M	01/88-	Diesel					05.80-	■	
T 142 E,H,M	01/88-	Diesel					05.80-	■	
T 142 E,H,M	01/88-, Auxiliary Axle	Diesel					05.80-		■
T 142 E,H,M	01/88-	Diesel					05.80-	■	
T 142 H	01/88-	Diesel					05.80-	■	
T 142 H	01/88-	Diesel					05.80-	■	
T 142 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
T 82 H	01/88-	Diesel					05.80-	■	
T 82 H	01/88-	Diesel					05.80-	■	
T 82 H	01/88-, Auxiliary Axle	Diesel					05.80-		■
T 92 H	01/88-	Diesel					05.80-	■	
T 92 H	01/88-	Diesel					05.80-	■	
<b>3 Series 05.87-12.98</b>									
G 93 E,H,M	01/88-	Diesel					05.87-	■	
G 93 E,H,M	01/88-	Diesel					05.87-	■	
K 113 CRB, TRS	01/87-	Diesel					01.88-	■	■
K 93 CRB	01/87-	Diesel					01.88-	■	■
N 113 CRB, DRB	01/87-	Diesel					05.87-	■	■
P 113 E,H	01/88-	Diesel					05.87-	■	
P 113 E,H	01/88-	Diesel					05.87-	■	
P 113 E,H	01/88-, Auxiliary Axle	Diesel					05.87-		■
P 113 MA 130	01/88-	Diesel					05.87-	■	
P 113 MA 310	01/88-	Diesel					05.87-	■	
P 113 MA 310	01/88-, Auxiliary Axle	Diesel					05.87-		■
P 113 MA 360	01/88-	Diesel					05.87-	■	
P 113 MAR 320	01/88-	Diesel					05.87-	■	
P 113 MAR 320	01/88-	Diesel					05.87-	■	
P 113 MAR 320 Twin Steer	01/88-	Diesel					05.87-	■	
P 113 MAR 320 Twin Steer	01/88-	Diesel					05.87-	■	
P 113 ML 310	01/88-	Diesel					05.87-	■	
P 113 MLR 320	01/88-	Diesel					05.87-	■	
P 113 MLR 320	01/88-	Diesel					05.87-	■	
P 113 MLR 320	01/88-	Diesel					05.87-	■	
P 113 MRL 320	01/88-	Diesel					05.87-	■	
P 93 E,H,M	01/88-	Diesel					05.87-	■	
P 93 E,H,M	01/88-	Diesel					05.87-	■	
P 93 MAR 230	01/88-	Diesel					05.87-	■	
P 93 MAR 280	01/88-	Diesel					05.87-	■	
P 93 MAR 280 Twin Steer	01/88-	Diesel					05.87-	■	
P 93 MAR 280 Twin Steer	01/88-	Diesel					05.87-	■	
P 93 MRL 250	01/88-	Diesel					05.87-	■	
P 93 MRL 280	01/88-	Diesel					05.87-	■	
P 93 MTR 230	01/88-	Diesel					05.87-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

R 113 E,H,M	01/88-	Diesel					05.87-	■
R 113 HLR 360	01/88-	Diesel					05.87-	■
R 113 MA 320	01/88-	Diesel					05.87-	■
R 113 MA 320 Twin Steer	01/88-	Diesel					05.87-	■
R 113 MA 450 Twin Steer	01/88-	Diesel					05.87-	■
R 113 MAR 320	01/88-	Diesel					05.87-	■
R 113 MAR 360	01/88-	Diesel					05.87-	■
R 113 MAR 360	01/88-	Diesel					05.87-	■
R 113 MAR 360 Twin Steer	01/88-	Diesel					05.87-	■
R 113 MAR 360 Twin Steer	01/88-	Diesel					05.87-	■
R 113 MAR 470 Twin Steer	01/88-	Diesel					05.87-	■
R 113 MAR 470 Twin Steer	01/88-	Diesel					05.87-	■
R 143 E,H,M	01/88-	Diesel					05.87-	■
R 143 EL 450	01/88-	Diesel					05.87-	■
R 143 ELR 470	01/88-	Diesel					05.87-	■
R 143 HL 450	01/88-	Diesel					05.87-	■
R 143 MA 450	01/88-	Diesel					05.87-	■
R 143 MA 450	01/88-	Diesel					05.87-	■
R 143 MAR 470	01/88-	Diesel					05.87-	■
R 143 MAR 470	01/88-	Diesel					05.87-	■
T 113 E,H,M	01/88-	Diesel					05.87-	■
T 113 E,H,M	01/88-	Diesel					05.87-	■
T 113 E,H,M	01/88-, Auxiliary Axle	Diesel					05.87-	■
T 113 E,H,M	01/88-	Diesel					05.87-	■
T 93 E,H,M	01/88-	Diesel					05.87-	■
T 93 E,H,M	01/88-	Diesel					05.87-	■
<b>4 Series 05.95-</b>						<b>Dump Truck</b>		
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/260 (DC 9.02)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
T 94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
T 94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	09.96-04.08	■
114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■

# LISTA DE APLICACIONES - BUYERS GUIDE

114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
T 114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
T 114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	381	03.98-04.08	■
114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	381	03.98-04.08	■
114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	381	03.98-04.08	■
114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	381	03.98-04.08	■
114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	381	03.98-04.08	■
114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	381	03.98-04.08	■
114 C/380 (DC 11.04)	-12/00	Diesel		10640	280	381	03.98-04.08	■
T 114 C/380 (DC 11.02)	-12/00	Diesel		10640	280	380	03.98-04.08	■
114 C/340 (DSC 11.79)	-12/00	Diesel		11020	250	340	05.96-04.08	■
114 C/340 (DSC 11.79)	-12/00	Diesel		11020	250	340	05.96-04.08	■
114 C/340 (DSC 11.79)	-12/00	Diesel		11020	250	340	05.96-04.08	■
114 C/340 (DSC 11.79)	-12/00	Diesel		11020	250	340	05.96-04.08	■
114 C/340 (DSC 11.79)	-12/00	Diesel		11020	250	340	05.96-04.08	■
124 C/360 (DSC 12.02)	-12/00	Diesel		11705	265	360	09.96-04.08	■
124 C/360 (DSC 12.02)	-12/00	Diesel		11705	265	360	09.96-04.08	■
124 C/360 (DSC 12.02)	-12/00	Diesel		11705	265	360	09.96-04.08	■
124 C/360 (DSC 12.02)	-12/00	Diesel		11705	265	360	09.96-04.08	■
124 C/360 (DSC 12.02)	-12/00	Diesel		11705	265	360	09.96-04.08	■
T 124 C/360 (DSC 12.02)	-12/00	Diesel		11705	265	360	09.95-04.08	■
124 C/400 (DSC 12.01)	-12/00	Diesel		11705	294	400	09.96-04.08	■
124 C/400 (DSC 12.01)	-12/00	Diesel		11705	294	400	09.96-04.08	■
124 C/400 (DSC 12.01)	-12/00	Diesel		11705	294	400	09.96-04.08	■
124 C/400 (DSC 12.01)	-12/00	Diesel		11705	294	400	09.96-04.08	■
124 C/400 (DSC 12.01)	-12/00	Diesel		11705	294	400	09.96-04.08	■
T 124 C/400 (DSC 12.01)	-12/00	Diesel		11705	294	400	05.96-04.08	■
T 124 C/420 (DC 12.01)	-12/00	Diesel		11705	309	420	05.96-04.08	■
T 124 C/420 (DSC 12.05)	-12/00	Diesel		11705	309	420	05.96-04.08	■
144 C/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	09.96-04.08	■
144 C/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	09.96-04.08	■
144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.96-04.08	■
144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.96-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
<b>4 Series 05.95-</b>					<b>Platform/Chassis</b>			
94 D/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
94 D/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	01.98-04.08	■
T 94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
T 94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
94 D/230 (DC 9.01)	-12/00	Diesel		8974	169	230	08.99-04.08	■
94 D/230 (DC 9.04)	-12/00	Diesel		8974	169	230	08.99-04.08	■
94 D/230 (DC 9.01)	-12/00	Diesel		8974	169	230	08.99-04.08	■

# LISTA DE APLICACIONES - BUYERS GUIDE

94 D/230 (DC 9.04)	-12/00	Diesel		8974	169	230	08.99-04.08	■
T 94 G/230 (DC 9.01)	-12/00	Diesel		8974	169	230	04.99-04.08	■
T 94 G/230 (DC 9.01)	-12/00	Diesel		8974	169	230	04.99-04.08	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 D/260 (DC 9.02)	-12/00	Diesel		8974	191	260	08.96-04.08	■
94 D/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■
94 D/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■
94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■
94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	01.98-04.08	■
T 94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
T 94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
T 94 G/310 (DC 9.03)	-12/00	Diesel		8974	221	300	12.96-04.08	■
T 94 G/310 (DSC 9.13)	-12/00	Diesel		8974	221	300	12.96-04.08	■
T 94 G/310 (DSC 9.15)	-12/00	Diesel		8974	221	300	12.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 D/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	12.96-04.08	■
94 D/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	12.96-04.08	■
94 D/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	01.98-04.08	■
94 D/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	01.98-04.08	■
94 G/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 G/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
T 94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	09.96-04.08	■
T 94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	09.96-04.08	■
T 94 G/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	12.96-04.08	■
T 94 G/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	12.96-04.08	■
T 94 G/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	09.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		9000	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		9000	228	310	08.96-04.08	■
94 G/310 (DSC 9.13)	-12/00	Diesel		9000	228	310	08.96-04.08	■
94 G/310 (DSC 9.15)	-12/00	Diesel		9000	228	310	08.96-04.08	■
114 G/340 (DC 11.01)	-12/00	Diesel		10600	250	340	03.98-04.08	■
114 G/340 (DC 11.03)	-12/00	Diesel		10600	250	340	03.98-04.08	■
114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 C/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 G/340 (DC 11.01)	-12/00	Diesel		10640	250	340	03.98-04.08	■
114 G/340 (DC 11.03)	-12/00	Diesel		10640	250	340	03.98-04.08	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

T 144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	03.97-04.08	■
144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.96-04.08	■
144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.96-04.08	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■
144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	11.95-04.08	■
144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	11.95-04.08	■
T 144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■
T 144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■
144 L/460 (DSC 14.15)	-12/00	Diesel		14200	338	460	11.95-04.08	■
144 L/530 (DSC 14.13)	-12/00	Diesel		14200	390	530	11.95-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 G/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 G/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
<b>4 Series 05.95-</b>					<b>Truck Tractor</b>			
94 D/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
T 94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■
94 D/230 (DC 9.01)	-12/00	Diesel		8974	169	230	08.99-04.08	■
94 D/230 (DC 9.04)	-12/00	Diesel		8974	169	230	08.99-04.08	■
T 94 G/230 (DC 9.01)	-12/00	Diesel		8974	169	230	04.99-04.08	■
94 D/260 (DC 9.02)	-12/00	Diesel		8974	191	260	08.96-04.08	■
94 D/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■
94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 D/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	12.96-04.08	■
94 D/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	12.96-04.08	■
94 G/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 G/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■



## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■