

# LISTA DE APLICACIONES - BUYERS GUIDE

**21 9932 00**



8 424073 075338

Qty: 850


Weight: 6.600

O.E.M.

1 535 249

MAKE

SCANIA



**21 9932 00**



203x19.1x235- Ø413

WVA

19932

MAKE

SCANIA



Trac.

CC

Kw

CV



Front / Rear

## SCANIA

### 2 Series 05.80-03.98

G 92 M, MD	01/88-	Diesel					05.80-	■
N 112 AL	01/87-, Auxiliary Axle	Diesel					05.80-	■
N 112 AL	01/88-, Auxiliary Axle	Diesel					05.80-	■
P 112 E,H	01/88-	Diesel					05.80-	■
P 112 E,H,M	01/88-	Diesel					05.80-	■
P 112 H	01/88-	Diesel					05.80-	■
P 112 H	01/88-	Diesel					05.80-	■
P 112 M	01/88-	Diesel					05.80-	■
P 112 M,MA	01/88-	Diesel					05.80-	■
P 112 M 210	01/88-	Diesel					05.80-	■
P 82 H	01/88-	Diesel					05.80-	■
P 82 H	01/88-	Diesel					05.80-	■
P 82 M	01/88-	Diesel					05.80-	■
P 82 M	01/88-	Diesel					05.80-	■
P 82 M,MA	01/88-	Diesel					05.80-	■
P 92 M,MA	01/88-	Diesel					05.80-	■
R 112 E,H	01/88-	Diesel					05.80-	■
R 112 H	01/88-	Diesel					05.80-	■
R 112 M	01/88-	Diesel					05.80-	■
R 142 H	01/88-	Diesel					05.80-	■
R 142 H	01/88-	Diesel					05.80-	■
R 142 M	01/88-	Diesel					05.80-	■
T 112 E,H	01/88-	Diesel					05.80-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

T 112 E,H	01/88-	Diesel					05.80-		■
T 112 H	01/88-	Diesel					05.80-		■
T 112 M	01/88-	Diesel					05.80-		■
T 142 E	01/88-	Diesel					05.80-		■
T 142 E,H,M	01/88-	Diesel					05.80-		■
T 142 E,H,M	01/88-	Diesel					05.80-		■
T 142 E,H,M	01/88-	Diesel					05.80-		■
T 142 H	01/88-	Diesel					05.80-		■
T 142 H	01/88-	Diesel					05.80-		■
T 82 H	01/88-	Diesel					05.80-		■
T 82 H	01/88-	Diesel					05.80-		■
T 82 M	01/88-	Diesel					05.80-		■
<b>3 Series 05.87-12.98</b>									
G 93 E,H,M	01/88-	Diesel					05.87-		■
P 113 E,H	01/88-	Diesel					05.87-		■
P 113 E,H	01/88-	Diesel					05.87-		■
P 113 E,H, M	01/88-	Diesel					05.87-		■
P 113 E,M	01/88-	Diesel					05.87-		■
P 113 E,M	01/88-	Diesel					05.87-		■
P 113 MRL 320	01/88-	Diesel					05.87-		■
P 93 E,H,M	01/88-	Diesel					05.87-		■
P 93 MAR 230	01/88-	Diesel					05.87-		■
P 93 MAR 280	01/88-	Diesel					05.87-		■
P 93 MAR 280 Twin Steer	01/88-, Auxiliary Axle	Diesel					05.87-		■
P 93 MAR 280 Twin Steer	01/88-, Auxiliary Axle	Diesel					05.87-		■
P 93 ML 230	01/88-	Diesel					05.87-		■
P 93 MRL 210	01/88-	Diesel					05.87-		■
P 93 MRL 250	01/88-	Diesel					05.87-		■
P 93 MRL 280	01/88-	Diesel					05.87-		■
P 93 MTR 230	01/88-	Diesel					05.87-		■
R 113 E,H,M	01/88-	Diesel					05.87-		■
R 113 E,H,M	01/88-	Diesel					05.87-		■
R 143 E,H,M	01/88-	Diesel					05.87-		■
R 143 HL 450	01/88-, Auxiliary Axle	Diesel					05.87-		■
R 143 MA 450	01/88-, Auxiliary Axle	Diesel					05.87-		■
T 113 E,H,M	01/88-	Diesel					05.87-		■
T 113 E,H,M	01/88-	Diesel					05.87-		■
T 113 E,H,M	01/88-	Diesel					05.87-		■
T 113 E,H,M	01/88-	Diesel					05.87-		■
<b>4 Series 05.95-</b>						<b>Dump Truck</b>			
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DC 9.02)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
T 94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
<b>4 Series 05.95-</b>					<b>Platform/Chassis</b>				
94 D/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
94 D/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	01.98-04.08	■	■
T 94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
T 94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
94 D/230 (DC 9.01)	-12/00	Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.04)	-12/00	Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.01)	-12/00	Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.04)	-12/00	Diesel		8974	169	230	08.99-04.08	■	■
T 94 G/230 (DC 9.01)	-12/00	Diesel		8974	169	230	04.99-04.08	■	■
T 94 G/230 (DC 9.01)	-12/00	Diesel		8974	169	230	04.99-04.08	■	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
94 D/260 (DC 9.02)	-12/00	Diesel		8974	191	260	08.96-04.08	■	■
94 D/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■	■
94 D/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■	■
94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	08.96-04.08	■	■
94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	01.98-04.08	■	■
T 94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
T 94 C/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/260 (DSC 9.12)	-12/00	Diesel		8974	191	260	12.96-04.08	■	■
T 94 G/310 (DC 9.03)	-12/00	Diesel		8974	221	300	12.96-04.08	■	■
T 94 G/310 (DSC 9.13)	-12/00	Diesel		8974	221	300	12.96-04.08	■	■
T 94 G/310 (DSC 9.15)	-12/00	Diesel		8974	221	300	12.96-04.08	■	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 C/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 D/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	12.96-04.08	■	■
94 D/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	12.96-04.08	■	■
94 D/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	01.98-04.08	■	■
94 D/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	01.98-04.08	■	■
94 G/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 G/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
94 L/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	08.96-04.08	■	■
T 94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	09.96-04.08	■	■
T 94 C/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	09.96-04.08	■	■
T 94 G/310 (DSC 9.13)	-12/00	Diesel		8974	228	310	12.96-04.08	■	■
T 94 G/310 (DSC 9.15)	-12/00	Diesel		8974	228	310	12.96-04.08	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

T 124 G/420 (DSC 12.05)	01/97-	Diesel		11705	309	420	05.96-04.08	■	■
144 C/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	09.96-04.08	■	■
144 C/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	09.96-04.08	■	■
144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	04.96-04.08	■	■
144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	04.96-04.08	■	■
144 L/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	11.95-04.08	■	■
144 L/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	11.95-04.08	■	■
T 144 C/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	09.95-04.08	■	■
T 144 C/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	09.95-04.08	■	■
T 144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	03.97-04.08	■	■
T 144 G/460 (DSC 14.15)	-12/00	Diesel		14190	338	460	03.97-04.08	■	■
144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.96-04.08	■	■
144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.96-04.08	■	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■	■
144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	04.96-04.08	■	■
144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	11.95-04.08	■	■
144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	11.95-04.08	■	■
T 144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■	■
T 144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
144 L/460 (DSC 14.15)	-12/00	Diesel		14200	338	460	11.95-04.08	■	■
144 L/530 (DSC 14.13)	-12/00	Diesel		14200	390	530	11.95-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 G/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 G/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
<b>4 Series 05.95-</b>					<b>Truck Tractor</b>				
94 D/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
T 94 G/220 (DSC 9.11)	-12/00	Diesel		8974	162	220	08.96-04.08	■	■
94 D/230 (DC 9.01)	-12/00	Diesel		8974	169	230	08.99-04.08	■	■
94 D/230 (DC 9.04)	-12/00	Diesel		8974	169	230	08.99-04.08	■	■
T 94 G/230 (DC 9.01)	-12/00	Diesel		8974	169	230	04.99-04.08	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]



## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

T 144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■	■
T 144 C/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
T 144 G/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
T 144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	03.97-04.08	■	■
T 144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■	■
T 144 L/530 (DSC 14.13)	-12/00	Diesel		14190	390	530	09.95-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 G/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 L/480 (DC 16.02)	-12/01	Diesel		15607	353	480	05.00-04.08	■	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 C/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 G/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■
164 L/580 (DC 16.01)	-12/01	Diesel		15607	426	580	05.00-04.08	■	■