


LISTA DE APLICACIONES - BUYERS GUIDE

21 9934 00



Qty: 850 Weight: 8.800

O.E.M.	MAKE
5000 288 512	RENAULT TRUCKS
5000 812 335	RENAULT TRUCKS
5001 855 104	RENAULT TRUCKS



21 9934 00



150x18.5x185.4- Ø414

WVA
19934
MAKE
RENAULT TRUCKS



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

RENAULT TRUCKS

04.96-03.05								Truck Tractor	
AE 560.26T (MACK-EE9-560)		Diesel		16361	412	560	01.97-		■
AE 560.26T (MACK-EE9-560)		Diesel		16361	412	560	01.98-		■
C Series 10.82-10.98								Concrete Mixer	
C 260.26 (MIDS 06.20.45 B)	01/88-	Diesel		9839	192	261	10.82-05.91		■
C 290.26,C 300.26 (MIDR 06.20.45 D)	01/88-	Diesel		9839	214	291	05.86-10.98		■
C 290.26,C 300.26 (MIDR 06.20.45 D3)	01/88-	Diesel		9839	214	291	05.86-10.98		■
C Series 10.82-10.98								Dump Truck	
C 260.19 (MIDS 06.20.45 B)	01/88-	Diesel		9839	192	261	10.82-05.91		■
C 280.19 (MIDS 06.20.45 B)		Diesel		9839	202	275	07.92-03.93		■
C 290.19,C 300.19 (MIDR 06.20.45 D)	01/88-	Diesel		9839	214	291	10.82-10.98		■
C 290.19,C 300.19 (MIDR 06.20.45 D3)	01/88-	Diesel		9839	214	291	10.82-10.98		■
C 300.19 (MIDR 06.20.45 D)		Diesel		9839	222	302	04.87-10.98		■
C 300.19 (MIDR 06.20.45 D3)		Diesel		9839	222	302	04.87-10.98		■
C 300.24 (MIDR 06.20.45 D)		Diesel		9839	222	302	04.87-10.98		■
C 300.24 (MIDR 06.20.45 D3)		Diesel		9839	222	302	04.87-10.98		■
C 300.26 (MIDR 06.20.45 D)		Diesel		9839	222	302	04.87-10.98		■
C 300.26 (MIDR 06.20.45 D3)		Diesel		9839	222	302	04.87-10.98		■
CCH 300.26 (MIDR 06.20.45 D)		Diesel		9839	222	302	09.90-03.93		■
CCH 300.30 (MIDR 06.20.45 D)		Diesel		9839	222	302	09.90-03.93		■
CBH 280.26 (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92		■
CBH 280.34 (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92		■
CBH 320.26 (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98		■

LISTA DE APLICACIONES - BUYERS GUIDE

CBH 320.34 (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CBH 340.26 (MIDR 06.35.40 G)		Diesel		12024	247	336	02.88-10.92	■
CBH 350.26 (MIDR 06.35.40 G)		Diesel		12024	259	352	05.90-01.93	■
CBH 350.34 (MIDR 06.35.40 G)		Diesel		12024	259	352	05.90-01.93	■
CBH 380.26 (MIDR 06.35.40 H)		Diesel		12024	275	374	01.90-10.92	■
CBH 380.34 (MIDR 06.35.40 H)		Diesel		12024	275	374	01.90-10.92	■
CBH 385.24 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CBH 385.26 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CBH 385.34 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
C Series 10.82-10.98				Platform/Chassis				
C 230ti.19 (MIDR 06.02.26 D)		Diesel		6177	166	226	05.90-07.92	■
CLR 230.19 (MIDR 06.02.26 D)		Diesel		6177	166	226	09.90-10.98	■
C 210.19 (MIDS 06.20.30 N)	01/88-	Diesel		8820	153	208	12.83-05.91	■
C 210.19 (MIDS 06.20.30 N)	01/88-	Diesel		8820	153	208	12.83-05.91	■
C 260.19 (MIDS 06.20.45 B)	01/88-	Diesel		9839	192	261	10.82-05.91	■
C 260.19,C 280.19 (MIDS 06.20.45 B)	01/88-	Diesel		9839	192	261	10.82-10.98	■
C 260.26 (MIDS 06.20.45 B)	01/88-	Diesel		9839	192	261	10.82-05.91	■
C 290.26,C 300.26 (MIDR 06.20.45 D)	01/87-	Diesel		9839	214	291	10.82-10.98	■ ■
C 290.26,C 300.26 (MIDR 06.20.45 D3)	01/87-	Diesel		9839	214	291	10.82-10.98	■ ■
C 300.19 (MIDR 06.20.45 D)		Diesel		9839	222	302	04.87-10.98	■
C 300.19 (MIDR 06.20.45 D3)		Diesel		9839	222	302	04.87-10.98	■
C 300.19 (MIDR 06.20.45 D)		Diesel		9839	222	302	04.87-10.98	■
C 300.19 (MIDR 06.20.45 D3)		Diesel		9839	222	302	04.87-10.98	■
C 300.24 (MIDR 06.20.45 D)		Diesel		9839	222	302	04.87-10.98	■
C 300.24 (MIDR 06.20.45 D3)		Diesel		9839	222	302	04.87-10.98	■
CCH 300.26 (MIDR 06.20.45 D)		Diesel		9839	222	302	09.90-03.93	■
CCH 300.30 (MIDR 06.20.45 D)		Diesel		9839	222	302	09.90-03.93	■
CBH 280.26 (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CBH 280.26 (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CBH 280.34 (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CBH 280.34 (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CBH 320.26 (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CBH 320.34 (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CBH 340.26 (MIDR 06.35.40 G)		Diesel		12024	247	336	02.88-10.92	■
CBH 350.26 (MIDR 06.35.40 G)		Diesel		12024	259	352	05.90-01.93	■
CBH 350.26 (MIDR 06.35.40 G)		Diesel		12024	259	352	05.90-01.93	■
CBH 350.34 (MIDR 06.35.40 G)		Diesel		12024	259	352	05.90-01.93	■
CBH 380.26 (MIDR 06.35.40 H)		Diesel		12024	275	374	01.90-10.92	■
CBH 380.34 (MIDR 06.35.40 H)		Diesel		12024	275	374	01.90-10.92	■
CBH 385.24 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CBH 385.26 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CBH 385.34 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
C Series 10.82-10.98				Truck Tractor				
C 290.19/T (MIDR 06.20.45 D)	01/88-	Diesel		9839	214	291	05.86-05.91	■
C 290.19/T (MIDR 06.20.45 D)	01/88-	Diesel		9839	214	291	05.86-05.91	■
C 340.19/T (MIDR 06.20.45 E)		Diesel		9839	249	339	07.90-10.98	■
C 340.19/T (MIDR 06.20.45 E2)		Diesel		9839	249	339	07.90-10.98	■
C 340.19/T (MIDR 06.20.45 E3)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.17/T (MIDR 06.20.45 E)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.17/T (MIDR 06.20.45 E2)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.17/T (MIDR 06.20.45 E3)		Diesel		9839	249	339	07.90-10.98	■

LISTA DE APLICACIONES - BUYERS GUIDE

C 340ti.17/T (MIDR 06.20.45 E)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.17/T (MIDR 06.20.45 E2)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.17/T (MIDR 06.20.45 E3)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.19/T (MIDR 06.20.45 E)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.19/T (MIDR 06.20.45 E2)		Diesel		9839	249	339	07.90-10.98	■
C 340ti.19/T (MIDR 06.20.45 E3)		Diesel		9839	249	339	07.90-10.98	■
CBH 280.26/T (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CBH 280.34/T (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CLM 280.19/T (MIDS 06.35.40 D)		Diesel		12024	208	283	04.86-10.92	■
CBH 320.26/T (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CBH 320.34/T (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CLM 320.19/T (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CLM 320.25/T (MIDR 06.35.40 M3)		Diesel		12024	236	321	10.92-10.98	■
CLM 380.19/T (MIDR 06.35.40 H)		Diesel		12024	275	374	05.91-10.92	■
CBH 385.26/T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CBH 385.34/T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CLM 385.19/T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CLM 385.22/T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
CLM 385.25/T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	10.92-10.98	■
G Series 10.82-03.93								Concrete Mixer
G 290.26 (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■
G Series 10.82-03.93								Dump Truck
G 230.17 (MIDS 06.20.30 P)	01/86-	Diesel		8821	169	230	01.85-05.90	■ ■
G 260.17 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■ ■
G 260.19 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■
G 290.19 (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■
G Series 10.82-03.93								Municipal Vehicle
G 210.17 BOM (MIDS 06.20.30 N)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N1)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.17 BOM (MIDS 06.20.30 N1)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.18 BOM (MIDS 06.20.30 N)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.18 BOM (MIDS 06.20.30 N1)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.19 BOM (MIDS 06.20.30 N)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 210.19 BOM (MIDS 06.20.30 N1)	01/86-	Diesel		8820	153	208	11.83-02.90	■
G 230.13 SP (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-08.91	■
G 230.13 SP (MIDS 06.20.30 P)	-12/88	Diesel		8821	169	230	01.85-08.91	■
G 290.26 (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■
G Series 10.82-03.93								Platform/Chassis
G 170.11 (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	05.83-02.90	■
G 170.13 (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	05.83-02.90	■
G 170.15 (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	05.83-02.90	■ ■
G 170.16 (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	05.83-02.90	■
G 170.17 (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	05.83-02.90	■ ■
G 170.17 (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	05.83-02.90	■ ■
G 200.13 (MIDR 06.02.26 H)		Diesel		6177	137	186	05.90-09.91	■
G 200.15 (MIDR 06.02.26 H)		Diesel		6177	137	186	05.90-09.91	■
G 200.16 (MIDR 06.02.26 H)		Diesel		6177	137	186	05.90-09.91	■
G 200.16 (MIDR 06.02.26 H)		Diesel		6177	137	186	05.90-09.91	■
G 200.17 (MIDR 06.02.26 H)		Diesel		6177	137	186	05.90-09.91	■

LISTA DE APLICACIONES - BUYERS GUIDE

G 230ti.13 (MIDR 06.02.26 D)		Diesel		6177	166	226	02.90-08.91	■	
G 230ti.15 (MIDR 06.02.26 D)		Diesel		6177	166	226	02.90-08.91	■	
G 230ti.16 (MIDR 06.02.26 D)		Diesel		6177	166	226	02.90-08.91	■	
G 230ti.16 (MIDR 06.02.26 D)		Diesel		6177	166	226	02.90-08.91	■	
G 210.16 (MIDS 06.20.30 N)	01/86-	Diesel		8820	153	208	11.83-02.90	■	
G 210.16 (MIDS 06.20.30 N1)	01/86-	Diesel		8820	153	208	11.83-02.90	■	
G 210.19 (MIDS 06.20.30 N)	01/86-	Diesel		8820	153	208	11.83-02.90	■	
G 210.19 (MIDS 06.20.30 N1)	01/86-	Diesel		8820	153	208	11.83-02.90	■	
G 230.11 (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-05.90	■	
G 230.13 (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-05.90	■	
G 230.15 (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-05.90	■	
G 230.15 (MIDS 06.20.30 P)	-12/88	Diesel		8821	169	230	01.85-05.90		■
G 230.16 (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-05.90	■	
G 230.16 (MIDS 06.20.30 P)	-12/88	Diesel		8821	169	230	01.85-05.90		■
G 230.16 (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-05.90	■	
G 230.16 (MIDS 06.20.30 P)	-12/88	Diesel		8821	169	230	01.85-05.90		■
G 230.17 (MIDS 06.20.30 P)	01/86-	Diesel		8821	169	230	01.85-05.90	■	■
G 230.17 (MIDS 06.20.30 P)	01/86-	Diesel		8821	169	230	01.85-05.90	■	■
G 230.19 (MIDS 06.20.30 P)	01/86-	Diesel		8821	169	230	01.85-05.90	■	
G 230.19 (MIDS 06.20.30 P)	01/86-	Diesel		8821	169	230	01.85-05.90	■	
G 260.16 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	■
G 260.16 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	■
G 260.17 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	■
G 260.17 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	■
G 260.19 (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	
G 260.19 (MIDS 06.20.45 B)	01/86-	Diesel		9839	192	261	10.82-05.90	■	
G 260.24 CIT (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	
G 260.17 (MIDS 06.20.45 B)		Diesel		9839	202	275	01.90-09.91	■	
G 280.13 (MIDS 06.20.45 B)		Diesel		9839	202	275	01.90-09.91	■	
G 280.15 (MIDS 06.20.45 B)		Diesel		9839	202	275	01.90-09.91	■	
G 280.16 (MIDS 06.20.45 B)		Diesel		9839	202	275	01.90-09.91	■	
G 280.16 (MIDS 06.20.45 B)		Diesel		9839	202	275	01.90-09.91	■	
G 290.19 (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 290.19 (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 290.24 (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 290.24 CIT (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 290.24 CIT (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 300.13 (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
G 300.15 (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
G 300.16 (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
G 300.16 (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
G 320.24 (MIDR 06.20.45 H)		Diesel		9839	240	326	11.88-05.90	■	
G 330.24 (MIDR 06.20.45 H)		Diesel		9839	240	326	02.90-08.91	■	
G 330.26 (MIDR 06.20.45 H)		Diesel		9839	240	326	02.90-08.91	■	
G 330.26 (MIDR 06.20.45 H)		Diesel		9839	240	326	02.90-08.91	■	■
G Series 10.82-03.93					Truck Tractor				
G 230.15/T (MIDS 06.20.30 P)		Diesel		8821	169	230	01.85-05.90	■	
G 230.15/T (MIDS 06.20.30 P)	-12/88	Diesel		8821	169	230	01.85-05.90		■
G 230.17/T (MIDS 06.20.30 P)	01/86-	Diesel		8821	169	230	01.85-05.90	■	
G 260.15/T (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	■
G 260.17/T (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

G 260.19/T (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	
G 260.22/T (MIDS 06.20.45)	01/86-	Diesel		9839	192	261	10.82-05.90	■	
G 280.15/T (MIDS 06.20.45 B)		Diesel		9839	202	275	01.90-09.91	■	
G 290.17/TD (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 290.17/TD (MIDR 06.20.45)	-12/88	Diesel		9839	214	291	11.85-12.89		■
G 290.19/T (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 290.22/TD (MIDR 06.20.45)		Diesel		9839	214	291	11.85-12.89	■	
G 300.15/T (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
G 300.19/T (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
G 300.19/T (MIDR 06.20.45 D)		Diesel		9839	222	302	01.90-08.91	■	
Magnum 01.90-04.99				Truck Tractor					
AE 430.26T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	01.98-		■
AE 470.26T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	01.98-		■
AE 520.26T (MACK-EE9-530)	-12/95	Diesel		16361	390	530	10.92-05.96		■
Midliner 10.82-01.00				Platform/Chassis					
M 160.14/C BOM	01/89-	Diesel		5495	117	159	10.82-	■	■
M 160.14/C BOM	01/89-	Diesel		5495	117	159	10.82-	■	
M 160.14/C CIT	01/89-	Diesel		5495	117	159	10.82-	■	■
M 160.14/C CIT	01/89-	Diesel		5495	117	159	10.82-	■	
ME 160.15	01/89-	Diesel		5495	117	159	10.82-	■	■
ME 160.15	01/89-	Diesel		5495	117	159	10.82-	■	
M 180.15	01/89-	Diesel		5495	134	182	10.82-	■	■
M 180.15	01/89-	Diesel		5495	134	182	10.82-	■	
M 150.14/C BOM	01/92-	Diesel		6195	110	150	10.82-	■	■
M 150.14/C BOM	01/92-	Diesel		6195	110	150	10.82-	■	
M 150.14/C CIT	01/92-	Diesel		6195	110	150	10.82-	■	■
M 150.14/C CIT	01/92-	Diesel		6195	110	150	10.82-	■	
M 180.12/C BTP	01/92-	Diesel		6195	129	175	10.82-	■	■
M 180.12/C BTP	01/92-	Diesel		6195	129	175	10.82-	■	
M 180.15/D	01/92-	Diesel		6195	129	175	10.82-	■	■
M 180.15/D	01/92-	Diesel		6195	129	175	10.82-	■	
M 180.15/D	01/92-	Diesel		6195	129	175	10.82-	■	■
M 180.15/D	01/92-	Diesel		6195	129	175	10.82-	■	
M 180.15/D	01/92-	Diesel		6195	129	175	10.82-	■	■
M 180.15/D	01/92-	Diesel		6195	129	175	10.82-	■	
M 180.15/D BTP	01/92-	Diesel		6195	129	175	10.82-	■	■
M 180.15/D BTP	01/92-	Diesel		6195	129	175	10.82-	■	
M 180.16/D	01/92-	Diesel		6195	129	175	10.82-	■	■
M 180.16/D	01/92-	Diesel		6195	129	175	10.82-	■	
M 180.15/D	01/96-	Diesel		6195	132	180	10.82-	■	■
M 180.15/D	01/96-	Diesel		6195	132	180	10.82-	■	
M 180.16/D	01/96-	Diesel		6195	132	180	10.82-	■	■
M 180.16/D	01/96-	Diesel		6195	132	180	10.82-	■	
M 200.14/C BOM	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.14/C BOM	01/88-	Diesel		6195	144	196	10.82-	■	
M 200.14/C CIT	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.14/C CIT	01/88-	Diesel		6195	144	196	10.82-	■	
M 200.15/D	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.15/D	01/88-	Diesel		6195	144	196	10.82-	■	
M 200.15/D	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.15/D	01/88-	Diesel		6195	144	196	10.82-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

M 200.15/D	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.15/D	01/88-	Diesel		6195	144	196	10.82-	■	
M 200.16/D	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.16/D	01/88-	Diesel		6195	144	196	10.82-	■	
M 200.16/D	01/88-	Diesel		6195	144	196	10.82-	■	■
M 200.16/D	01/88-	Diesel		6195	144	196	10.82-	■	
M 210.14/C BOM	01/92-	Diesel		6195	151	205	10.82-	■	■
M 210.14/C BOM	01/92-	Diesel		6195	151	205	10.82-	■	
M 210.15/D CIT	01/92-	Diesel		6195	151	205	10.82-	■	■
M 210.15/D CIT	01/92-	Diesel		6195	151	205	10.82-	■	
M 210.16/D	01/92-	Diesel		6195	151	205	10.82-	■	■
M 210.16/D	01/92-	Diesel		6195	151	205	10.82-	■	
M 210.16/D CIT	01/92-	Diesel		6195	151	205	10.82-	■	■
M 210.16/D CIT	01/92-	Diesel		6195	151	205	10.82-	■	
M 210.14/D	01/96-	Diesel		6195	154	209	10.82-	■	■
M 210.14/D	01/96-	Diesel		6195	154	209	10.82-	■	
M 210.15/D	01/92-	Diesel		6195	154	209	10.82-	■	■
M 210.15/D	01/92-	Diesel		6195	154	209	10.82-	■	
M 210.16/D	01/92-	Diesel		6195	154	209	10.82-	■	■
M 210.16/D	01/92-	Diesel		6195	154	209	10.82-	■	
M 210.16/D	01/96-	Diesel		6195	154	209	10.82-	■	■
M 210.16/D	01/96-	Diesel		6195	154	209	10.82-	■	
M 230.15/D	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.15/D	01/89-	Diesel		6195	166	226	10.82-	■	
M 230.15/D	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.15/D	01/89-	Diesel		6195	166	226	10.82-	■	
M 230.15/D CIT	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.15/D CIT	01/89-	Diesel		6195	166	226	10.82-	■	
M 230.16/D	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.16/D	01/89-	Diesel		6195	166	226	10.82-	■	
M 230.16/D	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.16/D	01/89-	Diesel		6195	166	226	10.82-	■	
M 230.16/D/T	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.16/D/T	01/89-	Diesel		6195	166	226	10.82-	■	
M 230.16/D CIT	01/89-	Diesel		6195	166	226	10.82-	■	■
M 230.16/D CIT	01/89-	Diesel		6195	166	226	10.82-	■	
M 250.15/D/T	01/96-	Diesel		6195	184	250	10.82-	■	■
M 250.15/D/T	01/96-	Diesel		6195	184	250	10.82-	■	
M 250.16/D	01/96-	Diesel		6195	184	250	10.82-	■	■
M 250.16/D	01/96-	Diesel		6195	184	250	10.82-	■	
M 250.16/D	01/96-	Diesel		6195	184	250	10.82-	■	■
M 250.16/D	01/96-	Diesel		6195	184	250	10.82-	■	
R Series 10.80-12.96							Dump Truck		
R 340ti.18 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■	
R 350.18 (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■	
R Series 10.80-12.96							Platform/Chassis		
R 330.17 (MIDR 06.20.45 E)		Diesel		9839	240	326	05.88-05.91	■	
R 330.19 (MIDR 06.20.45 E)		Diesel		9839	240	326	05.88-05.91	■	
R 330.24 (MIDR 06.20.45 E)		Diesel		9839	240	326	05.88-05.91	■	
R 340ti.17 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■	
R 340ti.18 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■	

LISTA DE APLICACIONES - BUYERS GUIDE

R 340ti.18 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 340ti.19 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 340ti.24 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 340ti.26 (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 310.16 (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.17 (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.19 (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.22 (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.22 (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■ ■
R 340.17 (MIDR 06.35.40 G)		Diesel		12024	259	352	03.86-01.90	■
R 340.19 (MIDR 06.35.40 G)		Diesel		12024	259	352	03.86-01.90	■
R 340.24 (MIDR 06.35.40 G)		Diesel		12024	259	352	03.86-01.90	■ ■
R 350.17 (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■
R 350.17 (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■
R 350.18 (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■
R 350.18 (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■
R 365.17 (MIDR 06.35.40 H)		Diesel		12024	275	374	10.87-05.90	■
R 365.19 (MIDR 06.35.40 H)		Diesel		12024	275	374	10.87-05.90	■
R 365.24 (MIDR 06.35.40 H)		Diesel		12024	275	374	10.87-05.90	■ ■
R 365.24 (MIDR 06.35.40 H)		Diesel		12024	275	374	10.87-05.90	■
R 370.16 (MIVS 08.35.30 F)		Diesel		14886	268	364	10.83-07.85	■
R 390.16 (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■
R 390.17 (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■
R 390.24 (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■
R Series 10.80-12.96				Truck Tractor				
R 330.17/T (MIDR 06.20.45 E)		Diesel		9839	240	326	05.88-05.91	■
R 330.19/T (MIDR 06.20.45 E)		Diesel		9839	240	326	05.88-05.91	■
R 340ti.16/T (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 340ti.18/T (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 340ti.19/T (MIDR 06.20.45 E)		Diesel		9839	249	339	01.90-05.91	■
R 310.16/T (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.17/T (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.19/T (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■
R 310.22/T (MIDR 06.35.40 C)		Diesel		12024	224	305	10.80-03.89	■ ■
R 340.17/T (MIDR 06.35.40 G)		Diesel		12024	259	352	03.86-01.90	■
R 340.19/T (MIDR 06.35.40 G)		Diesel		12024	259	352	03.86-01.90	■
R 350.17/T (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■
R 350.18/T (MIDR 06.35.40 G)		Diesel		12024	259	352	01.90-05.91	■
R 365.17/T (MIDR 06.35.40 H)		Diesel		12024	275	374	10.87-05.90	■
R 365.19/T (MIDR 06.35.40 H)		Diesel		12024	275	374	10.87-05.90	■
R 370.16/T (MIVS 08.35.30 F)		Diesel		14886	268	364	10.83-07.85	■
R 370.22/T (MIVS 08.35.30 F)		Diesel		14886	268	364	10.83-07.85	■ ■
R 390.16/T (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■
R 390.17/T (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■
R 390.22/T (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■
R 390.24/T (MIVR 08.35.30 C)		Diesel		14886	286	389	07.85-03.89	■