

# LISTA DE APLICACIONES - BUYERS GUIDE


21 9940 00



8 424073 075505

Qty: 850

Weight: 11.100



21 9940 00



223x18x178- Ø410

WVA

19940

MAKE

VOLVO



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

## VOLVO

### B10 01.78-08.11

B10 B	01/86-	Diesel					01.78-12.01	■
B10 L	01/93-	Diesel					01.78-12.01	■
B10 L	01/93-	Diesel					01.78-12.01	■
B10 L	01/99-	Diesel					01.78-12.01	■

### B12 01.91-

B12 (TD 122 FH)	01/95-	Diesel		11980	262	356	01.92-	■
B12 (TD 122 FL)	01/95-	Diesel		11980	291	396	01.92-	■
B12 (TD 123 ES)	01/95-	Diesel		11980	291	396	01.92-	■
B12 (D12A420)	01/95-	Diesel		12130	309	420	01.92-	■

### B12 01.91-

B 12 Olympian MK2	01/93-	Diesel					01.91-	■
B12	01/86-	Diesel		11995	262	356	01.91-	■

### B7 01.92-

B 7 20000-29999	01/87-	Diesel					01.92-	■
B 7 20000-29999	01/87-	Diesel					01.92-	■

### F12 01.76-12.95

F12	01/86-	Diesel		11995			01.76-	■
F12	01/86-	Diesel		11995			01.76-	■

### F12 01.76-12.95

F 12/320 (TD 121 G)		Diesel		11980	235	320	01.87-12.87	■
F 12/320,F 12/330 (TD 120 G)		Diesel		11980	235	320	08.77-12.86	■

# LISTA DE APLICACIONES - BUYERS GUIDE

F 12/320,F 12/330 (TD 121 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 GD)	Diesel		11980	235	320	08.77-12.86	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	12.90-12.94	■
<b>F12 01.76-12.95</b>				<b>Platform/Chassis</b>			
F 12/320 (TD 121 G)	Diesel		11980	235	320	01.87-12.87	■
F 12/320 (TD 121 G)	Diesel		11980	235	320	01.87-12.87	■
F 12/320,F 12/330 (TD 120 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 GD)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 120 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 GD)	Diesel		11980	235	320	08.77-12.86	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	12.90-12.94	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	08.77-12.86	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	08.77-12.86	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	01.87-12.87	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	01.87-12.87	■
F 12/400 (TD 122 FL)	Diesel		11980	291	396	01.88-12.90	■
F 12/400 (TD 122 FS)	Diesel		11980	291	396	01.88-12.90	■
F 12/400 (TD 122 FL)	Diesel		11980	291	396	01.88-12.90	■
F 12/400 (TD 122 FS)	Diesel		11980	291	396	01.88-12.90	■
F 12/400 (TD 122 FL)	Diesel		11980	291	396	12.90-12.94	■
F 12/400 (TD 122 FS)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 122 FL)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 122 FS)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 123 ES)	Diesel		11980	291	396	12.90-12.94	■
<b>F12 01.76-12.95</b>				<b>Truck Tractor</b>			
F 12/320 (TD 121 G)	Diesel		11980	235	320	01.87-12.87	■
F 12/320 (TD 121 G)	Diesel		11980	235	320	01.87-12.87	■
F 12/320,F 12/330 (TD 120 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 GD)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 120 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 G)	Diesel		11980	235	320	08.77-12.86	■
F 12/320,F 12/330 (TD 121 GD)	Diesel		11980	235	320	08.77-12.86	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	01.88-12.90	■
F 12/360 (TD 122 F)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	12.90-12.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

F 12/360 (TD 122 F)	Diesel		11980	262	356	12.90-12.94	■
F 12/360 (TD 122 FH)	Diesel		11980	262	356	12.90-12.94	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	08.77-12.86	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	08.77-12.86	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	01.87-12.87	■
F 12/370 (TD 121 F)	Diesel		11980	272	370	01.87-12.87	■
F 12/400 (TD 122 FL)	Diesel		11980	291	396	01.88-12.90	■
F 12/400 (TD 122 FS)	Diesel		11980	291	396	01.88-12.90	■
F 12/400 (TD 122 FL)	Diesel		11980	291	396	12.90-12.94	■
F 12/400 (TD 122 FS)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 122 FL)	Diesel		11980	291	396	01.88-12.94	■
F 12/400,F 12/410 (TD 122 FS)	Diesel		11980	291	396	01.88-12.94	■
F 12/400,F 12/410 (TD 123 ES)	Diesel		11980	291	396	01.88-12.94	■
F 12/400,F 12/410 (TD 122 FL)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 122 FS)	Diesel		11980	291	396	12.90-12.94	■
F 12/400,F 12/410 (TD 123 ES)	Diesel		11980	291	396	12.90-12.94	■
<b>F16 01.87-12.95</b>				<b>Platform/Chassis</b>			
F 16/470 (TD 162 F)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FJ)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FL)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FS)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 F)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FJ)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FL)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FS)	Diesel		16123	342	465	01.88-12.89	■
F 16/485 (TD 162 F)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FJ)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FL)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FS)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 F)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FJ)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FL)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FS)	Diesel		16123	357	486	01.90-12.92	■
F 16/500 (TD 163 ES)	Diesel		16123	368	500	01.92-12.94	■
F 16/500 (TD 163 ES)	Diesel		16123	368	500	01.92-12.94	■
<b>F16 01.87-12.95</b>				<b>Truck Tractor</b>			
F 16/470 (TD 162 F)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FJ)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FL)	Diesel		16123	342	465	01.88-12.89	■
F 16/470 (TD 162 FS)	Diesel		16123	342	465	01.88-12.89	■
F 16/485 (TD 162 F)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FJ)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FL)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FS)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 F)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FJ)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FL)	Diesel		16123	357	486	01.90-12.92	■
F 16/485 (TD 162 FS)	Diesel		16123	357	486	01.90-12.92	■
F 16/500 (TD 163 ES)	Diesel		16123	368	500	01.92-12.94	■
F 16/500 (TD 163 ES)	Diesel		16123	368	500	01.92-12.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FH12 08.93-					Platform/Chassis			
FH 12/340 (D12A340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12A340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12A340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)		Diesel		12130	250	340	08.93-	■
FH 12/380 (D12A380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12C380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12A380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12C380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12A380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12C380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)		Diesel		12130	279	379	08.93-	■
FH 12/420 (D12A420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12A420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12A420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)		Diesel		12130	309	420	08.93-	■
FH 12/460 (D12C460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12C460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12C460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)		Diesel		12130	338	460	08.98-	■
FH12 08.93-					Truck Tractor			
FH 12/340 (D12A340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12A340)		Diesel		12130	250	340	01.95-	■
FH 12/340 (D12C340)		Diesel		12130	250	340	01.95-	■
FH 12/340 (D12D340)		Diesel		12130	250	340	01.95-	■
FH 12/340 (D12A340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12C340)		Diesel		12130	250	340	08.93-	■
FH 12/340 (D12D340)		Diesel		12130	250	340	08.93-	■
FH 12/380 (D12A380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12C380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12A380)		Diesel		12130	279	379	01.95-	■
FH 12/380 (D12C380)		Diesel		12130	279	379	01.95-	■
FH 12/380 (D12D380)		Diesel		12130	279	379	01.95-	■
FH 12/380 (D12A380)		Diesel		12130	279	379	08.93-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FH 12/380 (D12C380)		Diesel		12130	279	379	08.93-	■
FH 12/380 (D12D380)		Diesel		12130	279	379	08.93-	■
FH 12/420 (D12A420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12A420)		Diesel		12130	309	420	01.95-	■
FH 12/420 (D12C420)		Diesel		12130	309	420	01.95-	■
FH 12/420 (D12D420)		Diesel		12130	309	420	01.95-	■
FH 12/420 (D12A420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12C420)		Diesel		12130	309	420	08.93-	■
FH 12/420 (D12D420)		Diesel		12130	309	420	08.93-	■
FH 12/460 (D12C460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12C460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12C460)		Diesel		12130	338	460	08.98-	■
FH 12/460 (D12D460)		Diesel		12130	338	460	08.98-	■
FH 12/500 (D12D500)		Diesel		12130	368	500	09.01-	■
<b>FH16 08.93-</b>					<b>Platform/Chassis</b>			
FH 16/470 (D16A470)		Diesel		16120	346	470	08.93-12.99	■
FH 16/470 (D16A470)		Diesel		16120	346	470	08.93-12.99	■
FH 16/520 (D16A520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16B520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16A520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16B520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16A520)		Diesel		16120	382	520	01.95-	■
FH 16/520 (D16B520)		Diesel		16120	382	520	01.95-	■
<b>FH16 08.93-</b>					<b>Truck Tractor</b>			
FH 16/470 (D16A470)		Diesel		16120	346	470	08.93-12.99	■
FH 16/520 (D16A520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16B520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16A520)		Diesel		16120	382	520	08.93-12.02	■
FH 16/520 (D16B520)		Diesel		16120	382	520	08.93-12.02	■
<b>FM12 08.98-11.08</b>					<b>Platform/Chassis</b>			
FM 12/340 (D12C340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12C340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12C340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12C340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/380 (D12C380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12C380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12C380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12C380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)		Diesel		12130	279	379	08.98-09.05	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FM 12/420 (D12C420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12C420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12C420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12C420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)		Diesel		12130	309	420	08.98-09.05	■
<b>FM12 08.98-11.08</b>					<b>Truck Tractor</b>			
FM 12/340 (D12C340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/340 (D12D340)		Diesel		12130	250	340	08.98-09.05	■
FM 12/380 (D12C380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/380 (D12D380)		Diesel		12130	279	379	08.98-09.05	■
FM 12/420 (D12C420)		Diesel		12130	309	420	08.98-09.05	■
FM 12/420 (D12D420)		Diesel		12130	309	420	08.98-09.05	■