


LISTA DE APLICACIONES - BUYERS GUIDE

31103-0183



8 424073 188649

Weight: 16.750



31103-0183



Ate - Teves

156.4x54.97x18.5

Ø272x16x96.4

WVA

21592

21593

21661

MAKE

MERCEDES-BENZ



Trac.

CC

Kw

CV



Front / Rear

MERCEDES-BENZ

G-Class (W463) 09.89-

Closed Off-Road Vehicle (Luxury Crossover SUV-J Segment)

G 320 (463.230, 463.231) (M 104.996)	Gasolina	4WD	3199	155	211	09.94-12.97	■
G 320 (463.230, 463.231) (M 104.996)	Gasolina	4WD	3199	155	211	09.94-12.97	■
G 320 (463.232, 463.233, 463.244, 463.245) (M 112.945)	Gasolina	4WD	3199	158	215	07.97-08.04	■
G 320 (463.232, 463.233, 463.244, 463.245) (M 112.945)	Gasolina	4WD	3199	158	215	07.97-08.04	■
G 36 AMG (463.230) (M 104.996 (AMG 3.6))	Gasolina	4WD	3606	200	272	01.95-07.98	■
G 36 AMG (463.230) (M 104.996 (AMG 3.6))	Gasolina	4WD	3606	200	272	01.95-07.98	■
G 500 (463.247, 463.248, 463.249, 463.240, 463.241,...) (M 113.962)	Gasolina	4WD	4966	218	296	04.98-12.15	■
G 500 (463.247, 463.248, 463.249, 463.240, 463.241,...) (M 113.962)	Gasolina	4WD	4966	218	296	04.98-12.15	■
G 55 AMG (463.243, 463.246) (M 113.982)	Gasolina	4WD	5439	260	354	04.99-07.08	■
G 55 AMG (463.243, 463.246) (M 113.982)	Gasolina	4WD	5439	260	354	04.99-07.08	■
G 55 AMG (463.270, 463.271) (M 113.993)	Gasolina	4WD	5439	350	476	06.04-07.06	■
G 55 AMG (463.270, 463.271) (M 113.993)	Gasolina	4WD	5439	350	476	06.04-07.06	■
G 270 CDI (463.322, 463.323) (OM 612.965)	Diesel	4WD	2685	115	156	10.01-07.03	■
G 270 CDI (463.322, 463.323) (OM 612.965)	Diesel	4WD	2685	115	156	10.01-07.03	■
300 GD (463.327, 463.328) (OM 603.931)	Diesel	4WD	2996	83	113	09.89-08.93	■
300 GD (463.327, 463.328) (OM 603.931)	Diesel	4WD	2996	83	113	09.89-08.93	■
G 300 TD (463.330, 463.331) (OM 606.964)	Diesel	4WD	2996	130	177	08.96-07.00	■
G 300 TD (463.330, 463.331) (OM 606.964)	Diesel	4WD	2996	130	177	08.96-07.00	■
G 400 CDI (463.332, 463.333) (OM 628.962)	Diesel	4WD	3996	184	250	12.00-07.06	■
G 400 CDI (463.332, 463.333) (OM 628.962)	Diesel	4WD	3996	184	250	12.00-07.06	■

LISTA DE APLICACIONES - BUYERS GUIDE

G-Class (W463) 09.89-					Open Off-Road Vehicle (Luxury Crossover SUV-J Segment)			
320 GE (463.208) (M 104.996)		Gasolina	4WD	3199	155	211	09.94-11.97	■
320 GE (463.208) (M 104.996)		Gasolina	4WD	3199	155	211	09.94-11.97	■
G 320 (463.209, 463.250) (M 112.945)		Gasolina	4WD	3199	158	215	11.97-08.04	■
G 320 (463.209, 463.250) (M 112.945)		Gasolina	4WD	3199	158	215	11.97-08.04	■
G 500 (463) (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■
G 500 (463) (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■
G 350 CDI (OM 642.886)		Diesel	4WD	2987	155	211	07.11-12.15	■
G 350 CDI (OM 642.886)		Diesel	4WD	2987	155	211	07.11-12.15	■
G 320 CDI (463.303) (OM 642.970)		Diesel	4WD	2987	165	224	09.06-12.12	■
G 320 CDI (463.303) (OM 642.970)		Diesel	4WD	2987	165	224	09.06-12.12	■
300 GD (463.307) (OM 603.931)		Diesel	4WD	2996	83	113	09.89-08.93	■
300 GD (463.307) (OM 603.931)		Diesel	4WD	2996	83	113	09.89-08.93	■
G 300 TD (463.308) (OM 606.964)		Diesel	4WD	2996	130	177	09.96-07.00	■
G 300 TD (463.308) (OM 606.964)		Diesel	4WD	2996	130	177	09.96-07.00	■
G 400 CDI (463.309) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■
G 400 CDI (463.309) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■
SPRINTER 3-Ton. (B903) 01.95-05.12					Bus (Minibus-M2-Segment)			
314 (903.071, 903.072, 903.073, 903.671, 903.672,...) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.071, 903.072, 903.073, 903.671, 903.672,...) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.071, 903.072, 903.073, 903.671, 903.672,...) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.071, 903.072, 903.073, 903.671, 903.672,...) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■
314 NGT (903.072, 903.671, 903.672) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.072, 903.671, 903.672) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.072, 903.671, 903.672) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.072, 903.671, 903.672) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
308 E (903.372)		Eléctrico	RWD		40	54	01.96-05.06	■
308 E (903.372)		Eléctrico	RWD		40	54	01.96-05.06	■
308 CDI (903.671, 903.672, 903.673) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■
308 CDI (903.671, 903.672, 903.673) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■
311 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■
311 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■
313 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■
313 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■
2.3 D		Diesel	RWD	2299	58	79	06.97-12.99	■
2.3 D		Diesel	RWD	2299	58	79	06.97-12.99	■
308 D (903.372, 903.373) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■
308 D (903.372, 903.373) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■
316 CDI (903.671, 903.672, 903.673) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.671, 903.672, 903.673) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.671, 903.672, 903.673) (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.671, 903.672, 903.673) (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■

LISTA DE APLICACIONES - BUYERS GUIDE

310 D (903.471, 903.472, 903.473) (OM 602.980)	Diesel	RWD	2874	75	102	01.97-12.99	■
310 D (903.471, 903.472, 903.473) (OM 602.980)	Diesel	RWD	2874	75	102	01.97-12.99	■
310 D 4x4 (903.472, 903.473) (OM 602.980)	Diesel	4WD	2874	75	102	05.97-08.02	■
310 D 4x4 (903.472, 903.473) (OM 602.980)	Diesel	4WD	2874	75	102	05.97-08.02	■
SPRINTER 3-Ton. (B903) 01.95-05.12				Platform/Chassis (LCVs-N1 Segment)			
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.979)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.979)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
308 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■
308 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■
311 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
311 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
313 CDI (903.611, 903.612, 903.621, 903.622) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
313 CDI (903.611, 903.612, 903.621, 903.622) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
308 D 2.3 (903.311, 903.322) (OM 601.943)	Diesel	RWD	2299	58	79	02.95-04.00	■
308 D 2.3 (903.311, 903.322) (OM 601.943)	Diesel	RWD	2299	58	79	02.95-04.00	■
308 D 2.3 (903.311, 903.322) (OM 601.943)	Diesel	RWD	2299	60	82	11.96-04.00	■
308 D 2.3 (903.311, 903.322) (OM 601.943)	Diesel	RWD	2299	60	82	11.96-04.00	■
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 612.981)	Diesel	4WD	2685	115	156	08.02-05.06	■
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 612.981)	Diesel	4WD	2685	115	156	08.02-05.06	■
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 647.981)	Diesel	4WD	2685	115	156	08.02-05.06	■
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 647.981)	Diesel	4WD	2685	115	156	08.02-05.06	■
310 D 2.9 (903.411, 903.412, 903.413, 903.421, 903.422,... (OM 602.980)	Diesel	RWD	2874	75	102	01.97-04.00	■
310 D 2.9 (903.411, 903.412, 903.413, 903.421, 903.422,... (OM 602.980)	Diesel	RWD	2874	75	102	01.97-04.00	■
312 D 2.9 (903.411, 903.412, 903.421, 903.422, 903.423) (OM 602.980)	Diesel	RWD	2874	90	122	02.95-04.00	■
312 D 2.9 (903.411, 903.412, 903.421, 903.422, 903.423) (OM 602.980)	Diesel	RWD	2874	90	122	02.95-04.00	■

LISTA DE APLICACIONES - BUYERS GUIDE

SPRINTER 3-Ton. (B903) 01.95-05.12					Van (LCVs-N1 Segment)			
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.979)	Gasolina	RWD	2295	105	143	02.95-05.06	■	
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.979)	Gasolina	RWD	2295	105	143	02.95-05.06	■	
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■	
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■	
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	
308 CDI (903.661, 903.662, 903.663) (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■	
308 CDI (903.661, 903.662, 903.663) (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■	
311 CDI (903.661, 903.662, 903.663) (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■	
311 CDI (903.661, 903.662, 903.663) (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■	
313 CDI (903.663, 903.662, 903.661) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■	
313 CDI (903.663, 903.662, 903.661) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■	
2.3 D	Diesel	RWD	2299	58	79	06.97-12.99	■	
2.3 D	Diesel	RWD	2299	58	79	06.97-12.99	■	
308 D 2.3 (903.361, 903.362, 903.363) (OM 601.943)	Diesel	RWD	2299	58	79	02.95-04.00	■	
308 D 2.3 (903.361, 903.362, 903.363) (OM 601.943)	Diesel	RWD	2299	58	79	02.95-04.00	■	
308 D 2.3 (903.361) (OM 601.943)	Diesel	RWD	2299	60	82	02.95-04.00	■	
308 D 2.3 (903.361) (OM 601.943)	Diesel	RWD	2299	60	82	02.95-04.00	■	
316 CDI (903.661, 903.662, 903.663) (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■	
316 CDI (903.661, 903.662, 903.663) (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■	
316 CDI (903.661, 903.662, 903.663) (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■	
316 CDI (903.661, 903.662, 903.663) (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■	
310 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)	Diesel	RWD	2874	75	102	02.95-04.00	■	
310 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)	Diesel	RWD	2874	75	102	02.95-04.00	■	
312 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)	Diesel	RWD	2874	90	122	02.95-04.00	■	
312 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)	Diesel	RWD	2874	90	122	02.95-04.00	■	
312 D 2.9 4x4 (903.461, 903.462) (OM 602.980)	Diesel	4WD	2874	90	122	05.97-08.02	■	
312 D 2.9 4x4 (903.461, 903.462) (OM 602.980)	Diesel	4WD	2874	90	122	05.97-08.02	■	