


LISTA DE APLICACIONES - BUYERS GUIDE

610056 E C



Weight: 30

O.E.M.	MAKE
000 540 02 17	MERCEDES-BENZ
123 540 00 17	MERCEDES-BENZ
126 540 20 17	MERCEDES-BENZ
140 540 12 17	MERCEDES-BENZ
601 540 13 17	MERCEDES-BENZ



610056 E C



94 mm.

WVA
20125
21303
21304
21305
21438

MAKE
CHRYSLER
MERCEDES-BENZ
PUCH



	Trac.	CC	Kw	CV			Front / Rear
--	-------	----	----	----	--	--	--------------

CHRYSLER

CROSSFIRE 05.04-12.08						Convertible (Sports car-S Segment)			
3.2 (EGX)		Gasolina	RWD	3199	160	218	05.04-12.08	■	■
SRT-6 (EGZ)		Gasolina	RWD	3199	246	335	09.04-12.06	■	■

CROSSFIRE 07.03-12.08						Coupe (Sports car-S Segment)			
3.2 (EGX)		Gasolina	RWD	3199	160	218	07.03-12.08	■	■
SRT-6 (EGZ)		Gasolina	RWD	3199	246	335	09.04-12.07	■	■

MERCEDES-BENZ

/8 (W114) 04.69-02.77								Coupe (Executive car-E Segment)	
250 C (114.021) (M 114.920)	01/70-	Gasolina	RWD	2496	96	130	04.69-06.72	■	
250 CE (114.022) (M 114.980)	01/70-	Gasolina	RWD	2496	110	150	04.69-04.72	■	
280 C (114.073) (M 110.921)	01/74-	Gasolina	RWD	2746	118	160	06.72-02.77	■	
280 CE (114.072) (M 110.981)	01/74-	Gasolina	RWD	2746	136	185	06.72-01.77	■	
250 C 2.8 (114.023) (M 130.923)	01/74-	Gasolina	RWD	2778	96	130	06.72-11.76	■	

/8 (W114) 01.68-11.76								Saloon (Executive car-E Segment)	
200 (115.015) (M 115.923)	01/74-	Gasolina	RWD	1988	63	86	01.68-01.77	■	
200 (115.015) (M 115.926)	01/74-	Gasolina	RWD	1988	63	86	01.68-01.77	■	
200 (115.020) (M 115.923)	01/74-	Gasolina	RWD	1988	70	95	01.68-01.77	■	
200 (115.020) (M 115.926)	01/74-	Gasolina	RWD	1988	70	95	01.68-01.77	■	
230.6 (114.015) (M 180.954)	01/74-	Gasolina	RWD	2292	88	120	01.68-11.76	■	
230.4 (115.017) (M 115.951)	-12/74	Gasolina	RWD	2307	81	110	08.73-12.76	■	
280 (114.060) (M 110.921)	01/74-	Gasolina	RWD	2746	118	160	06.72-11.76	■	
280 E (114.062) (M 110.981)	01/74-	Gasolina	RWD	2746	136	185	06.72-11.76	■	
250 2.8 (114.011) (M 130.923)	01/74-	Gasolina	RWD	2778	96	130	06.72-11.76	■	

LISTA DE APLICACIONES - BUYERS GUIDE

220 D (115.110) (OM 615.912)	01/74-	Diesel	RWD	2197	44	60	01.68-01.77	■	
240 D (115.117) (OM 616.916)	01/74-	Diesel	RWD	2404	48	65	08.73-01.77	■	
240 D 3.0 (115.114) (OM 617.910)		Diesel	RWD	2998	59	80	08.74-11.76	■	
123 (C123) 03.77-12.85					Coupe (Executive car-E Segment)				
230 CE (123.243) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-12.85	■	
230 C (123.043) (M 115.954)		Gasolina	RWD	2307	80	109	05.77-04.80	■	
280 C (123.050) (M 110.923)		Gasolina	RWD	2746	115	156	03.77-03.80	■	
280 CE (123.053) (M 110.988)		Gasolina	RWD	2746	130	177	09.77-08.79	■	
280 CE (M 110.988)		Gasolina	RWD	2746	136	185	03.77-11.85	■	
300 C Turbo-D (123.153) (OM 617.952)		Diesel	RWD	2998	92	125	09.81-07.85	■	
123 (W123) 01.76-12.85					Saloon (Executive car-E Segment)				
200 (123.020) (M 115.938)		Gasolina	RWD	1988	62	84	02.76-08.80	■	
200 (123.020) (M 115.939)		Gasolina	RWD	1988	62	84	02.76-08.80	■	
200 (123.020) (M 115.938)		Gasolina	RWD	1988	69	94	02.76-08.80	■	
200 (123.020) (M 115.939)		Gasolina	RWD	1988	69	94	02.76-08.80	■	
200 (123.220) (M 102.939)		Gasolina	RWD	1996	74	101	06.80-11.85	■	
200 (123.220) (M 102.920)		Gasolina	RWD	1996	80	109	06.80-11.85	■	
230 E (123.223) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-12.85	■	
230 (123.023) (M 115.954)		Gasolina	RWD	2307	80	109	02.76-03.81	■	
250 (123.026) (M 123.921)		Gasolina	RWD	2525	95	129	02.76-10.79	■	
250 (123.026) (M 123.921)		Gasolina	RWD	2525	103	140	10.79-07.85	■	
280 (123.030) (M 110.923)		Gasolina	RWD	2746	115	156	02.76-08.81	■	
280 E (123.033) (M 110.988)		Gasolina	RWD	2746	130	177	08.76-08.81	■	
280 E (123.033) (M 110.984)		Gasolina	RWD	2746	136	185	02.76-11.85	■	
280 E (123.033) (M 110.988)		Gasolina	RWD	2746	136	185	02.76-11.85	■	
200 D (123.120) (OM 615.940)		Diesel	RWD	1988	40	55	07.76-02.79	■	
200 D (123.120) (OM 615.940)		Diesel	RWD	1988	44	60	03.79-11.85	■	
220 D (123.126) (OM 615.941)		Diesel	RWD	2197	44	60	01.76-02.79	■	
220 D (123.126) (OM 615.941)		Diesel	RWD	2197	49	67	01.77-03.79	■	
240 D (123.123) (OM 616.912)		Diesel	RWD	2399	48	65	02.76-02.79	■	
240 D (123.123) (OM 616.912)		Diesel	RWD	2399	53	72	03.79-11.85	■	
300 D (123.130) (OM 617.912)		Diesel	RWD	2998	59	80	02.76-07.80	■	
300 D (123.130) (OM 617.912)		Diesel	RWD	2998	65	88	03.79-11.85	■	
300 Turbo-D (123.133) (OM 617.952)		Diesel	RWD	2998	92	125	08.81-07.85	■	
123 T-Model (S123) 09.77-12.86					Estate (Executive car-E Segment)				
200 T (123.280) (M 102.939)		Gasolina	RWD	1997	74	101	11.80-11.85	■	
200 T (123.280) (M 102.920)		Gasolina	RWD	1997	80	109	11.80-11.85	■	
230 TE (123.283) (M 102.980)		Gasolina	RWD	2299	100	136	04.80-11.85	■	
230 T (123.083) (M 115.954)		Gasolina	RWD	2307	80	109	09.77-03.80	■	
250 T (123.086) (M 123.921)		Gasolina	RWD	2525	95	129	05.78-10.79	■	
250 T (123.086) (M 123.921)		Gasolina	RWD	2525	103	140	05.78-08.82	■	
280 TE (123.093) (M 110.988)		Gasolina	RWD	2746	136	185	09.77-11.85	■	
240 T D (123.183) (OM 616.912)		Diesel	RWD	2399	48	65	09.77-02.79	■	
240 T D (123.183) (OM 616.912)		Diesel	RWD	2399	53	72	03.79-12.85	■	
300 T D (123.190) (OM 617.912)		Diesel	RWD	2998	59	80	09.77-10.85	■	
300 T D (123.190) (OM 617.912)		Diesel	RWD	2998	65	88	03.79-11.85	■	
300 T Turbo-D (123.193) (OM 617.952)		Diesel	RWD	2998	92	125	10.80-11.85	■	
124 (A124) 09.91-06.93					Convertible (Executive car-E Segment)				
300 CE-24 (124.061) (M 104.980)		Gasolina	RWD	2960	162	220	04.92-06.93	■ ■	
300 CE-24 (124.061) (M 104.980)		Gasolina	RWD	2960	170	231	04.92-06.93	■ ■	

LISTA DE APLICACIONES - BUYERS GUIDE

320 CE (124.066) (M 104.992)		Gasolina	RWD	3199	162	220	10.92-05.93	■	■
124 (C124) 03.87-07.93					Coupe (Executive car-E Segment)				
220 CE (124.042) (M 111.960)		Gasolina	RWD	2199	110	150	10.92-05.93		■
230 CE (124.043) (M 102.982)	01/90-	Gasolina	RWD	2298	97	132	03.87-12.92		■
230 CE Cat (124.043) (M 102.982)	01/90-	Gasolina	RWD	2298	97	132	06.89-12.92		■
230 CE (124.043) (M 102.982)	01/90-	Gasolina	RWD	2298	100	136	03.87-12.92		■
300 CE (124.050) (M 103.983)	01/90-	Gasolina	RWD	2960	132	180	03.87-05.93		■
300 CE-24 (124.051) (M 104.980)		Gasolina	RWD	2960	162	220	09.89-12.92	■	■
300 CE-24 (124.051) (M 104.980)		Gasolina	RWD	2960	170	231	09.89-12.92	■	■
320 CE (124.052) (M 104.992)		Gasolina	RWD	3199	162	220	10.92-05.93	■	■
124 (W124) 12.84-08.93					Saloon (Executive car-E Segment)				
200 E (124.021) (M 102.963)	01/90-	Gasolina	RWD	1996	87	118	09.88-08.93		■
200 E (124.020)		Gasolina	RWD	1997	77	105	11.92-05.93		■
200 E (124.019) (M 111.940)		Gasolina	RWD	1998	100	136	10.92-06.93		■
220 E (124.022) (M 111.960)		Gasolina	RWD	2199	110	150	10.92-06.93		■
230 E Cat (124.023) (M 102.982)	01/90-	Gasolina	RWD	2298	97	132	06.89-06.93		■
230 E (124.023) (M 102.982)	01/90-	Gasolina	RWD	2298	100	136	01.85-06.93		■
260 E (124.026) (M 103.940)	01/90-	Gasolina	RWD	2597	118	160	09.85-08.92		■
260 E 4-matic (124.226) (M 103.943)	01/90-	Gasolina	4WD	2597	118	160	09.86-08.92		■
280 E (124.028) (M 104.942)		Gasolina	RWD	2799	145	197	10.92-06.93		■
300 E (124.030) (M 103.983)	01/90-	Gasolina	RWD	2960	132	180	08.85-08.92		■
300 E 4-matic (124.230) (M 103.985)	01/90-	Gasolina	4WD	2960	132	180	09.86-06.93		■
300 E (124.030) (M 103.983)	01/90-	Gasolina	RWD	2960	138	188	06.85-08.92		■
300 E 4-matic (124.230) (M 103.983)	01/90-	Gasolina	4WD	2960	138	188	09.86-02.92		■
300 E-24 (124.031) (M 104.980)		Gasolina	RWD	2960	162	220	09.88-08.92	■	■
300 E-24 (124.031) (M 104.980)		Gasolina	RWD	2960	170	231	09.88-08.92		■
320 E (124.032) (M 104.992)		Gasolina	RWD	3199	162	220	10.92-06.93	■	■
300 E-24 AMG (124.031)		Gasolina	RWD	3428	200	272	09.91-06.93	■	■
400 E 4.2 (124.034) (M 119.975)		Gasolina	RWD	4196	205	279	10.92-06.93	■	■
500 E (124.036) (M 119.974)		Gasolina	RWD	4973	240	326	01.91-06.93	■	■
500 E AMG 6.0 (124.036)		Gasolina	RWD	5956	275	374	01.92-06.93	■	■
200 D (124.120) (OM 601.912)	01/90-	Diesel	RWD	1997	55	75	08.89-06.93		■
250 D (124.125) (OM 602.912)	01/90-	Diesel	RWD	2497	66	90	04.85-06.93		■
250 D (124.125) (OM 602.912)	01/90-	Diesel	RWD	2497	69	94	01.89-06.93		■
300 D 4-matic (124.330) (OM 603.913)	01/90-	Diesel	4WD	2996	80	109	09.86-08.92		■
300 D (124.130) (OM 603.912)		Diesel	RWD	2996	81	110	06.90-06.93		■
300 D (124.130) (OM 603.912)	01/90-	Diesel	RWD	2996	83	113	08.89-06.93		■
300 D 4-matic (124.330) (OM 603.913)	01/90-	Diesel	4WD	2996	83	113	08.89-06.93		■
300 Turbo-D (124.133) (OM 603.960)	01/90-	Diesel	RWD	2996	108	147	09.88-06.93		■
300 Turbo-D 4-matic (124.333) (OM 603.963)	01/90-	Diesel	4WD	2996	108	147	01.88-06.93		■
124 T-Model (S124) 09.85-12.93					Estate (Executive car-E Segment)				
200 T (124.080) (M 102.922)		Gasolina	RWD	1996	77	105	01.86-05.90		■
200 T (124.080) (M 102.922)		Gasolina	RWD	1996	80	109	09.85-08.89		■
200 TE (124.081) (M 102.963)		Gasolina	RWD	1996	87	118	09.88-08.92		■
200 TE (124.081) (M 102.962)		Gasolina	RWD	1996	90	122	09.88-12.89		■
200 E		Gasolina	RWD	1997	77	105	11.92-05.93		■
200 TE (124.079) (M 111.940)		Gasolina	RWD	1998	100	136	05.86-06.93		■
220 TE (124.082) (M 111.960)		Gasolina	RWD	2199	110	150	10.92-05.93		■
230 TE (124.083) (M 102.982)		Gasolina	RWD	2298	97	132	09.85-08.92		■
230 TE Cat (124.083) (M 102.982)		Gasolina	RWD	2298	97	132	06.89-08.92		■

LISTA DE APLICACIONES - BUYERS GUIDE

230 TE (124.083) (M 102.982)		Gasolina	RWD	2298	100	136	09.85-08.92	■	
260 TE FGST. (124.007) (M 103.940)		Gasolina	RWD	2597	118	160	09.89-08.92	■	
260 TE FGST. (124.007) (M 103.940)		Gasolina	RWD	2597	122	166	09.85-12.89	■	
280 TE (124.088) (M 104.942)		Gasolina	RWD	2799	145	197	10.92-06.93	■ ■	
300 TE (124.090) (M 103.983)		Gasolina	RWD	2960	132	180	01.86-08.92	■	
300 TE 4-matic (124.290) (M 103.985)		Gasolina	4WD	2960	132	180	09.86-06.93	■	
300 TE (124.090) (M 103.983)		Gasolina	RWD	2960	138	188	01.86-12.89	■	
300 TE 4-matic (124.290) (M 103.983)		Gasolina	4WD	2960	138	188	09.86-12.89	■	
300 TE-24 (124.091) (M 104.980)		Gasolina	RWD	2960	162	220	09.89-08.92	■ ■	
300 TE-24 (124.091) (M 104.980)		Gasolina	RWD	2960	170	231	09.89-08.92	■ ■	
320 TE (124.092) (M 104.992)		Gasolina	RWD	3199	162	220	10.92-06.93	■ ■	
200 T D (124.180) (OM 601.912)		Diesel	RWD	1997	53	72	09.85-08.91	■	
200 T D (124.180) (OM 601.912)		Diesel	RWD	1997	55	75	09.88-08.91	■	
250 T D (124.185) (OM 602.912)		Diesel	RWD	2497	66	90	09.85-06.93	■	
250 T D (124.185) (OM 602.912)		Diesel	RWD	2497	69	94	01.89-06.93	■	
250 T D		Diesel	RWD	2497	83	113	06.92-05.93	■	
300 T D (124.190) (OM 603.912)		Diesel	RWD	2996	80	109	09.86-06.93	■	
300 T D (124.190) (OM 603.912)		Diesel	RWD	2996	81	110	01.89-06.93	■	
300 T D (124.190) (OM 603.912)		Diesel	RWD	2996	83	113	01.89-06.93	■	
3.0 300 TD T		Diesel	RWD	2996	100	136	06.92-05.93	■	
300 T Turbo-D (124.193) (OM 603.960)		Diesel	RWD	2996	105	143	09.86-01.89	■	
300 T Turbo-D (124.193) (OM 603.963)		Diesel	RWD	2996	105	143	09.86-01.89	■	
300 T Turbo-D 4-matic (124.393) (OM 603.963)		Diesel	4WD	2996	105	143	09.86-01.89	■	
300 T Turbo-D (124.193) (OM 603.960)		Diesel	RWD	2996	108	147	01.89-06.93	■	
300 T Turbo-D 4-matic (124.393) (OM 603.960)		Diesel	4WD	2996	108	147	01.89-06.93	■	
190 (W201) 10.82-08.93							Saloon (Compact executive car-D Segment)		
E 1.8 (201.018) (M 102.910)		Gasolina	RWD	1797	80	109	04.90-08.93	■	
E 2.0 (201.024) (M 102.962)	01/90-	Gasolina	RWD	1996	87	118	01.85-08.93	■	
E 2.0 (201.024) (M 102.961)	01/90-	Gasolina	RWD	1996	90	122	10.82-06.93	■	
E 2.0 (201.024) (M 102.962)	01/90-	Gasolina	RWD	1996	90	122	10.82-06.93	■	
E 2.0 (201.024) (M 102.961)	01/90-	Gasolina	RWD	1996	93	126	10.82-06.93	■	
E 2.3 (201.028) (M 102.985)	01/90-	Gasolina	RWD	2298	97	132	09.86-08.91	■	
E 2.3 (201.028) (M 102.985)	01/90-	Gasolina	RWD	2298	100	136	10.86-08.93	■	
2.5 16 E 16V Evolution	01/89-	Gasolina	FWD	2495	143	194	10.82-	■	
2.5 16 E 16V Evolution	01/89-	Gasolina	FWD	2495	143	194	10.82-	■ ■	
E 2.5-16 Evolution II (201.036) (M 102.992)		Gasolina	RWD	2498	173	235	05.90-08.93	■ ■	
E 2.6 (201.029) (M 103.942)		Gasolina	RWD	2597	118	160	09.86-08.93	■ ■	
E 2.6 (201.029) (M 103.942)		Gasolina	RWD	2597	122	166	09.86-12.89	■ ■	
D 2.0 (201.122) (OM 601.911)	01/90-	Diesel	RWD	1997	55	75	08.89-08.93	■	
D 2.5 (201.126) (OM 602.911)	01/90-	Diesel	RWD	2497	66	90	04.85-08.93	■	
D 2.5 (201.126) (OM 602.911)	01/90-	Diesel	RWD	2497	69	94	08.89-08.93	■	
Turbo-D 2.5 (201.128) (OM 602.961)	01/90-	Diesel	RWD	2497	90	122	02.88-08.93	■	
Turbo-D 2.5 (201.128) (OM 602.961)	01/90-	Diesel	RWD	2497	93	126	02.88-08.93	■	
A-Class (W168) 07.97-12.06							Hatchback (Compact car-C Segment)		
A 140 (168.031, 168.131) (M 166.940)		Gasolina	FWD	1397	60	82	07.97-08.04	■	
A 140 (168.031, 168.131) (M 166.960)		Gasolina	FWD	1598	60	82	01.01-08.04	■	
A 160 (168.033, 168.133) (M 166.960)		Gasolina	FWD	1598	75	102	07.97-08.04	■	
A 190 (168.032, 168.132) (M 166.990)		Gasolina	FWD	1898	92	125	03.99-08.04	■	
A 38 AMG Twin Engine (168.032)		Gasolina	FWD	1898	184	250	04.99-02.01	■	
A 210 (168.035, 168.135) (M 166.995)		Gasolina	FWD	2084	103	140	12.01-08.04	■	

LISTA DE APLICACIONES - BUYERS GUIDE

A 160 CDI (168.007) (OM 668.941)		Diesel	FWD	1689	44	60	07.98-02.01	■		
A 160 CDI (168.006) (OM 668.940)		Diesel	FWD	1689	55	75	02.01-08.04	■		
A 170 CDI (168.008) (OM 668.940)		Diesel	FWD	1689	66	90	07.98-02.01	■		
A 170 CDI (168.009, 168.109) (OM 668.942)		Diesel	FWD	1689	70	95	02.01-08.04	■		
C-Class (W202) 03.93-05.00							Saloon (Executive car-E Segment)			
C 180 (202.018) (M 111.921)		Gasolina	RWD	1799	89	121	11.94-05.00	■		
C 180 (202.018) (M 111.921)	-12/98	Gasolina	RWD	1799	89	121	11.94-05.00		■	
C 180 (202.018) (M 111.920)	01/94-	Gasolina	RWD	1799	90	122	03.93-05.00	■	■	
C 180 (202.018) (M 111.921)	01/94-	Gasolina	RWD	1799	90	122	03.93-05.00	■	■	
C 200 (202.020) (M 111.941)		Gasolina	RWD	1998	100	136	01.94-05.00	■		
C 200 (202.020) (M 111.941)	-12/98	Gasolina	RWD	1998	100	136	01.94-05.00		■	
C 200 (202.020) (M 111.945)		Gasolina	RWD	1998	100	136	01.94-05.00	■		
C 200 (202.020) (M 111.945)	-12/98	Gasolina	RWD	1998	100	136	01.94-05.00		■	
C 200 Kompressor (202.025) (M 111.944)		Gasolina	RWD	1998	132	180	10.95-05.00	■		
C 200 Kompressor (202.025) (M 111.944)	-12/98	Gasolina	RWD	1998	132	180	10.95-05.00		■	
C 200 Kompressor (202.025) (M 111.944)		Gasolina	RWD	1998	141	192	11.96-05.00	■		
C 200 Kompressor (202.025) (M 111.944)	-12/98	Gasolina	RWD	1998	141	192	11.96-05.00		■	
C 220 (202.022) (M 111.961)		Gasolina	RWD	2199	110	150	03.93-05.00	■		
C 220 (202.022) (M 111.961)	-12/98	Gasolina	RWD	2199	110	150	03.93-05.00		■	
C 230 (202.023) (M 111.974)		Gasolina	RWD	2295	110	150	06.96-06.97	■	■	
C 230 Kompressor (202.024) (M 111.975)		Gasolina	RWD	2295	142	193	10.95-05.00	■		
C 230 Kompressor (202.024) (M 111.975)	-12/98	Gasolina	RWD	2295	142	193	10.95-05.00		■	
C 240 (202.026) (M 112.910)		Gasolina	RWD	2398	125	170	06.97-05.00	■		
C 240 (202.026) (M 112.910)	-12/98	Gasolina	RWD	2398	125	170	06.97-05.00		■	
C 280 (202.028) (M 104.941)		Gasolina	RWD	2799	142	193	05.93-05.00	■	■	
C 280 (202.029) (M 112.920)		Gasolina	RWD	2799	145	197	06.97-05.00	■		
C 280 (202.029) (M 112.920)	-12/97	Gasolina	RWD	2799	145	197	06.97-05.00		■	
C 36 AMG (202.028) (M 104.941 (AMG 3.6))		Gasolina	RWD	3606	206	280	05.94-05.00	■	■	
C 43 AMG (202.033) (M 113.944)		Gasolina	RWD	4266	225	306	08.97-05.00		■	
C 200 D (202.120) (OM 601.913)		Diesel	RWD	1997	55	75	03.93-05.00	■		
C 200 D (202.120) (OM 601.913)	-12/98	Diesel	RWD	1997	55	75	03.93-05.00		■	
C 200 D (202.122) (OM 604.915)		Diesel	RWD	1997	65	88	10.96-05.00	■		
C 200 D (202.122) (OM 604.915)	-12/98	Diesel	RWD	1997	65	88	10.96-05.00		■	
C 200 CDI (202.134) (OM 611.960)		Diesel	RWD	2151	75	102	03.98-05.00	■		
C 220 CDI (202.133) (OM 611.960)		Diesel	RWD	2151	92	125	09.97-05.00	■		
C 220 D (202.021) (OM 604.910)		Diesel	RWD	2155	55	75	07.96-05.00	■		
C 220 D (202.021) (OM 604.910)	-12/98	Diesel	RWD	2155	55	75	07.96-05.00		■	
C 220 D (202.121) (OM 604.910)		Diesel	RWD	2155	70	95	08.93-05.00	■		
C 220 D (202.121) (OM 604.910)	-12/98	Diesel	RWD	2155	70	95	08.93-05.00		■	
C 250 D (202.125) (OM 605.910)		Diesel	RWD	2497	83	113	05.93-05.00	■		
C 250 D (202.125) (OM 605.910)	-12/97	Diesel	RWD	2497	83	113	05.93-05.00		■	
C 250 Turbo-D (202.128) (OM 605.960)		Diesel	RWD	2497	110	150	10.95-05.00	■		
C 250 Turbo-D (202.128) (OM 605.960)	-12/97	Diesel	RWD	2497	110	150	10.95-05.00		■	
C-Class II (CL203) 03.01-06.11							Coupe (Compact executive car-D Segment)			
C 200 Kompressor (203.745) (M 271.940)	01/04-	Gasolina	RWD	1796	120	163	05.02-05.08		■	
C 220 (M 271.940)	-12/07	Gasolina	RWD	1796	120	163	05.02-05.08		■	
C 200 CGI Kompressor (203.743) (M 271.942)	-12/07	Gasolina	RWD	1796	125	170	03.03-05.08		■	
C 230 Kompressor (203.747) (M 271.948)	-12/07	Gasolina	RWD	1796	141	192	05.02-05.08		■	
C 230 Kompressor (203.747) (M 111.981)		Gasolina	RWD	2295	145	197	03.01-05.02		■	
C 230 (203.752) (M 272.920)		Gasolina	RWD	2496	150	204	01.05-05.08		■	

LISTA DE APLICACIONES - BUYERS GUIDE

C 320 (203.764) (M 112.946)		Gasolina	RWD	3199	160	218	09.02-05.08	■	
C 32 AMG Kompressor (203.765) (M 112.961)		Gasolina	RWD	3199	260	354	05.02-05.08	■	
C 350 (203.756) (M 272.960)		Gasolina	RWD	3498	200	272	01.05-05.08	■	
C 200 CDI (203.707) (OM 646.962)		Diesel	RWD	2148	90	122	03.03-05.08	■	
C 220 CDI (203.708) (OM 646.963)	-12/04	Diesel	RWD	2148	110	150	02.04-05.08	■	
C 30 CDI AMG (203.718) (OM 612.990)		Diesel	RWD	2950	170	231	09.02-05.08	■	
C-Class II (W203) 05.00-12.07							Saloon (Compact executive car-D Segment)		
C 180 Kompressor (203.046) (M 271.946)	01/04-	Gasolina	RWD	1796	105	143	05.02-02.07	■	
C 200 Kompressor (203.045) (M 271.940)	01/04-	Gasolina	RWD	1796	120	163	05.02-02.07	■	
C 200 CGI Kompressor (203.743) (M 271.942)		Gasolina	RWD	1796	125	170	07.03-02.07	■	
C 230 Kompressor (203.040) (M 271.948)		Gasolina	RWD	1796	141	192	02.04-02.07	■	
C 230 (203.052) (M 272.920)		Gasolina	RWD	2496	150	204	01.05-02.07	■	
C 240 (203.061) (M 112.912)		Gasolina	RWD	2597	125	170	05.00-02.07	■	
C 240 4-matic (203.081) (M 112.916)		Gasolina	4WD	2597	125	170	07.02-02.07	■	
C 280 (203.054) (M 272.940)		Gasolina	RWD	2996	170	231	01.05-02.07	■	
C 280 4-matic (203.092) (M 272.941)		Gasolina	4WD	2996	170	231	01.05-02.07	■	
C 320 (203.064) (M 112.946)		Gasolina	RWD	3199	160	218	05.00-02.07	■	
C 320 4-matic (203.084) (M 112.953)		Gasolina	4WD	3199	160	218	07.02-02.07	■	
C 32 AMG Kompressor (203.765) (M 112.961)		Gasolina	RWD	3199	260	354	02.01-02.07	■	
3.5 (203.056) (M 272.960)		Gasolina	RWD	3498	170	231	01.05-02.07	■	
C 350 (203.056) (M 272.960)		Gasolina	RWD	3498	200	272	01.05-02.07	■	
C 350 4-matic (203.087) (M 272.960)		Gasolina	4WD	3498	200	272	01.05-02.07	■	
C 350 4-matic (203.087) (M 272.970)		Gasolina	4WD	3498	200	272	01.05-02.07	■	
C 200 CDI (203.007) (OM 646.962)	01/04-	Diesel	RWD	2148	90	122	04.03-02.07	■	
C 200 CDI (203.007) (OM 646.963)	01/04-	Diesel	RWD	2148	90	122	04.03-02.07	■	
C 220 CDI (203.008) (OM 646.963)	-12/04	Diesel	RWD	2148	110	150	04.03-02.07	■	
C 270 CDI (203.016) (OM 612.962)		Diesel	RWD	2685	125	170	12.00-02.07	■	
C 30 CDI AMG (203.018) (OM 612.990)		Diesel	RWD	2950	170	231	01.03-02.07	■	
C 320 CDI (203.020) (OM 642.910)		Diesel	RWD	2987	165	224	01.05-02.07	■	
C-Class II T-Model (S203) 03.01-08.07							Estate (Compact executive car-D Segment)		
C 180 Kompressor (203.246) (M 271.946)		Gasolina	RWD	1796	105	143	05.02-08.07	■	
C 200 Kompressor (203.245) (M 271.940)		Gasolina	RWD	1796	120	163	05.02-08.07	■	
C 200 CGI Kompressor (203.743) (M 271.942)		Gasolina	RWD	1796	125	170	07.03-08.07	■	
C 230 Kompressor (203.240) (M 271.948)		Gasolina	RWD	1796	141	192	02.04-08.07	■	
C 180 (203.235) (M 111.951)		Gasolina	RWD	1998	95	129	03.01-05.02	■	
C 200 Kompressor (203.245) (M 111.955)		Gasolina	RWD	1998	120	163	03.01-05.02	■	
C 240 (203.261) (M 112.912)		Gasolina	RWD	2597	125	170	03.01-08.07	■	
C 240 4-matic (203.281) (M 112.916)		Gasolina	4WD	2597	125	170	07.02-08.07	■	
C 280 (203.254) (M 272.940)		Gasolina	RWD	2996	170	231	01.05-08.07	■	
C 280 4-matic (203.292) (M 272.941)		Gasolina	4WD	2996	170	231	01.05-08.07	■	
C 320 (203.264) (M 112.946)		Gasolina	RWD	3199	160	218	03.01-08.07	■	
C 320 4-matic (203.284) (M 112.953)		Gasolina	4WD	3199	160	218	07.02-08.07	■	
C 32 AMG Kompressor (203.765) (M 112.961)		Gasolina	RWD	3199	260	354	03.01-08.07	■	
C 350 (203.256) (M 272.960)		Gasolina	RWD	3498	200	272	01.05-08.07	■	
C 350 4-matic (203.287) (M 272.970)		Gasolina	4WD	3498	200	272	01.05-08.07	■	
C 200 CDI (203.204) (OM 611.962)		Diesel	RWD	2148	75	102	03.01-08.07	■	
C 200 CDI (203.204) (OM 646.962)		Diesel	RWD	2148	75	102	03.01-08.07	■	
C 200 CDI (203.204) (OM 611.962)		Diesel	RWD	2148	85	116	03.01-08.07	■	
C 200 CDI (203.207) (OM 646.962)		Diesel	RWD	2148	90	122	04.03-08.07	■	
C 200 CDI (203.207) (OM 646.963)		Diesel	RWD	2148	90	122	04.03-08.07	■	

LISTA DE APLICACIONES - BUYERS GUIDE

C 220 CDI (203.208) (OM 646.963)		Diesel	RWD	2148	100	136	08.06-08.07	■		
C 220 CDI (203.206, 203.208) (OM 611.962)		Diesel	RWD	2148	105	143	03.01-08.07	■		
C 220 CDI (203.208) (OM 646.963)		Diesel	RWD	2148	110	150	02.04-08.07	■		
C 270 CDI (203.216) (OM 612.962)		Diesel	RWD	2685	125	170	03.01-08.07	■		
C 30 CDI AMG (203.218) (OM 612.990)		Diesel	RWD	2950	170	231	01.03-08.07	■		
C 320 CDI (203.220) (OM 642.910)	01/06-	Diesel	RWD	2987	165	224	06.05-08.07	■		
C-Class T-Model (S202) 06.96-03.01							Estate (Compact executive car-D Segment)			
C 180 T (202.078) (M 111.920)		Gasolina	RWD	1799	90	122	06.96-09.00	■		
C 180 T (202.078) (M 111.920)	-12/98	Gasolina	RWD	1799	90	122	06.96-09.00	■	■	
C 180 T (202.078) (M 111.921)		Gasolina	RWD	1799	90	122	06.96-09.00	■		
C 180 T (202.078) (M 111.921)	-12/98	Gasolina	RWD	1799	90	122	06.96-09.00	■	■	
C 180 T (202.081) (M 111.952)		Gasolina	RWD	1998	95	129	09.00-03.01	■	■	
C 200 T (202.080) (M 111.941)		Gasolina	RWD	1998	100	136	06.96-03.01	■		
C 200 T (202.080) (M 111.941)	-12/98	Gasolina	RWD	1998	100	136	06.96-03.01	■	■	
C 200 T (202.080) (M 111.945)		Gasolina	RWD	1998	100	136	06.96-03.01	■		
C 200 T (202.080) (M 111.945)	-12/98	Gasolina	RWD	1998	100	136	06.96-03.01	■	■	
C 200 T Kompressor (202.087) (M 111.956)		Gasolina	RWD	1998	120	163	09.00-03.01	■	■	
C 200 T Kompressor (202.087) (M 111.944)		Gasolina	RWD	1998	141	192	11.96-03.01	■		
C 200 T Kompressor (202.087) (M 111.944)	-12/98	Gasolina	RWD	1998	141	192	11.96-03.01	■	■	
C 230 T (202.083) (M 111.974)		Gasolina	RWD	2295	110	150	06.96-06.98	■	■	
C 230 T Kompressor (202.085) (M 111.975)		Gasolina	RWD	2295	142	193	06.97-09.00	■		
C 230 T Kompressor (202.085) (M 111.975)	-12/98	Gasolina	RWD	2295	142	193	06.97-09.00	■	■	
C 240 T (202.086) (M 112.910)		Gasolina	RWD	2398	125	170	06.97-09.00	■		
C 240 T (202.086) (M 112.910)	-12/98	Gasolina	RWD	2398	125	170	06.97-09.00	■	■	
C 240 T (202.088) (M 112.915)		Gasolina	RWD	2597	125	170	09.00-03.01	■	■	
C 280 T (202.089) (M 112.920)		Gasolina	RWD	2799	145	197	06.97-03.01	■		
C 280 T (202.089) (M 112.920)	-12/98	Gasolina	RWD	2799	145	197	06.97-03.01	■	■	
C 43 AMG (202.093) (M 113.944)		Gasolina	RWD	4266	225	306	08.97-03.01	■	■	
C 200 T D (202.180) (OM 604.915)		Diesel	RWD	1997	65	88	10.96-03.01	■		
C 200 T D (202.180) (OM 604.915)	-12/98	Diesel	RWD	1997	65	88	10.96-03.01	■	■	
C 200 T CDI (202.194) (OM 611.960)		Diesel	RWD	2151	75	102	03.98-03.01	■		
C 200 T CDI (202.194) (OM 611.960)	-12/99	Diesel	RWD	2151	75	102	03.98-03.01	■	■	
C 220 T CDI (202.193) (OM 611.960)		Diesel	RWD	2151	92	125	09.97-03.01	■		
C 220 T CDI (202.193) (OM 611.960)	-12/98	Diesel	RWD	2151	92	125	09.97-03.01	■	■	
C 220 T D (202.182) (OM 604.910)		Diesel	RWD	2155	55	75	06.96-03.01	■		
C 220 T D (202.182) (OM 604.910)	-12/98	Diesel	RWD	2155	55	75	06.96-03.01	■	■	
C 220 T D (202.182) (OM 604.910)		Diesel	RWD	2155	70	95	06.96-09.98	■	■	
C 250 T Turbo-D (202.188) (OM 605.960)		Diesel	RWD	2497	110	150	06.96-03.01	■		
C 250 T Turbo-D (202.188) (OM 605.960)	-12/98	Diesel	RWD	2497	110	150	06.96-03.01	■	■	
CLC-Class (CL203) 05.08-06.11							Coupe (Compact executive car-D Segment)			
CLC 230 (203.752) (M 272.920)		Gasolina	RWD	2496	150	204	05.08-06.11	■		
3.5 CLC 350 V6 24V	01/08-	Gasolina	FWD	3495	197	268	05.08-	■		
CLC 350 (203.756) (M 272.960)		Gasolina	RWD	3498	200	272	05.08-06.11	■		
CLK-Class (A208) 03.98-03.02							Convertible (Executive car-E Segment)			
CLK 200 (208.435) (M 111.941)	-12/00	Gasolina	RWD	1998	100	136	03.98-03.02	■		
CLK 200 (208.435) (M 111.945)	-12/00	Gasolina	RWD	1998	100	136	03.98-03.02	■		
CLK 200 Kompressor (208.445) (M 111.956)		Gasolina	RWD	1998	120	163	06.00-03.02	■		
CLK 200 Kompressor (208.445) (M 111.944)		Gasolina	RWD	1998	141	192	03.98-06.00	■	■	
CLK 230 Kompressor (208.448) (M 111.973)		Gasolina	RWD	2295	142	193	03.98-06.00	■	■	
CLK 230 Kompressor (208.448) (M 111.975)		Gasolina	RWD	2295	142	193	03.98-06.00	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

CLK 230 Kompressor (208.448) (M 111.982)		Gasolina	RWD	2295	145	197	06.00-03.02	■	■	
CLK 320 (208.465) (M 112.940)		Gasolina	RWD	3199	160	218	03.98-03.02	■	■	
CLK 430 (208.470) (M 113.943)		Gasolina	RWD	4266	205	279	09.98-03.02		■	
CLK 430 (208.470) (M 113.943)	-12/99	Gasolina	RWD	4266	205	279	09.98-03.02	■		
CLK 55 AMG (208.474) (M 113.981)		Gasolina	RWD	5439	255	347	01.00-03.02		■	
CLK 55 AMG (208.474) (M 113.984)		Gasolina	RWD	5439	255	347	01.00-03.02		■	
CLK-Class (C208) 06.97-12.03							Coupe (Executive car-E Segment)			
CLK 200 (208.335) (M 111.945)	-12/00	Gasolina	RWD	1998	100	136	06.97-06.02	■		
CLK 200 Kompressor (208.445) (M 111.956)		Gasolina	RWD	1998	120	163	06.00-06.02	■		
CLK 200 Kompressor (208.445) (M 111.944)		Gasolina	RWD	1998	141	192	06.97-06.00	■		
CLK 230 Kompressor (208.448) (M 111.973)		Gasolina	RWD	2295	142	193	06.97-06.00	■		
CLK 230 Kompressor (208.448) (M 111.975)		Gasolina	RWD	2295	142	193	06.97-06.00	■		
CLK 230 Kompressor (208.448) (M 111.982)		Gasolina	RWD	2295	145	197	06.00-06.02	■		
CLK 320 (208.365) (M 112.940)		Gasolina	RWD	3199	160	218	06.97-06.02	■		
CLK 430 (208.370) (M 113.943)		Gasolina	RWD	4266	205	279	07.98-06.02		■	
CLK 430 (208.370) (M 113.943)	-12/99	Gasolina	RWD	4266	205	279	07.98-06.02	■		
CLK 55 AMG (208.374) (M 113.981)		Gasolina	RWD	5439	255	347	08.99-06.02		■	
CLK 55 AMG (208.374) (M 113.984)		Gasolina	RWD	5439	255	347	08.99-06.02		■	
5.4		Gasolina	FWD	5439	260	354	10.98-07.02		■	
CLK-Class II (A209) 06.02-12.13							Convertible (Executive car-E Segment)			
CLK 240 (209.461) (M 112.912)		Gasolina	RWD	2597	125	170	02.03-03.10		■	
CLK 280 (209.454) (M 272.940)		Gasolina	RWD	2996	170	231	01.05-03.10		■	
CLK 320 (209.465) (M 112.955)		Gasolina	RWD	3199	160	218	02.03-03.10		■	
CLK 350 (209.456) (M 272.960)		Gasolina	RWD	3498	200	272	01.05-03.10		■	
CLK 500 (209.475) (M 113.968)		Gasolina	RWD	4966	225	306	02.03-03.10		■	
CLK 55 AMG (209.476) (M 113.987)		Gasolina	RWD	5439	270	367	06.02-03.10		■	
CLK AMG DTM (209.476) (M 113.994)		Gasolina	RWD	5439	428	582	06.04-10.05		■	
CLK 500 (209.472) (M 273.967)		Gasolina	RWD	5461	285	388	06.06-03.10		■	
CLK 63 AMG (209.477) (M 156.982)		Gasolina	RWD	6208	354	481	04.06-03.10		■	
CLK 320 CDI (209.420) (OM 642.910)		Diesel	RWD	2987	165	224	03.05-03.10		■	
CLK-Class II (C209) 05.02-12.13							Coupe (Executive car-E Segment)			
CLK 240 (209.361) (M 112.912)		Gasolina	RWD	2597	120	163	06.02-05.09		■	
CLK 240 (209.361) (M 112.912)		Gasolina	RWD	2597	125	170	06.02-05.09		■	
CLK 280 (209.354) (M 272.940)		Gasolina	RWD	2996	170	231	01.05-05.09		■	
CLK 320 (209.365) (M 112.955)		Gasolina	RWD	3199	160	218	06.02-05.09		■	
CLK 350 (209.356) (M 272.960)		Gasolina	RWD	3498	200	272	01.05-05.09		■	
CLK 500 (209.375) (M 113.968)		Gasolina	RWD	4966	225	306	06.02-05.09		■	
CLK 55 AMG (209.376) (M 113.987)		Gasolina	RWD	5439	270	367	09.02-05.09		■	
CLK 500 (209.372) (M 273.965)		Gasolina	RWD	5461	285	388	06.06-05.09		■	
CLK 63 AMG (209.377) (M 156.982)		Gasolina	RWD	6208	354	481	04.06-05.09		■	
CLK 270 CDI (209.316) (OM 612.967)		Diesel	RWD	2685	120	163	02.03-06.05		■	
CLK 270 CDI (209.316) (OM 612.962)		Diesel	RWD	2685	125	170	10.02-05.09		■	
CLK 270 CDI (209.316) (OM 612.967)		Diesel	RWD	2685	125	170	10.02-05.09		■	
CLK 320 CDI (209.320) (OM 642.910)		Diesel	RWD	2987	165	224	01.05-05.09		■	
E-Class (A124) 05.93-03.98							Convertible (Executive car-E Segment)			
E 200 (124.060) (M 111.940)	-12/96	Gasolina	RWD	1998	100	136	06.93-03.98		■	
E 220 (124.062) (M 111.960)	-12/96	Gasolina	RWD	2199	110	150	06.93-03.98		■	
E 320 (124.066) (M 104.992)	-12/96	Gasolina	RWD	3199	162	220	06.93-03.98		■	
E 36 AMG (124.066) (M 104.992 (AMG 3.6))		Gasolina	RWD	3606	200	272	05.94-03.98	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

E-Class (C124) 06.93-06.97						Coupe (Executive car-E Segment)			
E 200 (124.040) (M 111.940)		Gasolina	RWD	1998	100	136	06.93-06.97	■	
E 220 (124.042) (M 111.960)		Gasolina	RWD	2199	110	150	06.93-06.97	■	
E 320 (124.052) (M 104.992)		Gasolina	RWD	3199	162	220	06.93-06.97	■	■
E 36 AMG (124.052)		Gasolina	RWD	3606	195	265	06.93-04.95	■	■
E 36 AMG (124.052) (M 104.992 (AMG 3.6))		Gasolina	RWD	3606	200	272	05.94-06.97	■	■
E-Class (W124) 02.93-06.96						Saloon (Executive car-E Segment)			
E 200 (124.019) (M 111.940)		Gasolina	RWD	1998	100	136	06.93-06.95		■
E 220 (124.022) (M 111.960)		Gasolina	RWD	2199	110	150	06.93-06.95		■
E 280 (124.029) (M 104.942)		Gasolina	RWD	2799	142	193	06.93-06.95	■	■
E 280 (124.028) (M 104.942)		Gasolina	RWD	2799	145	197	06.93-06.95	■	■
E 300 4-matic (124.230) (M 103.985)		Gasolina	4WD	2960	132	180	06.93-06.95		■
E 320 (124.032) (M 104.992)		Gasolina	RWD	3199	162	220	06.93-06.95	■	■
E 420 (124.034) (M 119.975)		Gasolina	RWD	4196	205	279	06.93-06.95	■	■
E 500 (124.036) (M 119.974)		Gasolina	RWD	4973	235	320	06.93-06.95	■	
E 500 (124.036) (M 119.974)		Gasolina	RWD	4973	240	326	07.93-09.95	■	■
E 60 AMG (124.036) (M 119.974 (AMG 6.0))		Gasolina	RWD	5956	280	381	05.94-06.95	■	■
E 200 D (124.120) (OM 601.912)		Diesel	RWD	1997	55	75	06.93-06.95		■
E 250 D (124.126, 124.129) (OM 605.911)		Diesel	RWD	2497	83	113	07.93-06.95		■
E 250 Turbo-D (124.128) (OM 602.962)		Diesel	RWD	2497	93	126	06.93-06.95		■
E 300 Turbo-D 4-matic (124.333) (OM 603.963)		Diesel	4WD	2996	108	147	06.93-06.95		■
E-Class II (VF210) 06.96-03.03						Platform/Chassis (LCVs-N1 Segment)			
E 280 (210.663) (M 112.921)		Gasolina	RWD	2799	150	204	07.99-11.02	■	
E 220 CDi (210.606) (OM 611.961)		Diesel	RWD	2148	105	143	07.99-12.02	■	
E 250 d (210.610) (OM 605.912)		Diesel	RWD	2497	83	113	06.96-06.98	■	
E 270 CDI (210.616) (OM 612.961)		Diesel	RWD	2685	125	170	07.99-12.02	■	
E 290 TD (210.617) (OM 602.982)		Diesel	RWD	2874	95	129	07.96-07.99	■	
E-Class II (W210) 06.95-08.03						Saloon (Executive car-E Segment)			
E 200 (210.035) (M 111.942)		Gasolina	RWD	1998	100	136	06.95-08.00	■	
E 200 (210.035) (M 111.942)	-12/96	Gasolina	RWD	1998	100	136	06.95-08.00		■
E 200 Kompressor (210.048) (M 111.957)		Gasolina	RWD	1998	120	163	08.00-03.02	■	
E 200 Kompressor (210.048) (M 111.957)	-12/00	Gasolina	RWD	1998	120	163	08.00-03.02		■
E 200 Kompressor (210.048) (M 111.947)		Gasolina	RWD	1998	137	186	06.97-03.02	■	■
E 230 (210.037) (M 111.970)		Gasolina	RWD	2295	110	150	06.95-06.97	■	■
E 240 (210.061) (M 112.911)		Gasolina	RWD	2398	125	170	06.97-08.00	■	■
E 240 (210.062) (M 112.914)		Gasolina	RWD	2597	125	170	08.00-03.02	■	■
E 280 (210.053) (M 104.945)		Gasolina	RWD	2799	142	193	01.96-06.97	■	■
E 280 (210.063) (M 112.921)		Gasolina	RWD	2799	150	204	12.96-03.02	■	■
E 280 4-matic (210.081) (M 112.921)		Gasolina	4WD	2799	150	204	12.96-03.02	■	■
E 320 (210.055) (M 104.995)		Gasolina	RWD	3199	162	220	06.95-06.97	■	■
E 320 (210.065) (M 112.941)		Gasolina	RWD	3199	165	224	06.97-03.02	■	■
E 320 4-matic (210.082) (M 112.941)		Gasolina	4WD	3199	165	224	06.97-03.02	■	■
E 420 (210.072) (M 119.985)		Gasolina	RWD	4196	205	279	01.96-06.97	■	■
E 430 (210.070) (M 113.940)		Gasolina	RWD	4266	205	279	06.97-03.02	■	
E 430 4-matic (210.083) (M 113.940)		Gasolina	4WD	4266	205	279	05.99-03.02		■
E 50 AMG (210.072) (M 119.985 (AMG 5.0))		Gasolina	RWD	4973	255	347	02.96-08.97		■
E 55 AMG (210.074) (M 113.980)		Gasolina	RWD	5439	260	354	08.97-03.02		■
E 55 AMG 4-matic (210.074)		Gasolina	4WD	5439	260	354	03.01-03.02		■
E 200 D (210.003) (OM 604.917)		Diesel	RWD	1997	65	88	01.96-03.02	■	
E 200 D (210.003) (OM 604.917)	-12/96	Diesel	RWD	1997	65	88	01.96-03.02		■

LISTA DE APLICACIONES - BUYERS GUIDE

E 200 CDI (210.007) (OM 611.961)	Diesel	RWD	2148	85	116	07.99-03.02	■	■
E 220 CDI (210.006) (OM 611.961)	Diesel	RWD	2148	100	136	07.99-03.02	■	■
E 220 CDI (210.006) (OM 611.961)	Diesel	RWD	2148	105	143	07.99-03.02	■	■
E 200 CDI (210.007) (OM 611.961)	Diesel	RWD	2151	75	102	06.98-03.02	■	■
E 220 CDI (210.006) (OM 611.961)	Diesel	RWD	2151	92	125	06.98-07.99	■	■
E 220 D (210.004) (OM 604.912)	Diesel	RWD	2155	55	75	05.96-03.02	■	■
E 220 D (210.004) (OM 604.912)	Diesel	RWD	2155	70	95	06.95-07.99	■	■
E 250 D (210.010) (OM 605.912)	Diesel	RWD	2497	83	113	06.95-07.99	■	■
E 250 Turbo-D (210.015) (OM 605.962)	Diesel	RWD	2497	110	150	06.97-07.99	■	■
E 270 CDI (210.016) (OM 612.961)	Diesel	RWD	2685	120	163	07.99-03.02	■	■
E 270 CDI (210.016) (OM 612.961)	Diesel	RWD	2685	125	170	07.99-03.02	■	■
E 290 Turbo-D (210.017) (OM 602.982)	Diesel	RWD	2874	95	129	03.96-07.99	■	■
E 300 D (210.020) (OM 606.912)	Diesel	RWD	2996	100	136	06.95-06.97	■	■
E 300 Turbo-D (210.025) (OM 606.962)	Diesel	RWD	2996	130	177	12.96-07.99	■	■
E 320 CDI (210.026) (OM 613.961)	Diesel	RWD	3222	145	197	07.99-03.02	■	■
E-Class II T-Model (S210) 06.96-03.03						Estate (Executive car-E Segment)		
E 200 T (210.235) (M 111.942)	Gasolina	RWD	1998	100	136	06.96-08.00	■	■
E 200 T Kompressor (210.248) (M 111.957)	Gasolina	RWD	1998	120	163	08.00-03.03	■	■
E 200 T Kompressor (210.248) (M 111.947)	Gasolina	RWD	1998	137	186	06.97-03.03	■	■
E 230 T (210.237) (M 111.970)	Gasolina	RWD	2295	110	150	06.96-06.97	■	■
E 240 T (210.261) (M 112.911)	Gasolina	RWD	2398	125	170	06.97-03.03	■	■
E 240 T (210.262) (M 112.914)	Gasolina	RWD	2597	125	170	08.00-03.03	■	■
E 280 T (210.263) (M 112.921)	Gasolina	RWD	2799	150	204	12.96-03.03	■	■
E 280 T 4-matic (210.281) (M 112.921)	Gasolina	4WD	2799	150	204	12.96-03.03	■	■
E 320 T (210.265) (M 112.941)	Gasolina	RWD	3199	165	224	12.96-03.03	■	■
E 320 T 4-matic (210.282) (M 112.941)	Gasolina	4WD	3199	165	224	12.96-03.03	■	■
E 420 T (210.272) (M 119.985)	Gasolina	RWD	4196	205	279	06.96-06.97	■	■
E 430 T (210.270) (M 113.940)	Gasolina	RWD	4266	205	279	06.97-03.03	■	■
E 430 T 4-matic (210.283) (M 113.940)	Gasolina	4WD	4266	205	279	05.99-03.03	■	■
E 55 T AMG (210.274) (M 113.980)	Gasolina	RWD	5439	260	354	08.97-03.03	■	■
E 55 T AMG 4-matic (210.274)	Gasolina	4WD	5439	260	354	03.01-03.03	■	■
E 220 T CDI (210.206) (OM 611.961)	Diesel	RWD	2148	100	136	05.99-03.03	■	■
E 220 T CDI (210.206) (OM 611.961)	Diesel	RWD	2148	105	143	07.99-03.03	■	■
E 220 T CDI (210.206) (OM 611.961)	Diesel	RWD	2151	92	125	06.98-07.99	■	■
E 250 T D (210.210) (OM 605.912)	Diesel	RWD	2497	83	113	06.96-07.99	■	■
E 250 T Turbo-D (210.215) (OM 605.962)	Diesel	RWD	2497	110	150	06.97-07.99	■	■
E 270 T CDI (210.216) (OM 612.961)	Diesel	RWD	2685	120	163	02.00-03.03	■	■
E 270 T CDI (210.216) (OM 612.961)	Diesel	RWD	2685	125	170	07.99-03.03	■	■
E 290 T Turbo-D (210.217) (OM 602.982)	Diesel	RWD	2874	95	129	06.96-07.99	■	■
E 300 T Turbo-D (210.225) (OM 606.962)	Diesel	RWD	2996	130	177	12.96-07.99	■	■
E 320 T CDI (210.226) (OM 613.961)	Diesel	RWD	3222	145	197	07.99-03.03	■	■
E-Class III (W211) 03.02-03.09						Saloon (Executive car-E Segment)		
E 240 4-matic (211.080) (M 112.917)	Gasolina	4WD	2597	130	177	03.03-12.08	■	■
E 280 4-matic (211.092) (M 272.943)	Gasolina	4WD	2996	170	231	01.06-12.08	■	■
E 280 4-matic (211.092) (M 272.944)	Gasolina	4WD	2996	170	231	01.06-12.08	■	■
E 320 4-matic (211.082) (M 112.954)	Gasolina	4WD	3199	165	224	03.03-12.08	■	■
E320 CDI (211.022) (OM 642.920)	Diesel	RWD	2987	165	224	03.05-12.08	■	■
E 320 CDI 4-matic (211.089) (OM 642.910)	Diesel	4WD	2987	165	224	03.05-12.08	■	■
E 320 CDI 4-matic (211.089) (OM 642.921)	Diesel	4WD	2987	165	224	03.05-12.08	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

E-Class III T-Model (S211) 02.03-07.09						Estate (Executive car-E Segment)				
E 240 T 4-matic (211.280) (M 112.917)	-12/08	Gasolina	4WD	2597	130	177	07.03-07.09	■		
E 280 T 4-matic (211.292) (M 272.943)	-12/08	Gasolina	4WD	2996	170	231	03.05-07.09	■		
E 280 T 4-matic (211.292) (M 272.944)	-12/08	Gasolina	4WD	2996	170	231	03.05-07.09	■		
E 320 T 4-matic (211.282) (M 112.954)	-12/08	Gasolina	4WD	3199	165	224	07.03-07.09	■		
E 320 T CDI (211.222) (OM 642.920)	-12/08	Diesel	RWD	2987	165	224	03.05-07.09	■		
E 320 T CDI 4-matic (211.289) (OM 642.921)	-12/08	Diesel	4WD	2987	165	224	03.05-07.09	■		
E-Class T-Model (S124) 06.93-06.96						Estate (Executive car-E Segment)				
E 200 T (124.079) (M 111.940)		Gasolina	RWD	1998	100	136	06.93-06.96		■	
E 220 T (124.082) (M 111.960)		Gasolina	RWD	2199	110	150	06.93-06.96		■	
E 280 T (124.088) (M 104.942)		Gasolina	RWD	2799	142	193	06.93-06.96	■	■	
E 280 T (124.088) (M 104.942)		Gasolina	RWD	2799	145	197	06.93-06.96	■	■	
E 300 T 4-matic (124.290) (M 103.985)		Gasolina	4WD	2960	132	180	06.93-06.96		■	
E 300 TE-24 AMG (124.091)		Gasolina	RWD	2960	162	220	06.93-06.96	■	■	
E 320 T (124.092) (M 104.992)		Gasolina	RWD	3199	162	220	06.93-06.96	■	■	
E 36 T AMG (124.092) (M 104.992 (AMG 3.6))		Gasolina	RWD	3606	200	272	05.94-06.96	■	■	
E 250 TD (124.186) (OM 605.911)		Diesel	RWD	2497	83	113	06.93-06.96		■	
E 250 Turbo D (124.188) (OM 602.962)		Diesel	RWD	2497	93	126	06.93-06.96		■	
E 300 TD (124.191) (OM 606.910)		Diesel	RWD	2996	100	136	06.93-06.96		■	
E 300 T Turbo-D (124.193) (OM 603.960)		Diesel	RWD	2996	108	147	06.93-06.96		■	
E 300 T Turbo-D 4-matic (124.393) (OM 603.963)		Diesel	4WD	2996	108	147	06.93-06.96		■	
G-Class (W463) 09.89-						Closed Off-Road Vehicle (Luxury Crossover SUV-J Segment)				
G 300 Diesel (463.327, 463.328)		Diesel	4WD	2996	83	113	09.93-08.94		■	
G 320 CDI (463.321) (OM 603.972)		Diesel	4WD	3449	100	136	09.96-08.99		■	
G-Class (W463) 09.89-						Open Off-Road Vehicle (Luxury Crossover SUV-J Segment)				
G 300 Diesel (463.307)		Diesel	4WD	2996	83	113	09.93-08.94		■	
G 320 CDI (463.320) (OM 603.972)		Diesel	4WD	3449	100	136	09.96-08.99		■	
S-Class (W116) 08.72-07.80						Saloon (Luxury car-F Segment)				
280 S (116.020) (M 110.922)	01/74-	Gasolina	RWD	2746	115	156	08.72-07.80		■	
280 S (116.020) (M 110.922)	01/74-	Gasolina	RWD	2746	118	160	08.72-07.80		■	
280 SE, SEL (116.024, 116.025) (M 110.985)	01/74-	Gasolina	RWD	2746	130	177	08.72-07.80		■	
280 SE, SEL (116.024, 116.025) (M 110.983)	01/74-	Gasolina	RWD	2746	136	185	08.72-07.80		■	
280 SE, SEL (116.024, 116.025) (M 110.985)	01/74-	Gasolina	RWD	2746	136	185	08.72-07.80		■	
350 SE, SEL (116.028, 116.029) (M 116.985)		Gasolina	RWD	3499	143	194	03.76-03.80		■	
350 SE, SEL (116.028, 116.029) (M 116.983)	01/74-	Gasolina	RWD	3499	147	200	08.72-02.76		■	
350 SE, SEL (116.028, 116.029) (M 116.985)		Gasolina	RWD	3499	151	205	03.76-03.80		■	
450 SE (M 117.983)		Gasolina	RWD	4520	143	194	08.72-12.76		■	
450 SE,SEL (116.033) (M 117.983)		Gasolina	RWD	4520	160	218	12.75-04.80		■	
450 SE,SEL (116.033) (M 117.986)		Gasolina	RWD	4520	160	218	12.75-04.80		■	
450 SE, SEL (116.032) (M 117.983)	01/74-	Gasolina	RWD	4520	165	224	01.73-04.80		■	
450 SE, SEL (116.032) (M 117.986)	01/74-	Gasolina	RWD	4520	165	224	01.73-04.80		■	
450 SEL 6.9 (116.036) (M 100.985)		Gasolina	RWD	6834	210	286	07.75-03.80		■	
S-Class II (C126) 08.80-06.91						Coupe (Luxury car-F Segment)				
380 SEC (126.043) (M 116.963)		Gasolina	RWD	3839	150	204	10.81-07.85		■	
420 SEC (126.046) (M 116.965)		Gasolina	RWD	4196	150	204	10.85-06.91	■	■	
420 SEC (126.046) (M 116.965)		Gasolina	RWD	4196	160	218	10.85-12.87	■	■	
420 SEC (126.046) (M 116.965)		Gasolina	RWD	4196	165	224	10.85-06.91	■	■	
420 SEC (126.046) (M 116.965)		Gasolina	RWD	4196	170	231	09.86-06.91	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	164	223	10.85-06.91	■	■	
500 SEC (126.044) (M 117.963)	Gasolina	RWD	4973	170	231	10.81-08.85		■	
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	180	245	09.85-06.91	■	■	
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	185	252	08.87-06.91	■	■	
500 SEC Cat (M 117.965)	Gasolina	RWD	4973	185	252	06.89-06.91	■	■	
500 SEC (126.044) (M 117.965)	Gasolina	RWD	4973	195	265	09.85-06.91	■	■	
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	178	242	10.85-06.91	■	■	
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	200	272	10.85-12.87	■	■	
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	205	279	10.85-06.91	■	■	
560 SEC (126.045) (M 117.968)	Gasolina	RWD	5547	220	300	10.85-12.89	■	■	
S-Class II (W126) 10.79-06.91				Saloon (Luxury car-F Segment)					
260 SE (126.020) (M 103.941)	Gasolina	RWD	2599	118	160	09.85-06.91	■	■	
260 SE (126.020) (M 103.941)	Gasolina	RWD	2599	122	166	09.85-06.91	■	■	
280 S (126.021) (M 110.924)	Gasolina	RWD	2746	115	156	12.79-07.85	■		
280 S (126.021) (M 110.926)	Gasolina	RWD	2746	115	156	12.79-07.85	■		
280 SE, SEL (126.022, 126.023) (M 110.987)	Gasolina	RWD	2746	136	185	10.79-07.85	■		
280 SE, SEL (126.022, 126.023) (M 110.989)	Gasolina	RWD	2746	136	185	10.79-07.85	■		
300 SE, SEL (126.024, 126.025) (M 103.981)	Gasolina	RWD	2960	132	180	01.86-06.91	■	■	
300 SE, SEL (126.024, 126.025) (M 103.981)	Gasolina	RWD	2960	138	188	09.85-12.89	■	■	
3.8 (126.035, 126.034) (M 116.961)	Gasolina	RWD	3818	160	218	08.80-08.84	■	■	
380 SE, SEL (126.032, 126.033) (M 116.961)	Gasolina	RWD	3818	160	218	09.80-10.81	■	■	
380 SE, SEL (126.032) (M 116.963)	Gasolina	RWD	3839	150	204	10.81-08.85	■		
420 SE, SEL (126.034, 126.035) (M 116.965)	Gasolina	RWD	4196	150	204	10.85-06.91	■	■	
420 SE, SEL (126.034) (M 116.965)	Gasolina	RWD	4196	160	218	10.85-12.87	■	■	
420 SE, SEL (126.035, 126.034) (M 116.965)	Gasolina	RWD	4196	165	224	10.85-06.91	■	■	
420 SE, SEL (126.035, 126.034) (M 116.965)	Gasolina	RWD	4196	170	231	10.85-12.87	■	■	
500 SE, SEL (126.036) (M 117.965)	Gasolina	RWD	4973	164	223	09.85-06.91	■	■	
500 SE, SEL (126.036) (M 117.961)	Gasolina	RWD	4973	170	231	12.79-08.85	■		
500 SE, SEL (126.036) (M 117.963)	Gasolina	RWD	4973	170	231	12.79-08.85	■		
500 SE, SEL (126.036) (M 117.961)	Gasolina	RWD	4973	177	241	12.79-08.85	■		
500 SE, SEL (126.036) (M 117.963)	Gasolina	RWD	4973	177	241	12.79-08.85	■		
500 SE, SEL (126.036) (M 117.965)	Gasolina	RWD	4973	180	245	09.85-06.91	■	■	
500 SE, SEL (126.037, 126.036) (M 117.965)	Gasolina	RWD	4973	185	252	09.87-06.91	■	■	
500 SE, SEL Cat (126.037, 126.036) (M 117.965)	Gasolina	RWD	4973	185	252	06.89-06.91	■	■	
500 SE, SEL (126.037, 126.036) (M 117.965)	Gasolina	RWD	4973	195	265	09.87-06.91	■	■	
560 SE, SEL (126.038, 126.039) (M 117.968)	Gasolina	RWD	5547	178	242	10.85-06.91	■	■	
560 SE, SEL (126.038) (M 117.968)	Gasolina	RWD	5547	200	272	10.85-12.87	■	■	
560 SE, SEL (126.038) (M 117.968)	Gasolina	RWD	5547	205	279	08.87-06.91	■	■	
560 SE, SEL (126.039, 126.038) (M 117.968)	Gasolina	RWD	5547	220	300	10.85-06.91	■	■	
300 SDL (126.125) (OM 603.961)	Diesel	RWD	2996	107	146	09.86-12.87	■		
300 SDL (126.125)	Diesel	RWD	2996	110	150	09.85-12.86	■		
300 SD (126.120) (OM 617.951)	Diesel	RWD	2998	92	125	09.80-12.85	■	■	
350 SD, SDL	Diesel	RWD	3449	110	150	09.89-06.91	■		
S-Class III (C140) 07.92-12.99				Coupe (Luxury car-F Segment)					
SEC/CL 420 (140.063) (M 119.971)	Gasolina	RWD	4196	205	279	10.94-02.99	■	■	
SEC/CL 420 (140.063) (M 119.981)	Gasolina	RWD	4196	205	279	10.94-02.99	■	■	
CL 500	Gasolina	RWD	4973	225	306	09.96-12.97	■	■	
500 SEC / CL 500 (140.070) (M 119.970)	Gasolina	RWD	4973	235	320	10.92-12.99	■	■	
500 SEC / CL 500 (140.070) (M 119.980)	Gasolina	RWD	4973	235	320	10.92-12.99	■	■	
CL600	Gasolina	FWD	5987	270	362	09.96-12.97	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

SEC/CL 600 (140.076) (M 120.980)		Gasolina	RWD	5987	290	394	09.92-02.99	■	■	
SEC/CL 600 (140.076) (M 120.982)		Gasolina	RWD	5987	290	394	09.92-02.99	■	■	
SEC/CL 600 (140.076) (M 120.980)		Gasolina	RWD	5987	300	408	07.92-05.93	■		
CL600		Gasolina	FWD	5987	380	510	09.96-12.97	■	■	
S-Class III (W140) 02.91-12.98							Saloon (Luxury car-F Segment)			
S 280 (140.028) (M 104.944)		Gasolina	RWD	2799	142	193	02.93-10.98	■	■	
300 SE 2.8 (140.028) (M 104.944)		Gasolina	RWD	2799	145	197	01.93-10.98	■	■	
S 320 (140.033)		Gasolina	RWD	3199	162	220	10.95-08.98	■	■	
300 SE, SEL/S320 (140.032, 140.033) (M 104.990)		Gasolina	RWD	3199	170	231	03.91-10.98	■	■	
300 SE, SEL/S320 (140.032, 140.033) (M 104.994)		Gasolina	RWD	3199	170	231	03.91-10.98	■	■	
S 420 (140.042, 140.043) (M 119.971)		Gasolina	RWD	4196	205	279	01.93-10.98	■	■	
400 SE, SEL/S420 (140.042, 140.043) (M 119.971)		Gasolina	RWD	4196	210	286	02.91-10.98	■	■	
S 500 (140.050, 140.051) (M 119.970)		Gasolina	RWD	4973	235	320	01.93-10.98	■	■	
S 500 (140.050, 140.051) (M 119.980)		Gasolina	RWD	4973	235	320	01.93-10.98	■	■	
500 SE, SEL (140.050, 140.051) (M 119.970)		Gasolina	RWD	4973	240	326	02.91-10.98	■	■	
S 600 (140.056, 140.057) (M 120.980)		Gasolina	RWD	5987	290	394	01.93-10.98	■	■	
S 600 (140.056, 140.057) (M 120.982)		Gasolina	RWD	5987	290	394	01.93-10.98	■	■	
600 SE, SEL (140.056, 140.057) (M 120.980)		Gasolina	RWD	5987	300	408	04.91-12.92	■	■	
600 SE, SEL (140.056, 140.057) (M 120.982)		Gasolina	RWD	5987	300	408	04.91-12.92	■	■	
S 300 Turbo-D (140.135) (OM 606.961)		Diesel	RWD	2996	130	177	05.96-10.98	■	■	
S 350 Turbo-D (140.134) (OM 603.971)		Diesel	RWD	3449	110	150	01.93-10.98	■	■	
S-Class IV (W220, V220) 09.98-12.06							Saloon (Luxury car-F Segment)			
S 350 4-matic (220.087, 220.187) (M 112.975)		Gasolina	4WD	3724	180	245	06.03-08.05	■		
S 500 4-matic (220.084, 220.184) (M 113.966)		Gasolina	4WD	4966	225	306	09.02-08.05		■	
S 600, S 600 L (220.176) (M 275.950)		Gasolina	RWD	5513	368	500	09.02-08.05		■	
S 600, S 600 L (220.878, 220.178) (M 137.970)	01/02-	Gasolina	RWD	5786	270	367	01.00-08.05		■	
SL-Class III (R107) 05.71-12.89							Convertible (Executive car-E Segment)			
280 SL (107.042) (M 110.982)		Gasolina	RWD	2746	130	177	06.76-09.81	■		
280 SL (107.042) (M 110.986)		Gasolina	RWD	2746	130	177	06.76-09.81	■		
280 SL (107.042) (M 110.990)		Gasolina	RWD	2746	130	177	06.76-09.81	■		
280 SL (107.042) (M 110.982)		Gasolina	RWD	2746	136	185	08.74-07.85	■		
280 SL (107.042) (M 110.986)		Gasolina	RWD	2746	136	185	08.74-07.85	■		
280 SL (107.042) (M 110.990)		Gasolina	RWD	2746	136	185	08.74-07.85	■		
300 SL (107.041) (M 103.982)		Gasolina	RWD	2960	132	180	09.85-08.89	■		
300 SL (107.041) (M 103.982)		Gasolina	RWD	2960	138	188	09.85-08.89	■		
350 SL (107.043) (M 116.982)	01/76-	Gasolina	RWD	3499	143	195	05.71-02.80	■		
350 SL (107.043) (M 116.984)	01/76-	Gasolina	RWD	3499	143	195	05.71-02.80	■		
350 SL (107.043) (M 116.982)		Gasolina	RWD	3499	147	200	05.71-12.76	■		
380 SL (107.045) (M 116.960)		Gasolina	RWD	3818	160	218	09.80-08.81	■		
380 SL (107.045)		Gasolina	RWD	3839	116	158	09.80-12.85	■		
380 SL (107.045) (M 116.962)		Gasolina	RWD	3839	150	204	09.80-08.85	■		
420 SL (107.047) (M 116.964)		Gasolina	RWD	4196	150	204	01.86-08.89	■		
420 SL (107.047) (M 116.964)		Gasolina	RWD	4196	160	218	01.86-08.89	■		
450 SL (107.044) (M 117.982)		Gasolina	RWD	4520	160	218	09.75-10.80	■		
450 SL (107.044) (M 117.985)		Gasolina	RWD	4520	160	218	09.75-10.80	■		
450 SL (107.044) (M 117.982)	01/74-	Gasolina	RWD	4520	165	224	10.72-10.80	■		
450 SL (107.044) (M 117.985)	01/74-	Gasolina	RWD	4520	165	224	10.72-10.80	■		
500 SL (107.046) (M 117.964)		Gasolina	RWD	4973	164	223	01.86-08.89	■		
500 SL (107.046) (M 117.960)		Gasolina	RWD	4973	170	231	05.80-12.85	■		

LISTA DE APLICACIONES - BUYERS GUIDE

500 SL (107.046) (M 117.962)		Gasolina	RWD	4973	170	231	05.80-12.85	■	
500 SL (107.046) (M 117.960)		Gasolina	RWD	4973	177	241	05.80-12.81	■	
500 SL (107.046) (M 117.960)		Gasolina	RWD	4973	180	245	01.86-08.89	■	
500 SL (107.046) (M 117.964)		Gasolina	RWD	4973	180	245	01.86-08.89	■	
560 SL (107.048) (M 117.967)		Gasolina	RWD	5547	169	230	09.85-12.89	■	
560 SL (107.048)		Gasolina	RWD	5547	178	242	01.86-12.89	■	
SL-Class III (C107) 01.72-08.85					Coupe (Executive car-E Segment)				
280 SLC (107.022) (M 110.982)		Gasolina	RWD	2746	130	177	06.76-09.81	■	
280 SLC (107.022) (M 110.986)		Gasolina	RWD	2746	130	177	06.76-09.81	■	
280 SLC (107.022) (M 110.990)		Gasolina	RWD	2746	130	177	06.76-09.81	■	
280 SLC (107.022) (M 110.982)		Gasolina	RWD	2746	136	185	08.74-09.81	■	
280 SLC (107.022) (M 110.986)		Gasolina	RWD	2746	136	185	08.74-09.81	■	
280 SLC (107.022) (M 110.990)		Gasolina	RWD	2746	136	185	08.74-09.81	■	
350 SLC (107.023) (M 116.982)		Gasolina	RWD	3499	143	195	03.76-02.80	■	
350 SLC (107.023) (M 116.984)		Gasolina	RWD	3499	143	195	03.76-02.80	■	
350 SLC (107.023) (M 116.982)		Gasolina	RWD	3499	147	200	01.72-02.76	■	
350 SLC (107.023) (M 116.984)		Gasolina	RWD	3499	147	200	01.72-02.76	■	
380 SLC (107.025) (M 116.960)		Gasolina	RWD	3818	160	218	07.80-08.81	■	
450 SLC (107.024) (M 117.982)		Gasolina	RWD	4520	160	218	09.75-08.79	■	
450 SLC (107.024) (M 117.985)		Gasolina	RWD	4520	160	218	09.75-08.79	■	
450 SLC (107.024) (M 117.982)	01/74-	Gasolina	RWD	4520	165	225	01.73-11.75	■	
450 SLC (107.024) (M 117.985)	01/74-	Gasolina	RWD	4520	165	225	01.73-11.75	■	
450 SLC 5.0 (107.026) (M 117.960)		Gasolina	RWD	4973	177	241	06.78-02.80	■	
SL-Class IV (R129) 03.89-09.04					Convertible (Grand Tourer-S Segment)				
280 (129.058) (M 104.943)		Gasolina	RWD	2799	142	193	08.93-10.01	■	■
280 (129.059) (M 112.923)		Gasolina	RWD	2799	150	204	05.98-10.01	■	■
300 SL (129.060) (M 103.984)		Gasolina	RWD	2960	140	190	03.89-08.93	■	■
300 SL-24 (129.061) (M 104.981)		Gasolina	RWD	2960	170	231	03.89-07.93	■	■
320 (129.064) (M 112.943)		Gasolina	RWD	3199	165	224	05.98-10.01	■	■
320 (129.063) (M 104.991)		Gasolina	RWD	3199	170	231	09.93-10.01	■	■
500 (129.068) (M 113.961)		Gasolina	RWD	4966	225	306	05.98-10.01	■	■
500 (129.067) (M 119.972)	01/93-	Gasolina	RWD	4973	235	320	09.92-10.01	■	■
500 (129.067) (M 119.982)	01/93-	Gasolina	RWD	4973	235	320	09.92-10.01	■	■
500 SL (129.066) (M 119.960)		Gasolina	RWD	4973	240	326	09.89-08.92	■	■
500 SL (129.066) (M 119.972)		Gasolina	RWD	4973	240	326	09.89-08.92	■	■
55 AMG (M 113.985)		Gasolina	RWD	5439	260	354	03.00-10.01	■	■
60 AMG (129.067) (M 119.972 (AMG 6.0))		Gasolina	RWD	5956	280	381	05.97-10.01	■	■
60 AMG (129.067) (M 119.982 (AMG 6.0))		Gasolina	RWD	5956	280	381	05.97-10.01	■	■
600 (129.076) (M 120.981)		Gasolina	RWD	5987	290	394	07.92-10.01	■	■
600 (129.076) (M 120.983)		Gasolina	RWD	5987	290	394	07.92-10.01	■	■
600 SL (129.076) (M 120.981)	-12/93	Gasolina	RWD	5987	300	408	02.92-08.94	■	■
600 SL (129.076) (M 120.983)	-12/93	Gasolina	RWD	5987	300	408	02.92-08.94	■	■
SL 73 AMG (129.076)		Gasolina	RWD	7291	386	525	01.99-12.01	■	■
SLK-Class (R170) 04.96-04.04					Convertible (Sports car-S Segment)				
200 (170.435) (M 111.946)		Gasolina	RWD	1998	100	136	09.96-03.00	■	■
200 Kompressor (170.445) (M 111.958)		Gasolina	RWD	1998	120	163	03.00-04.04	■	■
200 Kompressor (170.445) (M 111.943)		Gasolina	RWD	1998	141	192	10.96-03.00	■	■
230 Kompressor (170.449) (M 111.973)		Gasolina	RWD	2295	142	193	09.96-03.00	■	■
230 (170.449)		Gasolina	RWD	2295	143	194	09.00-04.04	■	
230 Kompressor (170.449) (M 111.983)		Gasolina	RWD	2295	145	197	03.00-04.04	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

320 (170.465) (M 112.947)		Gasolina	RWD	3199	160	218	03.00-04.04	■	
32 AMG Kompressor (170.466) (M 112.960)		Gasolina	RWD	3199	260	354	03.01-04.04	■	
SLK-Class II (R171) 03.04-12.15					Convertible (Sports car-S Segment)				
200 Kompressor (171.445) (M 271.954)		Gasolina	RWD	1796	135	184	01.08-02.11	■	
300 (171.454) (M 272.942)		Gasolina	RWD	2996	170	231	04.09-02.11	■	
350 (171.456) (M 272.963)	-12/08	Gasolina	RWD	3498	200	272	06.04-02.11	■	
350 (171.458) (M 272.969)		Gasolina	RWD	3498	224	305	01.08-02.11	■	
T1 (B601) 05.77-02.96					Bus (Minibus-M2-Segment)				
210 2.3 (601.066, 601.077, 601.076, 601.067) (M 102.942)		Gasolina	RWD	2298	70	95	07.82-01.90	■	
210 2.3 (601.066, 601.077, 601.076, 601.067) (M 102.945)		Gasolina	RWD	2298	77	105	05.89-02.96	■	
208 D 2.3 (601.371, 601.372, 601.376, 601.377) (OM 601.940)		Diesel	RWD	2299	58	79	10.88-02.96	■	
208 D 2.3 (601.377) (OM 601.940)		Diesel	RWD	2299	60	82	10.88-02.96	■	
210 D 2.8 (601.477, 601.476) (OM 602.940)		Diesel	RWD	2874	70	95	11.88-02.96	■	
210 D 2.8 (601.477) (OM 602.940)		Diesel	RWD	2874	72	98	11.88-02.96	■	
T1 (601) 01.77-02.96					Platform/Chassis (LCVs-N1 Segment)				
210 2.3 (601.011, 601.067, 601.066, 601.012) (M 102.942)		Gasolina	RWD	2298	70	95	04.77-10.89	■	
310 2.3 (602.011, 602.022, 602.021, 602.012) (M 102.942)		Gasolina	RWD	2299	70	95	01.82-12.94	■	
210 2.3 (601.011, 601.067, 601.066, 601.012) (M 115.955)		Gasolina	RWD	2307	63	86	04.77-10.89	■	
208 D 2.3 (601.311, 601.312, 601.316, 601.317, 601.328,...) (OM 601.940)		Diesel	RWD	2299	58	79	11.88-02.96	■	
208 D 2.3 (601.321) (OM 601.940)		Diesel	RWD	2299	60	82	06.89-02.96	■	
210 D 2.9 (601.411, 601.412, 601.416, 601.417, 601.428,...) (OM 602.940)		Diesel	RWD	2874	70	95	11.88-02.96	■	
210 D 2.8 (601.422) (OM 602.940)		Diesel	RWD	2874	72	98	11.88-02.96	■	
T1 (601, 611) 05.77-02.96					Van (LCVs-N1 Segment)				
210 2.3 (601.061, 601.067, 601.066, 601.062) (M 102.942)		Gasolina	RWD	2298	70	95	07.82-02.96	■	
210 2.3 (601.061, 601.067, 601.066, 601.062) (M 102.946)		Gasolina	RWD	2298	70	95	07.82-02.96	■	
310 2.3 (602.062, 602.061) (M 102.942)		Gasolina	RWD	2298	70	95	06.89-02.96	■	
210 2.3 (601.011, 601.067, 601.066, 601.012) (M 102.945)		Gasolina	RWD	2298	77	105	05.89-02.96	■	
310 2.3 (602.062, 602.061) (M 102.945)		Gasolina	RWD	2299	77	105	01.89-12.95	■	
210 2.3 (M 115.955)		Gasolina	RWD	2307	63	86	05.77-12.82	■	
208 D 2.3 (601.362, 601.361) (OM 601.940)		Diesel	RWD	2299	58	79	11.88-02.96	■	
208 D 2.3 (601.362) (OM 601.940)		Diesel	RWD	2299	60	82	10.88-02.96	■	
407 D 2.4 (611.367, 611.368) (OM 616.937)		Diesel	RWD	2399	53	72	04.81-07.82	■	
210 D 2.8 (601.461, 601.467, 601.466, 601.462) (OM 602.940)		Diesel	RWD	2874	70	95	10.88-02.96	■	
210 D 2.8 (601.466) (OM 602.940)		Diesel	RWD	2874	72	98	10.88-02.96	■	
T1/TN 07.81-06.95					Platform/Chassis (LCVs-N1 Segment)				
408 D (611.317, 611.318) (OM 601.940)		Diesel	RWD	2299	58	79	11.88-06.95	■	
408 D (611.317, 611.318) (OM 601.940)		Diesel	RWD	2299	60	82	11.88-06.95	■	
410 D (611.417, 611.418) (OM 602.940)		Diesel	RWD	2874	70	95	11.88-06.95	■	
410 D (611.417, 611.418) (OM 602.940)		Diesel	RWD	2874	72	98	11.88-06.95	■	
T1/TN 07.81-06.95					Van (LCVs-N1 Segment)				
408 D (611.367, 611.368) (OM 601.940)		Diesel	RWD	2299	58	79	11.88-06.95	■	
408 D (611.367, 611.368) (OM 601.940)		Diesel	RWD	2299	60	82	11.88-06.95	■	
410 D (611.467, 611.468) (OM 602.940)		Diesel	RWD	2874	70	95	11.88-06.95	■	

LISTA DE APLICACIONES - BUYERS GUIDE

410 D (611.467, 611.468) (OM 602.940)	Diesel	RWD	2874	72	98	11.88-06.95	■
T2/LN1 04.86-12.11				Platform/Chassis (LCVs-N1 Segment)			
508 D (667.301, 667.302, 667.341, 667.342) (OM 601.941)	Diesel	RWD	2299	58	79	03.89-12.94	■
T2/LN1 04.86-12.94				Van (LCVs-N1 Segment)			
508 D (667.361, 667.362) (OM 601.941)	Diesel	RWD	2299	58	79	03.89-12.94	■
PUCH							
G-MODELL (W460) 03.79-12.91				Closed Off-Road Vehicle (Off-Road SUV-J Segment)			
230 GE (460.238, 460.239) (M 102.981)	Gasolina	4WD	2299	92	125	03.79-12.91	■
230 GE (460.238, 460.239) (M 102.987)	Gasolina	4WD	2299	92	125	03.79-12.91	■
230 G (460.230, 460.231) (M 115.973)	Gasolina	4WD	2307	75	102	03.79-08.85	■
280 GE (460.232, 460.233) (M 110.994)	Gasolina	4WD	2746	110	150	01.86-12.91	■
300 GE (463.227, 463.228) (M 103.987)	Gasolina	4WD	2960	125	170	06.89-08.93	■
G 320 (463.230, 463.231) (M 104.996)	Gasolina	4WD	3199	155	211	02.94-12.97	■
240 GD (460.330, 460.331) (OM 616.936)	Diesel	4WD	2399	53	72	03.79-09.87	■
240 GD (460.330, 460.331) (OM 616.938)	Diesel	4WD	2399	53	72	03.79-09.87	■
250 GD (460.337, 460.338) (OM 602.930)	Diesel	4WD	2497	62	84	10.87-12.91	■
290 GD (461.338, 461.337) (OM 602.942)	Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD (461.338, 461.337) (OM 602.947)	Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD Turbodiesel (461.335, 461.336) (OM 602.983)	Diesel	4WD	2874	88	120	04.97-12.01	■
300 GD (463.327, 463.328) (OM 603.931)	Diesel	4WD	2996	83	113	06.89-08.93	■
G 300 Turbodiesel (463.330, 463.331) (OM 606.964)	Diesel	4WD	2996	130	177	01.96-11.00	■
300 GD (460.332, 460.333) (OM 617.931)	Diesel	4WD	2998	65	88	09.79-12.91	■
300 GD (460.332, 460.333) (OM 617.932)	Diesel	4WD	2998	65	88	09.79-12.91	■
350 GD Turbo (463.320, 463.321) (OM 603.972)	Diesel	4WD	3449	100	136	08.91-08.93	■