


# LISTA DE APLICACIONES - BUYERS GUIDE

## 610259 E C



Weight: 34

O.E.M.	MAKE
2D0 919 351	VW
901 540 00 17	MERCEDES-BENZ
901 540 01 17	MERCEDES-BENZ



## 610259 E C



212 mm.

WVA
21577
21593
21622
23021
23022

MAKE
DODGE
MERCEDES-BENZ
PUCH
VW



Trac.	CC	Kw	CV			Front / Rear
-------	----	----	----	--	--	--------------

### DODGE

SPRINTER (U.S.A.) 01.03-						Van (LCVs-N1 Segment)			
2.5 2500	01/04-	Gasolina	FWD	2495			01.03-	■	■
2.5 2500 16"	01/03-	Gasolina	FWD	2495			01.03-	■	■
3.5 3500	01/04-	Gasolina	FWD	3495			01.03-	■	
3.5 3500 16"	01/03-	Gasolina	FWD	3495			01.03-	■	■

### MERCEDES-BENZ

(W461) 09.89-						Platform/Chassis ()			
G 280 CDI 4-matic (461.346, 461.370)		Diesel	4WD	2987	135	184	05.07-12.12	■	

(G38/2) 08.96-07.03						Van ()			
V 230 (638.234, 638.294)		Gasolina	FWD	2295	105	143	08.96-07.03	■	
V 280 (638.244)		Gasolina	FWD	2792	128	174	07.97-07.03	■	
V 200 (638.294)		Diesel	FWD	2148	75	102	03.99-07.03	■	
V 220 (638.294)		Diesel	FWD	2148	90	122	02.99-07.03	■	
V 230 (638.274)		Diesel	FWD	2299	72	98	08.96-02.99	■	

G-Class (W463) 09.89-						Closed Off-Road Vehicle (Luxury Crossover SUV-J Segment)			
300 GE (463.227, 463.228) (M 103.987)		Gasolina	4WD	2960	125	170	09.89-08.93	■	
300 GE (463.227, 463.228) (M 103.987)		Gasolina	4WD	2960	128	174	06.90-08.97	■	
G 320 (463.230, 463.231) (M 104.996)		Gasolina	4WD	3199	155	211	09.94-12.97	■	
G 320 (463.232, 463.233, 463.244, 463.245) (M 112.945)		Gasolina	4WD	3199	158	215	07.97-08.04	■	
G 36 AMG (463.230) (M 104.996 (AMG 3.6))		Gasolina	4WD	3606	200	272	01.95-07.98	■	
G 500 (463.234, 463.239) (M 176.980)		Gasolina	4WD	3982	310	422	06.15-04.18	■	
G 500 (463.249) (M 113.962)		Gasolina	4WD	4966	215	292	09.04-12.05	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

G 500 (463.247, 463.248, 463.249, 463.240, 463.241) (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■	
500 GE (463.228) (M 117.965)		Gasolina	4WD	4973	177	241	09.93-12.94	■	
G 55 AMG (463.243, 463.246) (M 113.982)		Gasolina	4WD	5439	260	354	04.99-07.08	■	
G 55 AMG (463.270, 463.271) (M 113.993)		Gasolina	4WD	5439	350	476	06.04-07.06	■	
G 55 AMG (463.270, 463.271)		Gasolina	4WD	5439	350	476	09.04-12.11	■	
G 55 AMG (463.270, 463.271) (M 113.993)		Gasolina	4WD	5439	368	500	08.06-12.12	■	
G 500 (463.222, 463.236, 463.237, 463.242) (M 273.963)		Gasolina	4WD	5461	285	388	05.08-08.15	■	
G 500 (463.222, 463.236, 463.237, 463.242) (M 273.969)		Gasolina	4WD	5461	285	388	05.08-08.15	■	
250 GD (463.324, 463.325) (OM 602.931)		Diesel	4WD	2497	69	94	06.90-10.92	■	
G 270 CDI (463.322, 463.323) (OM 612.965)		Diesel	4WD	2685	115	156	10.01-07.03	■	
G 350 CDI (463.346) (OM 642.886)		Diesel	4WD	2987	155	211	07.11-08.15	■	
G 320 CDI (463.343) (OM 642.970)		Diesel	4WD	2987	165	224	09.06-12.12	■	
G 350 CDI (463.306, 463.340, 463.341, 463.346) (OM 642.970)		Diesel	4WD	2987	165	224	06.09-12.11	■	
G 350 d (463.348) (OM 642.887)		Diesel	4WD	2987	180	245	06.15-04.18	■	
300 GD (463.327, 463.328) (OM 603.931)		Diesel	4WD	2996	83	113	09.89-08.93	■	
G 300 TD (463.330, 463.331) (OM 606.964)		Diesel	4WD	2996	130	177	08.96-07.00	■	
G 320 CDI (463.321) (OM 603.972)		Diesel	4WD	3449	100	136	09.96-08.99	■	
G 400 CDI (463.332, 463.333) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■	
<b>G-Class (W461) 09.89-</b>							<b>Closed Off-Road Vehicle (Off-Road SUV-J Segment)</b>		
G 270 CDI (461.302, 461.342, 461.345, 461.331) (OM 612.966)		Diesel	4WD	2685	115	156	01.03-12.06	■	
G 280 CDI (461.304, 461.334, 461.339, 461.344, 461.390) (OM 642.884)		Diesel	4WD	2987	135	184	04.09-	■	
G 280 CDI (461.304, 461.334, 461.339, 461.344, 461.390) (OM 642.975)		Diesel	4WD	2987	135	184	04.09-	■	
G 300 CDI (461.333) (OM 642.884)		Diesel	4WD	2987	135	184	04.10-07.23	■	
<b>G-Class (W463) 09.89-</b>							<b>Open Off-Road Vehicle (Luxury Crossover SUV-J Segment)</b>		
300 GE (463.207) (M 103.987)		Gasolina	4WD	2960	125	170	09.89-09.97	■	
320 GE (463.208) (M 104.996)		Gasolina	4WD	3199	155	211	09.94-11.97	■	
G 320 (463.209, 463.250) (M 112.945)		Gasolina	4WD	3199	158	215	11.97-08.04	■	
G 500 (463) (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■	
G 500 (463.202) (M 273.963)		Gasolina	4WD	5461	285	388	12.09-08.14	■	
G 500 (463.202) (M 273.969)		Gasolina	4WD	5461	285	388	12.09-08.14	■	
G 350 CDI (463.306) (OM 642.886)		Diesel	4WD	2987	155	211	07.11-12.15	■	
G 320 CDI (463.303) (OM 642.970)		Diesel	4WD	2987	165	224	09.06-12.12	■	
G 350 CDI (463.306) (OM 642.970)		Diesel	4WD	2987	165	224	06.09-12.11	■	
300 GD (463.307) (OM 603.931)		Diesel	4WD	2996	83	113	09.89-08.93	■	
G 300 TD (463.308) (OM 606.964)		Diesel	4WD	2996	130	177	09.96-07.00	■	
G 320 CDI (463.320) (OM 603.972)		Diesel	4WD	3449	100	136	09.96-08.99	■	
G 400 CDI (463.309) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■	
<b>SPRINTER (B905) 04.01-</b>							<b>Dump Truck (Volquete-N2 Segment)</b>		
616 CDI (905.612, 905.622, 905.623) (OM 612.981)	-12/03	Diesel	RWD	2685	115	156	04.01-	■ ■	
<b>SPRINTER CLASSIC 3,5-Ton. (B909) 09.13-</b>							<b>Van (LCVs-N1 Segment)</b>		
311 CDI (909.632, 909.633) (OM 646.701)		Diesel	RWD	2148	80	109	09.13-	■	
313 CDI (909.632, 909.633) (OM 646.701)		Diesel	RWD	2148	100	136	01.17-	■	
<b>SPRINTER CLASSIC 4,6-Ton. (B909) 09.13-</b>							<b>Bus (Minibus-M2-Segment)</b>		
411 CDI (909.843) (OM 646.701)		Diesel	RWD	2148	80	109	09.13-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>SPRINTER CLASSIC 4,6-Ton. (B909) 01.17-</b>						<b>Van (LCVs-N1 Segment)</b>				
413 CDI (909.643) (OM 646.701)		Diesel	RWD	2148	100	136	01.17-		■	
<b>SPRINTER 2-Ton. (B901, B902) 01.95-05.06</b>						<b>Bus (Minibus-M2-Segment)</b>				
214 (902.071, 902.072, 902.671, 902.672) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06		■	■
214 (902.071, 902.072, 902.671, 902.672) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06		■	■
214 NGT (902.072, 902.671, 902.672) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06		■	■
214 NGT (902.072, 902.671, 902.672) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06		■	■
208 CDI (901.671, 902.671, 902.672) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06		■	■
211 CDI (902.671, 902.672) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06		■	■
213 CDI (902.671, 902.672) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06		■	■
208 D (901.371, 902.371, 902.372) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00		■	■
216 CDI (902.671, 902.672) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06		■	■
210 D (902.471, 902.472) (OM 602.980)		Diesel	RWD	2874	75	102	03.97-04.00		■	■
212 D (902.471, 902.472) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00		■	■
<b>SPRINTER 2-Ton. (B901, B902) 01.95-05.06</b>						<b>Platform/Chassis (LCVs-N1 Segment)</b>				
214 (902.011, 902.012, 902.611, 902.612) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06		■	■
214 (902.011, 902.012, 902.611, 902.612) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06		■	■
214 NGT (902.012, 902.611, 902.612) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06		■	■
214 NGT (902.012, 902.611, 902.612) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06		■	■
208 CDI (901.611, 901.612, 901.621, 902.611, 902.612,... (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06		■	■
211 CDI (901.621, 902.611, 902.612, 902.621, 902.622) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06		■	■
213 CDI (901.621, 902.611, 902.612, 902.621, 902.622) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06		■	■
208 D (901.311, 901.312, 901.321, 902.311, 902.312,... (OM 601.943)		Diesel	RWD	2299	58	79	01.95-04.00		■	■
208 D (901.311, 901.312, 901.321, 902.311, 902.312,... (OM 601.943)		Diesel	RWD	2299	60	82	09.96-04.00		■	■
216 CDI (902.611, 902.612, 902.621, 902.622) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06		■	■
210 D (901.421, 902.412) (OM 602.980)		Diesel	RWD	2874	75	102	01.97-04.00		■	■
212 D (901.421, 902.412) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00		■	■
<b>SPRINTER 2-Ton. (B901, B902) 01.95-05.06</b>						<b>Van (LCVs-N1 Segment)</b>				
214 (901.061, 901.062, 901.661, 901.662, 902.061,... (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06		■	■
214 (901.061, 901.062, 901.661, 901.662, 902.061,... (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06		■	■
214 NGT (901.661, 902.061, 902.062, 902.661, 902.662) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06		■	■
214 NGT (901.661, 902.061, 902.062, 902.661, 902.662) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06		■	■
208 CDI (901.661, 901.662, 902.661, 902.662) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06		■	■
211 CDI (901.661, 901.662, 902.661, 902.662) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06		■	■
213 CDI (901.661, 901.662, 902.661, 902.662) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06		■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

208 D (901.361, 901.362, 902.361, 902.362) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■	■	
208 D (901.361, 901.362, 902.361, 902.362) (OM 601.943)		Diesel	RWD	2299	60	82	10.96-04.00	■	■	
216 CDI (902.661, 902.662) (OM 612.981)	-12/03	Diesel	RWD	2685	115	156	04.00-05.06	■	■	
210 D (901.461, 901.462, 902.461, 902.462) (OM 602.980)		Diesel	RWD	2874	75	102	01.97-04.00	■	■	
212 D (901.461, 901.462, 902.461, 902.462) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■	■	
<b>SPRINTER 3-Ton. (B903) 01.95-05.12</b>							<b>Bus (Minibus-M2-Segment)</b>			
314 (903.071, 903.072, 903.073, 903.671, 903.672,... (M 111.979)	-12/03	Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
314 (903.071, 903.072, 903.073, 903.671, 903.672,... (M 111.984)	-12/03	Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
314 4x4 (903.672, 903.673) (M 111.984)		Gasolina	4WD	2295	105	143	02.95-05.06	■	■	
314 NGT (903.072, 903.671, 903.672) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	■	
314 NGT (903.072, 903.671, 903.672) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	■	
308 E		Eléctrico	RWD		40	54	01.96-05.06	■	■	
308 CDI (903.671, 903.672, 903.673) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■	■	
311 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■	■	
311 CDI 4x4 (903.672, 903.673) (OM 611.981)		Diesel	4WD	2148	80	109	08.02-05.06	■	■	
313 CDI (903.671, 903.672, 903.673) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■	■	
313 CDI 4x4 (903.672, 903.673) (OM 611.981)		Diesel	4WD	2148	95	129	08.02-05.06	■	■	
2.3 D		Diesel	RWD	2299	58	79	06.97-12.99	■	■	
308 D (903.372, 903.373) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■	■	
308 D (903.371, 903.372, 903.373) (OM 601.943)		Diesel	RWD	2299	60	82	03.97-04.00		■	
316 CDI (903.671, 903.672, 903.673) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■	■	
316 CDI (903.671, 903.672, 903.673) (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■	■	
316 CDI 4x4 (903.672, 903.673) (OM 612.981)		Diesel	4WD	2685	115	156	08.02-05.06	■	■	
316 CDI 4x4 (903.672, 903.673) (OM 647.981)		Diesel	4WD	2685	115	156	08.02-05.06	■	■	
310 D (903.471, 903.472, 903.473) (OM 602.980)		Diesel	RWD	2874	75	102	01.97-12.99	■	■	
310 D 4x4 (903.472, 903.473) (OM 602.980)		Diesel	4WD	2874	75	102	05.97-08.02	■	■	
312 D 2.9 (903.471, 903.472, 903.473) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■	■	
312 D 2.9 4x4 (903.473) (OM 602.980)		Diesel	4WD	2874	90	122	05.97-08.02	■	■	
<b>SPRINTER 3-Ton. (B903) 01.95-05.12</b>							<b>Platform/Chassis (LCVs-N1 Segment)</b>			
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
314 4x4 (903.612, 903.613, 903.622) (M 111.984)		Gasolina	4WD	2295	105	143	02.95-05.06	■	■	
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	■	
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	■	
308 E		Eléctrico	RWD		40	54	01.96-05.06		■	
308 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■	■	
311 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■	■	
311 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 611.981)		Diesel	4WD	2148	80	109	04.00-05.06	■	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

313 CDI (903.611, 903.612, 903.621, 903.622, 903.623,... (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■	■	
313 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 611.981)		Diesel	4WD	2148	95	129	04.00-05.06	■	■	
308 D 2.3 (903.311, 903.322) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■	■	
308 D 2.3 (903.311, 903.322) (OM 601.943)		Diesel	RWD	2299	60	82	11.96-04.00	■	■	
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■	■	
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■	■	
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 612.981)		Diesel	4WD	2685	115	156	08.02-05.06	■	■	
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 647.981)		Diesel	4WD	2685	115	156	08.02-05.06	■	■	
310 D 2.9 (903.411, 903.412, 903.413, 903.421, 903.422,... (OM 602.980)		Diesel	RWD	2874	75	102	01.97-04.00	■	■	
310 D 2.9 4x4 (903.421, 903.422, 903.423) (OM 602.980)		Diesel	4WD	2874	75	102	01.97-04.00		■	
312 D 2.9 (903.411, 903.412, 903.421, 903.422, 903.423) (OM 602.980)		Diesel	RWD	2874	85	116	12.98-09.01		■	
312 D 2.9 (903.411, 903.412, 903.421, 903.422, 903.423) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■	■	
312 D 2.9 4x4 (903.411)		Diesel	4WD	2874	90	122	02.95-04.00		■	
<b>SPRINTER 3-Ton. (B903) 01.95-05.12</b>							<b>Van (LCVs-N1 Segment)</b>			
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
314 4x4 (903.661, 903.662, 903.663) (M 111.984)		Gasolina	4WD	2295	105	143	02.95-05.06	■	■	
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	■	
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■	■	
308 E		Eléctrico	RWD		40	54	01.96-05.06		■	
308 CDI (903.661, 903.662, 903.663) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■	■	
311 CDI (903.661, 903.662, 903.663) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■	■	
311 CDI 4x4 (903.662, 903.663) (OM 611.981)		Diesel	4WD	2148	80	109	08.02-05.06	■	■	
313 CDI (903.663, 903.662, 903.661) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■	■	
313 CDI 4x4 (903.662, 903.663) (OM 611.981)		Diesel	4WD	2148	95	129	08.02-05.06	■	■	
2.3 D		Diesel	RWD	2299	58	79	06.97-12.99	■	■	
308 D 2.3 (903.361, 903.362, 903.363) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■	■	
308 D 2.3 (903.361) (OM 601.943)		Diesel	RWD	2299	60	82	02.95-04.00	■	■	
316 CDI (903.661, 903.662, 903.663) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■	■	
316 CDI (903.661, 903.662, 903.663) (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■	■	
316 CDI 4x4 (903.662, 903.663) (OM 612.981)		Diesel	4WD	2685	115	156	02.01-05.06	■	■	
316 CDI 4x4 (903.662, 903.663) (OM 647.981)		Diesel	4WD	2685	115	156	02.01-05.06	■	■	
310 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)	01/97-	Diesel	RWD	2874	75	102	02.95-04.00	■	■	
310 D 2.9 4x4 (903.461, 903.462) (OM 602.980)		Diesel	4WD	2874	75	102	06.97-04.00		■	
312 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■	■	
312 D 2.9 4x4 (903.461, 903.462) (OM 602.980)		Diesel	4WD	2874	90	122	05.97-08.02	■	■	
<b>SPRINTER 4-Ton. (B904) 02.96-05.06</b>							<b>Bus (Minibus-M2-Segment)</b>			
414 (904.662, 904.663) (M 111.979)	-12/03	Gasolina	RWD	2295	105	143	02.96-05.06	■	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

414 (904.662, 904.663) (M 111.984)	-12/03	Gasolina	RWD	2295	105	143	02.96-05.06	■	■	
408 CDI (904.662, 904.663) (OM 611.987)	-12/03	Diesel	RWD	2148	60	82	04.00-05.06	■	■	
411 CDI (904.662, 904.663) (OM 611.981)	-12/03	Diesel	RWD	2148	80	109	04.00-05.06	■	■	
413 CDI (904.663, 904.662) (OM 611.981)	-12/03	Diesel	RWD	2148	95	129	04.00-05.06	■	■	
416 CDI (904.662, 904.663) (OM 612.981)	-12/03	Diesel	RWD	2685	115	156	04.00-05.06	■	■	
<b>SPRINTER 4-Ton. (B904) 02.95-05.12</b>							<b>Platform/Chassis (LCVs-N1 Segment)</b>			
414 (904.012, 904.013, 904.612, 904.613) (M 111.979)	-12/03	Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
414 (904.012, 904.013, 904.612, 904.613) (M 111.984)	-12/03	Gasolina	RWD	2295	105	143	02.95-05.06	■	■	
414 4x4 (904.012, 904.013, 904.612, 904.613) (M 111.979)	-12/03	Gasolina	4WD	2295	105	143	05.97-05.06	■	■	
414 4x4 (904.012, 904.013, 904.612, 904.613) (M 111.984)	-12/03	Gasolina	4WD	2295	105	143	05.97-05.06	■	■	
408 CDI (904.612, 904.623, 904.622, 904.613) (OM 611.987)	-12/03	Diesel	RWD	2148	60	82	04.00-05.06	■	■	
411 CDI (904.612, 904.623, 904.622, 904.613) (OM 611.981)	-12/03	Diesel	RWD	2148	80	109	04.00-05.06	■	■	
411 CDI 4x4 (904.612, 904.623, 904.622, 904.613) (OM 611.981)	-12/03	Diesel	4WD	2148	80	109	04.00-05.06	■	■	
413 CDI (904.612, 904.623, 904.622, 904.613) (OM 611.981)	-12/03	Diesel	RWD	2148	95	129	04.00-05.06	■	■	
413 CDI 4x4 (904.623, 904.613) (OM 611.981)	-12/03	Diesel	4WD	2148	95	129	04.00-05.06	■	■	
2.3 D		Diesel	RWD	2299	58	79	06.97-12.99	■	■	
408 D (904.322, 904.312) (OM 601.943)	-12/03	Diesel	RWD	2299	58	79	02.96-05.06	■	■	
416 CDI (904.612, 904.613, 904.622, 904.623) (OM 612.981)	-12/03	Diesel	RWD	2685	115	156	04.00-05.06	■	■	
416 CDI (904.612, 904.613, 904.622, 904.623) (OM 647.981)	-12/03	Diesel	RWD	2685	115	156	04.00-05.06	■	■	
416 CDI 4x4 (904.613, 904.623) (OM 612.981)	-12/03	Diesel	4WD	2685	115	156	04.00-05.06	■	■	
416 CDI 4x4 (904.613, 904.623) (OM 647.981)	-12/03	Diesel	4WD	2685	115	156	04.00-05.06	■	■	
410 D (904.412, 904.423, 904.422, 904.413) (OM 602.980)	-12/03	Diesel	RWD	2874	75	102	02.96-05.06	■	■	
410 D 4x4 (904.422) (OM 602.980)	-12/03	Diesel	4WD	2874	75	102	05.97-05.06	■	■	
412 D (904.413, 904.412) (OM 602.980)	-12/03	Diesel	RWD	2874	85	115	02.96-05.06	■	■	
412 D 4x4 (904.412) (OM 602.980)	-12/03	Diesel	4WD	2874	85	115	05.97-05.06	■	■	
412 D (904.412, 904.423, 904.413) (OM 602.980)	-12/03	Diesel	RWD	2874	90	122	02.96-05.06	■	■	
412 D 4x4 (904.412) (OM 602.980)	-12/03	Diesel	4WD	2874	90	122	05.97-05.06	■	■	
<b>SPRINTER 4-Ton. (B904) 02.95-05.12</b>							<b>Van (LCVs-N1 Segment)</b>			
414 (904.062, 904.063, 904.662, 904.663) (M 111.979)	-12/03	Gasolina	RWD	2295	105	143	02.96-05.06	■	■	
414 (904.062, 904.063, 904.662, 904.663) (M 111.984)	-12/03	Gasolina	RWD	2295	105	143	02.96-05.06	■	■	
414 4x4 (904.062, 904.063, 904.662, 904.663) (M 111.979)	-12/03	Gasolina	4WD	2295	105	143	05.97-05.06	■	■	
414 4x4 (904.062, 904.063, 904.662, 904.663) (M 111.984)	-12/03	Gasolina	4WD	2295	105	143	05.97-05.06	■	■	
408 CDI (904.663, 904.662) (OM 611.987)	-12/03	Diesel	RWD	2148	60	82	04.00-05.06	■	■	
411 CDI (904.663, 904.662) (OM 611.981)	-12/03	Diesel	RWD	2148	80	109	04.00-05.06	■	■	
411 CDI 4x4 (904.663, 904.662) (OM 611.981)	-12/03	Diesel	4WD	2148	80	109	04.00-05.06	■	■	
413 CDI (904.663, 904.662) (OM 611.981)	-12/03	Diesel	RWD	2148	95	129	04.00-05.06	■	■	
413 CDI 4x4 (904.663) (OM 611.981)	-12/03	Diesel	4WD	2148	95	129	04.00-05.06	■	■	
2.3 D		Diesel	RWD	2299	58	79	06.97-12.99	■	■	
408 D (904.362) (OM 601.943)	-12/03	Diesel	RWD	2299	58	79	02.96-05.06	■	■	
416 CDI (904.662, 904.663) (OM 612.981)	-12/03	Diesel	RWD	2685	115	156	04.00-05.06	■	■	
416 CDI (904.662, 904.663) (OM 647.981)	-12/03	Diesel	RWD	2685	115	156	04.00-05.06	■	■	
416 CDI 4x4 (904.663) (OM 612.981)	-12/03	Diesel	4WD	2685	115	156	04.00-05.06	■	■	
416 CDI 4x4 (904.663) (OM 647.981)	-12/03	Diesel	4WD	2685	115	156	04.00-05.06	■	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

410 D (904.463, 904.462) (OM 602.980)	-12/03	Diesel	RWD	2874	75	102	02.96-05.06	■	■
412 D (904.463, 904.462) (OM 602.980)	-12/03	Diesel	RWD	2874	85	115	02.96-05.06	■	■
412 D 4x4 (904.462) (OM 602.980)	-12/03	Diesel	4WD	2874	85	115	05.97-05.06	■	■
412 D (904.463, 904.462) (OM 602.980)	-12/03	Diesel	RWD	2874	90	122	02.96-05.06	■	■
<b>SPRINTER 5-Ton. (B905) 04.01-05.06</b>							<b>Platform/Chassis (LCVs-N1 Segment)</b>		
616 CDI (905.612, 905.622, 905.623) (OM 612.981)	-12/03	Diesel	RWD	2685	115	156	04.01-05.06	■	■
<b>V-Class (638/2) 02.96-07.03</b>							<b>Bus (Minibus-M2-Segment)</b>		
V 200 (638.214, 638.294) (M 111.948)		Gasolina	FWD	1998	95	129	02.97-07.03	■	
V 200 (638.214, 638.294) (M 111.950)		Gasolina	FWD	1998	95	129	02.97-07.03	■	
V 230 (638.234, 638.294) (M 111.978)		Gasolina	FWD	2295	105	143	10.96-07.03	■	
V 230 (638.234, 638.294) (M 111.980)		Gasolina	FWD	2295	105	143	10.96-07.03	■	
V 280 (638.244, 638.294) (M 104.900)		Gasolina	FWD	2792	128	174	08.97-07.03	■	
V 200 CDI (638.294) (OM 611.980)		Diesel	FWD	2148	75	102	03.99-07.03	■	
V 220 CDI (638.294) (OM 611.980)		Diesel	FWD	2148	90	122	03.99-07.03	■	
V 230 TD (638.274) (OM 601.970)		Diesel	FWD	2299	72	98	09.96-07.03	■	
<b>VITO (W638) 02.96-12.03</b>							<b>Bus (Minibus-M2-Segment)</b>		
113 2.0 (638.114, 638.194) (M 111.948)		Gasolina	FWD	1998	95	129	02.96-07.03	■	
113 2.0 (638.114, 638.194) (M 111.950)		Gasolina	FWD	1998	95	129	02.96-07.03	■	
114 2.3 (638.134, 638.194) (M 111.978)	01/97-	Gasolina	FWD	2295	105	143	12.96-07.03	■	
114 2.3 (638.134, 638.194) (M 111.980)	01/97-	Gasolina	FWD	2295	105	143	12.96-07.03	■	
108 CDI 2.2 (638.194) (OM 611A (60 KW CDI))		Diesel	FWD	2148	60	82	03.99-07.03	■	
110 CDI 2.2 (638.194) (OM 611LA (75 KW CDI))		Diesel	FWD	2148	75	102	03.99-07.03	■	
112 CDI 2.2 (638.194) (OM 611.980)		Diesel	FWD	2148	90	122	03.99-07.03	■	
108 D 2.3 (638.164) (OM 601.942)		Diesel	FWD	2299	58	79	02.96-07.03	■	
110 TD 2.3 (638.174) (OM 601.970)		Diesel	FWD	2299	72	98	02.96-07.03	■	
<b>VITO (W638) 03.97-07.03</b>							<b>Van (LCVs-N1 Segment)</b>		
113 2.0 (638.014, 638.094) (M 111.948)		Gasolina	FWD	1998	95	129	03.97-07.03	■	
113 2.0 (638.014, 638.094) (M 111.950)		Gasolina	FWD	1998	95	129	03.97-07.03	■	
114 2.3 (638.034, 638.094) (M 111.978)		Gasolina	FWD	2295	105	143	03.97-07.03	■	
108 CDI 2.2 (638.094) (OM 611A (60 KW CDI))		Diesel	FWD	2148	60	82	03.99-07.03	■	
110 CDI 2.2 (638.094) (OM 611LA (75 KW CDI))		Diesel	FWD	2148	75	102	03.99-07.03	■	
112 CDI 2.2 (638.094) (OM 611.980)		Diesel	FWD	2148	90	122	03.99-07.03	■	
108 D 2.3 (638.064, 638.068) (OM 601.942)		Diesel	FWD	2299	58	79	03.97-07.03	■	
110 D 2.3 (638.074, 638.078) (OM 601.970)		Diesel	FWD	2299	72	98	03.97-07.03	■	
<b>PUCH</b>									
<b>G-MODELL (W460) 03.79-12.91</b>							<b>Closed Off-Road Vehicle (Off-Road SUV-J Segment)</b>		
230 G (460.230, 460.231) (M 102.944)		Gasolina	4WD	2299	80	109	01.86-06.89	■	
230 GE (460.238, 460.239) (M 102.987)		Gasolina	4WD	2299	90	122	01.86-12.91	■	
230 GE (461.239, 461.238) (M 102.979)		Gasolina	4WD	2299	90	122	11.91-08.96	■	
230 GE (461.239, 461.238) (M 102.996)		Gasolina	4WD	2299	90	122	11.91-08.96	■	
230 GE (460.238, 460.239) (M 102.981)		Gasolina	4WD	2299	92	125	03.79-12.91	■	
230 GE (460.238, 460.239) (M 102.987)		Gasolina	4WD	2299	92	125	03.79-12.91	■	
230 G (460.230, 460.231) (M 115.973)		Gasolina	4WD	2307	66	90	03.79-08.85	■	
230 G (460.230, 460.231) (M 115.973)		Gasolina	4WD	2307	75	102	03.79-08.85	■	
280 GE (460.232, 460.233) (M 110.994)		Gasolina	4WD	2746	110	150	01.86-12.91	■	
280 GE (460.232, 460.233) (M 110.994)		Gasolina	4WD	2746	115	156	03.79-12.91	■	
300 GE (463.227, 463.228) (M 103.987)		Gasolina	4WD	2960	125	170	06.89-08.93	■	
G 320 (463.230, 463.231) (M 104.996)		Gasolina	4WD	3199	155	211	02.94-12.97	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

G 320 (V6) (463.232, 463.233) (M 112.945)	Gasolina	4WD	3199	158	215	04.97-11.00	■
G 36 AMG (463.231, 463.230) (M 104.952 (AMG 3,6))	Gasolina	4WD	3606	190	258	01.95-04.98	■
G 36 AMG (463.230, 463.231) (M 104.952 (AMG 3,6))	Gasolina	4WD	3606	200	272	01.95-04.98	■
G 500 (463.240, 463.241) (M 113.962)	Gasolina	4WD	4966	218	296	12.97-11.00	■
500 GE (463.228) (M 117.965)	Gasolina	4WD	4973	177	241	09.92-07.94	■
G 55 AMG (463.240, 463.241) (M 113.982)	Gasolina	4WD	5439	260	354	04.99-03.01	■
240 GD (460.330, 460.331) (OM 616.936)	Diesel	4WD	2399	53	72	03.79-09.87	■
240 GD (460.330, 460.331) (OM 616.938)	Diesel	4WD	2399	53	72	03.79-09.87	■
250 GD (460.337, 460.338) (OM 602.930)	Diesel	4WD	2497	62	84	10.87-12.91	■
250 GD (463.324, 463.325) (OM 602.931)	Diesel	4WD	2497	69	94	07.89-09.92	■
290 GD (461.338, 461.337) (OM 602.942)	Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD (461.338, 461.337) (OM 602.947)	Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD Turbodiesel (461.335, 461.336) (OM 602.983)	Diesel	4WD	2874	88	120	04.97-12.01	■
G 300 Diesel (463.327, 463.328) (OM 603.931)	Diesel	4WD	2996	83	113	09.93-08.94	■
G 300 Turbodiesel (463.330, 463.331) (OM 606.964)	Diesel	4WD	2996	130	177	01.96-11.00	■
300 GD (460.332, 460.333) (OM 617.931)	Diesel	4WD	2998	59	80	03.79-08.79	■
300 GD (460.332, 460.333) (OM 617.932)	Diesel	4WD	2998	59	80	03.79-08.79	■
300 GD (460.332, 460.333) (OM 617.931)	Diesel	4WD	2998	65	88	09.79-12.91	■
300 GD (460.332, 460.333) (OM 617.932)	Diesel	4WD	2998	65	88	09.79-12.91	■
350 GD Turbo (463.320, 463.321) (OM 603.972)	Diesel	4WD	3449	100	136	08.91-08.93	■
G 350 Turbo (463.320, 463.321) (OM 603.972)	Diesel	4WD	3449	100	136	09.93-07.96	■
<b>G-MODELL (W463) 06.89-11.00</b>							<b>Open Off-Road Vehicle (Off-Road SUV-J Segment)</b>
G 320 (V6) (463.209) (M 112.945)	Gasolina	4WD	3199	158	215	05.97-11.00	■
G 500 (463.206) (M 113.962)	Gasolina	4WD	4966	218	296	01.98-11.00	■
G 55 AMG (463.206) (M 113.982)	Gasolina	4WD	5439	260	354	07.99-11.00	■
250 GD (463.304) (OM 602.931)	Diesel	4WD	2497	69	94	07.89-09.92	■
300 GD (463.307) (OM 603.931)	Diesel	4WD	2996	83	113	07.89-08.93	■
G 300 Diesel (463.307) (OM 603.931)	Diesel	4WD	2996	83	113	09.93-07.94	■
G 300 Turbodiesel (463.330, 463.331) (OM 606.964)	Diesel	4WD	2996	130	177	01.96-11.00	■
350 GD Turbo (463.300) (OM 603.972)	Diesel	4WD	3449	100	136	09.91-08.93	■
G 350 Turbo (463.300) (OM 603.972)	Diesel	4WD	3449	100	136	09.93-08.96	■
<b>G-MODELL (W460) 03.79-12.91</b>							<b>Van (Off-Road SUV-J Segment)</b>
230 G (460.220, 460.221) (M 102.944)	Gasolina	4WD	2299	80	109	01.86-06.89	■
230 GE (460.228, 460.229) (M 102.987)	Gasolina	4WD	2299	90	122	01.86-12.91	■
230 GE (461.229) (M 102.979)	Gasolina	4WD	2299	90	122	11.91-08.96	■
230 GE (461.229) (M 102.996)	Gasolina	4WD	2299	90	122	11.91-08.96	■
230 GE (460.228, 460.229) (M 102.981)	Gasolina	4WD	2299	92	125	03.79-12.91	■
230 GE (460.228, 460.229) (M 102.987)	Gasolina	4WD	2299	92	125	03.79-12.91	■
230 G (460.220, 460.221) (M 115.973)	Gasolina	4WD	2307	66	90	03.79-08.85	■
230 G (460.220, 460.221) (M 115.973)	Gasolina	4WD	2307	75	102	03.79-08.85	■
280 GE (460.222, 460.223) (M 110.994)	Gasolina	4WD	2746	110	150	01.86-12.91	■
280 GE (460.222, 460.223) (M 110.994)	Gasolina	4WD	2746	115	156	03.79-12.91	■
240 GD (460.320, 460.321) (OM 616.936)	Diesel	4WD	2399	53	72	03.79-09.87	■
240 GD (460.320, 460.321) (OM 616.938)	Diesel	4WD	2399	53	72	03.79-09.87	■
250 GD (460.328) (OM 602.930)	Diesel	4WD	2497	62	84	10.87-12.91	■
290 GD (461.328) (OM 602.942)	Diesel	4WD	2874	70	95	10.91-12.97	■
290 GD (461.328) (OM 602.947)	Diesel	4WD	2874	70	95	10.91-12.97	■

# LISTA DE APLICACIONES - BUYERS GUIDE

290 GD Turbodiesel (461.335, 461.336) (OM 602.983)		Diesel	4WD	2874	88	120	04.97-12.01	■	
300 GD (460.322, 460.323) (OM 617.931)		Diesel	4WD	2998	59	80	03.79-08.79	■	
300 GD (460.322, 460.323) (OM 617.932)		Diesel	4WD	2998	59	80	03.79-08.79	■	
300 GD (460.322, 460.323) (OM 617.931)		Diesel	4WD	2998	65	88	09.79-12.91	■	
300 GD (460.322, 460.323) (OM 617.932)		Diesel	4WD	2998	65	88	09.79-12.91	■	
<b>VW</b>									
<b>LT 28-35 (2DB, 2DE, 2DK) 04.96-07.06</b>						<b>Bus (Minibus-M2-Segment)</b>			
2.3 (AGL)	-12/03	Gasolina	RWD	2295	105	143	05.96-07.06	■	■
2.5 SDI (AGX)	-12/03	Diesel	RWD	2461	55	75	07.96-07.06	■	■
2.5 TDI (BBE)	-12/03	Diesel	RWD	2461	61	83	05.01-07.06	■	■
2.5 TDI (APA)	-12/03	Diesel	RWD	2461	66	90	05.99-07.06	■	■
2.5 TDI (BBF)	-12/03	Diesel	RWD	2461	70	95	05.01-07.06	■	■
2.5 TDI (AHD)		Diesel	RWD	2461	75	102	05.96-08.99	■	■
2.5 TDI (ANJ)	-12/03	Diesel	RWD	2461	80	109	05.99-07.06	■	■
2.5 TDI (AVR)	-12/03	Diesel	RWD	2461	80	109	05.99-07.06	■	■
2.8 TDI (AGK)		Diesel	RWD	2798	92	125	07.97-05.03	■	■
2.8 TDI (ATA)		Diesel	RWD	2798	96	131	01.99-01.02	■	■
2.8 TDI (AUH)	01/02-	Diesel	RWD	2799	116	158	05.01-06.06	■	■
2.8 TDI (BCQ)	01/02-	Diesel	RWD	2799	116	158	05.01-06.06	■	■
<b>LT 28-46 (2DC, 2DF, 2DG, 2DL, 2DM) 04.96-07.06</b>						<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.3 (AGL)	-12/03	Gasolina	RWD	2295	105	143	06.96-07.06	■	■
2.5 SDI (AGX)	-12/03	Diesel	RWD	2461	55	75	09.96-07.06	■	■
2.5 TDI (BBE)	-12/03	Diesel	RWD	2461	61	83	05.01-07.06	■	■
2.5 TDI (APA)	-12/03	Diesel	RWD	2461	66	90	05.99-07.06	■	■
2.5 TDI (BBF)	-12/03	Diesel	RWD	2461	70	95	05.01-07.06	■	■
2.5 TDI (AHD)		Diesel	RWD	2461	75	102	06.96-08.99	■	■
2.5 TDI (ANJ)	-12/03	Diesel	RWD	2461	80	109	05.99-07.06	■	■
2.5 TDI (AVR)	-12/03	Diesel	RWD	2461	80	109	05.99-07.06	■	■
2.8 TDI (AGK)		Diesel	RWD	2799	92	125	07.97-01.02	■	■
2.8 TDI (ATA)	-12/03	Diesel	RWD	2799	96	130	01.99-07.06	■	■
2.8 TDI (AUH)	-12/03	Diesel	RWD	2799	116	158	04.02-07.06	■	■
<b>LT 28-46 (2DA, 2DD, 2DH) 04.96-07.06</b>						<b>Van (LCVs-N1 Segment)</b>			
2.3 (AGL)	-12/03	Gasolina	RWD	2295	105	143	05.96-07.06	■	■
2.5 SDI (AGX)	-12/03	Diesel	RWD	2461	55	75	09.96-07.06	■	■
2.5 TDI (BBE)	-12/03	Diesel	RWD	2461	61	83	05.01-07.06	■	■
2.5 TDI (APA)	-12/03	Diesel	RWD	2461	66	90	05.99-07.06	■	■
2.5 TDI (BBF)	-12/03	Diesel	RWD	2461	70	95	05.01-07.06	■	■
2.5 TDI (AHD)		Diesel	RWD	2461	75	102	05.96-08.99	■	■
2.5 TDI (ANJ)	-12/03	Diesel	RWD	2461	80	109	05.99-07.06	■	■
2.5 TDI (AVR)	-12/03	Diesel	RWD	2461	80	109	05.99-07.06	■	■
2.8 TDI (AGK)		Diesel	RWD	2799	92	125	07.97-01.02	■	■
2.8 TDI (ATA)	-12/03	Diesel	RWD	2799	96	130	01.99-07.06	■	■
2.8 TDI (AUH)	-12/03	Diesel	RWD	2799	116	158	04.02-07.06	■	■
2.8 TDI (BCQ)	-12/03	Diesel	RWD	2799	116	158	04.02-07.06	■	■